


Montana's Continuous Traffic Counter Report 2020



Traffic Data Collection & Analysis Section

Montana's Continuous Traffic Counter Report 2020

Prepared by:
Montana Department of Transportation,
Traffic Data Collection and Analysis (TDCA) Section

Also available on MDT's Website:
http://www.mdt.mt.gov/publications/datastats/traffic_reports.shtml

If you no longer need a paper copy of this book, please contact TDCA at mdttcrequests@mt.gov or (406) 444-6122

INTRODUCTION

This report is an annual summary of traffic patterns at each of the Montana Department of Transportation's Continuous Traffic Count Stations. The map on the following page displays the locations of each station. The Continuous Count Stations (CCS) are distributed by Functional Classification as follows:

Functional Classification	Urban	Rural
Principal Arterial (Interstate)	3	16
Principal Arterial (other)	8	38
Minor Arterial	5	17
Major Collector	2	9
Minor Collector	0	0
Local	0	1
Total	18	81

Each report header list the CCS Location ID, County, Street/Highway description, functional classification, and Traffic Factor Group.

The **Traffic Factor Group** generally aligns with the roadway's functional classification apart from rural/urban designation and an added designation for recreational routes. Urban and Rural Traffic Factor Group designations consider hourly, day of week, and seasonal traffic patterns, therefore the CCS' assigned Traffic Factor Group does not always align with it's functional classification. Continuous Count Stations located just outside of urban areas are functionally classified as rural but are commonly assigned an urban Traffic Factor Group designation due to the commuter travel patterns. Sites with high summer volumes and/or high weekend volumes are grouped together in the Recreational Factor Group.

The following reports are provided for each CCS:


The **Yearly CCS Profile** report summarizes the daily, weekly, monthly, and annual traffic volume statistics for each location. Directional Splits (the percentage of vehicles in each direction) are reported. When sites are configured to collect specific vehicle type information, the traffic mix is included. The Traffic Mix is reported as the percentage of Passenger Vehicles (Pass), Single Unit Commercial Vehicles (SU), and Combination Unit Commercial Vehicles (CU).

The **Yearly Peak Hourly Volumes** report displays current and historic Annual Average Daily Traffic (AADT) volumes, high hour volumes, and the Design Hour Volume (DHV).

An interactive version of the map on the following page is available at the following URL:

https://www.mdt.mt.gov/other/webdata/external/Planning/TRAFFIC_MAPS/WIM_ATR_SITES.PDF

Continuous Count Stations





CCS A-063, US 212, RP 76.3, 14 Mi. East of Ashland, MT

Reinstall by TDCA Electronic Repair Technologists (ERTs)

July 2020

Passenger Vehicles (Types 1-4)


Type 1

Class 1
Motorcycles




Type 2

Class 2
Passenger Cars




Type 3

Class 3
2 Axle Four Tire
Single Unit Vehicles




Type 4s

Class 4-1
2 Axle Single Unit
Passenger Bus



Class 4-2
3 Axle Single Unit
Passenger Bus



Single Unit (SU) Trucks (Types 5-7)

Type 5s

Class 5-1
2 Axle Single Unit



Class 5-2
2 Axle Single Unit w/ Single Axle Trailer



Class 5-3
2 Axle Single Unit w/ 2 Axle Trailer




Class 5-4
2 Axle Single Unit w/ 3 Axle Trailer



Type 6

Class 6-1
3 Axle Single Unit




Type 7s


Class 7-1
4 Axle Single Unit



Class 7-2
5 Axle Single Unit



Class 7-3
6 Axle Single Unit



Combination Unit (CU) Trucks (Types 8-13)

Type 8s


Class 8-1
2 Axle Tractor w/
Single Axle Trailer



Class 8-2
3 Axle Tractor w/
Single Axle Trailer




Class 8-2
2 Axle Tractor w/
2 Axle Trailer



Type 9s

Class 9-1
3 Axle Tractor w/
Tandem Trailer



Class 9-2
3 Axle Tractor w/
Split Tandem Trailer



Class 9-3
2 Axle Tractor w/
Tridem Trailer



Type 10s


Class 10-1
3 Axle Tractor w/
Tridem Trailer



Class 10-1
4 Axle Single Unit
w/ 2 Axle Trailer



Class 10-2
3 Axle Tractor w/
Quadem Trailer



Class 10-3
4 Axle Single Unit
w/ Quadem Trailer



Type 11

Class 11-1
2 Axle Tractor
w/ Single Axle
Trailer w/ 2 Axle Trailer



Type 12

Class 12-1
3 Axle Tractor w/
Single Axle Trailer
w/ 2 Axle Trailer



Type 13s

Class 13-1
3 Axle Tractor
w/ Single Axle
Trailer w/ Single/Tandem Axle Trailer



Class 13-2
3 Axle Tractor
w/ Tandem Axle
Trailer w/ Tandem/Tandem Axle Trailer



Class 13-2
3 Axle Tractor
w/ Tridem Axle Trailer w/ Single/Tandem Axle Trailer



Class 13-3
3 Axle Tractor w/
Tandem Axle
Trailer w/
Single/Tandem Axle Trailer



Class 13
3 Axle Tractor w/ Single
axle trailer w/ 2 axle trailer w/ 2 axle trailer



Class 13-4
4 Axle Tractor
w/ Tandem
Axle Trailer w/
Tandem/Tandem Axle Trailer



Class 13
2 Axle Tractor w/ Single
axle trailer w/ 2 axle trailer w/ 2 axle trailer





Yearly CCS Profile

For Year: 2020

County: JEFFERSON

Station: A-002

At Road: 1 Mi. NW of S-284

Ascending Direction: East

Location Id: 22-2-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 287/US 12 near Claysoil, RP 55.02, 9 Mi. E of Helena (C000008)

Traffic Mix: Pass: 94.23% SU: 1.18% CU: 4.59%

Directional Split: WB 51.40% / EB 48.60%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,778	5,468	5,651	5,121	5,918	6,658	5,284	5,553	96.47%	5,540	100.24%	5,763	96.35%
FEB	4,462	5,395	5,713	5,726	6,046	6,764	5,496	5,657	98.28%	5,720	98.90%	5,929	95.42%
MAR	4,049	5,091	5,063	5,276	5,700	6,148	4,046	5,053	87.79%	5,283	95.66%	5,456	92.62%
APR	3,496	4,572	4,640	4,435	4,740	5,179	3,475	4,361	75.76%	4,597	94.87%	4,713	92.53%
MAY	5,069	5,548	5,624	5,703	6,016	6,699	5,667	5,760	100.07%	5,723	100.65%	5,918	97.33%
JUN	5,765	6,068	6,170	6,408	6,656	7,596	6,319	6,425	111.62%	6,326	101.57%	6,580	97.65%
JUL	6,146	6,384	6,308	6,477	6,844	7,434	5,953	6,506	113.03%	6,503	100.04%	6,689	97.26%
AUG	6,170	6,437	6,487	6,651	6,829	7,680	6,430	6,668	115.84%	6,601	101.01%	6,817	97.82%
SEP	5,632	6,162	6,293	6,335	6,616	7,649	6,151	6,405	111.27%	6,352	100.84%	6,611	96.88%
OCT	4,358	5,377	5,755	5,988	6,256	7,155	4,822	5,672	98.54%	5,844	97.06%	6,106	92.89%
NOV	4,334	5,550	5,953	5,907	5,379	6,407	5,222	5,535	96.16%	5,697	97.15%	5,839	94.79%
DEC	4,522	5,711	5,629	5,990	5,869	5,645	4,987	5,478	95.17%	5,800	94.45%	5,769	94.96%
Year	4,898	5,647	5,774	5,835	6,072	6,751	5,321	5,756		5,832	98.70%	6,016	95.68%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: JEFFERSON

Station: A-002

At Road: 1 Mi. NW of S-284

Location Id: 22-2-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 287/US 12 near Claysoil, RP 55.02, 9 Mi. E of Helena (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	5,444		%		%		%		%		%		%
2004	5,730	784	13.68 %	695	12.13 %	674	11.76 %	657	11.47 %	641	11.19 %	606	10.58 %
2005	5,650	749	13.26 %	672	11.89 %	661	11.70 %	650	11.50 %	627	11.10 %	581	10.28 %
2006	5,860	728	12.42 %	689	11.76 %	669	11.42 %	656	11.19 %	632	10.78 %	598	10.20 %
2007	6,182	795	12.86 %	746	12.07 %	723	11.70 %	704	11.39 %	676	10.93 %	640	10.35 %
2008	5,899	1,063	18.02 %	750	12.71 %	712	12.07 %	696	11.80 %	668	11.32 %	624	10.58 %
2009	6,538	877	13.41 %	811	12.40 %	780	11.93 %	770	11.78 %	744	11.38 %	701	10.72 %
2010	6,809	916	13.45 %	860	12.63 %	836	12.28 %	816	11.98 %	791	11.62 %	760	11.16 %
2011	6,010	788	13.11 %	729	12.13 %	697	11.60 %	682	11.35 %	656	10.92 %	625	10.40 %
2012	6,060	797	13.15 %	739	12.19 %	722	11.91 %	704	11.62 %	679	11.20 %	637	10.51 %
2013	6,161	805	13.07 %	747	12.12 %	729	11.83 %	714	11.59 %	691	11.22 %	657	10.66 %
2014	6,178	855	13.84 %	768	12.43 %	738	11.95 %	720	11.65 %	693	11.22 %	648	10.49 %
2015	6,422	948	14.76 %	786	12.24 %	763	11.88 %	747	11.63 %	711	11.07 %	671	10.45 %
2016	6,693	869	12.98 %	832	12.43 %	796	11.89 %	781	11.67 %	749	11.19 %	708	10.58 %
2017	6,805	955	14.03 %	847	12.45 %	818	12.02 %	797	11.71 %	775	11.39 %	727	10.68 %
2018	6,763	916	13.54 %	840	12.42 %	809	11.96 %	795	11.76 %	763	11.28 %	723	10.69 %
2019	6,840	906	13.25 %	845	12.35 %	824	12.05 %	808	11.81 %	780	11.40 %	736	10.76 %
2020	5,756	734	12.75 %	673	11.69 %	655	11.38 %	644	11.19 %	626	10.88 %	592	10.29 %

Notes
 UNDER CONSTRUCTION 2003
 NOT ENOUGH DAYS TO MAKE 2003 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: A-003

At Road: SE of Capital Intch

Ascending Direction: North

Location Id: 25-7C-001

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-15, RP 191.64, 0.5 Mi. S of Helena (C000015)

Traffic Mix: Pass: 94.47% SU: 0.62% CU: 4.91%

Directional Split: NB 50.16% / SB 49.84%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	10,158	14,072	15,059	14,010	15,275	15,805	11,724	13,728	98.44%	14,604	94.00%	14,844	92.48%
FEB	10,180	13,870	15,170	15,586	15,605	16,150	12,125	14,097	101.08%	15,058	93.62%	15,276	92.28%
MAR	9,215	13,062	13,206	14,394	14,589	14,550	9,885	12,699	91.06%	13,813	91.94%	13,960	90.97%
APR	7,356	10,640	11,282	10,664	11,274	11,755	8,164	10,162	72.87%	10,965	92.68%	11,123	91.36%
MAY	10,748	13,289	14,715	14,983	15,590	15,540	12,401	13,894	99.63%	14,644	94.88%	14,823	93.73%
JUN	12,257	16,056	16,715	16,822	17,408	18,004	13,789	15,864	113.75%	16,750	94.71%	17,001	93.31%
JUL	12,096	16,840	17,186	17,561	17,541	17,090	12,484	15,827	113.49%	17,282	91.58%	17,244	91.78%
AUG	12,241	16,233	16,822	17,026	17,058	17,559	13,225	15,737	112.84%	16,785	93.76%	16,940	92.90%
SEP	12,164	16,084	16,514	16,796	17,106	17,788	13,351	15,685	112.47%	16,625	94.35%	16,858	93.04%
OCT	9,670	14,107	15,311	15,762	15,981	16,514	10,620	13,994	100.34%	15,290	91.52%	15,535	90.08%
NOV	8,849	13,696	14,562	14,244	12,513	14,282	11,275	12,773	91.59%	13,754	92.87%	13,859	92.16%
DEC	9,411	14,120	14,065	14,707	14,165	12,846	10,947	12,894	92.46%	14,264	90.39%	13,981	92.23%
Year	10,362	14,339	15,051	15,213	15,342	15,657	11,666	13,946		14,986	93.06%	15,120	92.23%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: A-003

At Road: SE of Capital Intch

Location Id: 25-7C-001

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-15, RP 191.64, 0.5 Mi. S of Helena (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	10,618	1,216	11.45 %	1,177	11.08 %	1,156	10.89 %	1,149	10.82 %	1,136	10.70 %	1,103	10.39 %
2004	10,740	1,728	16.09 %	1,290	12.01 %	1,207	11.24 %	1,181	11.00 %	1,167	10.87 %	1,134	10.56 %
2005	10,300	1,193	11.58 %	1,142	11.09 %	1,130	10.97 %	1,119	10.86 %	1,102	10.70 %	1,077	10.46 %
2006	10,970	1,282	11.69 %	1,228	11.19 %	1,208	11.01 %	1,197	10.91 %	1,180	10.76 %	1,148	10.46 %
2007	11,254	1,285	11.42 %	1,265	11.24 %	1,249	11.10 %	1,229	10.92 %	1,210	10.75 %	1,181	10.49 %
2008	11,065	1,270	11.48 %	1,233	11.14 %	1,210	10.94 %	1,204	10.88 %	1,189	10.75 %	1,160	10.48 %
2009	11,437	1,307	11.43 %	1,275	11.15 %	1,257	10.99 %	1,244	10.88 %	1,227	10.73 %	1,188	10.39 %
2010	11,736	1,373	11.70 %	1,307	11.14 %	1,289	10.98 %	1,278	10.89 %	1,257	10.71 %	1,225	10.44 %
2011	11,968	1,394	11.65 %	1,341	11.20 %	1,314	10.98 %	1,307	10.92 %	1,285	10.74 %	1,257	10.50 %
2012	12,641	1,534	12.14 %	1,484	11.74 %	1,450	11.47 %	1,434	11.34 %	1,411	11.16 %	1,360	10.76 %
2013	13,270		%		%		%		%		%		%
2014	13,420		%		%		%		%		%		%
2015	14,217	1,641	11.54 %	1,593	11.20 %	1,580	11.11 %	1,562	10.99 %	1,535	10.80 %	1,499	10.54 %
2016	14,330		%		%		%		%		%		%
2017	14,244		%		%		%		%		%		%
2018	14,415		%		%		%		%		%		%
2019	15,267		%		%		%		%		%		%
2020	13,946	1,641	11.77 %	1,576	11.30 %	1,559	11.18 %	1,542	11.06 %	1,524	10.93 %	1,495	10.72 %

Notes
 UNDER CONSTRUCTION 2013-2014 &
 NOT ENOUGH DAYS TO MAKE 2013, 2014,
 2016-2019 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: WIBAUX

Station: A-005

At Road: 1 Mi. S of Wibaux

Ascending Direction: North

Location Id: 55-1-003

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 7, RP 79.19, 1 Mi. S of Wibaux (C000027)

Traffic Mix: Pass: 87.88% SU: 2.27% CU: 9.85%

Directional Split: NB 52.02% / SB 47.98%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	404	625	650	602	657	686	492	587	88.91%	634	92.66%	644	91.15%
FEB	377	591	584	640	626	741	513	581	88.00%	610	95.21%	636	91.29%
MAR	334	580	588	633	639	611	411	542	82.09%	610	88.85%	610	88.82%
APR	309	554	561	500	573	556	360	487	73.76%	547	89.03%	549	88.74%
MAY	456	671	708	694	704	727	543	642	97.24%	694	92.47%	701	91.61%
JUN	646	831	776	849	808	858	667	775	117.38%	816	94.98%	824	94.01%
JUL	649	728	785	956	813	857	613	771	116.77%	821	93.97%	828	93.14%
AUG	708	821	850	881	959	1,034	886	876	132.68%	878	99.80%	909	96.37%
SEP	677	699	766	760	787	982	1,028	813	123.14%	753	107.97%	799	101.78%
OCT	500	683	700	722	742	778	566	669	101.33%	712	93.99%	725	92.28%
NOV	459	676	674	696	639	703	547	627	94.96%	671	93.41%	678	92.53%
DEC	388	611	618	630	606	566	458	553	83.76%	616	89.74%	606	91.22%
Year	492	673	688	714	713	758	590	660		697	94.76%	709	93.11%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: WIBAUX

Station: A-005

At Road: 1 Mi. S of Wibaux

Location Id: 55-1-003

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 7, RP 79.19, 1 Mi. S of Wibaux (C000027)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	751	276	36.75 %	143	19.04 %	116	15.45 %	111	14.78 %	101	13.45 %	87	11.58 %
2004	740	236	31.89 %	151	20.41 %	124	16.76 %	107	14.46 %	92	12.43 %	82	11.08 %
2005	710	221	31.13 %	133	18.73 %	118	16.62 %	102	14.37 %	90	12.68 %	78	10.99 %
2006	750	301	40.13 %	155	20.67 %	122	16.27 %	105	14.00 %	93	12.40 %	83	11.07 %
2007	779	336	43.13 %	160	20.54 %	123	15.79 %	116	14.89 %	104	13.35 %	90	11.55 %
2008	746	310	41.55 %	184	24.66 %	131	17.56 %	117	15.68 %	95	12.73 %	80	10.72 %
2009	753	385	51.13 %	191	25.37 %	151	20.05 %	118	15.67 %	103	13.68 %	91	12.08 %
2010	758	375	49.47 %	163	21.50 %	140	18.47 %	120	15.83 %	106	13.98 %	92	12.14 %
2011	760	394	51.84 %	225	29.61 %	169	22.24 %	132	17.37 %	102	13.42 %	88	11.58 %
2012	895	413	46.15 %	184	20.56 %	140	15.64 %	128	14.30 %	115	12.85 %	105	11.73 %
2013	897	281	31.33 %	190	21.18 %	151	16.83 %	133	14.83 %	115	12.82 %	100	11.15 %
2014	889	281	31.61 %	158	17.77 %	146	16.42 %	133	14.96 %	119	13.39 %	105	11.81 %
2015	836	331	39.59 %	165	19.74 %	148	17.70 %	129	15.43 %	109	13.04 %	93	11.12 %
2016	810	340	41.98 %	175	21.60 %	132	16.30 %	125	15.43 %	108	13.33 %	96	11.85 %
2017	761	343	45.07 %	158	20.76 %	125	16.43 %	113	14.85 %	102	13.40 %	91	11.96 %
2018	710	312	43.94 %	149	20.99 %	120	16.90 %	111	15.63 %	96	13.52 %	85	11.97 %
2019	818	296	36.19 %	174	21.27 %	148	18.09 %	135	16.50 %	120	14.67 %	110	13.45 %
2020	660	207	31.36 %	126	19.09 %	112	16.97 %	95	14.39 %	87	13.18 %	80	12.12 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: A-006

At Road: 1 Mi. SE of Manhattan Intch

Ascending Direction: South

Location Id: 16-1-009

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-288, RP 0.9, Manhattan, S of I-90 Interchange (C000288)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 52.86% / SB 47.14%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	995	1,482	1,489	1,451	1,552	1,622	1,354	1,420	87.21%	1,494	95.08%	1,519	93.47%
FEB	897	1,409	1,548	1,599	1,554	1,664	1,176	1,406	86.35%	1,528	92.05%	1,555	90.43%
MAR	999	1,481	1,467	1,543	1,526	1,666	1,274	1,422	87.33%	1,504	94.53%	1,537	92.54%
APR	1,054	1,571	1,614	1,494	1,490	1,701	1,263	1,454	89.29%	1,542	94.28%	1,574	92.38%
MAY	1,278	1,714	1,789	1,795	1,873	1,957	1,655	1,722	105.75%	1,793	96.05%	1,826	94.33%
JUN	1,215	1,767	1,897	1,896	1,940	2,068	1,680	1,780	109.31%	1,875	94.93%	1,914	93.02%
JUL	1,452	1,955	1,987	2,085	2,082	2,059	1,632	1,892	116.19%	2,027	93.33%	2,034	93.04%
AUG	1,408	1,936	2,024	2,019	1,955	2,108	1,663	1,872	114.96%	1,984	94.38%	2,008	93.21%
SEP	1,276	1,819	2,055	2,063	2,131	2,271	1,769	1,911	117.36%	2,017	94.74%	2,068	92.42%
OCT	1,022	1,697	1,845	1,870	1,869	2,016	1,507	1,689	103.73%	1,820	92.79%	1,859	90.84%
NOV	995	1,624	1,718	1,604	1,512	1,714	1,339	1,500	92.12%	1,615	92.91%	1,634	91.78%
DEC	941	1,580	1,605	1,687	1,682	1,625	1,191	1,472	90.40%	1,639	89.84%	1,636	89.99%
Year	1,128	1,670	1,753	1,759	1,764	1,873	1,459	1,628		1,736	93.78%	1,764	92.33%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: A-006

At Road: 1 Mi. SE of Manhattan Intch

Location Id: 16-1-009

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-288, RP 0.9, Manhattan, S of I-90 Interchange (C000288)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,021	172	16.85 %	156	15.28 %	144	14.10 %	140	13.71 %	129	12.63 %	117	11.46 %
2004	1,090	242	22.20 %	188	17.25 %	168	15.41 %	160	14.68 %	144	13.21 %	131	12.02 %
2005	1,120	238	21.25 %	163	14.55 %	147	13.13 %	142	12.68 %	137	12.23 %	128	11.43 %
2006	1,260	229	18.17 %	192	15.24 %	177	14.05 %	170	13.49 %	163	12.94 %	151	11.98 %
2007	1,283	250	19.49 %	186	14.50 %	179	13.95 %	174	13.56 %	167	13.02 %	154	12.00 %
2008	1,227	239	19.48 %	183	14.91 %	176	14.34 %	171	13.94 %	158	12.88 %	149	12.14 %
2009	1,286	252	19.60 %	192	14.93 %	182	14.15 %	178	13.84 %	167	12.99 %	154	11.98 %
2010	1,241	220	17.73 %	182	14.67 %	172	13.86 %	165	13.30 %	159	12.81 %	148	11.93 %
2011	1,250	233	18.64 %	186	14.88 %	174	13.92 %	168	13.44 %	160	12.80 %	149	11.92 %
2012	1,281	271	21.16 %	191	14.91 %	181	14.13 %	171	13.35 %	164	12.80 %	152	11.87 %
2013	1,347	230	17.07 %	202	15.00 %	186	13.81 %	178	13.21 %	171	12.69 %	161	11.95 %
2014	1,356	230	16.96 %	194	14.31 %	187	13.79 %	183	13.50 %	175	12.91 %	164	12.09 %
2015	1,447	234	16.17 %	206	14.24 %	194	13.41 %	193	13.34 %	183	12.65 %	173	11.96 %
2016	1,475	294	19.93 %	219	14.85 %	199	13.49 %	195	13.22 %	185	12.54 %	172	11.66 %
2017	1,525	251	16.46 %	220	14.43 %	210	13.77 %	202	13.25 %	195	12.79 %	182	11.93 %
2018	1,675	351	20.96 %	259	15.46 %	242	14.45 %	236	14.09 %	227	13.55 %	206	12.30 %
2019	1,620	267	16.48 %	238	14.69 %	229	14.14 %	223	13.77 %	216	13.33 %	200	12.35 %
2020	1,628	253	15.54 %	236	14.50 %	226	13.88 %	219	13.45 %	207	12.71 %	196	12.04 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LAKE

Station: A-008

At Road: 1 Mi. S of Ravalli

Ascending Direction: North

Location Id: 24-3-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 26.3, 1 Mi. S of Ravalli (C000005)

Traffic Mix: Pass: 93.76% SU: 1.27% CU: 4.97%

Directional Split: NB 50.70% / SB 49.30%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,017	5,824	5,838	5,723	6,229	6,900	6,041	5,938	80.15%	5,904	100.58%	6,103	97.30%
FEB	5,249	6,048	6,180	6,185	6,895	7,860	6,648	6,437	86.89%	6,327	101.74%	6,634	97.04%
MAR	5,048	5,617	5,604	6,016	6,276	7,002	4,944	5,786	78.10%	5,878	98.43%	6,103	94.81%
APR	4,015	4,994	5,118	4,925	5,144	5,605	4,183	4,854	65.52%	5,045	96.21%	5,157	94.12%
MAY	6,939	6,858	6,550	6,732	7,306	8,488	7,283	7,164	96.70%	6,862	104.41%	7,187	99.68%
JUN	8,770	8,152	8,018	8,168	8,846	10,399	8,481	8,690	117.30%	8,296	104.75%	8,717	99.69%
JUL	11,118	9,992	9,407	9,633	10,476	12,009	9,364	10,285	138.83%	9,877	104.13%	10,303	99.82%
AUG	11,151	9,977	9,547	9,838	10,512	12,325	10,535	10,554	142.46%	9,969	105.87%	10,440	101.09%
SEP	8,689	9,243	8,613	8,681	9,436	10,168	8,972	9,114	123.03%	8,993	101.34%	9,228	98.76%
OCT	6,539	7,153	7,233	7,355	8,227	9,110	6,840	7,493	101.14%	7,492	100.01%	7,816	95.87%
NOV	5,193	6,189	6,480	6,711	6,088	7,044	5,588	6,184	83.47%	6,367	97.13%	6,502	95.10%
DEC	5,562	6,505	6,455	6,909	6,802	6,468	6,101	6,400	86.39%	6,668	95.98%	6,628	96.56%
Year	6,941	7,213	7,087	7,240	7,686	8,615	7,082	7,408		7,306	101.39%	7,568	97.89%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LAKE

Station: A-008

At Road: 1 Mi. S of Ravalli

Location Id: 24-3-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 26.3, 1 Mi. S of Ravalli (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	7,441		%		%		%		%		%		%
2004	7,570		%		%		%		%		%		%
2005	7,290		%		%		%		%		%		%
2006	7,280		%		%		%		%		%		%
2007	7,280		%		%		%		%		%		%
2008	7,280		%		%		%		%		%		%
2009	6,781	1,075	15.85 %	930	13.71 %	883	13.02 %	830	12.24 %	805	11.87 %	751	11.08 %
2010	7,034	1,216	17.29 %	1,034	14.70 %	966	13.73 %	942	13.39 %	894	12.71 %	842	11.97 %
2011	6,892	1,066	15.47 %	969	14.06 %	920	13.35 %	898	13.03 %	861	12.49 %	813	11.80 %
2012	7,047	1,081	15.34 %	978	13.88 %	944	13.40 %	920	13.06 %	891	12.64 %	841	11.93 %
2013	7,046	1,072	15.21 %	981	13.92 %	932	13.23 %	910	12.92 %	879	12.48 %	838	11.89 %
2014	7,059	1,179	16.70 %	1,025	14.52 %	959	13.59 %	923	13.08 %	893	12.65 %	834	11.81 %
2015	7,554	1,392	18.43 %	1,022	13.53 %	976	12.92 %	957	12.67 %	924	12.23 %	872	11.54 %
2016	7,928	1,238	15.62 %	1,091	13.76 %	1,037	13.08 %	1,017	12.83 %	987	12.45 %	936	11.81 %
2017	7,884	1,178	14.94 %	1,097	13.91 %	1,068	13.55 %	1,049	13.31 %	1,007	12.77 %	955	12.11 %
2018	7,960	1,190	14.95 %	1,105	13.88 %	1,055	13.25 %	1,047	13.15 %	1,012	12.71 %	965	12.12 %
2019	7,932	1,442	18.18 %	1,125	14.18 %	1,077	13.58 %	1,061	13.38 %	1,034	13.04 %	975	12.29 %
2020	7,408	1,277	17.24 %	1,121	15.13 %	1,065	14.38 %	1,036	13.98 %	1,002	13.53 %	944	12.74 %

Notes
THIS SITE REPLACED A-105 2009 ALL AADT'S PRIOR TO 2009 HAVE BEEN CARRIED OVER FROM A-105

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: A-009

At Road: 7 Mi. W of Great Falls

Ascending Direction: North

Location Id: 07-1-017

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: UI

Located On: I-15, RP 287.04, Vaughn, 7 Mi. W of Great Falls (C000015)

Traffic Mix: Pass: 87.12% SU: 1.35% CU: 11.53%

Directional Split: NB 50.03% / SB 49.97%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,773	7,555	7,683	7,365	8,127	8,721	7,256	7,496	98.31%	7,683	97.57%	7,890	95.00%
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP	6,866	8,266	8,780	9,014	9,022	10,225	8,122	8,612	112.95%	8,771	98.19%	9,061	95.04%
OCT	5,383	7,507	8,197	8,267	8,558	9,195	6,152	7,608	99.78%	8,132	93.55%	8,345	91.17%
NOV	4,911	7,272	7,893	8,220	7,251	8,285	6,442	7,181	94.18%	7,659	93.76%	7,784	92.25%
DEC	5,386	7,554	7,586	8,278	7,744	7,192	6,852	7,227	94.78%	7,791	92.77%	7,671	94.21%
Year	5,664	7,631	8,028	8,229	8,140	8,724	6,965	7,625		8,007	95.23%	8,150	93.55%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: A-009

At Road: 7 Mi. W of Great Falls

Location Id: 07-1-017

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: UI

Located On: I-15, RP 287.04, Vaughn, 7 Mi. W of Great Falls (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	8,492	1,018	11.99 %	952	11.21 %	915	10.77 %	889	10.47 %	867	10.21 %	828	9.75 %
2004	8,530	976	11.44 %	917	10.75 %	902	10.57 %	879	10.30 %	861	10.09 %	828	9.71 %
2005	8,390	998	11.90 %	934	11.13 %	914	10.89 %	885	10.55 %	861	10.26 %	820	9.77 %
2006	8,490	1,031	12.14 %	925	10.90 %	899	10.59 %	878	10.34 %	860	10.13 %	821	9.67 %
2007	8,551	1,036	12.12 %	944	11.04 %	923	10.79 %	903	10.56 %	877	10.26 %	843	9.86 %
2008	8,182	995	12.16 %	906	11.07 %	883	10.79 %	862	10.54 %	841	10.28 %	811	9.91 %
2009	8,541	1,048	12.27 %	974	11.40 %	949	11.11 %	928	10.87 %	905	10.60 %	865	10.13 %
2010	8,879	1,089	12.26 %	1,006	11.33 %	977	11.00 %	960	10.81 %	928	10.45 %	892	10.05 %
2011	8,825	1,088	12.33 %	1,000	11.33 %	976	11.06 %	960	10.88 %	924	10.47 %	876	9.93 %
2012	8,948	1,112	12.43 %	989	11.05 %	968	10.82 %	947	10.58 %	929	10.38 %	890	9.95 %
2013	9,170		%		%		%		%		%		%
2014	9,270		%		%		%		%		%		%
2015	9,930		%		%		%		%		%		%
2016	8,876	1,033	11.64 %	991	11.16 %	960	10.82 %	942	10.61 %	914	10.30 %	880	9.91 %
2017	8,237	944	11.46 %	888	10.78 %	871	10.57 %	852	10.34 %	832	10.10 %	803	9.75 %
2018	8,840	1,082	12.24 %	1,021	11.55 %	988	11.18 %	964	10.90 %	938	10.61 %	894	10.11 %
2019	8,736	1,034	11.84 %	975	11.16 %	942	10.78 %	926	10.60 %	911	10.43 %	875	10.02 %
2020	7,625		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2013-2015, 2020
 NOT ENOUGH DAYS TO MAKE 2013-2015, 2020
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: ROOSEVELT

Station: A-010

At Road: 1.5 Mi. NE of MT 25, Wolf Point

Ascending Direction: East

Location Id: 43-3-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 2, RP 592.71, 2 Mi. E of Wolf Point (C000001)

Traffic Mix: Pass: 92.45% SU: 1.72% CU: 5.83%

Directional Split: EB 50.49% / WB 49.51%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,241	2,342	2,557	2,279	2,545	2,625	1,683	2,181	89.57%	2,431	89.73%	2,470	88.31%
FEB	1,283	2,233	2,506	2,554	2,616	2,790	1,866	2,263	92.94%	2,477	91.35%	2,540	89.10%
MAR	1,212	2,380	2,442	2,478	2,492	2,549	1,404	2,136	87.72%	2,448	87.25%	2,468	86.54%
APR	1,088	2,258	2,310	2,180	2,306	2,184	1,534	1,979	81.27%	2,264	87.43%	2,248	88.05%
MAY	1,551	2,558	2,811	2,932	2,910	2,978	2,061	2,542	104.39%	2,803	90.70%	2,838	89.58%
JUN	1,879	3,060	3,077	3,176	3,169	3,281	2,218	2,836	116.47%	3,121	90.88%	3,153	89.96%
JUL	2,028	3,101	3,085	3,212	3,248	3,219	2,116	2,857	117.33%	3,162	90.37%	3,173	90.04%
AUG	1,965	3,157	3,213	3,260	3,257	3,309	2,252	2,916	119.75%	3,222	90.51%	3,239	90.02%
SEP	1,608	2,472	2,928	2,925	3,134	3,177	2,126	2,623	107.72%	2,865	91.56%	2,927	89.61%
OCT	1,463	2,475	2,638	2,754	2,684	2,721	1,811	2,363	97.04%	2,638	89.58%	2,654	89.02%
NOV	1,248	2,372	2,636	2,571	2,203	2,629	1,726	2,197	90.23%	2,446	89.84%	2,482	88.51%
DEC	1,396	2,640	2,770	2,713	2,592	2,362	1,820	2,327	95.56%	2,679	86.87%	2,615	88.97%
Year	1,497	2,587	2,748	2,753	2,763	2,819	1,885	2,435		2,713	89.76%	2,734	89.07%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: ROOSEVELT

Station: A-010

At Road: 1.5 Mi. NE of MT 25, Wolf Point

Location Id: 43-3-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 2, RP 592.71, 2 Mi. E of Wolf Point (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,286	312	13.65 %	295	12.90 %	285	12.47 %	277	12.12 %	268	11.72 %	257	11.24 %
2004	2,260	328	14.51 %	292	12.92 %	282	12.48 %	277	12.26 %	270	11.95 %	256	11.33 %
2005	2,230	308	13.81 %	291	13.05 %	276	12.38 %	272	12.20 %	265	11.88 %	256	11.48 %
2006	2,190	316	14.43 %	289	13.20 %	276	12.60 %	271	12.37 %	264	12.05 %	254	11.60 %
2007	2,211	326	14.74 %	290	13.12 %	282	12.75 %	276	12.48 %	269	12.17 %	256	11.58 %
2008	2,183	322	14.75 %	283	12.96 %	275	12.60 %	268	12.28 %	263	12.05 %	252	11.54 %
2009	2,327	336	14.44 %	301	12.94 %	295	12.68 %	290	12.46 %	284	12.20 %	270	11.60 %
2010	2,457	348	14.16 %	322	13.11 %	316	12.86 %	309	12.58 %	301	12.25 %	284	11.56 %
2011	2,550	334	13.10 %	319	12.51 %	310	12.16 %	303	11.88 %	296	11.61 %	285	11.18 %
2012	2,801	474	16.92 %	374	13.35 %	359	12.82 %	342	12.21 %	329	11.75 %	312	11.14 %
2013	2,744	363	13.23 %	339	12.35 %	333	12.14 %	327	11.92 %	319	11.63 %	307	11.19 %
2014	2,768	367	13.26 %	334	12.07 %	326	11.78 %	322	11.63 %	316	11.42 %	300	10.84 %
2015	2,755	352	12.78 %	325	11.80 %	321	11.65 %	318	11.54 %	311	11.29 %	295	10.71 %
2016	2,662	377	14.16 %	325	12.21 %	317	11.91 %	309	11.61 %	301	11.31 %	290	10.89 %
2017	2,591	347	13.39 %	327	12.62 %	321	12.39 %	312	12.04 %	304	11.73 %	290	11.19 %
2018	2,522	337	13.36 %	320	12.69 %	309	12.25 %	305	12.09 %	297	11.78 %	283	11.22 %
2019	2,571	367	14.27 %	332	12.91 %	324	12.60 %	319	12.41 %	312	12.14 %	293	11.40 %
2020	2,435	347	14.25 %	317	13.02 %	301	12.36 %	294	12.07 %	287	11.79 %	277	11.38 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FERGUS

Station: A-012

At Road: 5 Mi. W of Lewistown

Ascending Direction: East

Location Id: 14-6-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87/MT 200, RP 76.85, 5 Mi. W of Lewistown (C000057)

Traffic Mix: Pass: 90.59% SU: 2.64% CU: 6.77%

Directional Split: WB 50.77% / EB 49.23%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,515	2,193	2,261	2,094	2,192	2,420	1,798	2,067	85.29%	2,185	94.60%	2,232	92.61%
FEB	1,336	1,833	2,015	1,913	1,995	2,220	1,586	1,842	76.01%	1,939	95.00%	1,995	92.32%
MAR	1,088	1,862	1,893	1,911	1,918	2,119	1,267	1,722	71.05%	1,896	90.82%	1,941	88.74%
APR	1,115	1,885	2,038	1,734	1,922	2,075	1,302	1,724	71.14%	1,895	90.99%	1,931	89.29%
MAY	1,970	2,594	2,490	2,533	2,597	2,933	2,213	2,475	102.13%	2,554	96.93%	2,629	94.13%
JUN	2,419	2,849	2,905	2,950	3,010	3,476	2,624	2,890	119.25%	2,929	98.69%	3,038	95.13%
JUL	2,798	3,128	3,039	3,143	3,460	3,518	2,732	3,116	128.57%	3,193	97.60%	3,258	95.65%
AUG	2,739	3,163	3,141	3,153	3,252	3,593	3,129	3,166	130.64%	3,177	99.65%	3,260	97.10%
SEP	2,503	2,868	2,995	3,090	3,258	3,767	3,037	3,073	126.80%	3,053	100.66%	3,196	96.16%
OCT	1,800	2,453	2,671	2,756	2,839	3,164	1,965	2,520	103.98%	2,680	94.04%	2,777	90.76%
NOV	1,669	2,390	2,615	2,725	2,417	2,762	2,115	2,384	98.37%	2,537	93.98%	2,582	92.34%
DEC	1,479	2,357	2,258	2,418	2,318	2,145	1,752	2,103	86.78%	2,338	89.96%	2,299	91.47%
Year	1,869	2,465	2,527	2,535	2,598	2,849	2,127	2,424		2,531	95.75%	2,595	93.40%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: FERGUS

Station: A-012

At Road: 5 Mi. W of Lewistown

Location Id: 14-6-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87/MT 200, RP 76.85, 5 Mi. W of Lewistown (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,288	376	16.43 %	302	13.20 %	277	12.11 %	262	11.45 %	250	10.93 %	238	10.40 %
2004	2,300	377	16.39 %	288	12.52 %	273	11.87 %	262	11.39 %	255	11.09 %	240	10.43 %
2005	2,190	350	15.98 %	277	12.65 %	260	11.87 %	254	11.60 %	248	11.32 %	234	10.68 %
2006	2,180	347	15.92 %	289	13.26 %	260	11.93 %	250	11.47 %	238	10.92 %	227	10.41 %
2007	2,206	360	16.32 %	282	12.78 %	264	11.97 %	256	11.60 %	244	11.06 %	231	10.47 %
2008	2,137	309	14.46 %	262	12.26 %	255	11.93 %	248	11.61 %	238	11.14 %	225	10.53 %
2009	2,207		%		%		%		%		%		%
2010	2,260		%		%		%		%		%		%
2011	2,230		%		%		%		%		%		%
2012	2,300		%		%		%		%		%		%
2013	2,115	400	18.91 %	270	12.77 %	257	12.15 %	249	11.77 %	240	11.35 %	229	10.83 %
2014	2,134	375	17.57 %	302	14.15 %	276	12.93 %	264	12.37 %	253	11.86 %	239	11.20 %
2015	2,375	390	16.42 %	323	13.60 %	302	12.72 %	293	12.34 %	280	11.79 %	266	11.20 %
2016	2,603	389	14.94 %	313	12.02 %	303	11.64 %	298	11.45 %	290	11.14 %	275	10.56 %
2017	2,514	406	16.15 %	320	12.73 %	303	12.05 %	294	11.69 %	284	11.30 %	271	10.78 %
2018	2,469	392	15.88 %	334	13.53 %	314	12.72 %	306	12.39 %	292	11.83 %	277	11.22 %
2019	2,522	408	16.18 %	331	13.12 %	314	12.45 %	306	12.13 %	296	11.74 %	284	11.26 %
2020	2,424	357	14.73 %	329	13.58 %	308	12.71 %	302	12.46 %	294	12.13 %	282	11.64 %

Notes
 UNDER CONSTRUCTION 2009 - 2012
 NOT ENOUGH DAYS TO MAKE 2009 - 2012 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FERGUS

Station: A-013

At Road: 0.5 Mi. S of MT 81

Ascending Direction: East

Location Id: 14-6-007

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 191, Brooks, 9 Mi. N of Lewistown (C000043)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.33% / EB 49.67%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	786	1,168	1,171	1,085	1,118	1,210	859	1,056	81.29%	1,136	93.00%	1,150	91.79%
FEB	635	995	1,108	1,066	1,115	1,230	770	988	76.05%	1,071	92.25%	1,103	89.59%
MAR	633	1,099	1,106	1,028	1,107	1,176	705	978	75.28%	1,085	90.14%	1,103	88.65%
APR	683	1,107	1,180	939	1,114	1,237	697	993	76.44%	1,085	91.52%	1,115	89.03%
MAY	1,131	1,489	1,418	1,431	1,458	1,597	1,210	1,389	106.92%	1,449	95.86%	1,479	93.94%
JUN	1,256	1,544	1,555	1,568	1,656	1,650	1,357	1,511	116.31%	1,581	95.59%	1,595	94.76%
JUL	1,327	1,704	1,644	1,689	1,765	1,710	1,454	1,613	124.16%	1,701	94.85%	1,702	94.75%
AUG	1,178	1,574	1,609	1,596	1,587	1,695	1,400	1,519	116.93%	1,592	95.44%	1,612	94.22%
SEP	1,315	1,537	1,640	1,634	1,726	1,894	1,465	1,601	123.24%	1,634	97.97%	1,686	94.95%
OCT	1,011	1,415	1,478	1,523	1,540	1,671	1,165	1,400	107.77%	1,489	94.02%	1,525	91.78%
NOV	956	1,389	1,531	1,569	1,374	1,699	1,249	1,395	107.38%	1,466	95.17%	1,512	92.24%
DEC	742	1,293	1,269	1,333	1,282	1,210	900	1,146	88.22%	1,294	88.55%	1,277	89.71%
Year	971	1,360	1,392	1,372	1,404	1,498	1,103	1,299		1,382	94.01%	1,405	92.46%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: FERGUS

Station: A-013

At Road: 0.5 Mi. S of MT 81

Location Id: 14-6-007

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 191, Brooks, 9 Mi. N of Lewistown (C000043)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,347	189	14.03 %	164	12.18 %	157	11.66 %	153	11.36 %	149	11.06 %	142	10.54 %
2004	1,350	172	12.74 %	164	12.15 %	159	11.78 %	154	11.41 %	148	10.96 %	141	10.44 %
2005	1,220	182	14.92 %	159	13.03 %	152	12.46 %	148	12.13 %	140	11.48 %	133	10.90 %
2006	1,270	167	13.15 %	155	12.20 %	150	11.81 %	146	11.50 %	142	11.18 %	135	10.63 %
2007	1,288	214	16.61 %	161	12.50 %	155	12.03 %	151	11.72 %	144	11.18 %	138	10.71 %
2008	1,217	204	16.76 %	153	12.57 %	147	12.08 %	145	11.91 %	139	11.42 %	132	10.85 %
2009	1,297	191	14.73 %	167	12.88 %	161	12.41 %	157	12.10 %	151	11.64 %	144	11.10 %
2010	1,300	179	13.77 %	168	12.92 %	164	12.62 %	159	12.23 %	153	11.77 %	145	11.15 %
2011	1,280	249	19.45 %	178	13.91 %	164	12.81 %	159	12.42 %	150	11.72 %	142	11.09 %
2012	1,301	196	15.07 %	169	12.99 %	161	12.38 %	157	12.07 %	151	11.61 %	143	10.99 %
2013	1,281	196	15.30 %	162	12.65 %	157	12.26 %	151	11.79 %	145	11.32 %	139	10.85 %
2014	1,261	173	13.72 %	159	12.61 %	153	12.13 %	149	11.82 %	145	11.50 %	139	11.02 %
2015	1,326	176	13.27 %	163	12.29 %	159	11.99 %	155	11.69 %	152	11.46 %	143	10.78 %
2016	1,362	200	14.68 %	177	13.00 %	170	12.48 %	167	12.26 %	160	11.75 %	152	11.16 %
2017	1,374	203	14.77 %	176	12.81 %	168	12.23 %	163	11.86 %	158	11.50 %	152	11.06 %
2018	1,336	176	13.17 %	171	12.80 %	166	12.43 %	163	12.20 %	159	11.90 %	152	11.38 %
2019	1,298	189	14.56 %	170	13.10 %	163	12.56 %	162	12.48 %	155	11.94 %	145	11.17 %
2020	1,299	193	14.86 %	171	13.16 %	164	12.63 %	161	12.39 %	157	12.09 %	150	11.55 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BEAVERHEAD

Station: A-014

At Road: 7 Mi. SW of Dillon Ascending

Direction: West

Location Id: 01-4-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-278, RP 4.167, 7 Mi. SW of Dillon (C000278)

Traffic Mix: Pass: 96.49% SU: 1.26% CU: 2.25%

Directional Split: EB 50.09% / WB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	882	841	752	787	886	977	993	873	78.50%	817	106.92%	849	102.88%
FEB	893	836	792	790	864	1,022	1,001	884	79.48%	821	107.74%	861	102.70%
MAR	795	766	762	788	858	965	821	821	73.82%	794	103.47%	828	99.18%
APR	675	787	817	748	821	873	735	778	69.95%	793	98.08%	809	96.14%
MAY	1,035	1,057	1,002	1,025	1,096	1,191	1,121	1,074	96.57%	1,045	102.78%	1,074	99.98%
JUN	1,170	1,198	1,202	1,210	1,336	1,461	1,314	1,269	114.10%	1,237	102.63%	1,281	99.03%
JUL	1,427	1,420	1,346	1,363	1,454	1,579	1,534	1,445	129.93%	1,396	103.53%	1,432	100.88%
AUG	1,494	1,369	1,323	1,325	1,404	1,564	1,588	1,437	129.21%	1,355	106.03%	1,397	102.86%
SEP	1,459	1,380	1,370	1,396	1,433	1,631	1,557	1,460	131.28%	1,395	104.68%	1,442	101.25%
OCT	1,178	1,148	1,184	1,254	1,366	1,502	1,243	1,267	113.92%	1,238	102.34%	1,291	98.16%
NOV	1,005	1,056	1,112	1,145	1,079	1,293	1,213	1,128	101.42%	1,098	102.73%	1,137	99.21%
DEC	851	907	901	972	923	896	929	910	81.82%	926	98.30%	920	98.93%
Year	1,072	1,064	1,047	1,067	1,127	1,246	1,171	1,112		1,076	103.36%	1,110	100.19%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BEAVERHEAD

Station: A-014

At Road: 7 Mi. SW of Dillon

Location Id: 01-4-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-278, RP 4.167, 7 Mi. SW of Dillon (C000278)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	851	174	20.45 %	147	17.27 %	131	15.39 %	113	13.28 %	104	12.22 %	96	11.28 %
2004	850	173	20.35 %	140	16.47 %	121	14.24 %	115	13.53 %	104	12.24 %	95	11.18 %
2005	840	213	25.36 %	163	19.40 %	118	14.05 %	110	13.10 %	103	12.26 %	95	11.31 %
2006	850	149	17.53 %	114	13.41 %	107	12.59 %	103	12.12 %	98	11.53 %	93	10.94 %
2007	901	157	17.43 %	138	15.32 %	129	14.32 %	117	12.99 %	105	11.65 %	100	11.10 %
2008	873	157	17.98 %	134	15.35 %	122	13.97 %	116	13.29 %	107	12.26 %	98	11.23 %
2009	924	194	21.00 %	165	17.86 %	138	14.94 %	124	13.42 %	115	12.45 %	106	11.47 %
2010	916	198	21.62 %	169	18.45 %	141	15.39 %	124	13.54 %	114	12.45 %	106	11.57 %
2011	900	257	28.56 %	170	18.89 %	144	16.00 %	125	13.89 %	114	12.67 %	101	11.22 %
2012	921	324	35.18 %	191	20.74 %	149	16.18 %	126	13.68 %	115	12.49 %	105	11.40 %
2013	958	183	19.10 %	147	15.34 %	139	14.51 %	132	13.78 %	123	12.84 %	112	11.69 %
2014	966	274	28.36 %	169	17.49 %	145	15.01 %	129	13.35 %	120	12.42 %	110	11.39 %
2015	1,030	229	22.23 %	183	17.77 %	150	14.56 %	138	13.40 %	122	11.84 %	115	11.17 %
2016	1,082	254	23.48 %	201	18.58 %	155	14.33 %	141	13.03 %	132	12.20 %	124	11.46 %
2017	1,074	207	19.27 %	170	15.83 %	157	14.62 %	141	13.13 %	131	12.20 %	123	11.45 %
2018	1,098	235	21.40 %	193	17.58 %	156	14.21 %	142	12.93 %	133	12.11 %	125	11.38 %
2019	1,076	273	25.37 %	219	20.35 %	162	15.06 %	149	13.85 %	136	12.64 %	126	11.71 %
2020	1,112	183	16.46 %	166	14.93 %	158	14.21 %	152	13.67 %	145	13.04 %	135	12.14 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-015

At Road: 5 Mi. NE of Bonner Intch

Ascending Direction: East

Location Id: 32-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: MT 200, RP 5.52, 5 Mi. NE of Bonner (C000024)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.12% / EB 49.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,851	3,187	3,031	3,043	3,231	3,722	3,066	3,161	71.70%	3,123	101.22%	3,243	97.48%
FEB	2,737	3,117	3,251	3,187	3,351	3,840	3,222	3,243	73.56%	3,227	100.51%	3,349	96.83%
MAR	2,610	3,003	2,940	3,113	3,309	3,548	2,453	2,996	67.95%	3,091	96.92%	3,183	94.14%
APR	2,973	2,948	3,176	3,005	3,062	3,486	2,680	3,046	69.09%	3,048	99.94%	3,135	97.15%
MAY	4,868	4,429	4,099	4,175	4,575	5,434	5,609	4,740	107.51%	4,320	109.73%	4,542	104.35%
JUN	5,696	4,972	5,100	5,170	5,717	7,029	5,776	5,637	127.86%	5,240	107.58%	5,598	100.70%
JUL	7,836	6,548	6,073	6,241	6,802	7,799	7,555	6,978	158.27%	6,416	108.76%	6,693	104.26%
AUG	7,183	5,804	5,725	5,806	6,014	7,013	6,866	6,344	143.89%	5,837	108.68%	6,072	104.47%
SEP	5,376	4,964	4,813	5,001	5,297	6,173	5,408	5,289	119.96%	5,019	105.38%	5,250	100.75%
OCT	3,752	4,057	4,202	4,311	4,725	5,153	3,967	4,309	97.74%	4,324	99.66%	4,490	95.98%
NOV	3,413	3,698	3,894	3,994	3,599	4,403	3,797	3,827	86.80%	3,796	100.81%	3,918	97.69%
DEC	2,866	3,469	3,445	3,588	3,583	3,317	3,094	3,336	75.67%	3,521	94.74%	3,480	95.85%
Year	4,347	4,183	4,146	4,220	4,439	5,076	4,458	4,409		4,247	103.82%	4,413	99.91%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-015

At Road: 5 Mi. NE of Bonner Intch

Location Id: 32-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: MT 200, RP 5.52, 5 Mi. NE of Bonner (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,430		%		%		%		%		%		%
2004	4,470	897	20.07 %	735	16.44 %	685	15.32 %	659	14.74 %	626	14.00 %	576	12.89 %
2005	4,360	814	18.67 %	739	16.95 %	719	16.49 %	687	15.76 %	645	14.79 %	573	13.14 %
2006	4,410	836	18.96 %	767	17.39 %	719	16.30 %	695	15.76 %	660	14.97 %	603	13.67 %
2007	4,255	793	18.64 %	702	16.50 %	675	15.86 %	651	15.30 %	614	14.43 %	552	12.97 %
2008	4,034	677	16.78 %	636	15.77 %	624	15.47 %	607	15.05 %	577	14.30 %	520	12.89 %
2009	4,205	802	19.07 %	713	16.96 %	678	16.12 %	660	15.70 %	634	15.08 %	575	13.67 %
2010	4,206	782	18.59 %	704	16.74 %	671	15.95 %	651	15.48 %	614	14.60 %	562	13.36 %
2011	4,052	736	18.16 %	661	16.31 %	639	15.77 %	616	15.20 %	595	14.68 %	541	13.35 %
2012	4,092	738	18.04 %	674	16.47 %	643	15.71 %	620	15.15 %	578	14.13 %	533	13.03 %
2013	4,131	770	18.64 %	658	15.93 %	628	15.20 %	609	14.74 %	578	13.99 %	533	12.90 %
2014	4,069	746	18.33 %	662	16.27 %	635	15.61 %	599	14.72 %	578	14.20 %	522	12.83 %
2015	4,348	799	18.38 %	654	15.04 %	615	14.14 %	595	13.68 %	567	13.04 %	532	12.24 %
2016	4,539	725	15.97 %	682	15.03 %	649	14.30 %	634	13.97 %	609	13.42 %	571	12.58 %
2017	4,495	755	16.80 %	699	15.55 %	683	15.19 %	656	14.59 %	625	13.90 %	575	12.79 %
2018	4,524	759	16.78 %	692	15.30 %	674	14.90 %	659	14.57 %	625	13.82 %	584	12.91 %
2019	4,472	752	16.82 %	704	15.74 %	681	15.23 %	665	14.87 %	634	14.18 %	591	13.22 %
2020	4,409	823	18.67 %	738	16.74 %	723	16.40 %	702	15.93 %	666	15.11 %	624	14.16 %

Notes
UNDER CONSTRUCTION 2003 NOT ENOUGH DAYS TO MAKE 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: A-018

At Road: 4 Mi. W of W Yellowstone

Ascending Direction: East

Location Id: 16-5-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: MT 20, RP 4.2, 4 mi. W of W Yellowstone (C000012)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 50.47% / WB 49.53%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,336	1,214	1,227	1,324	1,451	1,610	1,389	1,363	33.48%	1,304	104.52%	1,365	99.84%
FEB	1,545	1,516	1,495	1,473	1,595	1,808	1,740	1,595	39.18%	1,520	104.95%	1,577	101.12%
MAR	1,299	1,395	1,277	1,424	1,552	1,779	1,499	1,460	35.86%	1,412	103.40%	1,485	98.29%
APR	883	1,093	1,149	1,136	1,131	1,168	1,047	1,086	26.68%	1,127	96.34%	1,135	95.65%
MAY	2,206	2,053	1,928	2,004	2,144	2,339	2,384	2,150	52.81%	2,032	105.79%	2,094	102.69%
JUN	7,011	5,983	6,046	5,793	6,357	7,341	7,906	6,633	162.94%	6,045	109.73%	6,304	105.22%
JUL	9,911	9,495	9,547	9,446	9,933	10,846	10,744	9,988	245.36%	9,605	103.98%	9,853	101.37%
AUG	9,228	8,514	8,746	8,726	8,918	9,672	10,071	9,124	224.13%	8,726	104.56%	8,915	102.34%
SEP	9,045	7,789	6,905	7,061	7,733	8,911	9,837	8,182	200.99%	7,372	110.99%	7,680	106.54%
OCT	4,482	3,704	3,545	3,673	4,325	4,965	4,614	4,186	102.83%	3,812	109.82%	4,042	103.55%
NOV	1,580	1,499	1,545	1,497	1,433	1,675	1,701	1,560	38.32%	1,494	104.45%	1,530	101.97%
DEC	1,526	1,601	1,470	1,626	1,504	1,423	1,515	1,523	37.41%	1,550	98.24%	1,525	99.88%
Year	4,171	3,821	3,740	3,765	4,006	4,461	4,537	4,071		3,833	106.20%	3,959	102.83%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: A-018

At Road: 4 Mi. W of W Yellowstone

Location Id: 16-5-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: MT 20, RP 4.2, 4 mi. W of W Yellowstone (C000012)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,773	665	23.98 %	599	21.60 %	572	20.63 %	556	20.05 %	529	19.08 %	505	18.21 %
2004	2,660	654	24.59 %	581	21.84 %	562	21.13 %	542	20.38 %	518	19.47 %	487	18.31 %
2005	2,630	638	24.26 %	577	21.94 %	545	20.72 %	530	20.15 %	508	19.32 %	479	18.21 %
2006	2,680	658	24.55 %	595	22.20 %	574	21.42 %	556	20.75 %	526	19.63 %	499	18.62 %
2007	2,833	678	23.93 %	594	20.97 %	574	20.26 %	559	19.73 %	550	19.41 %	528	18.64 %
2008	2,488	592	23.79 %	552	22.19 %	535	21.50 %	523	21.02 %	497	19.98 %	469	18.85 %
2009	2,521	692	27.45 %	606	24.04 %	586	23.24 %	567	22.49 %	550	21.82 %	517	20.51 %
2010	2,672	671	25.11 %	620	23.20 %	596	22.31 %	577	21.59 %	556	20.81 %	528	19.76 %
2011	2,776	652	23.49 %	608	21.90 %	584	21.04 %	568	20.46 %	550	19.81 %	518	18.66 %
2012	2,851	671	23.54 %	620	21.75 %	598	20.98 %	577	20.24 %	558	19.57 %	535	18.77 %
2013	2,981	790	26.50 %	664	22.27 %	617	20.70 %	603	20.23 %	584	19.59 %	559	18.75 %
2014	3,073	709	23.07 %	658	21.41 %	637	20.73 %	620	20.18 %	604	19.66 %	576	18.74 %
2015	3,511	865	24.64 %	752	21.42 %	714	20.34 %	697	19.85 %	675	19.23 %	646	18.40 %
2016	3,787	892	23.55 %	778	20.54 %	744	19.65 %	726	19.17 %	713	18.83 %	679	17.93 %
2017	3,837	1,001	26.09 %	867	22.60 %	835	21.76 %	787	20.51 %	755	19.68 %	719	18.74 %
2018	3,985	874	21.93 %	818	20.53 %	794	19.92 %	779	19.55 %	766	19.22 %	723	18.14 %
2019	4,070	995	24.45 %	856	21.03 %	836	20.54 %	808	19.85 %	785	19.29 %	752	18.48 %
2020	4,071	1,020	25.06 %	891	21.89 %	867	21.30 %	852	20.93 %	826	20.29 %	789	19.39 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: A-019

At Road: 0.5 Mi. S of US 287

Ascending Direction: North

Location Id: 16-5-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 191/US 287, RP 7.82, Duck Creek, 7.5 Mi. N of W Yellowstone (C000050)

Traffic Mix: Pass: 88.87% SU: 1.61% CU: 9.52%

Directional Split: NB 50.49% / SB 49.51%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,604	1,566	1,545	1,603	1,733	1,887	1,717	1,664	62.13%	1,612	103.24%	1,667	99.83%
FEB	1,785	1,720	1,797	1,723	1,784	1,947	1,951	1,815	67.77%	1,756	103.36%	1,794	101.16%
MAR	1,538	1,552	1,500	1,646	1,712	1,941	1,634	1,645	61.42%	1,603	102.65%	1,670	98.49%
APR	1,058	1,249	1,326	1,303	1,314	1,369	1,243	1,265	47.23%	1,298	97.46%	1,312	96.40%
MAY	2,033	2,149	1,923	1,961	2,032	2,245	2,141	2,068	77.21%	2,016	102.57%	2,062	100.29%
JUN	3,675	3,353	3,352	3,300	3,580	3,915	3,928	3,585	133.85%	3,396	105.56%	3,500	102.43%
JUL	5,077	4,894	4,685	4,817	5,058	5,348	4,975	4,978	185.86%	4,864	102.35%	4,960	100.35%
AUG	5,025	4,704	4,516	4,594	4,652	5,342	5,047	4,839	180.67%	4,617	104.82%	4,762	101.63%
SEP	4,763	4,317	3,899	3,963	4,321	4,924	4,930	4,445	165.96%	4,125	107.76%	4,285	103.74%
OCT	2,822	2,661	2,572	2,652	2,973	3,268	2,858	2,829	105.63%	2,715	104.22%	2,825	100.13%
NOV	1,443	1,478	1,670	1,616	1,404	1,646	1,508	1,537	57.39%	1,542	99.68%	1,563	98.35%
DEC	1,489	1,485	1,441	1,585	1,571	1,299	1,424	1,470	54.88%	1,521	96.68%	1,476	99.58%
Year	2,693	2,594	2,519	2,564	2,678	2,928	2,780	2,678		2,589	103.47%	2,656	100.83%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: A-019

At Road: 0.5 Mi. S of US 287

Location Id: 16-5-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 191/US 287, RP 7.82, Duck Creek, 7.5 Mi. N of W Yellowstone (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,461	482	19.59 %	417	16.94 %	406	16.50 %	400	16.25 %	384	15.60 %	367	14.91 %
2004	2,410	425	17.63 %	396	16.43 %	385	15.98 %	374	15.52 %	363	15.06 %	347	14.40 %
2005	2,440	446	18.28 %	425	17.42 %	401	16.43 %	391	16.02 %	380	15.57 %	361	14.80 %
2006	2,240	426	19.02 %	400	17.86 %	387	17.28 %	375	16.74 %	365	16.29 %	348	15.54 %
2007	2,397	473	19.73 %	407	16.98 %	398	16.60 %	390	16.27 %	379	15.81 %	362	15.10 %
2008	2,083	425	20.40 %	371	17.81 %	353	16.95 %	344	16.51 %	330	15.84 %	313	15.03 %
2009	2,083	413	19.83 %	385	18.48 %	376	18.05 %	370	17.76 %	356	17.09 %	343	16.47 %
2010	2,220	463	20.86 %	412	18.56 %	392	17.66 %	388	17.48 %	381	17.16 %	371	16.71 %
2011	2,337	450	19.26 %	420	17.97 %	403	17.24 %	396	16.94 %	387	16.56 %	370	15.83 %
2012	2,396	476	19.87 %	418	17.45 %	403	16.82 %	396	16.53 %	385	16.07 %	364	15.19 %
2013	2,495	518	20.76 %	449	18.00 %	432	17.31 %	420	16.83 %	409	16.39 %	386	15.47 %
2014	2,508	469	18.70 %	440	17.54 %	427	17.03 %	417	16.63 %	406	16.19 %	388	15.47 %
2015	2,753	511	18.56 %	467	16.96 %	462	16.78 %	457	16.60 %	446	16.20 %	424	15.40 %
2016	2,860	626	21.89 %	478	16.71 %	459	16.05 %	449	15.70 %	438	15.31 %	419	14.65 %
2017	2,952	708	23.98 %	555	18.80 %	511	17.31 %	486	16.46 %	479	16.23 %	453	15.35 %
2018	2,888	559	19.36 %	492	17.04 %	475	16.45 %	463	16.03 %	453	15.69 %	435	15.06 %
2019	2,846	545	19.15 %	486	17.08 %	474	16.65 %	464	16.30 %	446	15.67 %	430	15.11 %
2020	2,678	610	22.78 %	476	17.77 %	461	17.21 %	447	16.69 %	432	16.13 %	409	15.27 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: PARK

Station: A-020

At Road: 2 Mi. SW of S-540

Ascending Direction: North

Location Id: 34-3-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 89, RP 16.8, at Carbella, 2 Mi. SW of S-540 (C000011)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.21% / SB 49.79%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,208	1,215	1,128	1,144	1,227	1,303	1,363	1,226	61.19%	1,179	104.03%	1,203	101.88%
FEB	1,141	1,145	1,170	1,141	1,201	1,373	1,512	1,240	61.89%	1,164	106.51%	1,206	102.82%
MAR	1,027	1,175	1,066	1,080	1,166	1,344	1,290	1,163	58.05%	1,122	103.68%	1,166	99.73%
APR	687	781	843	757	836	888	798	797	39.78%	804	99.10%	821	97.08%
MAY	1,073	1,050	1,094	1,081	1,170	1,173	1,100	1,105	55.15%	1,099	100.57%	1,114	99.23%
JUN	2,740	2,467	2,492	2,379	2,603	2,920	3,070	2,666	133.07%	2,485	107.27%	2,572	103.65%
JUL	3,906	3,614	3,690	3,626	3,705	3,913	3,844	3,756	187.47%	3,659	102.66%	3,710	101.25%
AUG	3,741	3,373	3,591	3,514	3,575	4,034	3,833	3,665	182.93%	3,513	104.32%	3,617	101.32%
SEP	3,696	3,349	3,307	3,326	3,443	3,825	3,983	3,560	177.69%	3,356	106.07%	3,450	103.19%
OCT	2,153	2,145	2,216	2,181	2,444	2,665	2,346	2,306	115.10%	2,247	102.65%	2,330	98.96%
NOV	1,296	1,221	1,339	1,245	1,232	1,442	1,535	1,329	66.33%	1,259	105.54%	1,296	102.56%
DEC	1,221	1,214	1,171	1,260	1,278	1,179	1,286	1,229	61.34%	1,231	99.86%	1,220	100.70%
Year	1,991	1,896	1,926	1,895	1,990	2,172	2,163	2,004		1,926	104.00%	1,975	101.42%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: PARK

Station: A-020

At Road: 2 Mi. SW of S-540

Location Id: 34-3-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 89, RP 16.8, at Carbella, 2 Mi. SW of S-540 (C000011)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,588	288	18.14 %	261	16.44 %	254	15.99 %	247	15.55 %	236	14.86 %	229	14.42 %
2004	1,600	269	16.81 %	253	15.81 %	245	15.31 %	240	15.00 %	235	14.69 %	226	14.13 %
2005	1,550	314	20.26 %	263	16.97 %	250	16.13 %	248	16.00 %	242	15.61 %	232	14.97 %
2006	1,540	298	19.35 %	269	17.47 %	255	16.56 %	244	15.84 %	237	15.39 %	224	14.55 %
2007	1,627	285	17.52 %	264	16.23 %	254	15.61 %	250	15.37 %	246	15.12 %	235	14.44 %
2008	1,548	271	17.51 %	257	16.60 %	246	15.89 %	243	15.70 %	235	15.18 %	224	14.47 %
2009	1,684	331	19.66 %	285	16.92 %	282	16.75 %	272	16.15 %	264	15.68 %	251	14.90 %
2010	1,738	318	18.30 %	292	16.80 %	287	16.51 %	283	16.28 %	275	15.82 %	263	15.13 %
2011	1,670	313	18.74 %	278	16.65 %	272	16.29 %	269	16.11 %	260	15.57 %	249	14.91 %
2012	1,706	341	19.99 %	306	17.94 %	299	17.53 %	291	17.06 %	280	16.41 %	265	15.53 %
2013	1,710	317	18.54 %	295	17.25 %	285	16.67 %	283	16.55 %	273	15.96 %	259	15.15 %
2014	1,804	330	18.29 %	302	16.74 %	291	16.13 %	288	15.96 %	283	15.69 %	272	15.08 %
2015	1,969	365	18.54 %	323	16.40 %	306	15.54 %	303	15.39 %	299	15.19 %	285	14.47 %
2016	2,068	407	19.68 %	325	15.72 %	316	15.28 %	312	15.09 %	302	14.60 %	293	14.17 %
2017	2,049	357	17.42 %	331	16.15 %	318	15.52 %	315	15.37 %	308	15.03 %	297	14.49 %
2018	2,076	341	16.43 %	329	15.85 %	317	15.27 %	315	15.17 %	308	14.84 %	297	14.31 %
2019	2,158	370	17.15 %	342	15.85 %	336	15.57 %	330	15.29 %	319	14.78 %	308	14.27 %
2020	2,004	405	20.22 %	360	17.97 %	344	17.17 %	336	16.77 %	328	16.38 %	313	15.63 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: A-021

At Road: Btwn Billings & Missoula Ave

Ascending Direction: East

Location Id: 25-7C-013

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 12, RP 44.09, Montana Ave, Helena (C000008)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 54.08% / EB 45.88%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	11,599	19,047	20,266	18,387	20,551	20,917	14,000	17,823	110.95%	19,563	91.11%	19,834	89.86%
FEB	11,628	18,794	20,667	21,054	21,116	21,847	14,769	18,553	115.49%	20,408	90.91%	20,696	89.65%
MAR	9,393	16,641	16,623	17,736	17,768	18,330	11,588	15,439	96.11%	17,192	89.80%	17,420	88.63%
APR	8,600	13,186	13,545	13,261	13,516	14,217	9,958	12,325	76.72%	13,377	92.14%	13,545	90.99%
MAY	11,799	15,559	17,610	17,741	18,181	18,613	14,149	16,235	101.06%	17,273	93.99%	17,541	92.56%
JUN	12,588	17,985	18,434	18,831	18,677	19,110	14,971	17,227	107.24%	18,482	93.21%	18,607	92.58%
JUL	11,895	17,667	17,992	18,312	18,387	17,898	12,803	16,421	102.22%	18,090	90.78%	18,051	90.97%
AUG	12,163	17,824	18,185	18,468	18,362	18,695	14,104	16,828	104.75%	18,210	92.41%	18,307	91.92%
SEP	11,601	15,917	17,577	17,634	17,647	18,455	14,015	16,120	100.34%	17,194	93.75%	17,446	92.40%
OCT	10,234	15,818	16,858	17,074	17,202	17,854	12,548	15,369	95.67%	16,738	91.82%	16,961	90.61%
NOV	9,807	16,406	17,281	17,132	14,815	16,972	12,871	15,039	93.62%	16,409	91.65%	16,521	91.03%
DEC	10,552	17,024	17,276	17,565	16,989	15,263	13,110	15,396	95.84%	17,214	89.44%	16,823	91.52%
Year	10,988	16,822	17,693	17,766	17,768	18,181	13,241	16,065		17,512	91.73%	17,646	91.04%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: A-021

At Road: Btwn Billings & Missoula Ave

Location Id: 25-7C-013

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 12, RP 44.09, Montana Ave, Helena (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	21,125	2,409	11.40 %	2,220	10.51 %	2,162	10.23 %	2,130	10.08 %	2,082	9.86 %	2,020	9.56 %
2004	21,920	2,475	11.29 %	2,262	10.32 %	2,215	10.10 %	2,199	10.03 %	2,172	9.91 %	2,130	9.72 %
2005	21,860	2,492	11.40 %	2,272	10.39 %	2,207	10.10 %	2,183	9.99 %	2,153	9.85 %	2,115	9.68 %
2006	21,760	2,387	10.97 %	2,255	10.36 %	2,207	10.14 %	2,184	10.04 %	2,155	9.90 %	2,116	9.72 %
2007	21,530	2,307	10.72 %	2,216	10.29 %	2,185	10.15 %	2,165	10.06 %	2,119	9.84 %	2,074	9.63 %
2008	20,184	2,336	11.57 %	2,137	10.59 %	2,085	10.33 %	2,043	10.12 %	2,010	9.96 %	1,967	9.75 %
2009	20,875	2,303	11.03 %	2,150	10.30 %	2,127	10.19 %	2,108	10.10 %	2,075	9.94 %	2,033	9.74 %
2010	20,884	2,336	11.19 %	2,190	10.49 %	2,154	10.31 %	2,129	10.19 %	2,107	10.09 %	2,056	9.84 %
2011	20,403	2,310	11.32 %	2,122	10.40 %	2,061	10.10 %	2,045	10.02 %	2,016	9.88 %	1,978	9.69 %
2012	19,700	2,254	11.44 %	2,091	10.61 %	2,048	10.40 %	2,031	10.31 %	2,004	10.17 %	1,963	9.96 %
2013	18,844	2,171	11.52 %	2,006	10.65 %	1,947	10.33 %	1,924	10.21 %	1,891	10.04 %	1,849	9.81 %
2014	18,797	2,175	11.57 %	1,990	10.59 %	1,956	10.41 %	1,939	10.32 %	1,910	10.16 %	1,862	9.91 %
2015	19,354	2,205	11.39 %	2,006	10.36 %	1,968	10.17 %	1,949	10.07 %	1,920	9.92 %	1,888	9.76 %
2016	19,968	2,254	11.29 %	2,110	10.57 %	2,078	10.41 %	2,051	10.27 %	2,024	10.14 %	1,980	9.92 %
2017	20,097	2,244	11.17 %	2,081	10.35 %	2,058	10.24 %	2,036	10.13 %	2,014	10.02 %	1,982	9.86 %
2018	19,772	2,210	11.18 %	2,067	10.45 %	2,026	10.25 %	2,005	10.14 %	1,982	10.02 %	1,935	9.79 %
2019	19,586	2,239	11.43 %	2,060	10.52 %	2,021	10.32 %	2,004	10.23 %	1,976	10.09 %	1,946	9.94 %
2020	16,065	1,973	12.28 %	1,866	11.62 %	1,831	11.40 %	1,811	11.27 %	1,786	11.12 %	1,746	10.87 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CUSTER

Station: A-022

At Road: 14 Mi. N of Miles City

Ascending Direction: North

Location Id: 09-2-016

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 59, RP 14.02, 14 Mi. N of Miles City (C000018)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.21% / SB 49.79%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	202	307	282	297	297	311	219	273	77.47%	296	92.31%	299	91.37%
FEB	202	275	291	330	340	369	267	296	83.99%	309	95.79%	321	92.21%
MAR	170	293	284	314	332	338	242	281	79.74%	306	91.91%	312	90.01%
APR	212	358	342	323	322	348	218	302	85.69%	336	89.81%	339	89.19%
MAY	288	381	367	373	345	406	320	354	100.45%	367	96.59%	374	94.55%
JUN	370	392	401	401	409	451	350	396	112.37%	401	98.81%	411	96.40%
JUL	356	458	430	413	469	467	301	413	117.19%	443	93.33%	447	92.31%
AUG	372	442	391	426	435	475	354	413	117.19%	424	97.52%	434	95.21%
SEP	348	411	382	421	455	482	360	408	115.77%	417	97.78%	430	94.84%
OCT	343	424	419	422	427	498	375	414	117.47%	423	97.87%	438	94.52%
NOV	291	381	419	422	382	432	356	383	108.68%	401	95.51%	407	94.06%
DEC	212	340	326	328	310	314	251	296	83.99%	326	90.80%	324	91.47%
Year	281	372	361	373	377	408	301	352		371	95.09%	378	93.23%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: CUSTER

Station: A-022

At Road: 14 Mi. N of Miles City

Location Id: 09-2-016

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 59, RP 14.02, 14 Mi. N of Miles City (C000018)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	332	66	19.88 %	50	15.06 %	47	14.16 %	45	13.55 %	43	12.95 %	41	12.35 %
2004	360	78	21.67 %	71	19.72 %	67	18.61 %	65	18.06 %	62	17.22 %	58	16.11 %
2005	320	63	19.69 %	56	17.50 %	54	16.88 %	53	16.56 %	47	14.69 %	43	13.44 %
2006	320	58	18.13 %	48	15.00 %	45	14.06 %	44	13.75 %	42	13.13 %	38	11.88 %
2007	363	74	20.39 %	67	18.46 %	65	17.91 %	64	17.63 %	63	17.36 %	59	16.25 %
2008	280	52	18.57 %	44	15.71 %	41	14.64 %	40	14.29 %	38	13.57 %	35	12.50 %
2009	305	54	17.70 %	46	15.08 %	43	14.10 %	41	13.44 %	39	12.79 %	37	12.13 %
2010	301	75	24.92 %	46	15.28 %	43	14.29 %	41	13.62 %	39	12.96 %	37	12.29 %
2011	328	62	18.90 %	50	15.24 %	47	14.33 %	46	14.02 %	44	13.41 %	41	12.50 %
2012	344	59	17.15 %	51	14.83 %	49	14.24 %	48	13.95 %	46	13.37 %	42	12.21 %
2013	331	63	19.03 %	49	14.80 %	46	13.90 %	45	13.60 %	43	12.99 %	40	12.08 %
2014	345	85	24.64 %	56	16.23 %	50	14.49 %	49	14.20 %	47	13.62 %	43	12.46 %
2015	350	104	29.71 %	55	15.71 %	51	14.57 %	49	14.00 %	46	13.14 %	43	12.29 %
2016	372	62	16.67 %	55	14.78 %	53	14.25 %	50	13.44 %	48	12.90 %	45	12.10 %
2017	380	70	18.42 %	61	16.05 %	57	15.00 %	54	14.21 %	52	13.68 %	49	12.89 %
2018	334	64	19.16 %	52	15.57 %	49	14.67 %	48	14.37 %	45	13.47 %	41	12.28 %
2019	352	76	21.59 %	54	15.34 %	53	15.06 %	52	14.77 %	50	14.20 %	46	13.07 %
2020	352	66	18.75 %	54	15.34 %	50	14.20 %	48	13.64 %	45	12.78 %	43	12.22 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BLAINE

Station: A-023

At Road: 2 Mi. N of S-396

Ascending Direction: North

Location Id: 03-4-003

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-241, RP 3.06, 2 Mi. N of Harlem (C000241)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.16% / SB 49.84%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	182	312	335	319	338	372	262	302	98.96%	326	92.64%	335	90.10%
FEB	185	307	325	322	365	391	249	305	99.95%	330	92.49%	342	89.18%
MAR	171	300	308	296	344	328	207	278	91.10%	312	89.10%	315	88.20%
APR	175	278	289	269	297	281	210	256	83.89%	283	90.38%	283	90.52%
MAY	237	310	331	333	349	358	265	311	101.91%	331	94.03%	336	92.50%
JUN	217	347	366	344	378	370	254	324	106.17%	359	90.31%	361	89.75%
JUL	198	371	385	347	386	322	213	317	103.88%	372	85.16%	362	87.52%
AUG	242	355	347	364	391	372	280	335	109.78%	364	91.97%	366	91.58%
SEP	233	318	362	360	421	373	285	335	109.78%	365	91.72%	367	91.33%
OCT	189	318	342	330	342	366	259	306	100.27%	333	91.89%	340	90.11%
NOV	203	336	355	335	307	348	290	309	101.26%	333	92.72%	336	91.91%
DEC	165	336	328	333	314	326	190	284	93.06%	328	86.65%	327	86.74%
Year	200	324	339	329	353	351	247	305		336	90.73%	339	89.97%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: BLAINE

Station: A-023

At Road: 2 Mi. N of S-396

Location Id: 03-4-003

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-241, RP 3.06, 2 Mi. N of Harlem (C000241)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	326	80	24.54 %	48	14.72 %	47	14.42 %	44	13.50 %	42	12.88 %	39	11.96 %
2004	320	61	19.06 %	50	15.63 %	45	14.06 %	44	13.75 %	42	13.13 %	38	11.88 %
2005	310	105	33.87 %	47	15.16 %	44	14.19 %	42	13.55 %	40	12.90 %	37	11.94 %
2006	290	92	31.72 %	46	15.86 %	44	15.17 %	42	14.48 %	40	13.79 %	36	12.41 %
2007	291	79	27.15 %	50	17.18 %	46	15.81 %	42	14.43 %	39	13.40 %	36	12.37 %
2008	306	66	21.57 %	62	20.26 %	55	17.97 %	53	17.32 %	50	16.34 %	43	14.05 %
2009	316	53	16.77 %	48	15.19 %	45	14.24 %	44	13.92 %	42	13.29 %	40	12.66 %
2010	316	61	19.30 %	48	15.19 %	44	13.92 %	43	13.61 %	42	13.29 %	39	12.34 %
2011	323	69	21.36 %	54	16.72 %	48	14.86 %	46	14.24 %	44	13.62 %	40	12.38 %
2012	348	59	16.95 %	50	14.37 %	48	13.79 %	47	13.51 %	45	12.93 %	42	12.07 %
2013	366	61	16.67 %	54	14.75 %	51	13.93 %	50	13.66 %	48	13.11 %	45	12.30 %
2014	356	61	17.13 %	52	14.61 %	50	14.04 %	48	13.48 %	46	12.92 %	43	12.08 %
2015	362	117	32.32 %	58	16.02 %	54	14.92 %	51	14.09 %	49	13.54 %	46	12.71 %
2016	352	68	19.32 %	50	14.20 %	48	13.64 %	47	13.35 %	46	13.07 %	43	12.22 %
2017	338	66	19.53 %	53	15.68 %	48	14.20 %	46	13.61 %	45	13.31 %	42	12.43 %
2018	328	100	30.49 %	56	17.07 %	49	14.94 %	47	14.33 %	44	13.41 %	41	12.50 %
2019	338	58	17.16 %	54	15.98 %	50	14.79 %	48	14.20 %	46	13.61 %	43	12.72 %
2020	305	51	16.72 %	48	15.74 %	46	15.08 %	44	14.43 %	42	13.77 %	40	13.11 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FLATHEAD

Station: A-024

At Road: 1.3 Mi. W of Kalispell

Ascending Direction: East

Location Id: 15-7B-001

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 2, RP 118.9, 1.3 Mi. W of Kalispell (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.09% / EB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,618	9,589	9,830	9,573	10,202	10,471	7,788	9,152	86.19%	9,799	93.40%	9,933	92.14%
FEB	6,953	9,831	10,458	10,424	10,561	10,997	8,201	9,631	90.70%	10,319	93.34%	10,454	92.13%
MAR	6,389	9,155	9,402	9,734	9,869	10,104	7,238	8,841	83.26%	9,540	92.67%	9,653	91.59%
APR	6,263	8,846	9,250	8,725	8,882	9,440	7,035	8,348	78.62%	8,926	93.53%	9,029	92.46%
MAY	7,755	10,704	11,391	11,317	11,698	12,296	10,584	10,820	101.90%	11,278	95.94%	11,481	94.24%
JUN	9,530	12,184	12,676	12,688	12,855	13,539	10,955	12,060	113.58%	12,601	95.71%	12,788	94.30%
JUL	10,817	13,373	13,504	13,581	13,790	14,296	11,742	13,014	122.56%	13,562	95.96%	13,709	94.93%
AUG	10,500	12,960	13,246	13,298	13,481	14,058	11,441	12,711	119.71%	13,246	95.96%	13,409	94.80%
SEP	9,377	11,706	12,854	12,864	13,064	13,572	10,982	12,059	113.57%	12,622	95.54%	12,812	94.12%
OCT	7,926	11,309	11,796	11,750	12,119	12,171	9,552	10,946	103.09%	11,744	93.21%	11,829	92.54%
NOV	7,692	10,582	11,115	11,007	10,124	10,965	8,885	10,052	94.67%	10,707	93.88%	10,759	93.43%
DEC	7,306	10,488	10,597	10,828	10,624	9,992	8,678	9,787	92.17%	10,634	92.03%	10,506	93.16%
Year	8,094	10,894	11,343	11,316	11,439	11,825	9,423	10,618		11,248	94.40%	11,363	93.44%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: FLATHEAD

Station: A-024

At Road: 1.3 Mi. W of Kalispell

Location Id: 15-7B-001

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 2, RP 118.9, 1.3 Mi. W of Kalispell (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	8,551	952	11.13 %	912	10.67 %	899	10.51 %	887	10.37 %	865	10.12 %	829	9.69 %
2004	8,750	966	11.04 %	937	10.71 %	906	10.35 %	900	10.29 %	882	10.08 %	847	9.68 %
2005	8,740	1,008	11.53 %	948	10.85 %	939	10.74 %	922	10.55 %	888	10.16 %	858	9.82 %
2006	9,000	1,052	11.69 %	998	11.09 %	969	10.77 %	959	10.66 %	939	10.43 %	901	10.01 %
2007	9,220	1,056	11.45 %	1,016	11.02 %	990	10.74 %	982	10.65 %	963	10.44 %	918	9.96 %
2008	8,643	1,003	11.60 %	943	10.91 %	922	10.67 %	912	10.55 %	897	10.38 %	865	10.01 %
2009	8,590	969	11.28 %	926	10.78 %	915	10.65 %	895	10.42 %	882	10.27 %	848	9.87 %
2010	7,915	1,021	12.90 %	884	11.17 %	842	10.64 %	823	10.40 %	797	10.07 %	761	9.61 %
2011	8,247	932	11.30 %	904	10.96 %	884	10.72 %	874	10.60 %	845	10.25 %	808	9.80 %
2012	8,379	955	11.40 %	910	10.86 %	896	10.69 %	887	10.59 %	864	10.31 %	836	9.98 %
2013	8,738	1,030	11.79 %	960	10.99 %	944	10.80 %	935	10.70 %	924	10.57 %	889	10.17 %
2014	9,222	1,088	11.80 %	1,008	10.93 %	998	10.82 %	988	10.71 %	970	10.52 %	932	10.11 %
2015	9,716	1,098	11.30 %	1,048	10.79 %	1,035	10.65 %	1,025	10.55 %	1,005	10.34 %	974	10.02 %
2016	9,931	1,100	11.08 %	1,070	10.77 %	1,052	10.59 %	1,039	10.46 %	1,021	10.28 %	995	10.02 %
2017	9,836	1,267	12.88 %	1,143	11.62 %	1,121	11.40 %	1,106	11.24 %	1,087	11.05 %	1,041	10.58 %
2018	10,635	1,213	11.41 %	1,164	10.94 %	1,140	10.72 %	1,125	10.58 %	1,101	10.35 %	1,070	10.06 %
2019	10,687	1,251	11.71 %	1,190	11.14 %	1,169	10.94 %	1,152	10.78 %	1,136	10.63 %	1,090	10.20 %
2020	10,618	1,248	11.75 %	1,208	11.38 %	1,197	11.27 %	1,190	11.21 %	1,176	11.08 %	1,130	10.64 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FERGUS

Station: A-027

At Road: 3 Mi. N of Jct MT 19

Ascending Direction: North

Location Id: 14-4-006

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 191, RP 69.58, Roy, 3 Mi. N of Jct MT 19 (C000061)

Traffic Mix: Pass: 90.84% SU: 1.94% CU: 7.22%

Directional Split: NB 50.26% / SB 49.74%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	428	419	407	400	420	518	377	423	74.36%	412	102.79%	433	97.74%
FEB	431	438	413	440	508	596	374	457	80.34%	450	101.61%	479	95.41%
MAR	385	396	379	410	452	509	342	410	72.08%	409	100.18%	429	95.53%
APR	275	332	344	301	365	404	277	327	57.49%	336	97.47%	349	93.64%
MAY	627	643	544	557	611	790	584	621	109.17%	589	105.48%	629	98.73%
JUN	740	613	570	627	688	825	580	662	116.38%	625	106.00%	665	99.61%
JUL	774	675	623	602	722	802	504	670	117.78%	656	102.21%	685	97.84%
AUG	702	623	613	631	701	830	574	667	117.26%	642	103.89%	680	98.15%
SEP	906	797	735	752	847	1,127	843	857	150.66%	783	109.49%	852	100.63%
OCT	650	587	594	618	717	887	577	661	116.20%	629	105.09%	681	97.12%
NOV	575	518	603	676	613	754	615	621	109.17%	603	103.07%	633	98.14%
DEC	447	426	418	491	463	483	429	450	79.11%	450	100.11%	456	98.64%
Year	578	539	520	542	592	710	506	569		548	103.73%	581	97.94%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: FERGUS

Station: A-027

At Road: 3 Mi. N of Jct MT 19

Location Id: 14-4-006

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 191, RP 69.58, Roy, 3 Mi. N of Jct MT 19 (C000061)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	645	146	22.64 %	124	19.22 %	117	18.14 %	110	17.05 %	104	16.12 %	92	14.26 %
2004	620	184	29.68 %	132	21.29 %	119	19.19 %	112	18.06 %	104	16.77 %	92	14.84 %
2005	590	145	24.58 %	111	18.81 %	103	17.46 %	100	16.95 %	93	15.76 %	83	14.07 %
2006	580	153	26.38 %	117	20.17 %	103	17.76 %	98	16.90 %	92	15.86 %	84	14.48 %
2007	582	134	23.02 %	107	18.38 %	101	17.35 %	97	16.67 %	91	15.64 %	84	14.43 %
2008	555	137	24.68 %	104	18.74 %	94	16.94 %	92	16.58 %	88	15.86 %	78	14.05 %
2009	598	135	22.58 %	114	19.06 %	109	18.23 %	104	17.39 %	98	16.39 %	89	14.88 %
2010	601	124	20.63 %	115	19.13 %	108	17.97 %	102	16.97 %	97	16.14 %	88	14.64 %
2011	568	138	24.30 %	103	18.13 %	101	17.78 %	97	17.08 %	92	16.20 %	82	14.44 %
2012	618	132	21.36 %	109	17.64 %	100	16.18 %	97	15.70 %	92	14.89 %	85	13.75 %
2013	615	123	20.00 %	105	17.07 %	100	16.26 %	96	15.61 %	90	14.63 %	85	13.82 %
2014	603	149	24.71 %	105	17.41 %	102	16.92 %	97	16.09 %	90	14.93 %	84	13.93 %
2015	643	125	19.44 %	119	18.51 %	112	17.42 %	107	16.64 %	99	15.40 %	92	14.31 %
2016	661	151	22.84 %	117	17.70 %	111	16.79 %	108	16.34 %	100	15.13 %	92	13.92 %
2017	649	134	20.65 %	111	17.10 %	104	16.02 %	101	15.56 %	96	14.79 %	88	13.56 %
2018	618	138	22.33 %	118	19.09 %	112	18.12 %	107	17.31 %	98	15.86 %	89	14.40 %
2019	623	120	19.26 %	106	17.01 %	103	16.53 %	100	16.05 %	96	15.41 %	89	14.29 %
2020	569	117	20.60 %	104	18.31 %	97	17.08 %	94	16.55 %	91	16.02 %	82	14.44 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: A-028

At Road: 7 Mi. W of Great Falls

Ascending Direction: North

Location Id: 07-1-018

Functional Class: Major Collector Rural


Traffic Factor Group: UMA_UC

Located On: Vaughn South Frontage Road, RP 3.33, 7 Mi. W of Great Falls (C007611)

Traffic Mix: Pass: 97.23% SU: 1.24% CU: 1.53%

Directional Split: SB 50.27% / NB 49.73%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,123	2,900	3,103	2,912	3,135	3,222	2,598	2,855	93.00%	3,013	94.77%	3,054	93.47%
FEB	2,129	2,826	3,021	3,155	3,260	3,304	2,595	2,897	94.36%	3,066	94.50%	3,113	93.06%
MAR	1,901	2,846	2,885	3,019	3,029	3,107	2,048	2,690	87.62%	2,945	91.35%	2,977	90.35%
APR	1,870	2,687	2,788	2,790	2,882	2,923	2,153	2,584	84.17%	2,787	92.72%	2,814	91.83%
MAY	2,484	3,231	3,624	3,516	3,552	3,723	3,052	3,311	107.85%	3,481	95.12%	3,529	93.82%
JUN	2,558	3,425	3,710	3,865	3,822	3,920	3,008	3,472	113.09%	3,706	93.70%	3,748	92.63%
JUL	2,699	3,692	3,757	3,925	3,988	3,713	3,125	3,556	115.83%	3,841	92.59%	3,815	93.21%
AUG	2,638	3,584	3,746	3,778	3,728	3,879	3,101	3,492	113.75%	3,709	94.15%	3,743	93.29%
SEP	2,554	3,086	3,658	3,670	3,653	3,906	2,983	3,358	109.38%	3,517	95.49%	3,595	93.42%
OCT	1,953	2,946	3,232	3,311	3,344	3,517	2,546	2,977	96.97%	3,208	92.79%	3,270	91.04%
NOV	1,967	2,831	3,008	3,075	2,850	3,174	2,529	2,775	90.39%	2,941	94.36%	2,988	92.88%
DEC	2,101	2,986	3,107	3,263	3,186	2,908	2,568	2,873	93.58%	3,136	91.63%	3,090	92.98%
Year	2,248	3,087	3,303	3,357	3,369	3,441	2,692	3,070		3,279	93.63%	3,311	92.71%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: A-028

At Road: 7 Mi. W of Great Falls

Location Id: 07-1-018

Functional Class: Major Collector Rural

Traffic Factor Group: UMA_UC

Located On: Vaughn South Frontage Road, RP 3.33, 7 Mi. W of Great Falls (C007611)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,329	400	12.02 %	369	11.08 %	362	10.87 %	355	10.66 %	349	10.48 %	337	10.12 %
2004	3,460	720	20.81 %	403	11.65 %	390	11.27 %	379	10.95 %	368	10.64 %	353	10.20 %
2005	3,360	426	12.68 %	372	11.07 %	365	10.86 %	359	10.68 %	350	10.42 %	335	9.97 %
2006	3,290	670	20.36 %	500	15.20 %	446	13.56 %	404	12.28 %	361	10.97 %	340	10.33 %
2007	3,337	423	12.68 %	384	11.51 %	372	11.15 %	368	11.03 %	361	10.82 %	341	10.22 %
2008	3,243	398	12.27 %	366	11.29 %	361	11.13 %	352	10.85 %	347	10.70 %	332	10.24 %
2009	3,180		%		%		%		%		%		%
2010	3,170		%		%		%		%		%		%
2011	3,190		%		%		%		%		%		%
2012	3,013	365	12.11 %	331	10.99 %	322	10.69 %	318	10.55 %	311	10.32 %	300	9.96 %
2013	3,720	747	20.08 %	648	17.42 %	597	16.05 %	569	15.30 %	504	13.55 %	446	11.99 %
2014	2,939	467	15.89 %	328	11.16 %	318	10.82 %	311	10.58 %	306	10.41 %	294	10.00 %
2015	3,073	359	11.68 %	337	10.97 %	331	10.77 %	324	10.54 %	317	10.32 %	308	10.02 %
2016	3,250	375	11.54 %	350	10.77 %	346	10.65 %	342	10.52 %	335	10.31 %	323	9.94 %
2017	3,904	527	13.50 %	489	12.53 %	478	12.24 %	470	12.04 %	456	11.68 %	432	11.07 %
2018	3,193	501	15.69 %	389	12.18 %	365	11.43 %	354	11.09 %	346	10.84 %	330	10.34 %
2019	3,055	374	12.24 %	345	11.29 %	335	10.97 %	330	10.80 %	325	10.64 %	315	10.31 %
2020	3,070	376	12.25 %	363	11.83 %	353	11.50 %	344	11.21 %	337	10.98 %	323	10.52 %

Notes
 UNDER CONSTRUCTION 2009-2011
 NOT ENOUGH DAYS TO MAKE 2009-2011 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: A-029

At Road: 6 Mi. W of Billings

Ascending Direction: North

Location Id: 56-4A-035

Functional Class: Local Rural


Traffic Factor Group: RMA_RMC_345

Located On: Billings South Frontage Road, RP 4.34, 6 Mi. W of Billings (C056683)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.44% / SB 48.56%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,261	4,234	4,305	3,915	4,381	4,481	2,801	3,767	90.02%	4,209	89.50%	4,263	88.36%
FEB	2,170	4,092	4,230	4,290	4,381	4,489	2,972	3,803	90.88%	4,248	89.52%	4,296	88.52%
MAR	2,014	4,253	4,195	4,290	4,378	4,655	2,795	3,796	90.71%	4,279	88.71%	4,354	87.18%
APR	1,940	3,762	3,663	3,531	3,491	3,831	2,410	3,232	77.23%	3,612	89.49%	3,656	88.41%
MAY	2,562	4,167	4,763	4,832	4,934	5,042	3,452	4,249	101.53%	4,674	90.91%	4,748	89.50%
JUN	2,785	5,057	4,980	4,930	5,093	5,328	3,492	4,523	108.08%	5,015	90.19%	5,078	89.08%
JUL	2,965	5,425	5,562	5,470	5,540	5,352	3,566	4,839	115.63%	5,499	87.99%	5,470	88.47%
AUG	2,991	5,509	5,453	5,560	5,589	5,722	4,033	4,979	118.98%	5,528	90.07%	5,567	89.44%
SEP	2,912	4,611	5,460	5,500	5,703	5,732	3,788	4,814	115.03%	5,319	90.51%	5,401	89.13%
OCT	2,195	4,685	5,017	5,009	4,917	5,144	3,198	4,308	102.94%	4,907	87.79%	4,954	86.95%
NOV	2,160	4,701	4,731	4,810	3,952	4,511	2,930	3,970	94.87%	4,549	87.28%	4,541	87.43%
DEC	2,254	4,441	4,748	4,747	4,505	4,055	2,823	3,938	94.10%	4,610	85.42%	4,499	87.53%
Year	2,434	4,578	4,759	4,740	4,739	4,862	3,188	4,185		4,704	88.96%	4,736	88.37%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: A-029

At Road: 6 Mi. W of Billings

Location Id: 56-4A-035

Functional Class: Local Rural

Traffic Factor Group: RMA_RMC_345

Located On: Billings South Frontage Road, RP 4.34, 6 Mi. W of Billings (C056683)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,994	705	23.55 %	355	11.86 %	348	11.62 %	341	11.39 %	335	11.19 %	323	10.79 %
2004	3,260	487	14.94 %	380	11.66 %	368	11.29 %	364	11.17 %	357	10.95 %	345	10.58 %
2005	3,320	518	15.60 %	398	11.99 %	385	11.60 %	376	11.33 %	369	11.11 %	358	10.78 %
2006	3,520	481	13.66 %	443	12.59 %	432	12.27 %	428	12.16 %	418	11.88 %	395	11.22 %
2007	3,725	1,058	28.40 %	513	13.77 %	475	12.75 %	470	12.62 %	458	12.30 %	439	11.79 %
2008	3,592	478	13.31 %	451	12.56 %	445	12.39 %	440	12.25 %	432	12.03 %	419	11.66 %
2009	3,671	706	19.23 %	467	12.72 %	456	12.42 %	449	12.23 %	434	11.82 %	420	11.44 %
2010	3,641	778	21.37 %	550	15.11 %	485	13.32 %	450	12.36 %	431	11.84 %	410	11.26 %
2011	3,951	1,173	29.69 %	812	20.55 %	703	17.79 %	650	16.45 %	604	15.29 %	516	13.06 %
2012	3,843	1,137	29.59 %	790	20.56 %	618	16.08 %	554	14.42 %	477	12.41 %	428	11.14 %
2013	3,889	587	15.09 %	465	11.96 %	454	11.67 %	447	11.49 %	439	11.29 %	427	10.98 %
2014	3,979	520	13.07 %	484	12.16 %	474	11.91 %	466	11.71 %	457	11.49 %	442	11.11 %
2015	4,101	965	23.53 %	510	12.44 %	489	11.92 %	483	11.78 %	475	11.58 %	459	11.19 %
2016	4,233	750	17.72 %	524	12.38 %	513	12.12 %	506	11.95 %	496	11.72 %	478	11.29 %
2017	4,211	606	14.39 %	540	12.82 %	518	12.30 %	507	12.04 %	492	11.68 %	477	11.33 %
2018	4,182	993	23.74 %	621	14.85 %	531	12.70 %	516	12.34 %	501	11.98 %	480	11.48 %
2019	4,202	775	18.44 %	543	12.92 %	530	12.61 %	521	12.40 %	509	12.11 %	488	11.61 %
2020	4,185	868	20.75 %	553	13.22 %	525	12.55 %	515	12.31 %	506	12.09 %	487	11.64 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MINERAL

Station: A-030

At Road: 1.5 Mi. W of Superior Intch

Ascending Direction: East

Location Id: 31-2-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 46.01, 1.5 Mi. W of Superior Interchange (C000090)

Traffic Mix: Pass: 70.78% SU: 1.55% CU: 27.67%

Directional Split: EB 51.91% / WB 48.09%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,828	4,086	4,148	4,275	4,540	4,896	4,160	4,275	65.79%	4,262	100.30%	4,389	97.40%
FEB	4,497	4,570	4,581	4,625	4,979	5,685	4,724	4,808	73.99%	4,689	102.54%	4,888	98.36%
MAR	5,027	4,897	5,169	5,271	5,724	5,917	4,903	5,272	81.13%	5,265	100.13%	5,396	97.71%
APR	3,348	3,887	4,208	4,156	4,403	4,507	3,874	4,054	62.38%	4,164	97.37%	4,232	95.79%
MAY	5,591	5,688	5,542	5,613	6,161	6,698	5,932	5,889	90.62%	5,751	102.40%	5,940	99.13%
JUN	8,459	7,568	7,423	7,357	8,192	9,121	8,226	8,048	123.85%	7,635	105.41%	7,932	101.46%
JUL	10,289	9,114	8,480	8,927	9,815	10,654	8,887	9,451	145.44%	9,084	104.04%	9,398	100.56%
AUG	10,228	8,846	8,646	8,833	9,679	10,746	10,050	9,575	147.34%	9,001	106.38%	9,350	102.41%
SEP	8,771	8,534	7,729	7,843	8,771	10,103	8,973	8,674	133.48%	8,219	105.53%	8,596	100.91%
OCT	7,004	6,594	6,652	6,659	7,588	7,687	6,511	6,956	107.04%	6,873	101.20%	7,036	98.86%
NOV	5,686	5,463	5,720	6,094	5,458	6,106	6,174	5,813	89.45%	5,684	102.27%	5,768	100.78%
DEC	5,112	5,158	5,331	5,268	5,143	4,946	5,214	5,166	79.50%	5,225	98.87%	5,169	99.94%
Year	6,487	6,200	6,136	6,243	6,704	7,256	6,469	6,498		6,321	102.81%	6,508	99.85%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MINERAL

Station: A-030

At Road: 1.5 Mi. W of Superior Intch

Location Id: 31-2-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 46.01, 1.5 Mi. W of Superior Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,510	1,168	17.94 %	985	15.13 %	961	14.76 %	919	14.12 %	883	13.56 %	823	12.64 %
2004	6,520	1,067	16.37 %	972	14.91 %	927	14.22 %	887	13.60 %	836	12.82 %	771	11.83 %
2005	6,410	1,024	15.98 %	901	14.06 %	878	13.70 %	860	13.42 %	820	12.79 %	769	12.00 %
2006	6,590	1,066	16.18 %	961	14.58 %	914	13.87 %	896	13.60 %	867	13.16 %	803	12.19 %
2007	6,720	1,063	15.82 %	995	14.81 %	967	14.39 %	937	13.94 %	893	13.29 %	832	12.38 %
2008	6,167	1,066	17.29 %	928	15.05 %	874	14.17 %	854	13.85 %	808	13.10 %	751	12.18 %
2009	6,407	1,121	17.50 %	1,025	16.00 %	980	15.30 %	942	14.70 %	900	14.05 %	845	13.19 %
2010	6,660		%		%		%		%		%		%
2011	6,890		%		%		%		%		%		%
2012	7,300		%		%		%		%		%		%
2013	7,590		%		%		%		%		%		%
2014	7,770		%		%		%		%		%		%
2015	6,407		%		%		%		%		%		%
2016	6,974	1,132	16.23 %	1,045	14.98 %	1,007	14.44 %	993	14.24 %	960	13.77 %	878	12.59 %
2017	7,107	1,135	15.97 %	1,046	14.72 %	1,012	14.24 %	1,002	14.10 %	966	13.59 %	912	12.83 %
2018	7,033	1,111	15.80 %	1,052	14.96 %	1,020	14.50 %	996	14.16 %	961	13.66 %	899	12.78 %
2019	6,851	1,266	18.48 %	1,056	15.41 %	1,014	14.80 %	990	14.45 %	954	13.92 %	881	12.86 %
2020	6,498	1,098	16.90 %	972	14.96 %	947	14.57 %	925	14.24 %	902	13.88 %	852	13.11 %

Notes
 UNDER CONSTRUCTION MAY 2010-JULY 2015
 NOT ENOUGH DAYS TO MAKE 2010-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CUSTER

Station: A-031

At Road: 4 Mi. W of Miles City Intch

Ascending Direction: East

Location Id: 09-2-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 132.83, 4 Mi. W of Miles City (C000094)

Traffic Mix: Pass: 74.26% SU: 1.54% CU: 24.20%

Directional Split: EB 50.38% / WB 49.62%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,552	3,358	3,583	3,512	3,572	4,132	3,388	3,584	81.19%	3,506	102.22%	3,631	98.69%
FEB	3,442	3,497	3,863	3,900	4,080	4,574	3,771	3,875	87.78%	3,835	101.04%	3,983	97.29%
MAR	3,435	3,622	4,005	4,105	4,032	4,497	3,809	3,928	88.98%	3,941	99.67%	4,052	96.93%
APR	2,409	2,869	3,362	3,081	3,117	3,269	2,809	2,987	67.66%	3,107	96.13%	3,140	95.14%
MAY	3,814	3,997	4,191	4,301	4,448	4,845	4,126	4,245	96.16%	4,234	100.25%	4,356	97.44%
JUN	5,189	4,828	4,924	5,035	5,224	5,748	4,962	5,129	116.19%	5,003	102.52%	5,152	99.56%
JUL	5,689	5,347	5,239	5,535	6,001	6,152	5,185	5,592	126.67%	5,531	101.11%	5,655	98.89%
AUG	5,805	5,324	5,422	5,676	5,819	6,295	5,828	5,738	129.98%	5,560	103.20%	5,707	100.54%
SEP	5,175	5,169	4,997	5,182	5,667	6,204	5,323	5,387	122.03%	5,254	102.54%	5,444	98.96%
OCT	4,535	4,241	4,520	4,652	4,786	5,406	4,088	4,603	104.27%	4,550	101.17%	4,721	97.50%
NOV	3,874	3,717	4,231	4,504	3,994	4,377	4,159	4,121	93.35%	4,112	100.23%	4,165	98.95%
DEC	3,726	3,633	3,924	4,068	3,736	3,679	3,736	3,785	85.74%	3,840	98.56%	3,808	99.40%
Year	4,220	4,134	4,355	4,463	4,540	4,932	4,265	4,415		4,373	100.96%	4,484	98.44%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: CUSTER

Station: A-031

At Road: 4 Mi. W of Miles City Intch

Location Id: 09-2-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 132.83, 4 Mi. W of Miles City (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,078		%		%		%		%		%		%
2004	3,990	528	13.23 %	470	11.78 %	453	11.35 %	439	11.00 %	420	10.53 %	403	10.10 %
2005	3,980	594	14.92 %	489	12.29 %	466	11.71 %	453	11.38 %	439	11.03 %	418	10.50 %
2006	4,020	598	14.88 %	471	11.72 %	455	11.32 %	445	11.07 %	435	10.82 %	409	10.17 %
2007	4,171		%		%		%		%		%		%
2008	4,170		%		%		%		%		%		%
2009	4,320		%		%		%		%		%		%
2010	4,375	582	13.30 %	530	12.11 %	513	11.73 %	499	11.41 %	481	10.99 %	458	10.47 %
2011	4,890	702	14.36 %	589	12.04 %	567	11.60 %	550	11.25 %	531	10.86 %	504	10.31 %
2012	5,363	655	12.21 %	608	11.34 %	588	10.96 %	574	10.70 %	559	10.42 %	534	9.96 %
2013	5,303	759	14.31 %	643	12.13 %	591	11.14 %	575	10.84 %	558	10.52 %	531	10.01 %
2014	5,393	681	12.63 %	625	11.59 %	583	10.81 %	578	10.72 %	563	10.44 %	538	9.98 %
2015	5,304	674	12.71 %	610	11.50 %	588	11.09 %	573	10.80 %	558	10.52 %	533	10.05 %
2016	4,995	708	14.17 %	616	12.33 %	586	11.73 %	571	11.43 %	548	10.97 %	526	10.53 %
2017	4,910	686	13.97 %	587	11.96 %	569	11.59 %	557	11.34 %	544	11.08 %	516	10.51 %
2018	4,745	685	14.44 %	596	12.56 %	573	12.08 %	560	11.80 %	545	11.49 %	516	10.87 %
2019	4,817	739	15.34 %	589	12.23 %	568	11.79 %	549	11.40 %	533	11.06 %	511	10.61 %
2020	4,415	626	14.18 %	546	12.37 %	527	11.94 %	516	11.69 %	504	11.42 %	481	10.90 %

Notes
 UNDER CONSTRUCTION 2003, & 2007 -2009
 NOT ENOUGH DAYS TO MAKE 2003, & 2007-2009
 PEAK HOURLY REPORTS

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: A-032

At Road: Btwn 4th & 5th Aves N

Ascending Direction: South

Location Id: 07-2A-118

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: 25th St N, Great Falls, RP 0.5, btwn 4th & 5th Aves (C005217)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,110	3,647	3,778	3,460	3,808	3,815	2,444	3,294	99.45%	3,673	89.68%	3,702	88.99%
FEB	2,119	3,553	3,812	3,956	3,960	3,997	2,508	3,414	103.07%	3,820	89.37%	3,856	88.55%
MAR	1,947	3,533	3,501	3,655	3,683	3,654	2,159	3,161	95.43%	3,593	87.98%	3,605	87.68%
APR	1,900	3,042	3,181	3,060	3,158	3,081	1,991	2,772	83.69%	3,110	89.12%	3,104	89.29%
MAY	2,329	3,318	3,733	3,684	3,819	3,703	2,699	3,326	100.42%	3,639	91.41%	3,651	91.09%
JUN	2,411	3,724	3,968	4,003	4,044	3,859	2,762	3,538	106.82%	3,935	89.92%	3,920	90.26%
JUL	2,464	3,930	3,910	4,091	3,951	3,743	2,732	3,545	107.03%	3,971	89.28%	3,925	90.32%
AUG	2,433	3,955	3,926	4,058	3,932	3,959	2,756	3,573	107.87%	3,968	90.05%	3,966	90.09%
SEP	2,317	3,453	4,042	4,060	4,078	3,973	2,610	3,504	105.79%	3,908	89.66%	3,921	89.36%
OCT	1,983	3,634	3,818	3,881	3,810	3,793	2,415	3,333	100.63%	3,786	88.04%	3,787	88.01%
NOV	1,958	3,574	3,655	3,640	3,176	3,382	2,375	3,108	93.83%	3,511	88.52%	3,485	89.17%
DEC	2,039	3,530	3,563	3,713	3,637	3,260	2,517	3,179	95.98%	3,611	88.04%	3,541	89.79%
Year	2,168	3,574	3,741	3,772	3,755	3,685	2,497	3,312		3,710	89.27%	3,705	89.39%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE ONE DIRECTION ONLY (SB)



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: A-032

At Road: Btwn 4th & 5th Aves N

Location Id: 07-2A-118

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: 25th St N, Great Falls, RP 0.5, btwn 4th & 5th Aves (C005217)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,351	565	12.99 %	513	11.79 %	494	11.35 %	483	11.10 %	474	10.89 %	452	10.39 %
2004	4,580	564	12.31 %	504	11.00 %	495	10.81 %	489	10.68 %	477	10.41 %	460	10.04 %
2005	4,060	470	11.58 %	432	10.64 %	423	10.42 %	419	10.32 %	410	10.10 %	402	9.90 %
2006	3,930	449	11.42 %	418	10.64 %	410	10.43 %	404	10.28 %	394	10.03 %	385	9.80 %
2007	3,876	438	11.30 %	413	10.66 %	406	10.47 %	400	10.32 %	392	10.11 %	383	9.88 %
2008	3,741	428	11.44 %	394	10.53 %	389	10.40 %	385	10.29 %	376	10.05 %	363	9.70 %
2009	3,825	477	12.47 %	422	11.03 %	408	10.67 %	403	10.54 %	396	10.35 %	382	9.99 %
2010	3,647	834	22.87 %	435	11.93 %	405	11.11 %	398	10.91 %	387	10.61 %	371	10.17 %
2011	3,665	457	12.47 %	408	11.13 %	394	10.75 %	387	10.56 %	377	10.29 %	366	9.99 %
2012	3,669	454	12.37 %	400	10.90 %	388	10.58 %	383	10.44 %	374	10.19 %	363	9.89 %
2013	3,470		%		%		%		%		%		%
2014	3,530		%		%		%		%		%		%
2015	3,620		%		%		%		%		%		%
2016	3,663		%		%		%		%		%		%
2017	3,601		%		%		%		%		%		%
2018	3,600		%		%		%		%		%		%
2019	3,592	479	13.34 %	415	11.55 %	398	11.08 %	390	10.86 %	383	10.66 %	371	10.33 %
2020	3,312	415	12.53 %	378	11.41 %	366	11.05 %	361	10.90 %	356	10.75 %	346	10.45 %

Notes
SITE DOWN 2013 - 2018 NOT ENOUGH DAYS TO MAKE PEAK HOURLY REPORT 2013-2018

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: A-033

At Road: Btwn 9th & 10th Sts S

Ascending Direction: North

Location Id: 07-2A-011

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: 10th Ave S, Great Falls, RP 93.54, Btwn 9th & 10th Sts S (C000060)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.21% / NB 49.79%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	24,238	33,507	34,532	32,492	35,200	37,347	30,986	32,614	101.27%	33,933	96.11%	34,616	94.22%
FEB	23,836	33,580	34,620	35,298	36,727	39,228	31,029	33,473	103.94%	35,056	95.48%	35,891	93.26%
MAR	19,236	30,365	30,592	31,946	32,412	33,351	22,433	28,618	88.86%	31,329	91.35%	31,733	90.18%
APR	17,253	26,147	27,122	26,291	27,271	27,450	19,373	24,415	75.81%	26,708	91.42%	26,856	90.91%
MAY	24,716	31,960	34,647	35,155	36,242	37,282	30,047	32,863	102.05%	34,501	95.25%	35,057	93.74%
JUN	26,992	36,615	38,063	38,333	39,317	40,088	31,876	35,897	111.47%	38,082	94.26%	38,483	93.28%
JUL	26,279	37,128	37,467	38,491	38,445	38,057	29,579	35,063	108.88%	37,883	92.56%	37,918	92.47%
AUG	26,517	36,975	37,610	37,778	37,768	38,973	31,219	35,262	109.49%	37,533	93.95%	37,821	93.23%
SEP	25,562	32,670	36,435	36,626	37,246	38,985	31,164	34,097	105.88%	35,744	95.39%	36,392	93.69%
OCT	21,283	32,249	34,005	34,814	35,185	36,558	26,729	31,546	97.96%	34,063	92.61%	34,562	91.27%
NOV	20,853	31,973	33,243	33,756	29,674	34,714	27,504	30,245	93.92%	32,162	94.04%	32,672	92.57%
DEC	23,818	34,678	34,861	36,277	35,283	31,556	30,044	32,359	100.48%	35,275	91.73%	34,531	93.71%
Year	23,382	33,154	34,433	34,771	35,064	36,132	28,499	32,204		34,356	93.74%	34,711	92.78%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: A-033

At Road: Btwn 9th & 10th Sts S

Location Id: 07-2A-011

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: 10th Ave S, Great Falls, RP 93.54, Btwn 9th & 10th Sts S (C000060)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	39,071	3,704	9.48 %	3,605	9.23 %	3,547	9.08 %	3,526	9.02 %	3,481	8.91 %	3,413	8.74 %
2004	40,280	3,810	9.46 %	3,751	9.31 %	3,671	9.11 %	3,633	9.02 %	3,597	8.93 %	3,533	8.77 %
2005	38,770	3,840	9.90 %	3,622	9.34 %	3,562	9.19 %	3,511	9.06 %	3,452	8.90 %	3,394	8.75 %
2006	38,330	3,620	9.44 %	3,512	9.16 %	3,458	9.02 %	3,440	8.97 %	3,404	8.88 %	3,353	8.75 %
2007	38,161	3,569	9.35 %	3,525	9.24 %	3,458	9.06 %	3,442	9.02 %	3,382	8.86 %	3,323	8.71 %
2008	37,283	3,561	9.55 %	3,457	9.27 %	3,407	9.14 %	3,377	9.06 %	3,343	8.97 %	3,304	8.86 %
2009	37,378	3,632	9.72 %	3,462	9.26 %	3,406	9.11 %	3,384	9.05 %	3,356	8.98 %	3,292	8.81 %
2010	34,966	3,742	10.70 %	3,424	9.79 %	3,338	9.55 %	3,316	9.48 %	3,288	9.40 %	3,177	9.09 %
2011	37,310	3,700	9.92 %	3,495	9.37 %	3,421	9.17 %	3,392	9.09 %	3,355	8.99 %	3,294	8.83 %
2012	37,407	3,609	9.65 %	3,496	9.35 %	3,460	9.25 %	3,437	9.19 %	3,397	9.08 %	3,334	8.91 %
2013	36,568	3,549	9.71 %	3,418	9.35 %	3,388	9.26 %	3,345	9.15 %	3,291	9.00 %	3,230	8.83 %
2014	36,423	3,687	10.12 %	3,414	9.37 %	3,376	9.27 %	3,343	9.18 %	3,308	9.08 %	3,254	8.93 %
2015	36,983	4,359	11.79 %	3,657	9.89 %	3,460	9.36 %	3,396	9.18 %	3,334	9.01 %	3,253	8.80 %
2016	36,603	3,600	9.84 %	3,381	9.24 %	3,346	9.14 %	3,308	9.04 %	3,278	8.96 %	3,228	8.82 %
2017	36,200	3,461	9.56 %	3,375	9.32 %	3,339	9.22 %	3,301	9.12 %	3,264	9.02 %	3,217	8.89 %
2018	35,382	3,524	9.96 %	3,388	9.58 %	3,299	9.32 %	3,262	9.22 %	3,230	9.13 %	3,175	8.97 %
2019	34,914	3,458	9.90 %	3,347	9.59 %	3,278	9.39 %	3,243	9.29 %	3,212	9.20 %	3,152	9.03 %
2020	32,204	3,370	10.46 %	3,220	10.00 %	3,168	9.84 %	3,146	9.77 %	3,098	9.62 %	3,040	9.44 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: ROSEBUD

Station: A-034

At Road: 5.5 Mi. NW of Forsyth

Ascending Direction: East

Location Id: 44-5-023

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 265.07, 5.5 Mi. NW of Forsyth (C000014)

Traffic Mix: Pass: 85.22% SU: 1.97% CU: 12.81%

Directional Split: EB 52.12% / WB 47.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	138	138	139	130	153	171	153	145	71.25%	140	103.57%	146	99.18%
FEB	110	134	139	153	161	172	126	141	69.29%	147	96.08%	152	92.89%
MAR	125	176	166	163	172	187	159	163	80.10%	169	96.31%	173	94.33%
APR	157	171	185	167	180	205	134	171	84.03%	176	97.30%	182	94.16%
MAY	214	236	214	217	210	253	211	221	108.60%	219	100.80%	226	97.79%
JUN	227	216	201	233	231	283	237	232	114.00%	220	105.33%	233	99.66%
JUL	267	236	221	240	249	281	279	252	123.83%	237	106.55%	245	102.69%
AUG	234	250	225	241	252	266	232	242	118.92%	242	100.00%	247	98.06%
SEP	237	249	229	242	262	294	276	255	125.31%	246	103.87%	255	99.92%
OCT	221	224	219	243	256	313	269	248	121.87%	236	105.31%	251	98.80%
NOV	199	198	219	227	222	262	253	225	110.57%	217	103.93%	226	99.73%
DEC	127	171	157	169	144	135	134	147	72.24%	160	91.73%	155	94.72%
Year	188	200	193	202	208	235	205	204		201	101.43%	208	98.06%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: ROSEBUD

Station: A-034

At Road: 5.5 Mi. NW of Forsyth

Location Id: 44-5-023

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 265.07, 5.5 Mi. NW of Forsyth (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	245	45	18.37 %	38	15.51 %	36	14.69 %	34	13.88 %	32	13.06 %	29	11.84 %
2004	230	51	22.17 %	42	18.26 %	40	17.39 %	38	16.52 %	36	15.65 %	32	13.91 %
2005	230	49	21.30 %	41	17.83 %	39	16.96 %	37	16.09 %	35	15.22 %	32	13.91 %
2006	220	42	19.09 %	36	16.36 %	34	15.45 %	33	15.00 %	31	14.09 %	29	13.18 %
2007	233	118	50.64 %	40	17.17 %	38	16.31 %	37	15.88 %	34	14.59 %	31	13.30 %
2008	223	43	19.28 %	40	17.94 %	38	17.04 %	36	16.14 %	34	15.25 %	31	13.90 %
2009	221	47	21.27 %	38	17.19 %	35	15.84 %	34	15.38 %	32	14.48 %	30	13.57 %
2010	221	51	23.08 %	37	16.74 %	35	15.84 %	33	14.93 %	32	14.48 %	30	13.57 %
2011	240	58	24.17 %	48	20.00 %	43	17.92 %	41	17.08 %	38	15.83 %	34	14.17 %
2012	250		%		%		%		%		%		%
2013	250		%		%		%		%		%		%
2014	260		%		%		%		%		%		%
2015	244	54	22.13 %	41	16.80 %	38	15.57 %	37	15.16 %	34	13.93 %	32	13.11 %
2016	238	53	22.27 %	42	17.65 %	38	15.97 %	36	15.13 %	34	14.29 %	32	13.45 %
2017	237	53	22.36 %	40	16.88 %	38	16.03 %	35	14.77 %	34	14.35 %	32	13.50 %
2018	236	50	21.19 %	41	17.37 %	38	16.10 %	37	15.68 %	35	14.83 %	32	13.56 %
2019	244	54	22.13 %	45	18.44 %	43	17.62 %	42	17.21 %	40	16.39 %	36	14.75 %
2020	204	51	25.12 %	36	17.73 %	34	16.75 %	33	16.26 %	31	15.27 %	29	14.29 %

Notes
 UNDER CONSTRUCTION MARCH 2012-JUNE 2014
 NOT ENOUGH DAYS TO MAKE 2012-2014 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-035

At Road: 1 Mi. SE of Turah Intch

Ascending Direction: East

Location Id: 32-3B-002

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-210, RP 3.58, Turah, 3.5 Mi. SE of Bonner (C000210)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 51.15% / WB 48.85%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	694	903	952	897	943	995	740	874	83.19%	924	94.61%	938	93.18%
FEB	712	864	970	964	990	1,047	806	907	86.33%	947	95.78%	967	93.80%
MAR	696	940	907	938	972	1,185	740	910	86.62%	939	96.89%	988	92.07%
APR	726	922	997	974	981	997	745	905	86.14%	969	93.44%	974	92.90%
MAY	952	1,077	1,169	1,200	1,238	1,285	1,072	1,141	108.61%	1,171	97.44%	1,194	95.58%
JUN	953	1,134	1,174	1,202	1,284	1,317	1,049	1,158	110.22%	1,199	96.62%	1,222	94.75%
JUL	1,110	1,277	1,337	1,337	1,419	1,541	1,231	1,321	125.74%	1,343	98.40%	1,382	95.57%
AUG	1,142	1,392	1,596	1,697	1,700	1,540	1,323	1,483	141.16%	1,596	92.91%	1,585	93.56%
SEP	933	1,095	1,149	1,156	1,190	1,253	997	1,110	105.66%	1,148	96.73%	1,169	94.99%
OCT	858	1,022	1,075	1,108	1,108	1,134	923	1,032	98.23%	1,078	95.71%	1,089	94.73%
NOV	726	934	960	954	935	965	810	897	85.38%	946	94.85%	950	94.46%
DEC	691	882	915	958	985	869	790	869	82.72%	935	92.94%	922	94.27%
Year	849	1,037	1,100	1,115	1,145	1,177	936	1,051		1,099	95.56%	1,115	94.22%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-035

At Road: 1 Mi. SE of Turah Intch

Location Id: 32-3B-002

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-210, RP 3.58, Turah, 3.5 Mi. SE of Bonner (C000210)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,090	461	42.29 %	130	11.93 %	121	11.10 %	119	10.92 %	115	10.55 %	110	10.09 %
2004	1,070	265	24.77 %	124	11.59 %	118	11.03 %	115	10.75 %	111	10.37 %	106	9.91 %
2005	1,070	142	13.27 %	124	11.59 %	120	11.21 %	117	10.93 %	113	10.56 %	107	10.00 %
2006	1,080	142	13.15 %	127	11.76 %	124	11.48 %	121	11.20 %	117	10.83 %	110	10.19 %
2007	1,113	506	45.46 %	182	16.35 %	156	14.02 %	140	12.58 %	128	11.50 %	117	10.51 %
2008	998	169	16.93 %	127	12.73 %	115	11.52 %	113	11.32 %	107	10.72 %	101	10.12 %
2009	966	126	13.04 %	115	11.90 %	108	11.18 %	106	10.97 %	102	10.56 %	97	10.04 %
2010	997	172	17.25 %	153	15.35 %	143	14.34 %	138	13.84 %	126	12.64 %	115	11.53 %
2011	901	127	14.10 %	110	12.21 %	106	11.76 %	103	11.43 %	101	11.21 %	95	10.54 %
2012	875	134	15.31 %	104	11.89 %	101	11.54 %	98	11.20 %	95	10.86 %	91	10.40 %
2013	921	229	24.86 %	171	18.57 %	153	16.61 %	147	15.96 %	137	14.88 %	116	12.60 %
2014	877	161	18.36 %	111	12.66 %	105	11.97 %	101	11.52 %	98	11.17 %	92	10.49 %
2015	913	162	17.74 %	113	12.38 %	107	11.72 %	104	11.39 %	101	11.06 %	95	10.41 %
2016	938	126	13.43 %	113	12.05 %	110	11.73 %	108	11.51 %	105	11.19 %	98	10.45 %
2017	970	184	18.97 %	122	12.58 %	116	11.96 %	112	11.55 %	107	11.03 %	102	10.52 %
2018	976	221	22.64 %	123	12.60 %	117	11.99 %	115	11.78 %	110	11.27 %	103	10.55 %
2019	1,028	162	15.76 %	141	13.72 %	134	13.04 %	129	12.55 %	123	11.96 %	115	11.19 %
2020	1,051	378	36.00 %	216	20.57 %	189	18.00 %	170	16.19 %	150	14.29 %	132	12.57 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GLACIER

Station: A-036

At Road: 2.3 Mi. SW of US 89

Ascending Direction: East

Location Id: 18-4-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 2, RP 219.14, 2.3 Mi. SW of Browning (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 50.33% / WB 49.67%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,234	1,260	1,152	1,295	1,454	1,644	1,195	1,318	72.84%	1,290	102.15%	1,361	96.84%
FEB	1,392	1,517	1,388	1,423	1,633	1,901	1,368	1,516	83.78%	1,490	101.73%	1,572	96.41%
MAR	1,202	1,293	1,236	1,233	1,367	1,339	892	1,222	67.53%	1,282	95.30%	1,294	94.47%
APR	1,028	1,250	1,216	1,160	1,278	1,305	884	1,159	64.05%	1,226	94.54%	1,242	93.33%
MAY	1,859	1,900	1,704	1,730	1,894	2,292	1,920	1,899	104.95%	1,807	105.09%	1,904	99.74%
JUN	2,447	2,283	2,268	2,295	2,524	2,932	2,316	2,437	134.68%	2,343	104.03%	2,460	99.05%
JUL	2,982	2,695	2,440	2,645	2,834	3,258	2,603	2,779	153.58%	2,654	104.73%	2,774	100.17%
AUG	2,928	2,572	2,559	2,596	2,772	3,130	2,732	2,755	152.25%	2,625	104.96%	2,726	101.07%
SEP	2,338	2,266	2,189	2,248	2,443	2,885	2,394	2,394	132.30%	2,287	104.70%	2,406	99.49%
OCT	1,440	1,465	1,507	1,553	1,835	2,056	1,437	1,613	89.14%	1,590	101.45%	1,683	95.83%
NOV	1,184	1,309	1,378	1,491	1,289	1,432	1,121	1,314	72.62%	1,367	96.14%	1,380	95.23%
DEC	1,270	1,350	1,221	1,356	1,349	1,396	1,219	1,308	72.29%	1,319	99.17%	1,334	98.02%
Year	1,775	1,763	1,688	1,752	1,889	2,131	1,673	1,810		1,773	102.05%	1,845	98.09%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: GLACIER

Station: A-036

At Road: 2.3 Mi. SW of US 89

Location Id: 18-4-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 2, RP 219.14, 2.3 Mi. SW of Browning (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,842	344	18.68 %	315	17.10 %	294	15.96 %	285	15.47 %	273	14.82 %	255	13.84 %
2004	1,920	368	19.17 %	324	16.88 %	310	16.15 %	300	15.63 %	288	15.00 %	268	13.96 %
2005	1,890	312	16.51 %	302	15.98 %	292	15.45 %	285	15.08 %	274	14.50 %	257	13.60 %
2006	1,980	375	18.94 %	332	16.77 %	324	16.36 %	307	15.51 %	293	14.80 %	270	13.64 %
2007	2,028	351	17.31 %	322	15.88 %	311	15.34 %	304	14.99 %	286	14.10 %	269	13.26 %
2008	1,900	396	20.84 %	323	17.00 %	302	15.89 %	293	15.42 %	281	14.79 %	261	13.74 %
2009	1,948	439	22.54 %	342	17.56 %	328	16.84 %	314	16.12 %	299	15.35 %	280	14.37 %
2010	2,102	383	18.22 %	357	16.98 %	345	16.41 %	339	16.13 %	326	15.51 %	299	14.22 %
2011	2,098	399	19.02 %	366	17.45 %	343	16.35 %	337	16.06 %	323	15.40 %	297	14.16 %
2012	2,181	459	21.05 %	368	16.87 %	356	16.32 %	339	15.54 %	321	14.72 %	292	13.39 %
2013	2,083	429	20.60 %	368	17.67 %	348	16.71 %	332	15.94 %	321	15.41 %	297	14.26 %
2014	2,055	452	22.00 %	376	18.30 %	356	17.32 %	344	16.74 %	332	16.16 %	307	14.94 %
2015	2,295	476	20.74 %	416	18.13 %	393	17.12 %	384	16.73 %	366	15.95 %	340	14.81 %
2016	2,403	459	19.10 %	412	17.15 %	393	16.35 %	385	16.02 %	365	15.19 %	341	14.19 %
2017	2,449	584	23.85 %	488	19.93 %	426	17.39 %	403	16.46 %	391	15.97 %	365	14.90 %
2018	2,391	506	21.16 %	444	18.57 %	422	17.65 %	405	16.94 %	391	16.35 %	367	15.35 %
2019	2,398	490	20.43 %	432	18.02 %	412	17.18 %	404	16.85 %	392	16.35 %	366	15.26 %
2020	1,810	324	17.91 %	289	15.98 %	275	15.20 %	270	14.93 %	260	14.37 %	240	13.27 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-037

At Road: S of Orange St Bridge

Ascending Direction: North

Location Id: 32-3A-210

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: Orange St Bridge, Missoula, RP 1.48, South end of bridge (C008107)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 51.79% / NB 48.21%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	14,214	23,845	25,325	22,978	25,301	26,098	17,131	22,126	114.47%	24,362	90.82%	24,709	89.54%
FEB	14,593	23,295	25,461	24,937	26,175	26,903	18,585	22,849	118.21%	24,967	91.52%	25,354	90.12%
MAR	10,927	19,348	19,395	20,870	21,246	21,560	12,968	18,044	93.35%	20,215	89.26%	20,484	88.09%
APR	8,650	14,229	14,717	14,321	14,626	15,142	9,412	13,013	67.32%	14,473	89.91%	14,607	89.09%
MAY	11,489	15,198	19,314	19,415	19,879	20,110	13,665	17,009	87.99%	18,452	92.18%	18,783	90.55%
JUN	13,563	21,274	22,399	22,531	23,081	23,334	15,914	20,298	105.01%	22,321	90.94%	22,524	90.12%
JUL	14,064	21,879	22,740	23,243	23,569	22,320	15,354	20,452	105.81%	22,858	89.48%	22,750	89.90%
AUG	14,831	22,036	22,931	23,376	23,551	23,893	17,385	21,142	109.38%	22,974	92.03%	23,157	91.30%
SEP	13,833	19,556	22,727	23,315	23,498	23,634	16,671	20,461	105.85%	22,274	91.86%	22,546	90.75%
OCT	12,536	21,009	22,388	22,800	23,025	23,241	15,354	20,050	103.73%	22,306	89.89%	22,493	89.14%
NOV	11,832	20,292	21,296	20,706	18,036	20,204	14,364	18,103	93.65%	20,083	90.14%	20,107	90.03%
DEC	11,962	20,512	21,036	21,580	20,410	18,656	14,714	18,409	95.24%	20,885	88.15%	20,439	90.07%
Year	12,708	20,206	21,644	21,673	21,866	22,091	15,126	19,330		21,347	90.55%	21,496	89.92%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-037

At Road: S of Orange St Bridge

Location Id: 32-3A-210

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: Orange St Bridge, Missoula, RP 1.48, South end of bridge (C008107)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	20,210		%		%		%		%		%		%
2004	21,930		%		%		%		%		%		%
2005	21,220	2,606	12.28 %	2,444	11.52 %	2,401	11.31 %	2,373	11.18 %	2,318	10.92 %	2,246	10.58 %
2006	21,250	2,688	12.65 %	2,433	11.45 %	2,397	11.28 %	2,362	11.12 %	2,304	10.84 %	2,255	10.61 %
2007	21,543	2,861	13.28 %	2,478	11.50 %	2,426	11.26 %	2,389	11.09 %	2,359	10.95 %	2,307	10.71 %
2008	20,847	2,560	12.28 %	2,414	11.58 %	2,366	11.35 %	2,341	11.23 %	2,296	11.01 %	2,231	10.70 %
2009	21,499	2,596	12.07 %	2,428	11.29 %	2,381	11.07 %	2,360	10.98 %	2,325	10.81 %	2,264	10.53 %
2010	21,867	2,570	11.75 %	2,456	11.23 %	2,413	11.03 %	2,391	10.93 %	2,363	10.81 %	2,294	10.49 %
2011	22,034	2,606	11.83 %	2,457	11.15 %	2,427	11.01 %	2,407	10.92 %	2,379	10.80 %	2,315	10.51 %
2012	21,494	2,597	12.08 %	2,389	11.11 %	2,355	10.96 %	2,337	10.87 %	2,300	10.70 %	2,246	10.45 %
2013	21,625	2,504	11.58 %	2,417	11.18 %	2,379	11.00 %	2,361	10.92 %	2,324	10.75 %	2,268	10.49 %
2014	21,766	2,601	11.95 %	2,475	11.37 %	2,428	11.16 %	2,414	11.09 %	2,389	10.98 %	2,321	10.66 %
2015	22,821	2,689	11.78 %	2,557	11.20 %	2,537	11.12 %	2,514	11.02 %	2,483	10.88 %	2,426	10.63 %
2016	23,584	2,807	11.90 %	2,672	11.33 %	2,639	11.19 %	2,612	11.08 %	2,580	10.94 %	2,505	10.62 %
2017	23,633	2,782	11.77 %	2,695	11.40 %	2,645	11.19 %	2,626	11.11 %	2,585	10.94 %	2,520	10.66 %
2018	24,380	2,996	12.29 %	2,789	11.44 %	2,748	11.27 %	2,717	11.14 %	2,663	10.92 %	2,584	10.60 %
2019	24,415	2,923	11.97 %	2,809	11.51 %	2,761	11.31 %	2,741	11.23 %	2,712	11.11 %	2,644	10.83 %
2020	19,330	2,609	13.50 %	2,449	12.67 %	2,406	12.45 %	2,362	12.22 %	2,271	11.75 %	2,153	11.14 %

Notes
UNDER CONSTRUCTION 2003-2004 NOT ENOUGH DAYS TO MAKE 2003-2004 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GARFIELD

Station: A-038

At Road: 2.5 Mi. SW of MT 59

Ascending Direction: East

Location Id: 17-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 200, RP 209.54, 2 Mi. SW of Jordan (C000057)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN 2020



Yearly Peak Hourly Volumes

For Year: 2020

County: GARFIELD

Station: A-038

At Road: 2.5 Mi. SW of MT 59

Location Id: 17-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 200, RP 209.54, 2 Mi. SW of Jordan (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	452	105	23.23 %	84	18.58 %	78	17.26 %	73	16.15 %	67	14.82 %	62	13.72 %
2004	480	136	28.33 %	86	17.92 %	80	16.67 %	76	15.83 %	71	14.79 %	65	13.54 %
2005	430	79	18.37 %	73	16.98 %	67	15.58 %	66	15.35 %	62	14.42 %	59	13.72 %
2006	440	93	21.14 %	73	16.59 %	70	15.91 %	68	15.45 %	65	14.77 %	60	13.64 %
2007	427	85	19.91 %	70	16.39 %	66	15.46 %	65	15.22 %	61	14.29 %	57	13.35 %
2008	411	91	22.14 %	70	17.03 %	65	15.82 %	62	15.09 %	59	14.36 %	55	13.38 %
2009	420	106	25.24 %	80	19.05 %	76	18.10 %	74	17.62 %	69	16.43 %	61	14.52 %
2010	432	93	21.53 %	79	18.29 %	75	17.36 %	73	16.90 %	69	15.97 %	63	14.58 %
2011	449	90	20.04 %	81	18.04 %	75	16.70 %	73	16.26 %	70	15.59 %	65	14.48 %
2012	493	107	21.70 %	87	17.65 %	79	16.02 %	77	15.62 %	74	15.01 %	67	13.59 %
2013	470	99	21.06 %	83	17.66 %	77	16.38 %	74	15.74 %	70	14.89 %	64	13.62 %
2014	486	107	22.02 %	89	18.31 %	83	17.08 %	80	16.46 %	76	15.64 %	69	14.20 %
2015	482	113	23.44 %	89	18.46 %	82	17.01 %	79	16.39 %	75	15.56 %	68	14.11 %
2016	523	106	20.27 %	92	17.59 %	88	16.83 %	84	16.06 %	82	15.68 %	76	14.53 %
2017	525	105	20.00 %	96	18.29 %	91	17.33 %	89	16.95 %	85	16.19 %	80	15.24 %
2018	490	95	19.39 %	86	17.55 %	82	16.73 %	80	16.33 %	77	15.71 %	71	14.49 %
2019	312		%		%		%		%		%		%
2020	285		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2019 - PRESENT,
 NOT ENOUGH DAYS FOR 2019-2020
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: PONDERA

Station: A-039

At Road: 6 Mi. N of Dupuyer/S-534

Ascending Direction: North

Location Id: 37-3-022

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: US 89, RP 81.29, 6 Mi. N of Dupuyer (C000003)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 51.32% / NB 48.68%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	176	186	198	185	214	237	194	198	69.41%	196	101.15%	204	97.06%
FEB	169	192	204	195	231	285	222	213	74.67%	206	103.65%	221	96.21%
MAR	166	197	185	188	217	223	184	193	67.66%	197	98.09%	202	95.54%
APR	136	152	164	149	181	189	134	157	55.04%	162	97.21%	167	94.01%
MAY	295	258	263	240	261	318	292	274	96.06%	256	107.24%	268	102.24%
JUN	400	337	356	356	383	424	419	381	133.57%	358	106.42%	371	102.64%
JUL	518	470	433	453	467	526	448	473	165.82%	456	103.78%	470	100.68%
AUG	505	434	451	459	439	504	464	464	162.66%	446	104.09%	457	101.44%
SEP	418	406	365	359	388	473	411	402	140.93%	380	105.93%	398	100.95%
OCT	224	258	257	266	319	348	243	272	95.35%	275	98.91%	290	93.92%
NOV	188	202	236	211	203	251	187	210	73.62%	213	98.59%	221	95.19%
DEC	156	195	171	197	209	191	189	186	65.21%	193	96.37%	193	96.57%
Year	279	274	274	272	293	331	282	285		278	102.64%	288	98.88%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: PONDERA

Station: A-039

At Road: 6 Mi. N of Dupuyer/S-534

Location Id: 37-3-022

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: US 89, RP 81.29, 6 Mi. N of Dupuyer (C000003)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	400	118	29.50 %	99	24.75 %	94	23.50 %	91	22.75 %	86	21.50 %	81	20.25 %
2004	360	104	28.89 %	89	24.72 %	84	23.33 %	82	22.78 %	79	21.94 %	74	20.56 %
2005	350	104	29.71 %	87	24.86 %	82	23.43 %	81	23.14 %	77	22.00 %	72	20.57 %
2006	350	96	27.43 %	91	26.00 %	84	24.00 %	81	23.14 %	77	22.00 %	71	20.29 %
2007	384	99	25.78 %	88	22.92 %	82	21.35 %	79	20.57 %	75	19.53 %	71	18.49 %
2008	345	95	27.54 %	87	25.22 %	82	23.77 %	77	22.32 %	72	20.87 %	67	19.42 %
2009	359	119	33.15 %	96	26.74 %	89	24.79 %	87	24.23 %	81	22.56 %	74	20.61 %
2010	375	107	28.53 %	95	25.33 %	92	24.53 %	88	23.47 %	84	22.40 %	79	21.07 %
2011	360	99	27.50 %	84	23.33 %	82	22.78 %	80	22.22 %	77	21.39 %	71	19.72 %
2012	383	104	27.15 %	90	23.50 %	87	22.72 %	85	22.19 %	80	20.89 %	75	19.58 %
2013	351	107	30.48 %	89	25.36 %	83	23.65 %	80	22.79 %	78	22.22 %	71	20.23 %
2014	353	121	34.28 %	101	28.61 %	92	26.06 %	88	24.93 %	83	23.51 %	77	21.81 %
2015	370	104	28.11 %	90	24.32 %	84	22.70 %	81	21.89 %	77	20.81 %	71	19.19 %
2016	456	121	26.54 %	104	22.81 %	101	22.15 %	99	21.71 %	95	20.83 %	89	19.52 %
2017	430	109	25.35 %	101	23.49 %	99	23.02 %	96	22.33 %	93	21.63 %	88	20.47 %
2018	420	115	27.38 %	110	26.19 %	103	24.52 %	100	23.81 %	96	22.86 %	92	21.90 %
2019	426	130	30.52 %	112	26.29 %	108	25.35 %	105	24.65 %	101	23.71 %	92	21.60 %
2020	285	65	22.81 %	59	20.70 %	56	19.65 %	54	18.95 %	51	17.89 %	47	16.49 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: A-040

At Road: 2.5 Mi. E of Wolf Creek Intch

Ascending Direction: North

Location Id: 25-5-006

Functional Class: Major Collector Rural


Traffic Factor Group: REC_MA

Located On: Wolf Creek Frontage Rd, RP 9.7, 2 Mi. N of Wolf Creek (C081003)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.81% / SB 48.19%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	194	170	170	189	174	185	209	183	41.29%	176	104.13%	178	103.04%
FEB	189	148	147	175	187	211	237	184	41.51%	164	112.02%	174	105.99%
MAR	339	229	209	210	239	298	356	268	60.46%	222	120.86%	237	113.08%
APR	551	334	349	353	365	435	496	411	92.72%	350	117.34%	367	111.93%
MAY	766	543	371	403	469	644	1,008	600	135.36%	447	134.38%	486	123.46%
JUN	768	502	558	573	655	894	1,030	710	160.18%	572	124.13%	636	111.57%
JUL	1,267	684	665	708	775	985	1,434	930	209.81%	708	131.36%	763	121.82%
AUG	1,046	523	553	540	595	766	1,138	737	166.27%	553	133.33%	595	123.78%
SEP	648	405	420	438	449	573	692	517	116.64%	428	120.79%	457	113.13%
OCT	351	281	293	308	356	401	391	339	76.48%	310	109.53%	328	103.42%
NOV	241	197	249	253	217	258	265	239	53.92%	229	104.37%	235	101.79%
DEC	201	182	209	199	210	165	246	201	45.35%	200	100.50%	193	104.15%
Year	547	350	349	362	391	485	625	443		363	122.06%	387	114.41%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: A-040

At Road: 2.5 Mi. E of Wolf Creek Intch

Location Id: 25-5-006

Functional Class: Major Collector Rural

Traffic Factor Group: REC_MA

Located On: Wolf Creek Frontage Rd, RP 9.7, 2 Mi. N of Wolf Creek (C081003)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	368	115	31.25 %	102	27.72 %	97	26.36 %	92	25.00 %	87	23.64 %	80	21.74 %
2004	366	138	37.70 %	102	27.87 %	98	26.78 %	96	26.23 %	88	24.04 %	77	21.04 %
2005	355	130	36.62 %	111	31.27 %	104	29.30 %	97	27.32 %	91	25.63 %	79	22.25 %
2006	331	134	40.48 %	102	30.82 %	95	28.70 %	93	28.10 %	86	25.98 %	78	23.56 %
2007	335	112	33.43 %	100	29.85 %	96	28.66 %	91	27.16 %	85	25.37 %	76	22.69 %
2008	299	107	35.79 %	94	31.44 %	89	29.77 %	85	28.43 %	80	26.76 %	72	24.08 %
2009	338	116	34.32 %	99	29.29 %	95	28.11 %	92	27.22 %	87	25.74 %	75	22.19 %
2010	357	145	40.62 %	113	31.65 %	102	28.57 %	97	27.17 %	92	25.77 %	82	22.97 %
2011	343	127	37.03 %	104	30.32 %	97	28.28 %	94	27.41 %	87	25.36 %	77	22.45 %
2012	375	120	32.00 %	108	28.80 %	104	27.73 %	99	26.40 %	92	24.53 %	83	22.13 %
2013	363	131	36.09 %	101	27.82 %	96	26.45 %	93	25.62 %	88	24.24 %	78	21.49 %
2014	360	137	38.06 %	105	29.17 %	98	27.22 %	93	25.83 %	87	24.17 %	79	21.94 %
2015	387	126	32.56 %	114	29.46 %	106	27.39 %	102	26.36 %	95	24.55 %	82	21.19 %
2016	421	143	33.97 %	121	28.74 %	109	25.89 %	104	24.70 %	98	23.28 %	86	20.43 %
2017	407	142	34.89 %	123	30.22 %	113	27.76 %	110	27.03 %	102	25.06 %	91	22.36 %
2018	396	135	34.09 %	111	28.03 %	105	26.52 %	100	25.25 %	95	23.99 %	85	21.46 %
2019	375	146	38.93 %	116	30.93 %	108	28.80 %	104	27.73 %	94	25.07 %	85	22.67 %
2020	443	179	40.41 %	137	30.93 %	129	29.12 %	124	27.99 %	118	26.64 %	107	24.15 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: A-042

At Road: Btwn 4th & 5th Aves N

Ascending Direction: North

Location Id: 07-2A-119

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: 26th Street N, Great Falls, RP 2.09, Btwn 4th & 5th Aves (C005226)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,632	2,647	2,770	2,531	2,737	2,782	1,854	2,421	99.52%	2,671	90.63%	2,693	89.89%
FEB	1,593	2,561	2,735	2,753	2,782	2,896	1,931	2,464	101.29%	2,708	91.00%	2,745	89.75%
MAR	1,547	2,553	2,539	2,677	2,666	2,723	1,739	2,348	96.52%	2,609	90.00%	2,632	89.22%
APR	1,484	2,225	2,295	2,261	2,312	2,293	1,551	2,059	84.64%	2,273	90.58%	2,277	90.42%
MAY	1,790	2,398	2,698	2,689	2,767	2,763	2,128	2,461	101.17%	2,638	93.29%	2,663	92.41%
JUN	1,835	2,704	2,864	2,847	2,915	2,810	2,057	2,575	105.85%	2,833	90.91%	2,828	91.05%
JUL	1,834	2,769	2,845	2,942	2,867	2,762	2,083	2,585	106.27%	2,856	90.52%	2,837	91.12%
AUG	1,873	2,856	2,875	2,935	2,901	2,876	2,048	2,623	107.83%	2,892	90.71%	2,889	90.81%
SEP	1,771	2,471	2,884	2,943	2,894	2,905	1,958	2,546	104.66%	2,798	90.99%	2,819	90.30%
OCT	1,737	2,675	2,717	2,722	2,739	2,775	1,938	2,471	101.58%	2,713	91.07%	2,726	90.66%
NOV	1,530	2,568	2,549	2,568	2,275	2,424	1,787	2,242	92.17%	2,490	90.04%	2,477	90.52%
DEC	1,610	2,667	2,613	2,747	2,705	2,485	1,955	2,396	98.50%	2,683	89.30%	2,643	90.64%
Year	1,686	2,591	2,699	2,718	2,713	2,708	1,919	2,433		2,680	90.76%	2,686	90.57%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE ONE DIRECTION ONLY (NB)



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: A-042

At Road: Btwn 4th & 5th Aves N

Location Id: 07-2A-119

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: 26th Street N, Great Falls, RP 2.09, Btwn 4th & 5th Aves (C005226)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,756	568	15.12 %	478	12.73 %	469	12.49 %	457	12.17 %	448	11.93 %	421	11.21 %
2004	3,730	448	12.01 %	423	11.34 %	416	11.15 %	413	11.07 %	405	10.86 %	392	10.51 %
2005	3,370	443	13.15 %	393	11.66 %	383	11.36 %	376	11.16 %	369	10.95 %	358	10.62 %
2006	3,390	438	12.92 %	410	12.09 %	402	11.86 %	394	11.62 %	382	11.27 %	363	10.71 %
2007	3,229	436	13.50 %	394	12.20 %	380	11.77 %	366	11.33 %	361	11.18 %	347	10.75 %
2008	3,130	419	13.39 %	372	11.88 %	363	11.60 %	355	11.34 %	348	11.12 %	336	10.73 %
2009	3,052	403	13.20 %	366	11.99 %	353	11.57 %	349	11.44 %	341	11.17 %	329	10.78 %
2010	3,044	383	12.58 %	363	11.93 %	356	11.70 %	349	11.47 %	343	11.27 %	328	10.78 %
2011	2,920	392	13.42 %	361	12.36 %	351	12.02 %	345	11.82 %	332	11.37 %	320	10.96 %
2012	2,884	389	13.49 %	350	12.14 %	339	11.75 %	333	11.55 %	324	11.23 %	311	10.78 %
2013	2,720		%		%		%		%		%		%
2014	2,770		%		%		%		%		%		%
2015	2,840		%		%		%		%		%		%
2016	2,874		%		%		%		%		%		%
2017	2,825		%		%		%		%		%		%
2018	2,618		%		%		%		%		%		%
2019	2,693	557	20.68 %	389	14.44 %	359	13.33 %	336	12.48 %	320	11.88 %	302	11.21 %
2020	2,433	459	18.87 %	298	12.25 %	288	11.84 %	281	11.55 %	277	11.39 %	268	11.02 %

Notes
SITE DOWN 2013 - 2018 NOT ENOUGH DAYS TO MAKE 2013-2018 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: A-043

At Road: 1.5 Mi. NE of MT 64

Ascending Direction: North

Location Id: 16-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 191, RP 49.81, Big Sky, 1.5 Mi. NE of Big Sky Rd (C000050)

Traffic Mix: Pass: 92.01% SU: 2.00% CU: 5.99%

Directional Split: NB 53.95% / SB 46.05%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,123	6,396	5,808	6,189	6,123	6,177	5,735	5,935	89.67%	6,129	96.83%	6,139	96.68%
FEB	5,559	6,892	7,147	7,235	7,455	6,999	6,329	6,801	102.76%	7,182	94.69%	7,146	95.18%
MAR	4,427	5,656	5,576	6,288	5,445	5,115	4,098	5,228	78.99%	5,741	91.06%	5,616	93.09%
APR	1,891	4,239	4,475	4,065	4,386	3,791	2,282	3,589	54.23%	4,291	83.64%	4,191	85.63%
MAY	2,926	4,778	5,396	5,544	5,739	4,991	3,222	4,656	70.35%	5,364	86.80%	5,290	88.02%
JUN	5,217	8,220	8,085	7,834	9,096	8,528	6,271	7,607	114.93%	8,309	91.55%	8,353	91.07%
JUL	7,629	10,283	10,379	10,525	10,847	9,708	7,499	9,552	144.32%	10,509	90.90%	10,348	92.30%
AUG	7,907	8,733	10,838	11,076	11,000	10,805	8,177	9,790	147.92%	10,412	94.03%	10,490	93.32%
SEP													
OCT	3,324	5,989	7,092	8,074	7,741	6,948	3,775	6,134	92.68%	7,224	84.91%	7,169	85.57%
NOV	3,647	7,144	7,509	7,317	6,457	6,294	4,558	6,132	92.65%	7,107	86.28%	6,944	88.30%
DEC	5,826	8,048	8,119	8,657	7,767	7,009	6,247	7,381	111.52%	8,148	90.59%	7,920	93.19%
Year	4,861	6,943	7,311	7,528	7,460	6,942	5,290	6,619		7,311	90.54%	7,237	91.46%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN SEPTEMBER 2020



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: A-043

At Road: 1.5 Mi. NE of MT 64

Location Id: 16-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 191, RP 49.81, Big Sky, 1.5 Mi. NE of Big Sky Rd (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,111		%		%		%		%		%		%
2004	4,600		%		%		%		%		%		%
2005	5,150	764	14.83 %	718	13.94 %	710	13.79 %	699	13.57 %	667	12.95 %	618	12.00 %
2006	5,440	771	14.17 %	740	13.60 %	719	13.22 %	714	13.13 %	690	12.68 %	649	11.93 %
2007	5,355	838	15.65 %	755	14.10 %	729	13.61 %	716	13.37 %	683	12.75 %	636	11.88 %
2008	4,523	785	17.36 %	650	14.37 %	618	13.66 %	610	13.49 %	590	13.04 %	555	12.27 %
2009	3,976	648	16.30 %	540	13.58 %	529	13.30 %	515	12.95 %	494	12.42 %	464	11.67 %
2010	3,969	821	20.69 %	554	13.96 %	537	13.53 %	521	13.13 %	494	12.45 %	468	11.79 %
2011	4,163	635	15.25 %	559	13.43 %	538	12.92 %	522	12.54 %	510	12.25 %	486	11.67 %
2012	4,162	617	14.82 %	563	13.53 %	537	12.90 %	515	12.37 %	493	11.85 %	472	11.34 %
2013	4,397	676	15.37 %	603	13.71 %	579	13.17 %	567	12.90 %	539	12.26 %	502	11.42 %
2014	4,776	725	15.18 %	676	14.15 %	642	13.44 %	624	13.07 %	598	12.52 %	558	11.68 %
2015	5,442	825	15.16 %	748	13.74 %	722	13.27 %	700	12.86 %	675	12.40 %	615	11.30 %
2016	6,055	922	15.23 %	864	14.27 %	838	13.84 %	821	13.56 %	775	12.80 %	716	11.82 %
2017	6,412	976	15.22 %	910	14.19 %	871	13.58 %	852	13.29 %	802	12.51 %	745	11.62 %
2018	6,760	1,140	16.86 %	973	14.39 %	949	14.04 %	908	13.43 %	874	12.93 %	791	11.70 %
2019	6,975	1,138	16.32 %	1,032	14.80 %	998	14.31 %	959	13.75 %	906	12.99 %	833	11.94 %
2020	6,619	1,082	16.40 %	999	15.15 %	979	14.84 %	964	14.61 %	936	14.19 %	868	13.16 %

Notes
 SITE DOWN 2003-2004
 NOT ENOUGH DAYS TO MAKE 2003-2004 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: HILL

Station: A-046

At Road: 7.5 Mi. W of US 87

Ascending Direction: East

Location Id: 21-4-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 2, RP 372.87, 9 Mi. W of Havre (C000001)

Traffic Mix: Pass: 89.71% SU: 2.97% CU: 7.32%

Directional Split: EB 51.27% / WB 48.73%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	822	1,134	1,102	1,028	1,202	1,348	1,042	1,096	79.45%	1,117	98.16%	1,163	94.26%
FEB	798	1,145	1,194	1,188	1,292	1,430	1,066	1,158	83.94%	1,205	96.12%	1,250	92.65%
MAR	831	1,218	1,236	1,197	1,313	1,298	809	1,128	81.77%	1,241	90.89%	1,252	90.07%
APR	917	1,226	1,297	1,175	1,285	1,325	889	1,158	83.94%	1,246	92.96%	1,262	91.79%
MAY	1,417	1,567	1,534	1,516	1,679	1,771	1,507	1,569	113.74%	1,574	99.68%	1,613	97.25%
JUN	1,456	1,564	1,753	1,689	1,784	2,011	1,684	1,705	123.60%	1,698	100.44%	1,760	96.86%
JUL	1,956	1,887	1,845	1,937	2,028	2,141	2,138	1,989	144.18%	1,924	103.36%	1,968	101.09%
AUG	1,642	1,684	1,693	1,717	1,737	1,881	1,653	1,714	124.25%	1,708	100.37%	1,742	98.37%
SEP	1,290	1,493	1,537	1,551	1,694	1,882	1,438	1,554	112.65%	1,569	99.06%	1,631	95.26%
OCT	1,048	1,243	1,323	1,263	1,411	1,549	1,124	1,279	92.71%	1,310	97.63%	1,358	94.20%
NOV	818	1,130	1,248	1,216	1,130	1,273	966	1,111	80.54%	1,181	94.07%	1,199	92.63%
DEC	864	1,154	1,192	1,261	1,153	1,088	948	1,093	79.23%	1,190	91.85%	1,170	93.45%
Year	1,155	1,370	1,413	1,395	1,476	1,583	1,272	1,380		1,413	97.60%	1,447	95.31%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: HILL

Station: A-046

At Road: 7.5 Mi. W of US 87

Location Id: 21-4-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 2, RP 372.87, 9 Mi. W of Havre (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,396	254	18.19 %	187	13.40 %	179	12.82 %	173	12.39 %	165	11.82 %	155	11.10 %
2004	1,470	206	14.01 %	186	12.65 %	181	12.31 %	175	11.90 %	171	11.63 %	163	11.09 %
2005	1,470	213	14.49 %	197	13.40 %	190	12.93 %	185	12.59 %	177	12.04 %	167	11.36 %
2006	1,420	208	14.65 %	195	13.73 %	182	12.82 %	176	12.39 %	169	11.90 %	159	11.20 %
2007	1,473	222	15.07 %	198	13.44 %	190	12.90 %	185	12.56 %	179	12.15 %	169	11.47 %
2008	1,406	221	15.72 %	188	13.37 %	181	12.87 %	176	12.52 %	169	12.02 %	159	11.31 %
2009	1,486	254	17.09 %	208	14.00 %	202	13.59 %	193	12.99 %	183	12.31 %	173	11.64 %
2010	1,569	256	16.32 %	227	14.47 %	214	13.64 %	206	13.13 %	198	12.62 %	187	11.92 %
2011	1,550		%		%		%		%		%		%
2012	1,600		%		%		%		%		%		%
2013	1,620		%		%		%		%		%		%
2014	1,585	248	15.65 %	227	14.32 %	211	13.31 %	202	12.74 %	194	12.24 %	181	11.42 %
2015	1,613	254	15.75 %	221	13.70 %	210	13.02 %	204	12.65 %	197	12.21 %	182	11.28 %
2016	1,584	258	16.29 %	222	14.02 %	209	13.19 %	205	12.94 %	196	12.37 %	185	11.68 %
2017	1,561	283	18.13 %	227	14.54 %	212	13.58 %	203	13.00 %	193	12.36 %	181	11.60 %
2018	1,519	240	15.80 %	209	13.76 %	199	13.10 %	193	12.71 %	183	12.05 %	173	11.39 %
2019	1,495	232	15.52 %	208	13.91 %	201	13.44 %	197	13.18 %	190	12.71 %	178	11.91 %
2020	1,380	221	16.03 %	193	14.00 %	187	13.56 %	181	13.13 %	175	12.69 %	162	11.75 %

Notes
 UNDER CONSTRUCTION 2011-2013
 NOT ENOUGH DAYS TO MAKE 2011-2013 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: RAVALLI

Station: A-047

At Road: 2.2 Mi. S of S-203

Ascending Direction: North

Location Id: 41-1-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: UPA

Located On: US 93, RP 72.48, 2 Mi. S of Florence (C000007)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.15% / NB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,016	9,879	10,498	9,614	10,764	11,356	8,686	9,687	90.57%	10,189	95.08%	10,422	92.95%
FEB	7,046	9,913	10,899	10,528	11,291	11,765	9,301	10,105	94.47%	10,658	94.81%	10,879	92.88%
MAR	6,266	9,322	9,613	9,890	10,393	10,949	7,330	9,108	85.15%	9,805	92.90%	10,033	90.78%
APR	5,902	8,220	8,811	8,391	8,793	9,222	6,666	8,000	74.79%	8,554	93.53%	8,687	92.09%
MAY	8,262	9,843	10,666	10,963	11,409	11,916	10,041	10,442	97.62%	10,720	97.40%	10,959	95.28%
JUN	9,322	11,720	12,345	12,452	13,030	13,664	11,258	11,969	111.90%	12,387	96.63%	12,642	94.67%
JUL	10,416	13,035	13,307	13,537	13,808	13,890	11,101	12,727	118.99%	13,422	94.82%	13,515	94.17%
AUG	10,135	12,749	13,013	13,199	13,563	14,298	11,701	12,664	118.40%	13,131	96.44%	13,364	94.76%
SEP	9,699	11,839	13,148	13,232	13,712	14,161	11,516	12,472	116.60%	12,983	96.07%	13,218	94.35%
OCT	7,957	11,385	12,008	12,044	12,679	13,078	9,736	11,269	105.36%	12,029	93.68%	12,239	92.08%
NOV	7,120	10,694	11,185	10,902	9,772	11,092	8,761	9,931	92.85%	10,638	93.35%	10,729	92.56%
DEC	7,390	10,732	10,839	10,958	10,785	10,113	9,048	9,980	93.30%	10,829	92.16%	10,685	93.40%
Year	8,044	10,778	11,361	11,309	11,667	12,125	9,595	10,696		11,279	94.84%	11,448	93.43%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: RAVALLI

Station: A-047

At Road: 2.2 Mi. S of S-203

Location Id: 41-1-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: UPA

Located On: US 93, RP 72.48, 2 Mi. S of Florence (C000007)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	9,907	1,089	10.99 %	1,053	10.63 %	1,041	10.51 %	1,029	10.39 %	1,004	10.13 %	972	9.81 %
2004	10,340		%		%		%		%		%		%
2005	10,340		%		%		%		%		%		%
2006	9,480	1,076	11.35 %	1,006	10.61 %	987	10.41 %	977	10.31 %	964	10.17 %	934	9.85 %
2007	9,570	1,071	11.19 %	1,016	10.62 %	1,001	10.46 %	991	10.36 %	981	10.25 %	952	9.95 %
2008	8,554	1,064	12.44 %	933	10.91 %	919	10.74 %	907	10.60 %	884	10.33 %	860	10.05 %
2009	9,254	1,037	11.21 %	983	10.62 %	966	10.44 %	951	10.28 %	936	10.11 %	914	9.88 %
2010	9,266	1,071	11.56 %	1,002	10.81 %	978	10.55 %	959	10.35 %	942	10.17 %	912	9.84 %
2011	8,982	1,056	11.76 %	970	10.80 %	953	10.61 %	944	10.51 %	921	10.25 %	893	9.94 %
2012	9,257	1,062	11.47 %	1,010	10.91 %	979	10.58 %	968	10.46 %	949	10.25 %	915	9.88 %
2013	9,421	1,060	11.25 %	1,009	10.71 %	990	10.51 %	975	10.35 %	954	10.13 %	927	9.84 %
2014	9,571	1,097	11.46 %	1,031	10.77 %	1,010	10.55 %	999	10.44 %	984	10.28 %	954	9.97 %
2015	10,082	1,117	11.08 %	1,074	10.65 %	1,049	10.40 %	1,037	10.29 %	1,020	10.12 %	992	9.84 %
2016	10,456	1,190	11.38 %	1,125	10.76 %	1,094	10.46 %	1,083	10.36 %	1,063	10.17 %	1,030	9.85 %
2017	10,757	1,414	13.14 %	1,159	10.77 %	1,144	10.63 %	1,129	10.50 %	1,108	10.30 %	1,076	10.00 %
2018	11,186	1,337	11.95 %	1,212	10.83 %	1,193	10.67 %	1,176	10.51 %	1,162	10.39 %	1,116	9.98 %
2019	11,169	1,325	11.86 %	1,205	10.79 %	1,187	10.63 %	1,178	10.55 %	1,157	10.36 %	1,129	10.11 %
2020	10,696	1,245	11.64 %	1,206	11.28 %	1,191	11.14 %	1,175	10.99 %	1,162	10.86 %	1,121	10.48 %

Notes
UNDER CONSTRUCTION 2004-2005 NOT ENOUGH DAYS TO MAKE 2004 & 2005 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: ROSEBUD

Station: A-049

At Road: 0.5 Mi. S of I-94 Colstrip Intch

Ascending Direction: North

Location Id: 44-5-006

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 39, RP 50.78, Colstrip, 0.5 Mi. S of Jct I-94 (C000039)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.26% / SB 49.74%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	630	768	771	694	860	878	637	747	89.46%	773	96.61%	794	94.06%
FEB	469	714	741	806	885	933	703	749	89.70%	787	95.23%	816	91.81%
MAR	399	726	731	738	812	831	532	680	81.44%	752	90.46%	768	88.59%
APR	396	680	716	690	728	783	503	641	76.77%	704	91.12%	719	89.10%
MAY	602	808	903	921	962	968	723	840	100.60%	899	93.49%	912	92.06%
JUN	639	925	979	963	993	1,032	762	898	107.54%	965	93.06%	978	91.78%
JUL	647	926	931	956	1,016	942	679	870	104.19%	957	90.89%	954	91.18%
AUG	669	949	997	1,044	1,062	1,040	760	931	111.50%	1,013	91.91%	1,018	91.42%
SEP	755	1,036	1,126	1,168	1,159	1,278	1,032	1,078	129.10%	1,122	96.06%	1,153	93.46%
OCT	667	981	1,087	1,098	1,132	1,253	881	1,013	121.32%	1,075	94.28%	1,110	91.24%
NOV	558	878	935	933	841	927	674	820	98.20%	897	91.44%	903	90.83%
DEC	485	795	811	903	865	806	613	753	90.18%	844	89.27%	836	90.07%
Year	576	849	894	910	943	973	708	835		899	92.90%	914	91.40%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: ROSEBUD

Station: A-049

At Road: 0.5 Mi. S of I-94 Colstrip Intch

Location Id: 44-5-006

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 39, RP 50.78, Colstrip, 0.5 Mi. S of Jct I-94 (C000039)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	944	190	20.13 %	142	15.04 %	135	14.30 %	134	14.19 %	127	13.45 %	115	12.18 %
2004	950	181	19.05 %	154	16.21 %	146	15.37 %	138	14.53 %	123	12.95 %	109	11.47 %
2005	890	199	22.36 %	149	16.74 %	133	14.94 %	124	13.93 %	113	12.70 %	102	11.46 %
2006	950	173	18.21 %	153	16.11 %	147	15.47 %	140	14.74 %	128	13.47 %	112	11.79 %
2007	943	192	20.36 %	158	16.76 %	147	15.59 %	141	14.95 %	127	13.47 %	114	12.09 %
2008	933	233	24.97 %	165	17.68 %	154	16.51 %	143	15.33 %	121	12.97 %	106	11.36 %
2009	973	176	18.09 %	160	16.44 %	147	15.11 %	142	14.59 %	129	13.26 %	119	12.23 %
2010	921	193	20.96 %	123	13.36 %	116	12.60 %	113	12.27 %	109	11.83 %	104	11.29 %
2011	1,002	212	21.16 %	165	16.47 %	156	15.57 %	149	14.87 %	139	13.87 %	125	12.48 %
2012	923	208	22.54 %	142	15.38 %	132	14.30 %	124	13.43 %	116	12.57 %	105	11.38 %
2013	882	163	18.48 %	137	15.53 %	131	14.85 %	125	14.17 %	113	12.81 %	103	11.68 %
2014	903	168	18.60 %	148	16.39 %	138	15.28 %	132	14.62 %	124	13.73 %	107	11.85 %
2015	935	182	19.47 %	156	16.68 %	147	15.72 %	141	15.08 %	127	13.58 %	110	11.76 %
2016	962	181	18.81 %	168	17.46 %	159	16.53 %	143	14.86 %	132	13.72 %	118	12.27 %
2017	944	203	21.50 %	177	18.75 %	172	18.22 %	152	16.10 %	137	14.51 %	119	12.61 %
2018	865	199	23.01 %	147	16.99 %	136	15.72 %	125	14.45 %	115	13.29 %	103	11.91 %
2019	898	155	17.26 %	126	14.03 %	117	13.03 %	112	12.47 %	108	12.03 %	100	11.14 %
2020	835	172	20.60 %	153	18.32 %	138	16.53 %	130	15.57 %	117	14.01 %	105	12.57 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: A-050

At Road: Btwn Milton and Hilltop Rds

Ascending Direction: North

Location Id: 56-4A-014

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 87/Main St, Billings, RP 2.72, Btwn Milton & Hilltop Rds (C000016)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.87% / SB 48.13%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	20,750	29,285	29,737	28,353	30,385	32,985	25,901	28,199	96.96%	29,440	95.78%	30,149	93.53%
FEB	20,717	29,034	30,101	31,049	31,648	35,495	28,709	29,535	101.55%	30,458	96.97%	31,465	93.87%
MAR	18,322	28,580	28,072	28,770	29,921	32,839	24,572	27,296	93.85%	28,836	94.66%	29,636	92.10%
APR	16,950	25,960	26,756	26,026	26,249	28,951	22,747	24,805	85.29%	26,248	94.50%	26,788	92.60%
MAY	22,955	29,237	32,261	32,196	32,713	35,552	28,619	30,504	104.88%	31,602	96.53%	32,392	94.17%
JUN	23,747	32,753	32,946	33,007	33,894	36,037	28,492	31,553	108.49%	33,150	95.18%	33,727	93.55%
JUL	23,197	32,348	32,464	33,495	33,416	34,746	27,372	31,005	106.60%	32,931	94.15%	33,294	93.13%
AUG	23,950	32,442	32,641	33,132	32,687	35,679	29,146	31,382	107.90%	32,726	95.89%	33,316	94.19%
SEP	22,877	28,807	32,158	32,594	32,944	36,412	28,187	30,568	105.10%	31,626	96.66%	32,583	93.82%
OCT	19,705	28,334	30,101	30,699	30,908	34,318	25,198	28,465	97.87%	30,011	94.85%	30,872	92.20%
NOV	19,699	29,274	29,970	29,806	26,138	31,593	26,118	27,513	94.60%	28,797	95.54%	29,356	93.72%
DEC	20,657	29,568	30,141	31,542	30,700	28,858	25,846	28,187	96.91%	30,488	92.45%	30,162	93.45%
Year	21,127	29,635	30,612	30,889	30,967	33,622	26,742	29,084		30,526	95.28%	31,145	93.38%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: A-050

At Road: Btwn Milton and Hilltop Rds

Location Id: 56-4A-014

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 87/Main St, Billings, RP 2.72, Btwn Milton & Hilltop Rds (C000016)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	35,499	3,694	10.41 %	3,504	9.87 %	3,444	9.70 %	3,418	9.63 %	3,386	9.54 %	3,300	9.30 %
2004	37,110		%		%		%		%		%		%
2005	37,110		%		%		%		%		%		%
2006	38,290		%		%		%		%		%		%
2007	36,398	3,662	10.06 %	3,562	9.79 %	3,486	9.58 %	3,458	9.50 %	3,418	9.39 %	3,368	9.25 %
2008	35,922	3,667	10.21 %	3,530	9.83 %	3,491	9.72 %	3,463	9.64 %	3,422	9.53 %	3,363	9.36 %
2009	36,858	4,101	11.13 %	3,785	10.27 %	3,671	9.96 %	3,591	9.74 %	3,507	9.51 %	3,418	9.27 %
2010	37,988	4,074	10.72 %	3,846	10.12 %	3,778	9.95 %	3,757	9.89 %	3,711	9.77 %	3,632	9.56 %
2011	35,782	3,716	10.39 %	3,514	9.82 %	3,440	9.61 %	3,405	9.52 %	3,379	9.44 %	3,324	9.29 %
2012	33,020	3,463	10.49 %	3,295	9.98 %	3,207	9.71 %	3,166	9.59 %	3,122	9.45 %	3,063	9.28 %
2013	34,726	3,782	10.89 %	3,692	10.63 %	3,628	10.45 %	3,583	10.32 %	3,537	10.19 %	3,441	9.91 %
2014	32,602	3,241	9.94 %	3,204	9.83 %	3,160	9.69 %	3,127	9.59 %	3,094	9.49 %	3,048	9.35 %
2015	32,669	3,368	10.31 %	3,215	9.84 %	3,160	9.67 %	3,131	9.58 %	3,092	9.46 %	3,041	9.31 %
2016	34,487	5,426	15.73 %	3,733	10.82 %	3,571	10.35 %	3,515	10.19 %	3,443	9.98 %	3,346	9.70 %
2017	30,807	3,105	10.08 %	3,038	9.86 %	3,001	9.74 %	2,977	9.66 %	2,939	9.54 %	2,887	9.37 %
2018	31,353	3,463	11.05 %	3,316	10.58 %	3,247	10.36 %	3,200	10.21 %	3,065	9.78 %	2,967	9.46 %
2019	30,931	3,108	10.05 %	3,040	9.83 %	2,994	9.68 %	2,976	9.62 %	2,951	9.54 %	2,910	9.41 %
2020	29,084	3,527	12.13 %	2,969	10.21 %	2,913	10.02 %	2,888	9.93 %	2,848	9.79 %	2,787	9.58 %

Notes
UNDER CONSTRUCTION IN 2004-2006 NOT ENOUGH DAYS TO MAKE 2004-2006 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: A-051

At Road: Btwn N 22nd W & Gay PI

Ascending Direction: East

Location Id: 56-4A-072

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: Broadwater Ave, Billings, RP 2.12, Btwn N 22nd St & Gay PI (C001006)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 51.88% / EB 48.12%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,980	13,227	13,982	12,975	14,133	14,615	10,860	12,538	106.97%	13,579	92.33%	13,786	90.94%
FEB	8,175	13,255	14,375	14,885	14,510	15,013	11,391	13,085	111.64%	14,256	91.78%	14,408	90.82%
MAR	6,218	11,468	11,459	12,206	12,364	12,678	8,471	10,694	91.24%	11,874	90.06%	12,035	88.86%
APR	5,086	8,892	9,049	8,792	8,763	9,284	6,311	8,024	68.46%	8,874	90.42%	8,956	89.59%
MAY	7,399	10,857	12,516	12,598	12,636	12,898	9,862	11,251	95.99%	12,152	92.59%	12,301	91.46%
JUN	7,848	12,849	13,852	13,471	13,864	14,056	10,271	12,315	105.07%	13,509	91.16%	13,618	90.43%
JUL	7,640	12,942	13,385	14,020	13,663	13,188	9,369	12,029	102.63%	13,503	89.09%	13,440	89.50%
AUG	8,131	13,184	13,720	14,008	13,652	13,971	10,350	12,430	106.05%	13,641	91.12%	13,707	90.68%
SEP	7,969	11,939	14,223	14,324	14,217	14,718	10,510	12,556	107.12%	13,676	91.81%	13,884	90.43%
OCT	7,101	12,780	13,732	13,991	13,533	14,355	9,640	12,160	103.74%	13,509	90.01%	13,678	88.90%
NOV	7,178	13,183	13,237	13,251	11,191	12,820	9,647	11,500	98.11%	12,716	90.44%	12,736	90.29%
DEC	7,569	13,197	13,698	14,421	13,189	12,352	10,086	12,072	102.99%	13,626	88.59%	13,371	90.28%
Year	7,358	12,314	13,102	13,245	12,976	13,329	9,731	11,721		12,910	90.79%	12,993	90.21%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: A-051

At Road: Btwn N 22nd W & Gay PI

Location Id: 56-4A-072

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: Broadwater Ave, Billings, RP 2.12, Btwn N 22nd St & Gay PI (C001006)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	14,975	1,646	10.99 %	1,561	10.42 %	1,535	10.25 %	1,521	10.16 %	1,498	10.00 %	1,462	9.76 %
2004	14,730	1,668	11.32 %	1,584	10.75 %	1,551	10.53 %	1,523	10.34 %	1,493	10.14 %	1,445	9.81 %
2005	14,380	1,561	10.86 %	1,475	10.26 %	1,448	10.07 %	1,440	10.01 %	1,423	9.90 %	1,395	9.70 %
2006	14,070	1,594	11.33 %	1,467	10.43 %	1,440	10.23 %	1,428	10.15 %	1,411	10.03 %	1,376	9.78 %
2007	14,350	1,617	11.27 %	1,561	10.88 %	1,508	10.51 %	1,477	10.29 %	1,457	10.15 %	1,411	9.83 %
2008	13,452	1,533	11.40 %	1,447	10.76 %	1,421	10.56 %	1,406	10.45 %	1,378	10.24 %	1,343	9.98 %
2009	12,832	1,409	10.98 %	1,375	10.72 %	1,358	10.58 %	1,348	10.50 %	1,330	10.36 %	1,295	10.09 %
2010	11,170	1,494	13.38 %	1,357	12.15 %	1,335	11.95 %	1,319	11.81 %	1,293	11.58 %	1,252	11.21 %
2011	12,132	1,469	12.11 %	1,343	11.07 %	1,296	10.68 %	1,277	10.53 %	1,262	10.40 %	1,224	10.09 %
2012	12,562	1,476	11.75 %	1,351	10.75 %	1,337	10.64 %	1,325	10.55 %	1,301	10.36 %	1,274	10.14 %
2013	12,750		%		%		%		%		%		%
2014	12,402	1,584	12.77 %	1,472	11.87 %	1,445	11.65 %	1,418	11.43 %	1,379	11.12 %	1,336	10.77 %
2015	13,344	1,669	12.51 %	1,504	11.27 %	1,461	10.95 %	1,431	10.72 %	1,410	10.57 %	1,365	10.23 %
2016	14,067	2,060	14.64 %	1,522	10.82 %	1,488	10.58 %	1,466	10.42 %	1,435	10.20 %	1,398	9.94 %
2017	13,277	1,585	11.94 %	1,495	11.26 %	1,446	10.89 %	1,425	10.73 %	1,404	10.57 %	1,368	10.30 %
2018	13,401	1,576	11.76 %	1,476	11.01 %	1,458	10.88 %	1,449	10.81 %	1,422	10.61 %	1,386	10.34 %
2019	13,215	1,528	11.56 %	1,450	10.97 %	1,434	10.85 %	1,421	10.75 %	1,398	10.58 %	1,364	10.32 %
2020	11,721	1,397	11.92 %	1,356	11.57 %	1,337	11.41 %	1,323	11.29 %	1,298	11.07 %	1,265	10.79 %

Notes
UNDER CONSTRUCTION 2013 NOT ENOUGH DAYS TO MAKE 2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: A-054

At Road: Btwn Wyoming & Yellowstone Aves

Ascending Direction: North

Location Id: 56-4A-153

Functional Class: Major Collector Urban


Traffic Factor Group: UMA_UC

Located On: 19th St W, Billings, RP 0.76, Btwn Wyoming & Yellowstone Aves (C067362)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.65% / SB 49.35%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,278	6,976	7,232	6,769	7,420	7,768	5,702	6,591	106.09%	7,099	92.84%	7,233	91.12%
FEB	4,266	6,864	7,267	7,596	7,625	8,030	6,019	6,809	109.60%	7,338	92.79%	7,476	91.07%
MAR	3,294	6,053	6,026	6,394	6,425	6,750	4,576	5,645	90.86%	6,225	90.69%	6,330	89.18%
APR	2,737	4,761	4,888	4,719	4,717	5,092	3,579	4,355	70.10%	4,771	91.28%	4,835	90.06%
MAY	4,156	5,898	6,638	6,793	6,800	7,180	5,544	6,143	98.88%	6,532	94.04%	6,662	92.21%
JUN	4,502	7,154	7,571	7,546	7,620	7,915	5,859	6,880	110.74%	7,473	92.07%	7,561	90.99%
JUL	4,360	7,065	7,187	7,544	7,416	7,285	5,175	6,576	105.85%	7,303	90.05%	7,299	90.09%
AUG	4,440	6,926	7,084	7,231	7,129	7,578	5,597	6,569	105.74%	7,093	92.62%	7,190	91.37%
SEP	4,384	6,303	7,426	7,618	7,581	7,851	5,839	6,714	108.07%	7,232	92.84%	7,356	91.27%
OCT	3,638	6,482	6,802	7,046	6,918	7,424	5,136	6,206	99.89%	6,812	91.10%	6,934	89.50%
NOV	3,624	6,645	6,879	6,813	5,727	6,752	5,028	5,923	95.34%	6,516	90.90%	6,563	90.25%
DEC	3,933	6,594	6,864	7,307	6,713	6,336	5,240	6,140	98.83%	6,870	89.38%	6,763	90.79%
Year	3,968	6,477	6,822	6,948	6,841	7,163	5,275	6,213		6,772	91.74%	6,850	90.69%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR THIS SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: A-054

At Road: Btwn Wyoming & Yellowstone Aves

Location Id: 56-4A-153

Functional Class: Major Collector Urban

Traffic Factor Group: UMA_UC

Located On: 19th St W, Billings, RP 0.76, Btwn Wyoming & Yellowstone Aves (C067362)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	8,172	965	11.81 %	937	11.47 %	914	11.18 %	905	11.07 %	885	10.83 %	862	10.55 %
2004	8,242	1,163	14.11 %	935	11.34 %	906	10.99 %	894	10.85 %	879	10.66 %	856	10.39 %
2005	8,218	1,051	12.79 %	933	11.35 %	914	11.12 %	897	10.92 %	886	10.78 %	861	10.48 %
2006	8,336	1,016	12.19 %	938	11.25 %	919	11.02 %	910	10.92 %	892	10.70 %	866	10.39 %
2007	7,904	996	12.60 %	876	11.08 %	850	10.75 %	841	10.64 %	832	10.53 %	815	10.31 %
2008	7,708	919	11.92 %	865	11.22 %	843	10.94 %	827	10.73 %	817	10.60 %	800	10.38 %
2009	8,203	1,052	12.82 %	1,006	12.26 %	988	12.04 %	976	11.90 %	955	11.64 %	928	11.31 %
2010	8,408	1,075	12.79 %	1,013	12.05 %	1,004	11.94 %	992	11.80 %	981	11.67 %	955	11.36 %
2011	7,631	934	12.24 %	873	11.44 %	849	11.13 %	837	10.97 %	820	10.75 %	792	10.38 %
2012	7,407	1,212	16.36 %	837	11.30 %	823	11.11 %	808	10.91 %	796	10.75 %	774	10.45 %
2013	6,704	967	14.42 %	822	12.26 %	800	11.93 %	794	11.84 %	778	11.61 %	747	11.14 %
2014	6,815	921	13.51 %	811	11.90 %	790	11.59 %	780	11.45 %	763	11.20 %	745	10.93 %
2015	6,891	855	12.41 %	802	11.64 %	785	11.39 %	773	11.22 %	762	11.06 %	742	10.77 %
2016	7,144	869	12.16 %	810	11.34 %	797	11.16 %	789	11.04 %	778	10.89 %	755	10.57 %
2017	7,038	832	11.82 %	807	11.47 %	788	11.20 %	778	11.05 %	769	10.93 %	750	10.66 %
2018	7,266	951	13.09 %	894	12.30 %	860	11.84 %	840	11.56 %	817	11.24 %	781	10.75 %
2019	7,232	910	12.58 %	867	11.99 %	843	11.66 %	831	11.49 %	813	11.24 %	783	10.83 %
2020	6,213	788	12.69 %	746	12.01 %	743	11.96 %	729	11.74 %	715	11.51 %	701	11.28 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: RAVALLI

Station: A-056

At Road: 1 Mi. S of S-373 Ascending

Direction: North

Location Id: 41-2A-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: UPA

Located On: US 93, RP 50.06, 2.5 Mi. N of Hamilton (C000007)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.21% / SB 49.79%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,788	12,472	13,296	12,138	13,623	14,118	10,109	11,934	89.96%	12,882	92.64%	13,129	90.90%
FEB	7,791	12,539	13,690	13,441	14,111	14,664	10,985	12,459	93.92%	13,445	92.66%	13,689	91.01%
MAR	7,229	12,108	12,401	12,815	13,384	14,027	8,892	11,550	87.07%	12,677	91.11%	12,947	89.21%
APR	6,770	11,446	11,964	11,589	11,840	12,306	8,460	10,624	80.09%	11,710	90.73%	11,829	89.81%
MAY	9,442	12,885	14,308	14,545	14,764	15,531	12,202	13,381	100.87%	14,126	94.73%	14,407	92.88%
JUN	10,216	15,086	15,976	15,809	16,341	17,107	13,024	14,793	111.52%	15,803	93.61%	16,064	92.09%
JUL	11,440	16,462	16,804	16,938	17,182	17,327	13,415	15,652	117.99%	16,847	92.91%	16,943	92.38%
AUG	11,145	16,069	16,213	16,522	16,528	17,381	13,707	15,366	115.84%	16,333	94.08%	16,543	92.89%
SEP	10,549	14,513	16,370	16,455	16,525	17,360	13,282	15,007	113.13%	15,966	93.99%	16,245	92.38%
OCT	8,759	13,957	15,005	15,216	15,753	16,152	11,441	13,754	103.68%	14,983	91.80%	15,217	90.39%
NOV	7,848	13,763	14,380	13,832	12,160	13,755	10,458	12,313	92.82%	13,534	90.98%	13,578	90.68%
DEC	8,035	13,662	14,020	14,337	13,702	12,317	10,394	12,352	93.11%	13,930	88.67%	13,608	90.77%
Year	8,918	13,747	14,536	14,470	14,659	15,170	11,364	13,265		14,353	92.42%	14,516	91.38%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: RAVALLI

Station: A-056

At Road: 1 Mi. S of S-373

Location Id: 41-2A-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: UPA

Located On: US 93, RP 50.06, 2.5 Mi. N of Hamilton (C000007)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	11,183	1,272	11.37 %	1,202	10.75 %	1,183	10.58 %	1,172	10.48 %	1,156	10.34 %	1,120	10.02 %
2004	11,330	1,285	11.34 %	1,213	10.71 %	1,200	10.59 %	1,188	10.49 %	1,172	10.34 %	1,141	10.07 %
2005	11,240	1,316	11.71 %	1,194	10.62 %	1,178	10.48 %	1,162	10.34 %	1,149	10.22 %	1,126	10.02 %
2006	11,350	1,288	11.35 %	1,215	10.70 %	1,199	10.56 %	1,181	10.41 %	1,165	10.26 %	1,133	9.98 %
2007	11,275	1,252	11.10 %	1,200	10.64 %	1,182	10.48 %	1,168	10.36 %	1,155	10.24 %	1,127	10.00 %
2008	11,280		%		%		%		%		%		%
2009	10,880		%		%		%		%		%		%
2010	10,720		%		%		%		%		%		%
2011	9,753	1,147	11.76 %	1,049	10.76 %	1,024	10.50 %	1,011	10.37 %	996	10.21 %	969	9.94 %
2012	11,071	1,303	11.77 %	1,192	10.77 %	1,165	10.52 %	1,153	10.41 %	1,140	10.30 %	1,107	10.00 %
2013	11,644	1,303	11.19 %	1,260	10.82 %	1,235	10.61 %	1,227	10.54 %	1,195	10.26 %	1,171	10.06 %
2014	11,618	1,334	11.48 %	1,268	10.91 %	1,241	10.68 %	1,225	10.54 %	1,205	10.37 %	1,173	10.10 %
2015	12,205	1,321	10.82 %	1,276	10.45 %	1,265	10.36 %	1,250	10.24 %	1,240	10.16 %	1,213	9.94 %
2016	12,728	1,408	11.06 %	1,341	10.54 %	1,323	10.39 %	1,314	10.32 %	1,293	10.16 %	1,264	9.93 %
2017	12,933	1,614	12.48 %	1,380	10.67 %	1,367	10.57 %	1,345	10.40 %	1,317	10.18 %	1,291	9.98 %
2018	13,449	1,498	11.14 %	1,426	10.60 %	1,405	10.45 %	1,398	10.39 %	1,382	10.28 %	1,360	10.11 %
2019	13,507	1,605	11.88 %	1,450	10.74 %	1,432	10.60 %	1,423	10.54 %	1,410	10.44 %	1,371	10.15 %
2020	13,265	1,547	11.66 %	1,478	11.14 %	1,455	10.97 %	1,445	10.89 %	1,424	10.74 %	1,398	10.54 %

Notes
UNDER CONSTRUCTION 2008-2010 NOT ENOUGH DAYS TO MAKE 2008-2010 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BIG HORN

Station: A-057

At Road: 2.4 Mi. S of Lodge Grass Intch

Ascending Direction: East

Location Id: 02-7-016

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 533.08, 2.4 Mi. S of Lodge Grass Interchange (C000090)

Traffic Mix: Pass: 70.85% SU: 1.97% CU: 27.18%

Directional Split: EB 50.52% / WB 49.48%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,749	1,668	1,562	1,669	1,734	2,222	1,993	1,799	57.98%	1,658	108.49%	1,771	101.58%
FEB	1,817	1,510	1,828	1,922	2,039	2,126	2,039	1,896	61.11%	1,825	103.90%	1,885	100.58%
MAR	1,769	1,663	1,743	1,772	1,878	1,997	1,833	1,807	58.24%	1,764	102.44%	1,811	99.80%
APR	1,192	1,360	1,517	1,511	1,552	1,641	1,419	1,455	46.89%	1,485	97.98%	1,516	95.96%
MAY	2,524	2,271	2,302	2,524	2,596	2,894	2,819	2,560	82.51%	2,423	105.64%	2,517	101.69%
JUN	4,568	3,778	3,750	3,705	3,997	4,621	4,469	4,126	132.98%	3,808	108.37%	3,970	103.92%
JUL	5,482	4,800	4,495	4,735	5,163	5,586	4,908	5,023	161.89%	4,798	104.68%	4,956	101.36%
AUG	5,457	4,560	4,502	4,713	4,981	5,590	5,434	5,033	162.21%	4,689	107.34%	4,869	103.36%
SEP	4,806	4,427	3,927	4,173	4,675	5,295	4,752	4,578	147.55%	4,301	106.45%	4,499	101.75%
OCT	3,447	3,205	3,254	3,422	3,552	4,169	3,162	3,458	111.45%	3,358	102.97%	3,520	98.23%
NOV	2,812	2,562	2,793	2,983	2,658	3,020	3,077	2,843	91.63%	2,749	103.42%	2,803	101.42%
DEC	2,858	2,525	2,488	2,845	2,574	2,506	2,792	2,655	85.57%	2,608	101.80%	2,588	102.60%
Year	3,207	2,861	2,847	2,998	3,117	3,472	3,225	3,103		2,955	104.98%	3,059	101.44%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BIG HORN

Station: A-057

At Road: 2.4 Mi. S of Lodge Grass Intch

Location Id: 02-7-016

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 533.08, 2.4 Mi. S of Lodge Grass Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,819		%		%		%		%		%		%
2004	3,780	609	16.11 %	526	13.92 %	509	13.47 %	500	13.23 %	489	12.94 %	464	12.28 %
2005	3,830	585	15.27 %	542	14.15 %	528	13.79 %	518	13.52 %	507	13.24 %	476	12.43 %
2006	3,910	606	15.50 %	550	14.07 %	519	13.27 %	505	12.92 %	491	12.56 %	465	11.89 %
2007	3,939	690	17.52 %	562	14.27 %	546	13.86 %	522	13.25 %	506	12.85 %	479	12.16 %
2008	3,619	527	14.56 %	499	13.79 %	479	13.24 %	469	12.96 %	450	12.43 %	427	11.80 %
2009	3,707	576	15.54 %	534	14.41 %	519	14.00 %	502	13.54 %	485	13.08 %	461	12.44 %
2010	3,741	590	15.77 %	556	14.86 %	532	14.22 %	521	13.93 %	501	13.39 %	471	12.59 %
2011	3,766	559	14.84 %	528	14.02 %	510	13.54 %	496	13.17 %	482	12.80 %	460	12.21 %
2012	3,979		%		%		%		%		%		%
2013	4,140		%		%		%		%		%		%
2014	4,240		%		%		%		%		%		%
2015	3,877	595	15.35 %	561	14.47 %	537	13.85 %	530	13.67 %	509	13.13 %	488	12.59 %
2016	3,873	611	15.78 %	563	14.54 %	541	13.97 %	526	13.58 %	507	13.09 %	483	12.47 %
2017	3,980	811	20.38 %	590	14.82 %	566	14.22 %	557	13.99 %	539	13.54 %	510	12.81 %
2018	3,797	614	16.17 %	562	14.80 %	544	14.33 %	534	14.06 %	517	13.62 %	491	12.93 %
2019	3,419	649	18.98 %	530	15.50 %	514	15.03 %	507	14.83 %	486	14.21 %	463	13.54 %
2020	3,103	560	18.05 %	525	16.92 %	507	16.34 %	496	15.99 %	480	15.47 %	454	14.64 %

Notes
 UNDER CONSTRUCTION 2003, & 2012-2014
 NOT ENOUGH DAYS TO MAKE 2003, &
 2012-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CARBON

Station: A-058

At Road: 0.5 Mi. N of Two Mi. Bridge Rd

Ascending Direction: North

Location Id: 05-3-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 212, RP 72.05, 1.8 Mi. N of Red Lodge (C000028)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.33% / NB 49.67%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,499	2,450	2,515	2,516	2,609	2,892	2,944	2,631	83.27%	2,523	104.30%	2,596	101.33%
FEB	2,475	2,433	2,479	2,459	2,575	3,047	3,283	2,678	84.76%	2,487	107.70%	2,599	103.06%
MAR	1,941	2,150	2,045	2,242	2,203	2,574	2,312	2,208	69.89%	2,160	102.22%	2,243	98.45%
APR	1,408	1,850	1,986	1,750	1,785	2,060	1,622	1,779	56.31%	1,843	96.54%	1,886	94.32%
MAY	2,988	2,855	2,791	2,750	2,908	3,258	3,101	2,950	93.37%	2,826	104.39%	2,912	101.29%
JUN	4,089	3,551	3,668	3,566	3,755	4,608	4,967	4,028	127.49%	3,635	110.81%	3,830	105.18%
JUL	5,249	4,248	4,165	4,421	4,714	5,461	5,644	4,842	153.26%	4,387	110.37%	4,602	105.22%
AUG	4,767	4,020	4,193	4,280	4,286	5,100	5,309	4,564	144.46%	4,195	108.80%	4,376	104.30%
SEP	4,057	3,541	3,625	3,690	3,923	4,662	4,758	4,036	127.75%	3,695	109.24%	3,888	103.80%
OCT	2,104	2,610	2,912	2,950	2,912	3,319	2,656	2,780	87.99%	2,846	97.68%	2,941	94.54%
NOV	1,960	2,581	2,682	2,701	2,472	3,051	2,694	2,591	82.01%	2,609	99.31%	2,697	96.06%
DEC	2,658	2,772	2,726	3,008	2,910	2,729	2,986	2,826	89.45%	2,854	99.02%	2,829	99.89%
Year	3,016	2,922	2,982	3,028	3,088	3,563	3,523	3,159		3,005	105.14%	3,117	101.37%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: CARBON

Station: A-058

At Road: 0.5 Mi. N of Two Mi. Bridge Rd

Location Id: 05-3-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 212, RP 72.05, 1.8 Mi. N of Red Lodge (C000028)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,871	953	33.19 %	468	16.30 %	442	15.40 %	424	14.77 %	402	14.00 %	369	12.85 %
2004	2,880	915	31.77 %	486	16.88 %	442	15.35 %	416	14.44 %	392	13.61 %	364	12.64 %
2005	2,780	719	25.86 %	461	16.58 %	425	15.29 %	401	14.42 %	366	13.17 %	333	11.98 %
2006	2,980	897	30.10 %	520	17.45 %	473	15.87 %	455	15.27 %	421	14.13 %	384	12.89 %
2007	3,031	820	27.05 %	500	16.50 %	452	14.91 %	439	14.48 %	418	13.79 %	384	12.67 %
2008	2,866	888	30.98 %	519	18.11 %	448	15.63 %	428	14.93 %	398	13.89 %	357	12.46 %
2009	2,933	891	30.38 %	516	17.59 %	478	16.30 %	462	15.75 %	423	14.42 %	387	13.19 %
2010	2,966	996	33.58 %	559	18.85 %	515	17.36 %	464	15.64 %	430	14.50 %	400	13.49 %
2011	2,940	925	31.46 %	594	20.20 %	519	17.65 %	483	16.43 %	440	14.97 %	409	13.91 %
2012	2,987	974	32.61 %	518	17.34 %	469	15.70 %	455	15.23 %	421	14.09 %	393	13.16 %
2013	2,920	933	31.95 %	504	17.26 %	466	15.96 %	435	14.90 %	420	14.38 %	387	13.25 %
2014	2,986	757	25.35 %	518	17.35 %	470	15.74 %	460	15.41 %	438	14.67 %	407	13.63 %
2015	3,128	875	27.97 %	541	17.30 %	512	16.37 %	484	15.47 %	461	14.74 %	427	13.65 %
2016	3,180	922	28.99 %	592	18.62 %	544	17.11 %	511	16.07 %	479	15.06 %	438	13.77 %
2017	3,165	928	29.32 %	570	18.01 %	525	16.59 %	508	16.05 %	480	15.17 %	448	14.15 %
2018	3,214	897	27.91 %	556	17.30 %	517	16.09 %	488	15.18 %	471	14.65 %	442	13.75 %
2019	3,162	800	25.30 %	554	17.52 %	521	16.48 %	505	15.97 %	484	15.31 %	450	14.23 %
2020	3,159	569	18.01 %	512	16.21 %	500	15.83 %	490	15.51 %	475	15.04 %	449	14.21 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: A-059

At Road: 0.5 Mi. E of S Billings Blvd

Ascending Direction: East

Location Id: 56-4A-003

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-90, RP 447.82, E of S Billings Blvd Interchange (C000090)

Traffic Mix: Pass: % SU: % CU: 1%

Directional Split: EB 50.09% / WB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	18,756	26,420	27,429	25,780	28,104	30,118	23,541	25,734	88.73%	26,933	95.55%	27,570	93.34%
FEB	18,270	25,620	27,359	28,696	29,635	33,132	26,118	26,975	93.01%	27,828	96.94%	28,888	93.38%
MAR	16,330	26,597	26,974	27,689	28,815	31,199	22,593	25,742	88.76%	27,519	93.54%	28,255	91.11%
APR	13,690	23,717	25,111	23,944	24,134	25,645	17,298	21,933	75.63%	24,227	90.53%	24,510	89.49%
MAY	21,382	28,027	30,972	31,678	32,411	33,945	26,373	29,255	100.88%	30,772	95.07%	31,407	93.15%
JUN	25,893	33,950	34,845	34,786	36,126	38,211	30,445	33,464	115.39%	34,927	95.81%	35,584	94.04%
JUL	27,014	35,440	35,455	36,594	37,458	38,247	29,946	34,307	118.30%	36,237	94.67%	36,639	93.64%
AUG	27,530	35,118	35,685	36,509	37,128	39,616	32,269	34,835	120.12%	36,110	96.47%	36,811	94.63%
SEP	25,623	31,154	34,069	35,020	36,241	38,768	30,801	33,096	114.12%	34,121	97.00%	35,050	94.42%
OCT	19,904	28,518	30,805	31,248	31,563	34,706	23,900	28,662	98.83%	30,534	93.87%	31,368	91.37%
NOV	18,718	28,565	30,092	29,991	26,631	30,749	24,966	27,101	93.45%	28,820	94.04%	29,206	92.79%
DEC	19,964	27,784	29,156	30,758	28,883	27,921	23,905	26,910	92.79%	29,145	92.33%	28,900	93.11%
Year	21,090	29,243	30,663	31,058	31,427	33,521	26,013	29,001		30,598	94.78%	31,182	93.01%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: A-059

At Road: 0.5 Mi. E of S Billings Blvd

Location Id: 56-4A-003

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-90, RP 447.82, E of S Billings Blvd Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	23,548		%		%		%		%		%		%
2004	24,630	2,796	11.35 %	2,630	10.68 %	2,587	10.50 %	2,551	10.36 %	2,505	10.17 %	2,446	9.93 %
2005	24,430	2,803	11.47 %	2,641	10.81 %	2,556	10.46 %	2,510	10.27 %	2,472	10.12 %	2,392	9.79 %
2006	25,510	2,840	11.13 %	2,723	10.67 %	2,663	10.44 %	2,625	10.29 %	2,554	10.01 %	2,479	9.72 %
2007	26,191	2,893	11.05 %	2,783	10.63 %	2,723	10.40 %	2,692	10.28 %	2,645	10.10 %	2,556	9.76 %
2008	25,082	2,877	11.47 %	2,716	10.83 %	2,640	10.53 %	2,601	10.37 %	2,553	10.18 %	2,489	9.92 %
2009	26,161	3,030	11.58 %	2,875	10.99 %	2,794	10.68 %	2,764	10.57 %	2,704	10.34 %	2,633	10.06 %
2010	26,295	3,103	11.80 %	2,861	10.88 %	2,810	10.69 %	2,784	10.59 %	2,737	10.41 %	2,639	10.04 %
2011	26,682	3,166	11.87 %	2,914	10.92 %	2,860	10.72 %	2,825	10.59 %	2,766	10.37 %	2,678	10.04 %
2012	27,573	3,128	11.34 %	2,939	10.66 %	2,884	10.46 %	2,854	10.35 %	2,795	10.14 %	2,723	9.88 %
2013	27,848	3,143	11.29 %	3,016	10.83 %	2,954	10.61 %	2,926	10.51 %	2,885	10.36 %	2,801	10.06 %
2014	28,940	3,355	11.59 %	3,161	10.92 %	3,100	10.71 %	3,062	10.58 %	3,037	10.49 %	2,958	10.22 %
2015	29,839	3,330	11.16 %	3,203	10.73 %	3,169	10.62 %	3,137	10.51 %	3,087	10.35 %	2,986	10.01 %
2016	30,361	3,460	11.40 %	3,319	10.93 %	3,242	10.68 %	3,222	10.61 %	3,184	10.49 %	3,044	10.03 %
2017	29,997	3,435	11.45 %	3,262	10.87 %	3,160	10.53 %	3,119	10.40 %	3,060	10.20 %	2,913	9.71 %
2018	30,815	3,512	11.40 %	3,377	10.96 %	3,285	10.66 %	3,256	10.57 %	3,199	10.38 %	3,114	10.11 %
2019	30,515	3,386	11.10 %	3,297	10.80 %	3,218	10.55 %	3,193	10.46 %	3,138	10.28 %	3,059	10.02 %
2020	29,001	3,287	11.33 %	3,195	11.02 %	3,146	10.85 %	3,121	10.76 %	3,066	10.57 %	2,996	10.33 %

Notes
UNDER CONSTRUCTION 2003 NOT ENOUGH DAYS TO MAKE 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FLATHEAD

Station: A-060

At Road: 1.5 Mi. NE of MT 206

Ascending Direction: East

Location Id: 15-4A-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 2, RP 139.8, 3 Mi. N of Columbia Falls (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 51.08% / EB 48.92%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,789	4,154	4,091	4,315	4,791	4,847	3,918	4,271	55.10%	4,338	98.46%	4,440	96.20%
FEB	4,229	4,691	4,683	4,734	5,109	5,574	4,721	4,819	62.17%	4,804	100.31%	4,958	97.19%
MAR	3,933	4,451	4,402	4,608	4,898	4,842	3,621	4,393	56.68%	4,590	95.71%	4,640	94.67%
APR	3,632	4,253	4,562	4,156	4,337	4,364	3,445	4,106	52.97%	4,327	94.89%	4,334	94.73%
MAY	6,036	5,930	5,798	5,664	6,244	6,861	6,761	6,184	79.78%	5,909	104.65%	6,099	101.39%
JUN	9,157	9,351	9,460	9,025	9,978	11,146	9,846	9,708	125.25%	9,454	102.69%	9,792	99.14%
JUL	15,342	15,029	14,648	14,426	15,151	16,028	15,559	15,168	195.69%	14,814	102.39%	15,056	100.74%
AUG	15,090	14,005	14,436	14,626	14,721	15,655	15,518	14,864	191.77%	14,447	102.89%	14,689	101.19%
SEP	12,767	11,849	12,017	11,990	12,562	13,495	13,624	12,614	162.74%	12,105	104.21%	12,383	101.87%
OCT	6,705	6,789	7,051	6,927	8,145	8,272	7,384	7,324	94.49%	7,228	101.33%	7,437	98.48%
NOV	4,318	4,927	5,199	4,997	4,692	5,070	4,475	4,810	62.06%	4,954	97.10%	4,977	96.64%
DEC	4,263	4,907	4,696	4,932	5,123	4,856	4,484	4,751	61.30%	4,915	96.67%	4,903	96.90%
Year	7,438	7,528	7,587	7,533	7,979	8,418	7,780	7,751		7,657	101.23%	7,809	99.26%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: FLATHEAD

Station: A-060

At Road: 1.5 Mi. NE of MT 206

Location Id: 15-4A-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 2, RP 139.8, 3 Mi. N of Columbia Falls (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,560		%		%		%		%		%		%
2004	6,570		%		%		%		%		%		%
2005	6,520	1,107	16.98 %	1,042	15.98 %	1,020	15.64 %	1,009	15.48 %	985	15.11 %	938	14.39 %
2006	6,550	1,099	16.78 %	1,061	16.20 %	1,034	15.79 %	1,017	15.53 %	981	14.98 %	942	14.38 %
2007	6,676	1,177	17.63 %	1,087	16.28 %	1,061	15.89 %	1,046	15.67 %	1,010	15.13 %	962	14.41 %
2008	6,454	1,131	17.52 %	1,075	16.66 %	1,044	16.18 %	1,031	15.97 %	1,010	15.65 %	961	14.89 %
2009	6,459	1,198	18.55 %	1,138	17.62 %	1,099	17.02 %	1,073	16.61 %	1,022	15.82 %	966	14.96 %
2010	6,765	1,234	18.24 %	1,155	17.07 %	1,128	16.67 %	1,113	16.45 %	1,088	16.08 %	1,038	15.34 %
2011	6,409	1,176	18.35 %	1,124	17.54 %	1,076	16.79 %	1,061	16.55 %	1,038	16.20 %	992	15.48 %
2012	6,615	1,243	18.79 %	1,171	17.70 %	1,137	17.19 %	1,122	16.96 %	1,089	16.46 %	1,040	15.72 %
2013	6,810	1,231	18.08 %	1,166	17.12 %	1,150	16.89 %	1,129	16.58 %	1,103	16.20 %	1,061	15.58 %
2014	7,003	1,316	18.79 %	1,272	18.16 %	1,196	17.08 %	1,182	16.88 %	1,150	16.42 %	1,097	15.66 %
2015	7,327	1,323	18.06 %	1,230	16.79 %	1,203	16.42 %	1,180	16.10 %	1,136	15.50 %	1,094	14.93 %
2016	7,822	1,486	19.00 %	1,317	16.84 %	1,282	16.39 %	1,261	16.12 %	1,238	15.83 %	1,190	15.21 %
2017	7,832	1,442	18.41 %	1,387	17.71 %	1,356	17.31 %	1,328	16.96 %	1,295	16.53 %	1,251	15.97 %
2018	7,707	1,447	18.78 %	1,349	17.50 %	1,315	17.06 %	1,296	16.82 %	1,275	16.54 %	1,221	15.84 %
2019	7,971	1,460	18.32 %	1,383	17.35 %	1,365	17.12 %	1,350	16.94 %	1,320	16.56 %	1,280	16.06 %
2020	7,751	1,494	19.28 %	1,369	17.66 %	1,328	17.14 %	1,305	16.84 %	1,270	16.39 %	1,223	15.78 %

Notes
UNDER CONSTRUCTION 2003-2004 NOT ENOUGH DAYS TO MAKE 2003-2004 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: TOOLE

Station: A-061

At Road: 3.8 Mi. S of Shelby Intch

Ascending Direction: North

Location Id: 51-3-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 359.54, 3.8 Mi. S of Shelby Intch (C000015)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.17% / SB 48.83%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,991	2,398	2,419	2,367	2,669	2,834	2,489	2,452	107.75%	2,463	99.54%	2,537	96.63%
FEB	1,981	2,455	2,424	2,763	2,977	3,156	2,657	2,629	115.53%	2,655	99.03%	2,755	95.43%
MAR	2,060	2,744	2,734	3,081	3,150	3,012	2,106	2,697	118.51%	2,927	92.13%	2,944	91.60%
APR	1,155	1,775	1,883	1,930	1,951	1,913	1,267	1,695	74.48%	1,885	89.93%	1,890	89.66%
MAY	1,583	2,122	2,235	2,363	2,516	2,433	1,905	2,164	95.09%	2,309	93.72%	2,334	92.72%
JUN	1,777	2,413	2,487	2,671	2,715	2,704	2,046	2,401	105.51%	2,572	93.37%	2,598	92.42%
JUL	1,782	2,484	2,563	2,596	2,611	2,441	1,834	2,329	102.34%	2,564	90.85%	2,539	91.73%
AUG	1,810	2,390	2,532	2,589	2,578	2,536	1,996	2,346	103.09%	2,522	93.01%	2,525	92.91%
SEP	1,673	2,184	2,421	2,500	2,565	2,604	2,101	2,292	100.72%	2,418	94.81%	2,455	93.37%
OCT	1,498	2,177	2,385	2,402	2,443	2,430	1,651	2,140	94.04%	2,352	91.00%	2,367	90.39%
NOV	1,371	2,193	2,369	2,431	2,226	2,371	1,730	2,098	92.19%	2,305	91.03%	2,318	90.51%
DEC	1,592	2,169	2,115	2,409	2,170	2,079	1,931	2,065	90.74%	2,216	93.20%	2,188	94.36%
Year	1,689	2,292	2,381	2,509	2,548	2,543	1,976	2,276		2,432	93.57%	2,454	92.72%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: TOOLE

Station: A-061

At Road: 3.8 Mi. S of Shelby Intch

Location Id: 51-3-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 359.54, 3.8 Mi. S of Shelby Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,781	338	12.15 %	299	10.75 %	291	10.46 %	287	10.32 %	279	10.03 %	269	9.67 %
2004	2,720	351	12.90 %	292	10.74 %	283	10.40 %	277	10.18 %	270	9.93 %	257	9.45 %
2005	2,720	317	11.65 %	305	11.21 %	293	10.77 %	287	10.55 %	279	10.26 %	267	9.82 %
2006	2,770	335	12.09 %	303	10.94 %	294	10.61 %	285	10.29 %	277	10.00 %	267	9.64 %
2007	2,876	349	12.13 %	321	11.16 %	315	10.95 %	307	10.67 %	297	10.33 %	281	9.77 %
2008	2,886	360	12.47 %	322	11.16 %	311	10.78 %	303	10.50 %	294	10.19 %	281	9.74 %
2009	2,827	343	12.13 %	315	11.14 %	305	10.79 %	301	10.65 %	292	10.33 %	279	9.87 %
2010	3,023	426	14.09 %	367	12.14 %	344	11.38 %	336	11.11 %	319	10.55 %	305	10.09 %
2011	3,103	416	13.41 %	346	11.15 %	328	10.57 %	323	10.41 %	314	10.12 %	302	9.73 %
2012	3,286	411	12.51 %	363	11.05 %	352	10.71 %	346	10.53 %	335	10.19 %	322	9.80 %
2013	3,170	452	14.26 %	372	11.74 %	355	11.20 %	346	10.91 %	335	10.57 %	320	10.09 %
2014	3,188	416	13.05 %	361	11.32 %	342	10.73 %	335	10.51 %	325	10.19 %	311	9.76 %
2015	2,958	438	14.81 %	357	12.07 %	327	11.05 %	320	10.82 %	310	10.48 %	292	9.87 %
2016	2,910	378	12.99 %	316	10.86 %	310	10.65 %	305	10.48 %	295	10.14 %	283	9.73 %
2017	2,966	393	13.25 %	336	11.33 %	325	10.96 %	322	10.86 %	309	10.42 %	296	9.98 %
2018	2,916	345	11.83 %	320	10.97 %	314	10.77 %	304	10.43 %	297	10.19 %	285	9.77 %
2019	2,893	365	12.62 %	317	10.96 %	308	10.65 %	302	10.44 %	297	10.27 %	287	9.92 %
2020	2,276	408	17.93 %	344	15.12 %	323	14.20 %	302	13.27 %	280	12.31 %	245	10.77 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: POWDER RIVER

Station: A-063

At Road: 10 Mi. E of S-484

Ascending Direction: East

Location Id: 38-1-010

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 212, RP 76.3, 14 Mi. E of Ashland (C000037)

Traffic Mix: Pass: 56.83% SU: 1.70% CU: 41.47%

Directional Split: WB 51.29% / EB 48.71%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL	1,910	1,590	1,702	1,680	1,784	1,882	1,969	1,787	121.44%	1,689	105.80%	1,728	103.44%
AUG	1,921	1,619	1,696	1,791	1,808	1,928	2,038	1,828	124.23%	1,729	105.76%	1,768	103.37%
SEP	1,758	1,458	1,478	1,567	1,650	1,770	1,850	1,647	111.93%	1,538	107.07%	1,585	103.94%
OCT	1,275	1,183	1,332	1,395	1,369	1,527	1,381	1,351	91.81%	1,320	102.37%	1,361	99.25%
NOV	1,239	1,015	1,151	1,282	1,231	1,341	1,461	1,245	84.61%	1,170	106.43%	1,204	103.41%
DEC	992	805	933	998	981	1,011	1,085	971	65.99%	929	104.49%	946	102.69%
Year	1,516	1,278	1,382	1,452	1,471	1,577	1,631	1,472		1,396	105.43%	1,432	102.77%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE REINSTALLED 07/15/2020



Yearly Peak Hourly Volumes

For Year: 2020

County: POWDER RIVER

Station: A-063

At Road: 10 Mi. E of S-484

Location Id: 38-1-010

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 212, RP 76.3, 14 Mi. E of Ashland (C000037)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	694	135	19.45 %	116	16.71 %	108	15.56 %	103	14.84 %	93	13.40 %	85	12.25 %
2004	750	150	20.00 %	115	15.33 %	105	14.00 %	103	13.73 %	94	12.53 %	84	11.20 %
2005	720	162	22.50 %	114	15.83 %	105	14.58 %	100	13.89 %	91	12.64 %	81	11.25 %
2006	780	188	24.10 %	135	17.31 %	126	16.15 %	122	15.64 %	109	13.97 %	91	11.67 %
2007	826	182	22.03 %	142	17.19 %	134	16.22 %	122	14.77 %	112	13.56 %	100	12.11 %
2008	798	160	20.05 %	130	16.29 %	121	15.16 %	114	14.29 %	108	13.53 %	96	12.03 %
2009	855	226	26.43 %	164	19.18 %	153	17.89 %	146	17.08 %	134	15.67 %	114	13.33 %
2010	933	272	29.15 %	202	21.65 %	188	20.15 %	178	19.08 %	157	16.83 %	130	13.93 %
2011	727	200	27.51 %	151	20.77 %	131	18.02 %	123	16.92 %	112	15.41 %	92	12.65 %
2012	889	205	23.06 %	157	17.66 %	144	16.20 %	136	15.30 %	124	13.95 %	108	12.15 %
2013	951	208	21.87 %	173	18.19 %	160	16.82 %	153	16.09 %	142	14.93 %	124	13.04 %
2014	1,034	240	23.21 %	192	18.57 %	180	17.41 %	171	16.54 %	152	14.70 %	137	13.25 %
2015	1,154	377	32.67 %	266	23.05 %	253	21.92 %	238	20.62 %	204	17.68 %	159	13.78 %
2016	1,269	226	17.81 %	197	15.52 %	192	15.13 %	187	14.74 %	177	13.95 %	161	12.69 %
2017	1,279	226	17.67 %	179	14.00 %	172	13.45 %	165	12.90 %	158	12.35 %	149	11.65 %
2018	1,265		%		%		%		%		%		%
2019	1,274		%		%		%		%		%		%
2020	1,472		%		%		%		%		%		%

Notes
SITE DOWN SEPTEMBER 2017-JULY 2020 NOT ENOUGH DAYS FOR 2018-2020 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: A-064

At Road: 1.6 Mi W of US 191

Ascending Direction: East

Location Id: 16-4-004

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: Big Sky Road, RP 1.65, 1.6 Mi. W of US 191 (C081064)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.38% / EB 49.62%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,004	10,406	10,577	10,206	10,892	10,654	9,317	10,007	109.58%	10,520	95.12%	10,547	94.88%
FEB	8,379	10,671	11,016	11,202	11,282	11,079	9,686	10,473	114.68%	11,043	94.84%	11,050	94.78%
MAR	5,912	8,769	8,458	9,181	9,318	8,871	6,645	8,164	89.40%	8,932	91.41%	8,919	91.53%
APR	2,834	6,369	6,837	6,385	6,448	5,856	3,428	5,450	59.68%	6,510	83.72%	6,379	85.44%
MAY	3,762	7,222	8,635	8,681	8,473	7,324	4,585	6,953	76.14%	8,253	84.25%	8,067	86.19%
JUN	5,287	9,901	10,513	10,168	10,516	9,571	6,429	8,911	97.58%	10,275	86.73%	10,134	87.93%
JUL	8,172	12,438	12,570	12,798	12,912	11,336	8,776	11,285	123.57%	12,680	89.00%	12,411	90.93%
AUG	7,873	12,131	12,825	13,051	12,592	11,809	8,792	11,295	123.68%	12,650	89.29%	12,482	90.49%
SEP	7,030	10,794	12,132	12,671	12,925	11,557	8,152	10,751	117.73%	12,131	88.63%	12,016	89.47%
OCT	4,436	9,599	10,244	10,541	10,409	9,483	5,547	8,608	94.26%	10,198	84.41%	10,055	85.61%
NOV	4,487	9,303	9,309	9,315	8,404	8,084	5,490	7,770	85.08%	9,083	85.55%	8,883	87.47%
DEC	7,652	11,079	10,783	11,296	10,676	9,587	8,364	9,919	108.62%	10,959	90.51%	10,684	92.84%
Year	6,152	9,890	10,325	10,458	10,404	9,601	7,101	9,132		10,269	88.93%	10,136	90.10%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: A-064

At Road: 1.6 Mi W of US 191

Location Id: 16-4-004

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: Big Sky Road, RP 1.65, 1.6 Mi. W of US 191 (C081064)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,698	998	21.24 %	678	14.43 %	656	13.96 %	625	13.30 %	607	12.92 %	563	11.98 %
2004	5,480	925	16.88 %	772	14.09 %	726	13.25 %	718	13.10 %	682	12.45 %	642	11.72 %
2005	6,210	946	15.23 %	847	13.64 %	822	13.24 %	800	12.88 %	782	12.59 %	741	11.93 %
2006	6,500	934	14.37 %	853	13.12 %	832	12.80 %	820	12.62 %	792	12.18 %	755	11.62 %
2007	6,335	938	14.81 %	845	13.34 %	832	13.13 %	816	12.88 %	794	12.53 %	751	11.85 %
2008	5,467	880	16.10 %	775	14.18 %	753	13.77 %	737	13.48 %	711	13.01 %	667	12.20 %
2009	4,664	804	17.24 %	647	13.87 %	617	13.23 %	599	12.84 %	576	12.35 %	548	11.75 %
2010	4,655	862	18.52 %	657	14.11 %	619	13.30 %	595	12.78 %	575	12.35 %	541	11.62 %
2011	4,775	745	15.60 %	653	13.68 %	621	13.01 %	598	12.52 %	583	12.21 %	553	11.58 %
2012	4,805	817	17.00 %	663	13.80 %	634	13.19 %	611	12.72 %	583	12.13 %	551	11.47 %
2013	5,270	825	15.65 %	752	14.27 %	723	13.72 %	688	13.06 %	656	12.45 %	618	11.73 %
2014	5,920	921	15.56 %	820	13.85 %	795	13.43 %	775	13.09 %	747	12.62 %	695	11.74 %
2015	6,658	1,067	16.03 %	919	13.80 %	886	13.31 %	869	13.05 %	828	12.44 %	762	11.44 %
2016	7,399	1,188	16.06 %	1,068	14.43 %	1,016	13.73 %	986	13.33 %	947	12.80 %	861	11.64 %
2017	7,722	1,159	15.01 %	1,026	13.29 %	992	12.85 %	971	12.57 %	921	11.93 %	880	11.40 %
2018	8,521	1,302	15.28 %	1,225	14.38 %	1,178	13.82 %	1,138	13.36 %	1,081	12.69 %	1,012	11.88 %
2019	9,202	1,398	15.19 %	1,239	13.46 %	1,205	13.09 %	1,177	12.79 %	1,151	12.51 %	1,093	11.88 %
2020	9,132	1,384	15.16 %	1,314	14.39 %	1,265	13.85 %	1,217	13.33 %	1,169	12.80 %	1,109	12.14 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-066

At Road: 0.8 Mi. N of MT 200

Ascending Direction: North

Location Id: 32-4-005

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: MT 83, RP 0.81, Clearwater N, 0.8 Mi. N of MT 200 (C000083)

Traffic Mix: Pass: 94.61% SU: 1.91% CU: 3.48%

Directional Split: SB 50.27% / NB 49.73%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,579	1,417	1,303	1,314	1,505	1,873	1,508	1,499	56.03%	1,385	108.25%	1,482	101.12%
FEB	1,358	1,438	1,440	1,448	1,603	1,965	1,624	1,553	58.04%	1,482	104.77%	1,579	98.37%
MAR	1,386	1,344	1,327	1,422	1,566	1,773	1,217	1,433	53.56%	1,415	101.29%	1,486	96.41%
APR	1,623	1,345	1,444	1,400	1,496	1,733	1,396	1,490	55.69%	1,421	104.84%	1,484	100.43%
MAY	3,342	2,639	2,121	2,147	2,581	3,533	3,698	2,865	107.08%	2,372	120.78%	2,604	110.01%
JUN	4,225	2,937	2,997	3,047	3,581	4,856	3,857	3,642	136.12%	3,141	115.97%	3,484	104.55%
JUL	6,626	4,832	4,209	4,568	5,263	6,270	5,812	5,368	200.63%	4,718	113.78%	5,028	106.75%
AUG	6,021	4,153	3,973	4,033	4,422	5,330	5,162	4,727	176.67%	4,145	114.03%	4,382	107.87%
SEP	4,129	3,686	3,040	3,123	3,546	4,553	3,892	3,709	138.62%	3,349	110.76%	3,590	103.33%
OCT	2,354	2,101	2,216	2,220	2,639	3,008	2,221	2,393	89.44%	2,294	104.32%	2,437	98.20%
NOV	1,767	1,702	1,819	1,819	1,651	2,065	1,715	1,790	66.90%	1,748	102.42%	1,811	98.83%
DEC	1,568	1,643	1,632	1,702	1,715	1,646	1,569	1,638	61.22%	1,673	97.91%	1,668	98.22%
Year	2,998	2,436	2,293	2,354	2,631	3,217	2,806	2,676		2,429	110.17%	2,586	103.45%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-066

At Road: 0.8 Mi. N of MT 200

Location Id: 32-4-005

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: MT 83, RP 0.81, Clearwater N, 0.8 Mi. N of MT 200 (C000083)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,167	526	24.27 %	475	21.92 %	430	19.84 %	407	18.78 %	385	17.77 %	345	15.92 %
2004	2,240	753	33.62 %	482	21.52 %	466	20.80 %	445	19.87 %	404	18.04 %	360	16.07 %
2005	2,220	867	39.05 %	491	22.12 %	440	19.82 %	415	18.69 %	394	17.75 %	358	16.13 %
2006	2,440	591	24.22 %	546	22.38 %	508	20.82 %	487	19.96 %	453	18.57 %	406	16.64 %
2007	2,235	580	25.95 %	492	22.01 %	438	19.60 %	417	18.66 %	390	17.45 %	344	15.39 %
2008	2,102	645	30.69 %	499	23.74 %	457	21.74 %	438	20.84 %	405	19.27 %	357	16.98 %
2009	2,225	693	31.15 %	568	25.53 %	510	22.92 %	474	21.30 %	436	19.60 %	380	17.08 %
2010	2,188	720	32.91 %	546	24.95 %	482	22.03 %	464	21.21 %	432	19.74 %	381	17.41 %
2011	2,086	601	28.81 %	491	23.54 %	451	21.62 %	439	21.05 %	404	19.37 %	365	17.50 %
2012	2,327		%		%		%		%		%		%
2013	2,340		%		%		%		%		%		%
2014	2,380		%		%		%		%		%		%
2015	2,600		%		%		%		%		%		%
2016	2,475	630	25.45 %	584	23.60 %	548	22.14 %	538	21.74 %	508	20.53 %	444	17.94 %
2017	2,375	664	27.96 %	595	25.05 %	551	23.20 %	539	22.69 %	503	21.18 %	439	18.48 %
2018	2,467	722	29.27 %	612	24.81 %	571	23.15 %	547	22.17 %	516	20.92 %	459	18.61 %
2019	2,488	747	30.02 %	653	26.25 %	610	24.52 %	585	23.51 %	533	21.42 %	470	18.89 %
2020	2,676	771	28.82 %	693	25.91 %	666	24.90 %	640	23.93 %	579	21.64 %	529	19.78 %

Notes
 UNDER CONSTRUCTION 2012-2015
 NOT ENOUGH DAYS TO MAKE 2012-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-067

At Road: N of I-90

Ascending Direction: North

Location Id: 32-3A-232

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: Van Buren Street, Missoula, RP 0.11, SW of Poplar St (C008115)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.99% / SB 49.01%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,499	8,440	8,746	8,372	8,907	8,982	7,190	8,161	102.64%	8,616	94.72%	8,689	93.92%
FEB	6,742	8,396	8,844	8,949	9,308	9,391	7,752	8,482	106.67%	8,874	95.58%	8,978	94.48%
MAR	5,760	7,211	7,148	7,626	7,178	7,710	5,851	6,926	87.10%	7,291	95.00%	7,375	93.92%
APR	5,244	6,132	6,800	6,202	6,264	6,676	5,296	6,087	76.55%	6,350	95.87%	6,415	94.89%
MAY	6,793	7,381	7,982	8,038	8,547	8,607	7,450	7,827	98.44%	7,987	98.00%	8,111	96.50%
JUN	7,089	8,751	8,435	9,435	9,853	9,694	7,389	8,663	108.95%	9,119	95.00%	9,234	93.82%
JUL	7,182	9,192	9,429	9,641	9,731	9,141	7,231	8,792	110.57%	9,498	92.56%	9,427	93.27%
AUG	7,244	8,923	9,254	9,449	9,215	9,395	7,579	8,722	109.69%	9,210	94.70%	9,247	94.32%
SEP	7,067	8,360	9,404	9,693	9,801	9,280	7,578	8,739	109.90%	9,315	93.82%	9,308	93.89%
OCT	6,369	8,620	9,070	9,186	9,440	9,163	7,052	8,413	105.81%	9,079	92.66%	9,096	92.49%
NOV	5,884	7,815	8,290	8,061	7,341	7,809	6,306	7,357	92.52%	7,877	93.40%	7,863	93.56%
DEC	5,793	7,660	7,798	7,983	7,969	7,246	6,294	7,248	91.15%	7,853	92.30%	7,731	93.75%
Year	6,472	8,073	8,433	8,553	8,630	8,591	6,914	7,951		8,422	94.41%	8,456	94.03%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-067

At Road: N of I-90

Location Id: 32-3A-232

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: Van Buren Street, Missoula, RP 0.11, SW of Poplar St (C008115)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	9,781	1,157	11.83 %	1,062	10.86 %	1,032	10.55 %	1,004	10.26 %	986	10.08 %	949	9.70 %
2004	9,770	1,111	11.37 %	1,052	10.77 %	1,025	10.49 %	1,011	10.35 %	982	10.05 %	949	9.71 %
2005	9,530	1,105	11.59 %	1,027	10.78 %	1,004	10.54 %	998	10.47 %	975	10.23 %	934	9.80 %
2006	9,580	1,081	11.28 %	1,048	10.94 %	1,007	10.51 %	985	10.28 %	961	10.03 %	923	9.63 %
2007	9,483	1,203	12.69 %	1,005	10.60 %	983	10.37 %	968	10.21 %	946	9.98 %	916	9.66 %
2008	9,179	1,312	14.29 %	1,044	11.37 %	993	10.82 %	972	10.59 %	950	10.35 %	909	9.90 %
2009	9,350	1,147	12.27 %	1,010	10.80 %	992	10.61 %	969	10.36 %	951	10.17 %	917	9.81 %
2010	9,434	1,148	12.17 %	1,028	10.90 %	1,005	10.65 %	997	10.57 %	967	10.25 %	931	9.87 %
2011	8,790		%		%		%		%		%		%
2012	9,254	1,162	12.56 %	996	10.76 %	980	10.59 %	971	10.49 %	949	10.26 %	902	9.75 %
2013	8,717	1,106	12.69 %	974	11.17 %	953	10.93 %	943	10.82 %	923	10.59 %	892	10.23 %
2014	8,919	1,115	12.50 %	1,016	11.39 %	974	10.92 %	961	10.77 %	933	10.46 %	901	10.10 %
2015	9,312	1,722	18.49 %	1,229	13.20 %	1,166	12.52 %	1,132	12.16 %	1,068	11.47 %	1,006	10.80 %
2016	9,260		%		%		%		%		%		%
2017	9,140		%		%		%		%		%		%
2018	8,615	1,238	14.37 %	991	11.50 %	948	11.00 %	931	10.81 %	907	10.53 %	875	10.16 %
2019	8,874	1,691	19.06 %	1,231	13.87 %	1,055	11.89 %	995	11.21 %	950	10.71 %	910	10.25 %
2020	7,951	1,196	15.04 %	947	11.91 %	927	11.66 %	904	11.37 %	877	11.03 %	836	10.51 %

Notes
UNDER CONSTRUCTION 2011 SITE DOWN AUG 2016 - JUN 2017 NOT ENOUGH DAYS TO MAKE 2011, 2016, & 2017 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: A-068

At Road: Btwn Ronald & Hilda Avs

Ascending Direction: East

Location Id: 32-3A-258

Functional Class: Major Collector Urban


Traffic Factor Group: UMA_UC

Located On: Beckwith Ave, Missoula, RP 2.29, E of Hilda Ave (C008116)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.53% / EB 49.47%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,369	4,150	4,547	4,119	4,581	4,486	2,771	3,859	129.78%	4,349	88.73%	4,377	88.17%
FEB	2,828	4,386	5,062	5,176	5,451	5,114	3,481	4,499	151.30%	5,019	89.64%	5,038	89.30%
MAR	1,856	3,219	3,200	3,689	3,734	3,562	2,180	3,062	102.97%	3,461	88.48%	3,481	87.97%
APR	1,315	1,790	1,902	1,846	1,803	1,911	1,302	1,695	57.00%	1,835	92.36%	1,850	91.60%
MAY	1,582	2,142	2,510	2,515	2,629	2,528	1,859	2,251	75.70%	2,449	91.92%	2,465	91.33%
JUN	1,725	2,833	2,986	3,008	3,071	3,059	1,895	2,653	89.22%	2,975	89.19%	2,991	88.69%
JUL	1,867	2,951	3,075	3,148	3,203	2,894	1,979	2,730	91.81%	3,094	88.23%	3,054	89.39%
AUG	2,485	3,786	3,894	3,991	4,097	3,971	2,689	3,558	119.65%	3,942	90.26%	3,948	90.13%
SEP	2,465	3,620	4,218	4,300	4,298	4,150	2,662	3,672	123.49%	4,109	89.36%	4,117	89.19%
OCT	1,950	2,990	3,075	3,061	3,352	3,200	2,314	2,848	95.78%	3,120	91.30%	3,136	90.83%
NOV	1,874	3,007	3,185	3,059	2,843	2,935	2,091	2,713	91.24%	3,024	89.73%	3,006	90.26%
DEC	1,386	2,357	2,437	2,469	2,372	2,139	1,851	2,143	72.07%	2,409	88.97%	2,355	91.01%
Year	1,975	3,103	3,341	3,365	3,453	3,329	2,256	2,974		3,315	89.69%	3,318	89.62%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: A-068

At Road: Btwn Ronald & Hilda Avs

Location Id: 32-3A-258

Functional Class: Major Collector Urban

Traffic Factor Group: UMA_UC

Located On: Beckwith Ave, Missoula, RP 2.29, E of Hilda Ave (C008116)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,247	602	18.54 %	445	13.70 %	438	13.49 %	427	13.15 %	410	12.63 %	388	11.95 %
2004	2,980	598	20.07 %	431	14.46 %	402	13.49 %	387	12.99 %	371	12.45 %	352	11.81 %
2005	2,770	562	20.29 %	396	14.30 %	362	13.07 %	354	12.78 %	344	12.42 %	330	11.91 %
2006	2,820	600	21.28 %	441	15.64 %	400	14.18 %	373	13.23 %	355	12.59 %	335	11.88 %
2007	2,698	617	22.87 %	448	16.60 %	392	14.53 %	368	13.64 %	332	12.31 %	315	11.68 %
2008	3,055	518	16.96 %	454	14.86 %	420	13.75 %	399	13.06 %	382	12.50 %	365	11.95 %
2009	2,706	704	26.02 %	487	18.00 %	435	16.08 %	417	15.41 %	401	14.82 %	364	13.45 %
2010	3,535	668	18.90 %	548	15.50 %	485	13.72 %	474	13.41 %	458	12.96 %	437	12.36 %
2011	4,167	756	18.14 %	601	14.42 %	569	13.65 %	544	13.05 %	530	12.72 %	508	12.19 %
2012	3,935	715	18.17 %	582	14.79 %	538	13.67 %	523	13.29 %	508	12.91 %	487	12.38 %
2013	3,892	734	18.86 %	571	14.67 %	522	13.41 %	497	12.77 %	482	12.38 %	465	11.95 %
2014	3,933	795	20.21 %	554	14.09 %	521	13.25 %	505	12.84 %	491	12.48 %	472	12.00 %
2015	4,021	691	17.18 %	535	13.31 %	510	12.68 %	500	12.43 %	489	12.16 %	474	11.79 %
2016	4,032	779	19.32 %	537	13.32 %	506	12.55 %	496	12.30 %	487	12.08 %	468	11.61 %
2017	4,029	589	14.62 %	540	13.40 %	519	12.88 %	509	12.63 %	492	12.21 %	476	11.81 %
2018	4,020	661	16.44 %	539	13.41 %	517	12.86 %	500	12.44 %	489	12.16 %	470	11.69 %
2019	4,219	651	15.43 %	524	12.42 %	506	11.99 %	494	11.71 %	485	11.50 %	470	11.14 %
2020	2,974	509	17.12 %	475	15.98 %	461	15.51 %	455	15.30 %	437	14.70 %	410	13.79 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: DEER LODGE

Station: A-069

At Road: 1 Mi. N of MT 48

Ascending Direction: North

Location Id: 12-1B-006

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-273, Galen, RP 1.03, 1 Mi. N of MT 48 (C000273)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.44% / NB 49.56%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	643	857	831	811	872	890	682	797	86.11%	843	94.57%	852	93.52%
FEB	615	788	824	850	842	895	692	786	84.92%	826	95.16%	840	93.59%
MAR	646	764	751	795	833	850	689	760	82.11%	786	96.72%	799	95.17%
APR	702	786	880	873	826	924	733	817	88.27%	841	97.12%	858	95.24%
MAY	845	940	1,008	1,000	1,026	1,031	913	965	104.26%	994	97.13%	1,001	96.40%
JUN	867	1,030	1,073	1,079	1,148	1,240	1,083	1,073	115.93%	1,083	99.12%	1,114	96.32%
JUL	962	1,121	1,164	1,161	1,146	1,162	1,004	1,102	119.06%	1,148	95.99%	1,151	95.76%
AUG	934	1,079	1,169	1,148	1,148	1,175	1,016	1,095	118.30%	1,136	96.39%	1,144	95.73%
SEP	841	981	1,102	1,133	1,115	1,104	914	1,027	110.96%	1,083	94.85%	1,087	94.48%
OCT	744	952	991	1,000	1,018	1,078	873	950	102.64%	990	95.94%	1,008	94.26%
NOV	732	935	1,008	939	902	935	837	897	96.91%	946	94.82%	944	95.04%
DEC	651	876	902	903	920	869	750	838	90.54%	900	93.09%	894	93.74%
Year	765	926	975	974	983	1,013	849	926		965	95.96%	974	95.01%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: DEER LODGE

Station: A-069

At Road: 1 Mi. N of MT 48

Location Id: 12-1B-006

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-273, Galen, RP 1.03, 1 Mi. N of MT 48 (C000273)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	810		%		%		%		%		%		%
2004	870		%		%		%		%		%		%
2005	850		%		%		%		%		%		%
2006	830		%		%		%		%		%		%
2007	880		%		%		%		%		%		%
2008	880		%		%		%		%		%		%
2009	900		%		%		%		%		%		%
2010	980	168	17.14 %	117	11.94 %	112	11.43 %	109	11.12 %	106	10.82 %	102	10.41 %
2011	899	157	17.46 %	133	14.79 %	126	14.02 %	119	13.24 %	108	12.01 %	99	11.01 %
2012	832	121	14.54 %	103	12.38 %	100	12.02 %	96	11.54 %	91	10.94 %	87	10.46 %
2013	856	136	15.89 %	104	12.15 %	100	11.68 %	97	11.33 %	94	10.98 %	89	10.40 %
2014	857	134	15.64 %	102	11.90 %	100	11.67 %	97	11.32 %	95	11.09 %	90	10.50 %
2015	888	161	18.13 %	110	12.39 %	106	11.94 %	103	11.60 %	99	11.15 %	94	10.59 %
2016	936	176	18.80 %	118	12.61 %	113	12.07 %	110	11.75 %	106	11.32 %	101	10.79 %
2017	948	150	15.82 %	121	12.76 %	116	12.24 %	113	11.92 %	110	11.60 %	105	11.08 %
2018	928	137	14.76 %	116	12.50 %	114	12.28 %	111	11.96 %	107	11.53 %	102	10.99 %
2019	924	137	14.83 %	112	12.12 %	109	11.80 %	107	11.58 %	104	11.26 %	100	10.82 %
2020	926	183	19.78 %	115	12.43 %	113	12.22 %	110	11.89 %	106	11.46 %	100	10.81 %

Notes
THIS SITE REPLACED W-109 IN 2010 ALL AADTS PRIOR TO 2010 WERE CARRIED OVER FROM W-109

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LAKE

Station: A-073

At Road: 2.5 Mi. E of US 93

Ascending Direction: North

Location Id: 24-2-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 35, RP 2.49, Polson, 2.5 Mi. E of US 93 (C000052)

Traffic Mix: Pass: 95.44% SU: 1.44% CU: 3.12%

Directional Split: NB 50.10% / SB 49.90%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,072	2,711	2,636	2,626	2,942	3,097	2,379	2,637	66.41%	2,729	96.64%	2,802	94.10%
FEB	2,183	2,840	2,863	2,828	3,156	3,393	2,734	2,856	71.93%	2,922	97.75%	3,016	94.69%
MAR	2,308	2,815	2,857	2,936	3,080	3,169	2,277	2,776	69.91%	2,922	95.00%	2,971	93.42%
APR	2,156	2,851	3,072	2,788	2,990	3,132	2,355	2,763	69.59%	2,925	94.45%	2,967	93.14%
MAY	3,579	3,759	3,717	3,710	4,029	4,471	4,210	3,924	98.82%	3,804	103.16%	3,937	99.66%
JUN	4,629	4,758	4,809	4,719	5,133	5,891	4,861	4,970	125.17%	4,855	102.37%	5,062	98.18%
JUL	6,661	6,406	6,095	6,271	6,683	7,518	6,766	6,628	166.92%	6,364	104.15%	6,595	100.51%
AUG	6,374	5,935	6,000	6,089	6,291	7,109	6,772	6,366	160.33%	6,079	104.73%	6,285	101.29%
SEP	4,656	4,777	4,864	4,916	5,209	5,855	5,200	5,067	127.61%	4,942	102.54%	5,124	98.88%
OCT	3,048	3,598	3,688	3,807	4,192	4,451	3,423	3,743	94.27%	3,821	97.95%	3,947	94.83%
NOV	2,310	3,133	3,248	3,097	2,991	3,310	2,618	2,957	74.47%	3,117	94.86%	3,156	93.70%
DEC	2,358	3,157	3,065	3,295	3,242	3,080	2,535	2,961	74.57%	3,190	92.83%	3,168	93.47%
Year	3,528	3,895	3,910	3,924	4,162	4,540	3,844	3,971		3,972	99.96%	4,086	97.18%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LAKE

Station: A-073

At Road: 2.5 Mi. E of US 93

Location Id: 24-2-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 35, RP 2.49, Polson, 2.5 Mi. E of US 93 (C000052)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	5,030		%		%		%		%		%		%
2004	5,840		%		%		%		%		%		%
2005	5,840		%		%		%		%		%		%
2006	6,030		%		%		%		%		%		%
2007	4,470		%		%		%		%		%		%
2008	4,510		%		%		%		%		%		%
2009	4,670		%		%		%		%		%		%
2010	3,736	672	17.99 %	623	16.68 %	595	15.93 %	583	15.60 %	545	14.59 %	504	13.49 %
2011	3,570	663	18.57 %	595	16.67 %	570	15.97 %	556	15.57 %	530	14.85 %	499	13.98 %
2012	3,589	644	17.94 %	612	17.05 %	585	16.30 %	576	16.05 %	538	14.99 %	502	13.99 %
2013	3,664	640	17.47 %	607	16.57 %	586	15.99 %	565	15.42 %	548	14.96 %	513	14.00 %
2014	3,601	643	17.86 %	611	16.97 %	591	16.41 %	578	16.05 %	556	15.44 %	517	14.36 %
2015	3,777	701	18.56 %	638	16.89 %	587	15.54 %	571	15.12 %	544	14.40 %	503	13.32 %
2016	3,890	716	18.41 %	646	16.61 %	626	16.09 %	604	15.53 %	581	14.94 %	541	13.91 %
2017	3,879	696	17.94 %	649	16.73 %	635	16.37 %	619	15.96 %	598	15.42 %	563	14.51 %
2018	4,030	757	18.78 %	716	17.77 %	685	17.00 %	664	16.48 %	640	15.88 %	598	14.84 %
2019	3,961	699	17.65 %	668	16.86 %	648	16.36 %	634	16.01 %	608	15.35 %	566	14.29 %
2020	3,971	734	18.49 %	648	16.32 %	634	15.97 %	626	15.77 %	604	15.21 %	573	14.43 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2009 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LAKE

Station: A-074

At Road: 1.8 Mi. S of MT 28

Ascending Direction: North

Location Id: 24-2-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 75.74, Elmo, 1.8 Mi. S of MT 28 (C000005)

Traffic Mix: Pass: 94.30% SU: 1.27% CU: 4.43%

Directional Split: SB 50.30% / NB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,462	2,813	2,848	2,804	3,151	3,475	3,129	2,954	81.36%	2,904	101.72%	3,018	97.87%
FEB	2,571	2,958	2,985	2,981	3,309	3,700	3,249	3,107	85.57%	3,058	101.59%	3,187	97.50%
MAR	2,382	2,705	2,693	2,852	3,040	3,301	2,530	2,785	76.70%	2,823	98.67%	2,918	95.44%
APR	1,820	2,389	2,527	2,371	2,492	2,579	2,074	2,321	63.92%	2,445	94.94%	2,472	93.91%
MAY	3,203	3,324	3,258	3,322	3,556	3,930	3,732	3,474	95.68%	3,365	103.24%	3,478	99.88%
JUN	4,276	4,085	4,285	4,130	4,445	5,015	4,713	4,420	121.73%	4,236	104.34%	4,392	100.64%
JUL	5,272	4,925	4,732	4,825	5,231	5,834	5,093	5,130	141.29%	4,928	104.09%	5,109	100.40%
AUG	4,983	4,822	4,773	4,945	5,155	5,774	5,320	5,109	140.71%	4,924	103.76%	5,094	100.30%
SEP	4,176	4,389	4,408	4,365	4,721	5,250	4,822	4,589	126.39%	4,471	102.64%	4,627	99.19%
OCT	3,011	3,497	3,646	3,697	3,972	4,296	3,381	3,642	100.31%	3,703	98.35%	3,822	95.30%
NOV	2,491	3,007	3,198	3,222	2,932	3,351	2,828	3,003	82.71%	3,090	97.19%	3,142	95.58%
DEC	2,598	3,122	3,069	3,288	3,184	3,064	2,934	3,037	83.64%	3,166	95.93%	3,145	96.55%
Year	3,270	3,503	3,535	3,567	3,766	4,131	3,650	3,631		3,593	101.06%	3,700	98.13%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LAKE

Station: A-074

At Road: 1.8 Mi. S of MT 28

Location Id: 24-2-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 75.74, Elmo, 1.8 Mi. S of MT 28 (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,940		%		%		%		%		%		%
2004	3,190		%		%		%		%		%		%
2005	3,190		%		%		%		%		%		%
2006	3,180		%		%		%		%		%		%
2007	3,730		%		%		%		%		%		%
2008	3,490		%		%		%		%		%		%
2009	2,730		%		%		%		%		%		%
2010	3,543	617	17.41 %	532	15.02 %	511	14.42 %	495	13.97 %	475	13.41 %	433	12.22 %
2011	3,374	603	17.87 %	495	14.67 %	476	14.11 %	467	13.84 %	452	13.40 %	413	12.24 %
2012	3,380	587	17.37 %	479	14.17 %	454	13.43 %	447	13.22 %	425	12.57 %	397	11.75 %
2013	3,398	562	16.54 %	524	15.42 %	459	13.51 %	449	13.21 %	428	12.60 %	404	11.89 %
2014	3,376	592	17.54 %	511	15.14 %	479	14.19 %	462	13.68 %	441	13.06 %	411	12.17 %
2015	3,605	676	18.75 %	536	14.87 %	512	14.20 %	498	13.81 %	454	12.59 %	425	11.79 %
2016	3,735	561	15.02 %	530	14.19 %	504	13.49 %	480	12.85 %	468	12.53 %	440	11.78 %
2017	3,737	653	17.47 %	547	14.64 %	512	13.70 %	493	13.19 %	478	12.79 %	459	12.28 %
2018	3,778	571	15.11 %	511	13.53 %	491	13.00 %	484	12.81 %	470	12.44 %	448	11.86 %
2019	3,807	630	16.55 %	556	14.60 %	522	13.71 %	506	13.29 %	494	12.98 %	462	12.14 %
2020	3,631	592	16.30 %	516	14.21 %	497	13.69 %	483	13.30 %	470	12.94 %	452	12.45 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2009 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: RICHLAND

Station: A-076

At Road: 4.5 Mi. E of MT 16

Ascending Direction: East

Location Id: 42-2-010

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: Route 201, RP 62.17, 7.3 Mi. W of Fairview (C000201)

Traffic Mix: Pass: 75.49% SU: 4.58% CU: 19.93%

Directional Split: WB 50.14% / EB 49.86%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	198	319	331	285	293	320	250	284	92.76%	307	92.51%	310	91.73%
FEB	216	268	309	298	315	307	254	280	91.45%	298	94.12%	299	93.52%
MAR	203	284	297	304	291	284	241	271	88.51%	294	92.18%	292	92.81%
APR	182	263	294	280	301	258	212	255	83.29%	285	89.63%	279	91.33%
MAY	222	308	317	350	335	309	247	297	97.01%	328	90.69%	324	91.72%
JUN	252	354	373	402	389	381	298	349	113.99%	380	91.96%	380	91.89%
JUL	267	354	360	373	373	333	237	327	106.80%	365	89.59%	359	91.19%
AUG	274	374	361	419	369	389	342	360	117.58%	381	94.55%	382	94.14%
SEP	250	352	381	356	417	408	310	352	114.97%	377	93.49%	383	91.95%
OCT	251	342	356	358	355	356	258	325	106.15%	353	92.13%	353	91.96%
NOV	230	288	322	334	323	327	254	296	96.68%	317	93.45%	319	92.85%
DEC	177	302	325	343	304	282	219	278	90.80%	319	87.28%	311	89.33%
Year	227	317	336	342	339	330	260	306		333	91.84%	333	92.06%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: RICHLAND

Station: A-076

At Road: 4.5 Mi. E of MT 16

Location Id: 42-2-010

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: Route 201, RP 62.17, 7.3 Mi. W of Fairview (C000201)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	580		%		%		%		%		%		%
2004	1,340		%		%		%		%		%		%
2005	1,340		%		%		%		%		%		%
2006	950		%		%		%		%		%		%
2007	880		%		%		%		%		%		%
2008	840		%		%		%		%		%		%
2009	820		%		%		%		%		%		%
2010	1,630		%		%		%		%		%		%
2011	1,220		%		%		%		%		%		%
2012	1,150		%		%		%		%		%		%
2013	670		%		%		%		%		%		%
2014	580		%		%		%		%		%		%
2015	568	107	18.84 %	86	15.14 %	78	13.73 %	76	13.38 %	73	12.85 %	69	12.15 %
2016	395	93	23.54 %	55	13.92 %	53	13.42 %	50	12.66 %	48	12.15 %	45	11.39 %
2017	370	104	28.11 %	50	13.51 %	48	12.97 %	48	12.97 %	46	12.43 %	43	11.62 %
2018	369	94	25.47 %	52	14.09 %	48	13.01 %	46	12.47 %	44	11.92 %	42	11.38 %
2019	383	75	19.58 %	59	15.40 %	55	14.36 %	53	13.84 %	50	13.05 %	47	12.27 %
2020	306	229	74.84 %	46	15.03 %	42	13.73 %	41	13.40 %	38	12.42 %	36	11.76 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2013-2014, NOT ENOUGH DAYS TO MAKE 2012-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: FALLON

Station: A-077

At Road: 2.5 Mi. E of RR Tracks

Ascending Direction: East

Location Id: 13-1-005

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 88.64, 5.5 Mi. E of Baker (C000002)

Traffic Mix: Pass: 80.72% SU: 4.45% CU: 14.83%

Directional Split: WB 50.45% / EB 49.55%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	284	648	668	633	653	670	362	559	92.08%	651	85.93%	654	85.42%
FEB	311	634	656	718	718	731	363	589	97.02%	682	86.43%	691	85.19%
MAR	280	610	630	677	639	685	332	549	90.43%	639	85.92%	648	84.70%
APR	225	499	509	522	494	490	274	430	70.83%	506	84.98%	503	85.52%
MAY	376	560	709	744	673	636	419	587	96.69%	672	87.42%	664	88.35%
JUN	503	798	805	758	940	868	521	741	122.06%	825	89.79%	834	88.87%
JUL	548	743	727	905	749	759	563	712	117.28%	781	91.17%	777	91.68%
AUG	525	743	736	785	837	790	559	710	116.95%	775	91.58%	778	91.24%
SEP	463	703	796	834	793	785	497	695	114.48%	782	88.93%	782	88.85%
OCT	376	678	684	713	674	753	413	612	100.81%	687	89.05%	700	87.38%
NOV	363	634	650	695	613	624	415	570	93.89%	648	87.96%	643	88.62%
DEC	325	612	644	660	522	560	403	531	87.47%	610	87.12%	600	88.56%
Year	382	655	685	720	692	696	427	607		688	88.24%	690	88.03%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: FALLON

Station: A-077

At Road: 2.5 Mi. E of RR Tracks

Location Id: 13-1-005

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 88.64, 5.5 Mi. E of Baker (C000002)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,030		%		%		%		%		%		%
2004	880		%		%		%		%		%		%
2005	880		%		%		%		%		%		%
2006	810		%		%		%		%		%		%
2007	1,120		%		%		%		%		%		%
2008	1,050		%		%		%		%		%		%
2009	880		%		%		%		%		%		%
2010	870		%		%		%		%		%		%
2011	880		%		%		%		%		%		%
2012	990		%		%		%		%		%		%
2013	812	137	16.87 %	114	14.04 %	110	13.55 %	107	13.18 %	104	12.81 %	97	11.95 %
2014	878	130	14.81 %	118	13.44 %	110	12.53 %	108	12.30 %	104	11.85 %	100	11.39 %
2015	790	181	22.91 %	101	12.78 %	97	12.28 %	95	12.03 %	92	11.65 %	87	11.01 %
2016	687	96	13.97 %	90	13.10 %	88	12.81 %	86	12.52 %	83	12.08 %	78	11.35 %
2017	636	98	15.41 %	88	13.84 %	85	13.36 %	81	12.74 %	77	12.11 %	73	11.48 %
2018	672	111	16.52 %	100	14.88 %	98	14.58 %	94	13.99 %	90	13.39 %	83	12.35 %
2019	696	113	16.24 %	95	13.65 %	89	12.79 %	87	12.50 %	84	12.07 %	80	11.49 %
2020	607	112	18.45 %	99	16.31 %	96	15.82 %	92	15.16 %	86	14.17 %	78	12.85 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MEAGHER

Station: A-078

At Road: 2.5 Mi. W of S-294

Ascending Direction: East

Location Id: 30-4-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: US 12, RP 73.47, 10.5 Mi. E of Checkerboard (C000014)

Traffic Mix: Pass: 91.80% SU: 1.89% CU: 6.31%

Directional Split: WB 50.52% / EB 49.48%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	203	167	154	170	183	222	205	186	58.57%	169	110.39%	179	103.79%
FEB	202	162	153	176	175	222	232	188	59.20%	167	112.91%	178	105.86%
MAR	159	145	152	173	180	206	168	168	52.90%	163	103.38%	171	98.13%
APR	173	193	193	189	185	209	172	187	58.88%	190	98.42%	194	96.49%
MAY	378	372	277	314	297	384	363	340	107.06%	315	107.94%	329	103.41%
JUN	523	367	338	352	408	496	455	419	131.93%	366	114.40%	392	106.83%
JUL	616	460	372	416	470	585	488	485	152.72%	430	112.92%	461	105.30%
AUG	551	371	348	380	434	531	450	437	137.60%	383	114.02%	413	105.86%
SEP	525	464	362	383	450	604	498	469	147.68%	415	113.08%	453	103.62%
OCT	338	290	282	309	350	496	327	341	107.37%	308	110.80%	345	98.73%
NOV	369	297	327	352	331	454	461	369	116.19%	327	112.93%	352	104.77%
DEC	234	212	200	231	224	222	232	222	69.90%	217	102.42%	218	101.93%
Year	356	292	263	287	307	386	338	318		287	110.54%	307	103.44%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MEAGHER

Station: A-078

At Road: 2.5 Mi. W of S-294

Location Id: 30-4-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: US 12, RP 73.47, 10.5 Mi. E of Checkerboard (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	380		%		%		%		%		%		%
2004	360		%		%		%		%		%		%
2005	340		%		%		%		%		%		%
2006	350		%		%		%		%		%		%
2007	360		%		%		%		%		%		%
2008	270		%		%		%		%		%		%
2009	280		%		%		%		%		%		%
2010	410		%		%		%		%		%		%
2011	380		%		%		%		%		%		%
2012	380		%		%		%		%		%		%
2013	380		%		%		%		%		%		%
2014	390		%		%		%		%		%		%
2015	450		%		%		%		%		%		%
2016	330	129	39.09 %	78	23.64 %	72	21.82 %	69	20.91 %	63	19.09 %	57	17.27 %
2017	317	100	31.55 %	78	24.61 %	72	22.71 %	67	21.14 %	62	19.56 %	55	17.35 %
2018	330	99	30.00 %	80	24.24 %	73	22.12 %	68	20.61 %	64	19.39 %	57	17.27 %
2019	294	96	32.65 %	70	23.81 %	64	21.77 %	59	20.07 %	54	18.37 %	50	17.01 %
2020	318	202	63.72 %	81	25.55 %	72	22.71 %	66	20.82 %	61	19.24 %	55	17.35 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2015 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2015 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: A-079

At Road: 0.5 Mi. E of York Rd

Ascending Direction: East

Location Id: 25-7B-037

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: U-5818, Canyon Ferry Rd, RP 0.672, E of Bompert Ln (C0000430)

Traffic Mix: Pass: 97.77% SU: 1.45% CU: 0.78%

Directional Split: EB 51.67% / WB 48.33%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,947	9,197	9,518	8,856	9,654	10,088	8,281	8,933	92.92%	9,306	95.99%	9,463	94.40%
FEB	7,107	9,280	9,720	9,900	9,995	10,675	8,465	9,305	96.79%	9,724	95.69%	9,914	93.86%
MAR	6,390	8,694	8,606	9,092	9,456	9,800	6,926	8,423	87.62%	8,962	93.99%	9,130	92.26%
APR	6,004	8,321	8,523	8,167	8,410	9,131	6,945	7,928	82.47%	8,355	94.89%	8,510	93.16%
MAY	8,300	9,874	10,477	10,467	11,191	11,298	9,952	10,222	106.33%	10,502	97.33%	10,661	95.88%
JUN	8,686	10,845	11,207	11,340	11,543	12,614	10,336	10,938	113.78%	11,234	97.37%	11,510	95.03%
JUL	9,042	11,506	11,468	11,791	12,052	12,037	9,964	11,122	115.69%	11,704	95.03%	11,771	94.49%
AUG	8,863	10,991	11,346	11,290	11,313	11,934	9,992	10,818	112.53%	11,235	96.29%	11,375	95.10%
SEP	8,371	10,217	11,246	11,176	11,504	11,763	9,678	10,564	109.89%	11,036	95.73%	11,181	94.48%
OCT	6,709	9,665	9,940	10,199	10,581	11,113	7,699	9,414	97.92%	10,096	93.24%	10,300	91.40%
NOV	6,367	9,348	9,674	9,201	8,345	10,148	8,178	8,750	91.02%	9,142	95.71%	9,343	93.65%
DEC	6,779	9,485	9,548	9,589	9,906	9,097	8,224	8,946	93.06%	9,632	92.88%	9,525	93.92%
Year	7,464	9,785	10,106	10,089	10,329	10,808	8,720	9,614		10,077	95.40%	10,224	94.03%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: A-079

At Road: 0.5 Mi. E of York Rd

Location Id: 25-7B-037

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: U-5818, Canyon Ferry Rd, RP 0.672, E of Bompert Ln (C0000430)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,270		%		%		%		%		%		%
2004	6,270		%		%		%		%		%		%
2005	7,300		%		%		%		%		%		%
2006	7,750		%		%		%		%		%		%
2007	8,410		%		%		%		%		%		%
2008	7,270		%		%		%		%		%		%
2009	7,420		%		%		%		%		%		%
2010	8,540		%		%		%		%		%		%
2011	8,890		%		%		%		%		%		%
2012	9,050		%		%		%		%		%		%
2013	9,020		%		%		%		%		%		%
2014	9,970		%		%		%		%		%		%
2015	10,690		%		%		%		%		%		%
2016	10,818		%		%		%		%		%		%
2017	9,608	1,154	12.01 %	1,115	11.60 %	1,095	11.40 %	1,082	11.26 %	1,058	11.01 %	1,017	10.58 %
2018	10,093	1,279	12.67 %	1,202	11.91 %	1,177	11.66 %	1,165	11.54 %	1,141	11.30 %	1,096	10.86 %
2019	10,016	1,194	11.92 %	1,165	11.63 %	1,150	11.48 %	1,142	11.40 %	1,120	11.18 %	1,084	10.82 %
2020	9,614	1,180	12.28 %	1,108	11.53 %	1,088	11.32 %	1,076	11.19 %	1,057	11.00 %	1,028	10.69 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: A-080

At Road: Btwn Custer Ave & Brady St

Ascending Direction: South

Location Id: 25-7C-085

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: U-5810, Henderson Ave, RP 0.145 (C005810)

Traffic Mix: Pass: 98.77% SU: 0.90% CU: 0.33%

Directional Split: SB 50.78% / NB 49.22%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,183	7,994	8,536	7,908	8,529	8,787	7,030	7,851	95.33%	8,242	95.26%	8,351	94.01%
FEB	6,301	8,021	8,866	8,858	9,008	9,575	7,287	8,273	100.46%	8,688	95.22%	8,866	93.32%
MAR	5,567	7,508	7,539	7,891	8,103	8,454	5,795	7,264	88.21%	7,760	93.61%	7,899	91.96%
APR	5,038	6,529	6,747	6,439	6,607	6,849	5,010	6,173	74.96%	6,581	93.81%	6,634	93.05%
MAY	6,851	7,947	8,686	8,379	9,015	9,141	7,704	8,245	100.12%	8,507	96.92%	8,634	95.50%
JUN	7,279	9,309	9,919	9,830	10,217	10,762	8,304	9,373	113.82%	9,819	95.46%	10,007	93.66%
JUL	7,760	9,802	10,017	10,155	10,323	9,965	7,828	9,406	114.22%	10,074	93.37%	10,052	93.57%
AUG	7,694	9,761	9,919	9,996	9,853	10,270	7,910	9,342	113.44%	9,882	94.53%	9,960	93.80%
SEP	7,300	8,947	9,824	9,878	10,354	10,518	8,220	9,291	112.82%	9,751	95.28%	9,904	93.81%
OCT	5,804	8,454	9,109	8,930	9,334	9,788	6,844	8,323	101.07%	8,957	92.92%	9,123	91.23%
NOV	5,685	8,376	8,747	8,088	7,684	8,554	6,622	7,678	93.23%	8,224	93.36%	8,290	92.62%
DEC	5,791	8,181	8,309	8,307	8,364	7,681	6,596	7,604	92.33%	8,290	91.72%	8,168	93.09%
Year	6,438	8,402	8,852	8,722	8,949	9,195	7,096	8,235		8,731	94.32%	8,824	93.33%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: A-080

At Road: Btwn Custer Ave & Brady St

Location Id: 25-7C-085

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: U-5810, Henderson Ave, RP 0.145 (C005810)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,680		%		%		%		%		%		%
2004	5,790		%		%		%		%		%		%
2005	6,600		%		%		%		%		%		%
2006	6,390		%		%		%		%		%		%
2007	3,540		%		%		%		%		%		%
2008	7,190		%		%		%		%		%		%
2009	7,320		%		%		%		%		%		%
2010	8,470		%		%		%		%		%		%
2011	7,710		%		%		%		%		%		%
2012	7,900		%		%		%		%		%		%
2013	9,560		%		%		%		%		%		%
2014	7,690		%		%		%		%		%		%
2015	7,890		%		%		%		%		%		%
2016	8,623		%		%		%		%		%		%
2017	8,445	1,048	12.41 %	963	11.40 %	943	11.17 %	929	11.00 %	905	10.72 %	880	10.42 %
2018	8,526	1,120	13.14 %	978	11.47 %	952	11.17 %	940	11.03 %	919	10.78 %	894	10.49 %
2019	8,523	1,045	12.26 %	991	11.63 %	967	11.35 %	953	11.18 %	934	10.96 %	913	10.71 %
2020	8,235	1,059	12.86 %	976	11.85 %	961	11.67 %	943	11.45 %	931	11.31 %	902	10.95 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BROADWATER

Station: W-101

At Road: 5.3 Mi. NW of Townsend

Ascending Direction: East

Location Id: 04-1-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 287/US 12, RP 72.32, 5.3 Mi. NW of Townsend (C000008)

Traffic Mix: Pass: 93.62% SU: 1.24% CU: 5.14%

Directional Split: WB 50.52% / EB 49.48%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,813	4,963	5,092	4,803	5,421	6,197	5,135	5,202	97.88%	5,070	102.61%	5,295	98.24%
FEB	4,490	4,965	5,168	5,243	5,537	6,305	5,356	5,294	99.61%	5,228	101.26%	5,444	97.25%
MAR	3,992	4,676	4,642	4,889	5,288	5,870	4,001	4,765	89.66%	4,874	97.77%	5,073	93.93%
APR	3,210	4,210	3,984	3,846	4,103	5,070	2,903	3,903	73.44%	4,036	96.71%	4,243	92.00%
MAY	5,090	5,035	5,135	5,021	5,448	6,350	5,515	5,369	101.02%	5,160	104.06%	5,398	99.47%
JUN	5,749	5,455	5,534	5,761	6,196	7,220	6,113	6,003	112.95%	5,737	104.65%	6,033	99.50%
JUL	6,193	5,767	5,620	5,833	6,333	7,032	5,825	6,085	114.49%	5,888	103.34%	6,117	99.48%
AUG	6,170	5,833	5,760	5,933	6,206	7,138	6,252	6,184	116.36%	5,933	104.23%	6,174	100.16%
SEP	5,423	5,422	5,552	5,614	5,950	7,003	5,789	5,821	109.53%	5,635	103.31%	5,908	98.52%
OCT	4,297	4,839	4,918	5,272	5,524	6,496	4,687	5,147	96.85%	5,138	100.17%	5,410	95.14%
NOV	4,218	4,927	5,352	5,418	4,890	5,780	4,841	5,060	95.21%	5,147	98.31%	5,273	95.95%
DEC	4,310	4,977	4,988	5,333	5,215	5,113	4,670	4,943	93.01%	5,128	96.39%	5,125	96.45%
Year	4,830	5,089	5,145	5,247	5,509	6,298	5,091	5,315		5,248	101.28%	5,458	97.38%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BROADWATER

Station: W-101

At Road: 5.3 Mi. NW of Townsend

Location Id: 04-1-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 287/US 12, RP 72.32, 5.3 Mi. NW of Townsend (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,630		%		%		%		%		%		%
2004	4,800	695	14.48 %	608	12.67 %	579	12.06 %	566	11.79 %	548	11.42 %	509	10.60 %
2005	4,870	656	13.47 %	609	12.51 %	585	12.01 %	573	11.77 %	559	11.48 %	523	10.74 %
2006	4,970	649	13.06 %	599	12.05 %	582	11.71 %	569	11.45 %	557	11.21 %	529	10.64 %
2007	5,227	701	13.41 %	650	12.44 %	629	12.03 %	621	11.88 %	606	11.59 %	567	10.85 %
2008	4,918	692	14.07 %	630	12.81 %	618	12.57 %	600	12.20 %	583	11.85 %	546	11.10 %
2009	5,227	704	13.47 %	663	12.68 %	643	12.30 %	633	12.11 %	608	11.63 %	575	11.00 %
2010	5,290	809	15.29 %	680	12.85 %	666	12.59 %	648	12.25 %	617	11.66 %	580	10.96 %
2011	5,091	725	14.24 %	641	12.59 %	622	12.22 %	609	11.96 %	581	11.41 %	546	10.72 %
2012	5,191	697	13.43 %	645	12.43 %	629	12.12 %	611	11.77 %	593	11.42 %	556	10.71 %
2013	5,315	716	13.47 %	683	12.85 %	654	12.30 %	644	12.12 %	627	11.80 %	593	11.16 %
2014	5,371	832	15.49 %	690	12.85 %	670	12.47 %	653	12.16 %	630	11.73 %	598	11.13 %
2015	5,514	834	15.13 %	693	12.57 %	671	12.17 %	646	11.72 %	625	11.33 %	593	10.75 %
2016	6,107	869	14.23 %	778	12.74 %	752	12.31 %	736	12.05 %	715	11.71 %	677	11.09 %
2017	6,216	867	13.95 %	802	12.90 %	779	12.53 %	765	12.31 %	739	11.89 %	698	11.23 %
2018	6,172	887	14.37 %	784	12.70 %	764	12.38 %	748	12.12 %	728	11.80 %	690	11.18 %
2019	6,373	895	14.04 %	810	12.71 %	787	12.35 %	777	12.19 %	754	11.83 %	719	11.28 %
2020	5,315	715	13.46 %	654	12.31 %	634	11.93 %	610	11.48 %	590	11.10 %	562	10.58 %

Notes
UNDER CONSTRUCTION 2003 NOT ENOUGH DAYS TO MAKE 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BIG HORN

Station: W-102

At Road: 1 Mi W of Decker Ascending

Direction: North

Location Id: 02-8-003

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-314, RP 1.51, 1 Mi. W of Decker (C000314)

Traffic Mix: Pass: 92.44% SU: 3.85% CU: 3.71%

Directional Split: SB 50.03% / NB 49.97%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	561	735	795	720	759	786	671	717	98.53%	752	95.31%	759	94.47%
FEB	494	656	733	744	803	801	605	690	94.82%	734	94.01%	747	92.32%
MAR	489	753	758	758	779	739	546	688	94.55%	762	90.29%	757	90.84%
APR	518	688	772	751	731	684	531	667	91.66%	736	90.69%	725	91.97%
MAY	646	694	765	756	776	781	702	730	100.32%	748	97.63%	754	96.77%
JUN	789	901	889	974	987	1,048	1,020	943	129.59%	938	100.56%	960	98.25%
JUL	831	812	877	913	991	927	917	895	123.00%	898	99.64%	904	99.00%
AUG	740	865	906	895	930	933	850	873	119.97%	899	97.11%	906	96.38%
SEP	590	699	782	810	812	712	657	722	99.22%	776	93.07%	763	94.63%
OCT	412	635	699	699	682	636	472	604	83.01%	679	88.99%	670	90.12%
NOV	472	672	747	747	642	611	526	630	86.58%	702	89.74%	684	92.13%
DEC	443	630	632	629	672	545	462	573	78.74%	641	89.43%	622	92.18%
Year	582	728	780	783	797	767	663	728		772	94.26%	771	94.38%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BIG HORN

Station: W-102

At Road: 1 Mi W of Decker

Location Id: 02-8-003

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-314, RP 1.51, 1 Mi. W of Decker (C000314)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	796		%		%		%		%		%		%
2004	800		%		%		%		%		%		%
2005	870		%		%		%		%		%		%
2006	1,010		%		%		%		%		%		%
2007	968		%		%		%		%		%		%
2008	929		%		%		%		%		%		%
2009	888		%		%		%		%		%		%
2010	851	152	17.86 %	119	13.98 %	117	13.75 %	113	13.28 %	109	12.81 %	103	12.10 %
2011	867	179	20.65 %	135	15.57 %	129	14.88 %	126	14.53 %	121	13.96 %	113	13.03 %
2012	832	150	18.03 %	127	15.26 %	123	14.78 %	120	14.42 %	116	13.94 %	108	12.98 %
2013	812	137	16.87 %	128	15.76 %	119	14.66 %	115	14.16 %	111	13.67 %	103	12.68 %
2014	820	170	20.73 %	133	16.22 %	128	15.61 %	125	15.24 %	119	14.51 %	111	13.54 %
2015	866		%		%		%		%		%		%
2016	753		%		%		%		%		%		%
2017	821	150	18.27 %	132	16.08 %	128	15.59 %	125	15.23 %	120	14.62 %	113	13.76 %
2018	856	152	17.76 %	132	15.42 %	130	15.19 %	126	14.72 %	122	14.25 %	115	13.43 %
2019	815	217	26.63 %	153	18.77 %	129	15.83 %	122	14.97 %	116	14.23 %	108	13.25 %
2020	728	151	20.77 %	119	16.37 %	113	15.54 %	108	14.86 %	102	14.03 %	96	13.20 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2010 ARE BASED ON SHORT TERM COUNTS, SITE DOWN 2015-2016, NOT ENOUGH DAYS TO MAKE 2003-2009 & 2015-2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: DAWSON

Station: W-103

At Road: 2 Mi. SW of Cracker Box Intch

Ascending Direction: East

Location Id: 11-4-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 194.72, 2 Mi. NE of Bad Route Intch (C000094)

Traffic Mix: Pass: 63.82% SU: 4.80% CU: 31.38%

Directional Split: WB 59.99% / EB 43.52%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,966	2,835	3,053	2,998	3,060	3,317	2,718	2,992	96.24%	2,987	100.18%	3,053	98.01%
FEB	2,951	2,906	3,274	3,249	3,353	3,682	3,172	3,226	103.76%	3,196	100.95%	3,293	97.97%
MAR	3,394	3,049	3,570	3,650	3,574	3,999							
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year	3,104	2,930	3,299	3,299	3,329	3,666	2,945	3,109		3,091	100.58%	3,173	97.99%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MARCH 2020



Yearly Peak Hourly Volumes

For Year: 2020

County: DAWSON

Station: W-103

At Road: 2 Mi. SW of Cracker Box Intch

Location Id: 11-4-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 194.72, 2 Mi. NE of Bad Route Intch (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,787		%		%		%		%		%		%
2004	3,160	456	14.43 %	411	13.01 %	393	12.44 %	380	12.03 %	360	11.39 %	343	10.85 %
2005	3,160		%		%		%		%		%		%
2006	3,240		%		%		%		%		%		%
2007	3,114	424	13.62 %	370	11.88 %	356	11.43 %	345	11.08 %	338	10.85 %	321	10.31 %
2008	3,026	455	15.04 %	370	12.23 %	356	11.76 %	346	11.43 %	333	11.00 %	313	10.34 %
2009	3,121	437	14.00 %	400	12.82 %	383	12.27 %	372	11.92 %	362	11.60 %	342	10.96 %
2010	3,495	484	13.85 %	432	12.36 %	423	12.10 %	409	11.70 %	393	11.24 %	373	10.67 %
2011	4,095	559	13.65 %	499	12.19 %	470	11.48 %	457	11.16 %	443	10.82 %	417	10.18 %
2012	4,620	567	12.27 %	527	11.41 %	510	11.04 %	494	10.69 %	482	10.43 %	457	9.89 %
2013	4,498	638	14.18 %	538	11.96 %	503	11.18 %	489	10.87 %	468	10.40 %	449	9.98 %
2014	4,477	570	12.73 %	520	11.61 %	502	11.21 %	474	10.59 %	457	10.21 %	435	9.72 %
2015	4,718	593	12.57 %	519	11.00 %	507	10.75 %	495	10.49 %	478	10.13 %	453	9.60 %
2016	4,165	580	13.93 %	515	12.36 %	481	11.55 %	467	11.21 %	448	10.76 %	423	10.16 %
2017	4,146	566	13.65 %	505	12.18 %	493	11.89 %	478	11.53 %	460	11.10 %	436	10.52 %
2018	4,091	550	13.44 %	499	12.20 %	483	11.81 %	473	11.56 %	456	11.15 %	435	10.63 %
2019	4,092	608	14.86 %	521	12.73 %	489	11.95 %	478	11.68 %	463	11.31 %	440	10.75 %
2020	3,109		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2003 & 2005-2006, 2020.
 NOT ENOUGH DAYS TO MAKE 2003 & 2005-2006,
 & 2020 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: W-104

At Road: 1 Mi. NW of Manhattan Intch

Ascending Direction: East

Location Id: 16-1-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 287.41, 1 Mi. NW of Manhattan Intch (C000090)

Traffic Mix: Pass: 80.48% SU: 6.00% CU: 13.52%

Directional Split: EB 50.25% / WB 49.75%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	12,040	13,173	13,274	12,620	14,073	15,905	13,575	13,522	83.88%	13,285	101.78%	13,809	97.92%
FEB	11,617	13,124	13,670	13,733	14,646	16,277	13,969	13,861	85.99%	13,793	100.49%	14,290	97.00%
MAR	11,911	12,791	12,988	13,751	14,577	16,025	12,851	13,556	84.10%	13,527	100.22%	14,026	96.65%
APR	9,849	9,994	12,086	11,565	12,035	13,842	11,031	11,486	71.25%	11,420	100.58%	11,904	96.49%
MAY	14,820	15,488	14,884	15,287	16,298	18,240	16,549	15,937	98.87%	15,489	102.89%	16,039	99.36%
JUN	18,236	17,500	17,582	17,838	19,187	21,659	18,932	18,704	116.03%	18,027	103.76%	18,753	99.74%
JUL	21,217	20,507	19,248	20,277	21,732	23,251	19,015	20,749	128.72%	20,441	101.51%	21,003	98.79%
AUG	21,079	19,514	18,601	19,474	20,524	23,807	21,051	20,577	127.65%	19,528	105.37%	20,384	100.95%
SEP	18,896	19,097	18,294	18,501	20,098	23,188	19,890	19,708	122.26%	18,998	103.74%	19,836	99.36%
OCT	14,423	15,551	16,304	16,630	17,778	19,899	14,656	16,462	102.12%	16,566	99.37%	17,232	95.53%
NOV	14,042	14,701	15,997	15,638	14,220	15,275	14,332	14,885	92.34%	15,139	98.32%	15,166	98.15%
DEC	12,543	14,121	14,314	15,189	14,532	13,952	13,293	13,991	86.79%	14,539	96.23%	14,422	97.01%
Year	15,056	15,463	15,604	15,875	16,642	18,443	15,762	16,120		15,896	101.41%	16,405	98.26%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: W-104

At Road: 1 Mi. NW of Manhattan Intch

Location Id: 16-1-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 287.41, 1 Mi. NW of Manhattan Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	12,281		%		%		%		%		%		%
2004	12,520	1,754	14.01 %	1,513	12.08 %	1,473	11.77 %	1,447	11.56 %	1,402	11.20 %	1,343	10.73 %
2005	12,640	1,764	13.96 %	1,526	12.07 %	1,482	11.72 %	1,462	11.57 %	1,426	11.28 %	1,359	10.75 %
2006	13,140	1,676	12.75 %	1,593	12.12 %	1,504	11.45 %	1,474	11.22 %	1,432	10.90 %	1,372	10.44 %
2007	13,550	1,792	13.23 %	1,594	11.76 %	1,560	11.51 %	1,541	11.37 %	1,487	10.97 %	1,426	10.52 %
2008	12,671	1,582	12.49 %	1,512	11.93 %	1,468	11.59 %	1,438	11.35 %	1,394	11.00 %	1,327	10.47 %
2009	12,970	1,757	13.55 %	1,598	12.32 %	1,550	11.95 %	1,504	11.60 %	1,461	11.26 %	1,408	10.86 %
2010	13,410	1,785	13.31 %	1,615	12.04 %	1,583	11.80 %	1,564	11.66 %	1,519	11.33 %	1,460	10.89 %
2011	13,870		%		%		%		%		%		%
2012	14,690		%		%		%		%		%		%
2013	15,280		%		%		%		%		%		%
2014	15,630		%		%		%		%		%		%
2015	15,092	1,904	12.62 %	1,802	11.94 %	1,767	11.71 %	1,744	11.56 %	1,684	11.16 %	1,625	10.77 %
2016	15,732	2,138	13.59 %	1,894	12.04 %	1,833	11.65 %	1,780	11.31 %	1,746	11.10 %	1,661	10.56 %
2017	16,558	2,097	12.66 %	1,983	11.98 %	1,924	11.62 %	1,886	11.39 %	1,836	11.09 %	1,769	10.68 %
2018	16,750	2,195	13.10 %	1,990	11.88 %	1,946	11.62 %	1,918	11.45 %	1,853	11.06 %	1,795	10.72 %
2019	17,272	2,352	13.62 %	2,099	12.15 %	2,031	11.76 %	1,996	11.56 %	1,947	11.27 %	1,863	10.79 %
2020	16,120	2,147	13.32 %	1,982	12.30 %	1,919	11.91 %	1,880	11.66 %	1,827	11.33 %	1,740	10.79 %

Notes
 UNDER CONSTRUCTION 2003 & 2011-2014,
 NOT ENOUGH DAYS TO MAKE 2003,
 2011-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GALLATIN

Station: W-107

At Road: 1.5 Mi. S of Gallatin Gateway

Ascending Direction: North

Location Id: 16-3-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 191, RP 74.78, 7 Mi. S of Four Corners (C000050)

Traffic Mix: Pass: 87.29% SU: 7.99% CU: 4.72%

Directional Split: NB 50.28% / SB 49.72%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,974	8,705	8,605	8,262	8,868	8,889	8,096	8,342	94.95%	8,610	96.89%	8,666	96.26%
FEB	7,079	8,661	9,067	8,944	9,426	9,199	8,370	8,677	98.77%	9,025	96.15%	9,059	95.78%
MAR	5,929	7,304	7,230	7,760	8,010	7,902	6,179	7,187	81.81%	7,576	94.87%	7,641	94.06%
APR	3,486	6,074	6,694	6,146	6,237	5,972	3,990	5,513	62.75%	6,288	87.68%	6,225	88.57%
MAY	5,108	7,633	8,276	8,445	8,520	7,761	5,842	7,368	83.87%	8,219	89.65%	8,127	90.66%
JUN	6,699	10,043	10,445	10,356	10,739	10,626	8,151	9,579	109.03%	10,396	92.14%	10,442	91.74%
JUL	9,506	12,221	12,318	12,594	12,935	11,972	9,614	11,593	131.96%	12,517	92.62%	12,408	93.43%
AUG	9,667	12,050	12,230	12,523	12,506	12,396	10,081	11,635	132.44%	12,327	94.38%	12,341	94.28%
SEP	8,792	10,587	11,335	11,577	12,093	11,661	9,673	10,816	123.11%	11,398	94.89%	11,451	94.46%
OCT	5,602	9,011	9,643	9,866	10,013	9,607	6,484	8,603	97.92%	9,633	89.31%	9,628	89.35%
NOV	4,890	8,551	8,944	8,643	7,725	7,726	6,113	7,513	85.52%	8,466	88.75%	8,318	90.32%
DEC	6,860	9,400	9,357	9,954	9,046	8,123	7,454	8,598	97.87%	9,439	91.09%	9,176	93.70%
Year	6,716	9,187	9,512	9,589	9,677	9,320	7,504	8,785		9,491	92.56%	9,457	92.90%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: GALLATIN

Station: W-107

At Road: 1.5 Mi. S of Gallatin Gateway

Location Id: 16-3-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 191, RP 74.78, 7 Mi. S of Four Corners (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	5,341		%		%		%		%		%		%
2004	5,840	783	13.41 %	727	12.45 %	706	12.09 %	690	11.82 %	672	11.51 %	636	10.89 %
2005	6,270	867	13.83 %	812	12.95 %	794	12.66 %	775	12.36 %	742	11.83 %	708	11.29 %
2006	6,560	888	13.54 %	824	12.56 %	808	12.32 %	797	12.15 %	773	11.78 %	729	11.11 %
2007	6,437	890	13.83 %	860	13.36 %	821	12.75 %	790	12.27 %	763	11.85 %	718	11.15 %
2008	5,606	927	16.54 %	736	13.13 %	705	12.58 %	688	12.27 %	671	11.97 %	633	11.29 %
2009	5,020	778	15.50 %	650	12.95 %	625	12.45 %	614	12.23 %	596	11.87 %	568	11.31 %
2010	5,111	923	18.06 %	657	12.85 %	638	12.48 %	618	12.09 %	595	11.64 %	561	10.98 %
2011	5,040		%		%		%		%		%		%
2012	5,200		%		%		%		%		%		%
2013	5,620	772	13.74 %	700	12.46 %	666	11.85 %	654	11.64 %	630	11.21 %	610	10.85 %
2014	6,093	817	13.41 %	770	12.64 %	734	12.05 %	720	11.82 %	705	11.57 %	667	10.95 %
2015	6,812	967	14.20 %	856	12.57 %	823	12.08 %	797	11.70 %	767	11.26 %	732	10.75 %
2016	7,532	1,109	14.72 %	950	12.61 %	921	12.23 %	900	11.95 %	866	11.50 %	793	10.53 %
2017	7,789	1,098	14.10 %	1,006	12.92 %	969	12.44 %	949	12.18 %	912	11.71 %	851	10.93 %
2018	8,126	1,194	14.69 %	1,053	12.96 %	1,029	12.66 %	1,014	12.48 %	958	11.79 %	883	10.87 %
2019	8,607	1,280	14.87 %	1,138	13.22 %	1,097	12.75 %	1,065	12.37 %	1,017	11.82 %	948	11.01 %
2020	8,785	1,306	14.87 %	1,147	13.06 %	1,122	12.77 %	1,099	12.51 %	1,074	12.23 %	1,026	11.68 %

Notes
 UNDER CONSTRUCTION 2003 & 2011-2012,
 NOT ENOUGH DAYS TO MAKE 2003 &
 2011-2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: W-110

At Road: 1 Mi. N of Broadview

Ascending Direction: North

Location Id: 56-2-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 3, RP 32.54, 1 Mi. N of Broadview (C000053)

Traffic Mix: Pass: 78.17% SU: 4.93% CU: 16.90%

Directional Split: SB 50.31% / NB 49.69%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,292	1,307	1,341	1,345	1,491	1,630	1,370	1,396	83.89%	1,371	101.82%	1,423	98.12%
FEB	1,233	1,310	1,291	1,356	1,548	1,717	1,398	1,406	84.50%	1,376	102.16%	1,444	97.34%
MAR	1,082	1,251	1,244	1,351	1,448	1,476	1,157	1,286	77.28%	1,324	97.17%	1,354	94.98%
APR	978	1,188	1,235	1,175	1,202	1,332	1,039	1,163	69.89%	1,200	96.92%	1,226	94.83%
MAY	1,613	1,720	1,648	1,660	1,719	1,975	1,669	1,714	103.00%	1,687	101.62%	1,744	98.26%
JUN	2,085	1,893	1,850	1,887	2,030	2,404	1,949	2,013	120.97%	1,915	105.12%	2,013	100.01%
JUL	2,276	2,081	1,983	2,031	2,241	2,417	1,978	2,143	128.79%	2,084	102.83%	2,151	99.65%
AUG	2,125	2,045	1,957	2,012	2,138	2,388	2,010	2,096	125.96%	2,038	102.85%	2,108	99.43%
SEP	2,006	1,909	1,869	1,853	2,116	2,439	2,144	2,047	123.02%	1,937	105.69%	2,037	100.48%
OCT	1,408	1,469	1,658	1,642	1,768	2,152	1,596	1,670	100.36%	1,634	102.19%	1,738	96.10%
NOV	1,484	1,524	1,668	1,707	1,532	1,910	1,689	1,644	98.80%	1,608	102.25%	1,668	98.55%
DEC	1,272	1,408	1,431	1,518	1,459	1,394	1,249	1,390	83.53%	1,454	95.60%	1,442	96.39%
Year	1,571	1,592	1,598	1,628	1,724	1,936	1,604	1,664		1,636	101.74%	1,696	98.13%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: W-110

At Road: 1 Mi. N of Broadview

Location Id: 56-2-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 3, RP 32.54, 1 Mi. N of Broadview (C000053)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,533		%		%		%		%		%		%
2004	1,610	250	15.53 %	210	13.04 %	199	12.36 %	194	12.05 %	188	11.68 %	176	10.93 %
2005	1,560	239	15.32 %	209	13.40 %	198	12.69 %	193	12.37 %	184	11.79 %	172	11.03 %
2006	1,650	276	16.73 %	215	13.03 %	205	12.42 %	199	12.06 %	191	11.58 %	176	10.67 %
2007	1,680	235	13.99 %	214	12.74 %	205	12.20 %	198	11.79 %	193	11.49 %	180	10.71 %
2008	1,584	229	14.46 %	208	13.13 %	198	12.50 %	193	12.18 %	187	11.81 %	173	10.92 %
2009	1,640		%		%		%		%		%		%
2010	1,680		%		%		%		%		%		%
2011	1,660		%		%		%		%		%		%
2012	1,629	337	20.69 %	266	16.33 %	233	14.30 %	216	13.26 %	194	11.91 %	174	10.68 %
2013	1,701	244	14.34 %	226	13.29 %	216	12.70 %	208	12.23 %	198	11.64 %	189	11.11 %
2014	1,704	243	14.26 %	231	13.56 %	222	13.03 %	212	12.44 %	204	11.97 %	191	11.21 %
2015	1,767	266	15.05 %	232	13.13 %	225	12.73 %	218	12.34 %	206	11.66 %	193	10.92 %
2016	1,810	295	16.30 %	248	13.70 %	236	13.04 %	226	12.49 %	219	12.10 %	203	11.22 %
2017	1,831	350	19.12 %	248	13.54 %	238	13.00 %	232	12.67 %	222	12.12 %	210	11.47 %
2018	1,753	250	14.26 %	226	12.89 %	220	12.55 %	218	12.44 %	210	11.98 %	199	11.35 %
2019	1,764	264	14.97 %	238	13.49 %	229	12.98 %	222	12.59 %	215	12.19 %	203	11.51 %
2020	1,664	262	15.75 %	226	13.59 %	213	12.81 %	210	12.63 %	203	12.21 %	194	11.67 %

Notes
 UNDER CONSTRUCTION 2003 & 2009-2011,
 NOT ENOUGH DAYS TO MAKE 2003 &
 2009-2011 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CUSTER

Station: W-111

At Road: 4.5 Mi. E of Baker Intch

Ascending Direction: East

Location Id: 09-2-003

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 14.01, 7.5 Mi. E of Miles City (C000002)

Traffic Mix: Pass: 79.94% SU: 9.64% CU: 10.42%

Directional Split: WB 50.30% / EB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	432	505	561	507	538	669	550	537	83.43%	528	101.75%	556	96.58%
FEB	422	514	574	576	590	685	551	558	86.69%	564	99.02%	588	94.93%
MAR	358	496	566	558	554	641	436	515	80.01%	544	94.76%	563	91.47%
APR	331	477	510	477	494	525	367	453	70.38%	490	92.54%	497	91.22%
MAY	529	581	673	664	637	738	549	624	96.94%	639	97.69%	659	94.75%
JUN	652	740	719	807	750	824	651	734	114.03%	754	97.35%	768	95.57%
JUL	675	742	694	756	750	801	602	717	111.39%	736	97.48%	749	95.78%
AUG	673	713	734	766	795	818	632	732	113.72%	752	97.34%	765	95.66%
SEP	574	749	749	745	809	914	696	747	116.05%	763	97.90%	793	94.18%
OCT	646	762	749	759	774	905	707	757	117.61%	761	99.47%	790	95.85%
NOV	647	699	799	861	747	861	738	764	118.69%	777	98.39%	793	96.29%
DEC	464	615	608	669	610	608	534	586	91.04%	626	93.69%	622	94.21%
Year	534	633	661	679	671	749	584	644		661	97.40%	679	94.86%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: CUSTER

Station: W-111

At Road: 4.5 Mi. E of Baker Intch

Location Id: 09-2-003

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 14.01, 7.5 Mi. E of Miles City (C000002)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	657		%		%		%		%		%		%
2004	650	153	23.54 %	88	13.54 %	81	12.46 %	78	12.00 %	74	11.38 %	70	10.77 %
2005	640	103	16.09 %	85	13.28 %	81	12.66 %	78	12.19 %	75	11.72 %	70	10.94 %
2006	650	109	16.77 %	86	13.23 %	81	12.46 %	78	12.00 %	74	11.38 %	70	10.77 %
2007	675	122	18.07 %	92	13.63 %	86	12.74 %	84	12.44 %	80	11.85 %	74	10.96 %
2008	646	98	15.17 %	85	13.16 %	78	12.07 %	76	11.76 %	73	11.30 %	69	10.68 %
2009	663	112	16.89 %	87	13.12 %	83	12.52 %	81	12.22 %	77	11.61 %	72	10.86 %
2010	740	138	18.65 %	116	15.68 %	106	14.32 %	101	13.65 %	96	12.97 %	87	11.76 %
2011	692	110	15.90 %	91	13.15 %	87	12.57 %	84	12.14 %	80	11.56 %	75	10.84 %
2012	726	111	15.29 %	91	12.53 %	86	11.85 %	85	11.71 %	82	11.29 %	77	10.61 %
2013	730	107	14.66 %	95	13.01 %	91	12.47 %	89	12.19 %	86	11.78 %	81	11.10 %
2014	765	122	15.95 %	100	13.07 %	95	12.42 %	93	12.16 %	90	11.76 %	85	11.11 %
2015	777	130	16.73 %	101	13.00 %	96	12.36 %	92	11.84 %	89	11.45 %	84	10.81 %
2016	794	119	14.99 %	109	13.73 %	102	12.85 %	98	12.34 %	94	11.84 %	90	11.34 %
2017	717	111	15.48 %	92	12.83 %	86	11.99 %	84	11.72 %	82	11.44 %	77	10.74 %
2018	672	100	14.88 %	91	13.54 %	86	12.80 %	84	12.50 %	80	11.90 %	75	11.16 %
2019	692	99	14.31 %	90	13.01 %	87	12.57 %	85	12.28 %	82	11.85 %	77	11.13 %
2020	644	110	17.11 %	89	13.84 %	84	13.06 %	82	12.75 %	79	12.29 %	75	11.66 %

Notes
UNDER CONSTRUCTION 2003 NOT ENOUGH DAYS TO MAKE 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GOLDEN VALLEY

Station: W-113

At Road: 2.5 Mi. W of MT 3

Ascending Direction: East

Location Id: 19-2-023

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 12, RP 143.49, 13.6 Mi. E of Ryegate (C000014)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN SINCE DEC 2015



Yearly Peak Hourly Volumes

For Year: 2020

County: GOLDEN VALLEY

Station: W-113

At Road: 2.5 Mi. W of MT 3

Location Id: 19-2-023

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 12, RP 143.49, 13.6 Mi. E of Ryegate (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,446		%		%		%		%		%		%
2004	1,510	268	17.75 %	220	14.57 %	208	13.77 %	198	13.11 %	189	12.52 %	175	11.59 %
2005	1,480	233	15.74 %	204	13.78 %	196	13.24 %	192	12.97 %	185	12.50 %	171	11.55 %
2006	1,500	344	22.93 %	215	14.33 %	203	13.53 %	199	13.27 %	186	12.40 %	175	11.67 %
2007	1,484		%		%		%		%		%		%
2008	1,480		%		%		%		%		%		%
2009	1,472	232	15.76 %	220	14.95 %	214	14.54 %	207	14.06 %	200	13.59 %	180	12.23 %
2010	1,513	234	15.47 %	222	14.67 %	215	14.21 %	209	13.81 %	200	13.22 %	185	12.23 %
2011	1,499	241	16.08 %	221	14.74 %	208	13.88 %	205	13.68 %	199	13.28 %	183	12.21 %
2012	1,380	239	17.32 %	196	14.20 %	190	13.77 %	184	13.33 %	174	12.61 %	160	11.59 %
2013	1,441		%		%		%		%		%		%
2014	1,636	255	15.59 %	228	13.94 %	218	13.33 %	212	12.96 %	209	12.78 %	200	12.22 %
2015	1,687	468	27.74 %	281	16.66 %	264	15.65 %	257	15.23 %	245	14.52 %	231	13.69 %
2016	1,732		%		%		%		%		%		%
2017	1,718		%		%		%		%		%		%
2018	1,699		%		%		%		%		%		%
2019	1,711		%		%		%		%		%		%
2020	1,566		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2003, 2007-2008, & 2013, SITE DOWN SINCE DEC 2015, NOT ENOUGH DAYS TO MAKE 2003, 2007-2008, 2013, 2016-2020 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: JUDITH BASIN

Station: W-114

At Road: 0.5 Mi. NW of MT 80

Ascending Direction: East

Location Id: 23-2-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87, RP 35.05, 1.5 Mi. W of Stanford (C000057)

Traffic Mix: Pass: 74.78% SU: 7.76% CU: 17.46%

Directional Split: EB 50.30% / WB 49.83%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,563	1,747	1,667	1,607	1,826	2,084	1,681	1,739	86.48%	1,712	101.59%	1,786	97.36%
FEB	1,504	1,530	1,538	1,823	1,893	2,185	1,734	1,743	86.68%	1,696	102.77%	1,794	97.17%
MAR	1,350	1,578	1,609	1,674	1,754	1,836	1,303	1,585	78.82%	1,654	95.84%	1,690	93.78%
APR	1,054	1,448	1,509	1,420	1,523	1,617	1,125	1,384	68.83%	1,475	93.83%	1,503	92.06%
MAY	1,781	2,025	1,892	1,986	2,060	2,296	1,834	1,981	98.52%	1,991	99.51%	2,052	96.55%
JUN	2,327	2,318	2,246	2,393	2,478	2,842	2,204	2,400	119.35%	2,359	101.75%	2,455	97.74%
JUL	2,625	2,588	2,438	2,561	2,756	2,872	2,242	2,582	128.40%	2,586	99.85%	2,643	97.69%
AUG	2,579	2,522	2,388	2,556	2,684	2,923	2,502	2,592	128.90%	2,538	102.15%	2,615	99.14%
SEP	2,342	2,367	2,308	2,356	2,536	2,993	2,605	2,500	124.33%	2,392	104.53%	2,512	99.52%
OCT	1,733	1,890	1,958	2,136	2,234	2,515	1,771	2,033	101.10%	2,055	98.95%	2,147	94.71%
NOV	1,685	1,787	1,950	2,112	1,821	2,205	1,854	1,915	95.23%	1,918	99.87%	1,975	96.96%
DEC	1,416	1,760	1,633	1,897	1,784	1,691	1,561	1,676	83.35%	1,769	94.77%	1,753	95.61%
Year	1,830	1,963	1,928	2,043	2,112	2,338	1,868	2,011		2,012	99.95%	2,077	96.81%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: JUDITH BASIN

Station: W-114

At Road: 0.5 Mi. NW of MT 80

Location Id: 23-2-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87, RP 35.05, 1.5 Mi. W of Stanford (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,091		%		%		%		%		%		%
2004	2,120	356	16.79 %	291	13.73 %	273	12.88 %	263	12.41 %	251	11.84 %	238	11.23 %
2005	2,120	364	17.17 %	293	13.82 %	260	12.26 %	251	11.84 %	242	11.42 %	225	10.61 %
2006	2,070	297	14.35 %	261	12.61 %	251	12.13 %	243	11.74 %	233	11.26 %	223	10.77 %
2007	2,082	407	19.55 %	287	13.78 %	260	12.49 %	253	12.15 %	243	11.67 %	230	11.05 %
2008	1,987	367	18.47 %	269	13.54 %	251	12.63 %	246	12.38 %	233	11.73 %	221	11.12 %
2009	2,014	406	20.16 %	280	13.90 %	257	12.76 %	247	12.26 %	238	11.82 %	223	11.07 %
2010	2,082	450	21.61 %	308	14.79 %	272	13.06 %	265	12.73 %	253	12.15 %	239	11.48 %
2011	2,045	473	23.13 %	300	14.67 %	272	13.30 %	262	12.81 %	253	12.37 %	234	11.44 %
2012	2,120		%		%		%		%		%		%
2013	2,210		%		%		%		%		%		%
2014	2,270		%		%		%		%		%		%
2015	2,212	507	22.92 %	325	14.69 %	293	13.25 %	280	12.66 %	269	12.16 %	253	11.44 %
2016	2,299	392	17.05 %	327	14.22 %	297	12.92 %	282	12.27 %	272	11.83 %	260	11.31 %
2017	2,297	389	16.94 %	320	13.93 %	305	13.28 %	295	12.84 %	285	12.41 %	267	11.62 %
2018	2,040		%		%		%		%		%		%
2019	2,250	427	18.98 %	317	14.09 %	298	13.24 %	292	12.98 %	280	12.44 %	265	11.78 %
2020	2,011	285	14.18 %	266	13.23 %	257	12.79 %	249	12.39 %	242	12.04 %	234	11.64 %

Notes
 UNDER CONSTRUCTION 2003, 2012-2014, & 2018
 NOT ENOUGH DAYS TO MAKE 2003, 2012-2014,
 & 2018 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CHOUTEAU

Station: W-115

At Road: 4.5 Mi. NE of S-564

Ascending Direction: East

Location Id: 08-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 87, RP 31.32, 9.3 Mi. W of Fort Benton (C000010)

Traffic Mix: Pass: 84.44% SU: 6.07% CU: 9.49%

Directional Split: NB 50.25% / SB 49.75%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,538	2,016	2,102	1,938	2,305	2,443	1,853	2,027	90.87%	2,090	96.97%	2,161	93.81%
FEB	1,591	2,113	2,226	2,233	2,614	2,715	2,170	2,236	100.24%	2,297	97.37%	2,380	93.94%
MAR	1,333	1,709	1,877	1,920	2,235	2,201	1,343	1,802	80.78%	1,935	93.11%	1,988	90.63%
APR	1,018	1,646	1,813	1,590	1,819	1,847	1,099	1,547	69.35%	1,717	90.10%	1,743	88.76%
MAY	1,802	2,209	2,294	2,337	2,485	2,695	2,172	2,284	102.39%	2,331	97.97%	2,404	95.01%
JUN	2,114	2,534	2,676	2,713	2,958	3,146	2,290	2,632	117.99%	2,720	96.76%	2,805	93.82%
JUL	2,176	2,735	2,741	2,828	2,973	3,020	1,988	2,636	118.17%	2,819	93.50%	2,859	92.19%
AUG	2,329	2,599	2,792	2,921	2,991	3,106	2,550	2,754	123.46%	2,826	97.46%	2,882	95.57%
SEP	1,977	2,360	2,471	2,507	2,716	3,052	2,304	2,483	111.31%	2,514	98.79%	2,621	94.73%
OCT	1,476	2,013	2,166	2,145	2,424	2,636	1,589	2,063	92.48%	2,187	94.33%	2,277	90.61%
NOV	1,867	1,496	2,288	2,384		2,543	2,035						
DEC	1,446	2,196	2,247	2,258	2,220	2,138	2,023	2,074	92.97%	2,230	92.99%	2,212	93.77%
Year	1,722	2,136	2,308	2,315	2,522	2,629	1,951	2,231		2,333	95.60%	2,394	93.18%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF NOVEMBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: CHOUTEAU

Station: W-115

At Road: 4.5 Mi. NE of S-564

Location Id: 08-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 87, RP 31.32, 9.3 Mi. W of Fort Benton (C000010)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,450		%		%		%		%		%		%
2004	2,410		%		%		%		%		%		%
2005	2,380		%		%		%		%		%		%
2006	2,350		%		%		%		%		%		%
2007	2,310		%		%		%		%		%		%
2008	2,220		%		%		%		%		%		%
2009	2,350		%		%		%		%		%		%
2010	2,400		%		%		%		%		%		%
2011	2,440		%		%		%		%		%		%
2012	2,590		%		%		%		%		%		%
2013	2,564	415	16.19 %	302	11.78 %	295	11.51 %	285	11.12 %	276	10.76 %	259	10.10 %
2014	2,628		%		%		%		%		%		%
2015	2,720		%		%		%		%		%		%
2016	2,615	378	14.46 %	318	12.16 %	309	11.82 %	302	11.55 %	292	11.17 %	277	10.59 %
2017	2,556	337	13.18 %	311	12.17 %	298	11.66 %	290	11.35 %	283	11.07 %	269	10.52 %
2018	2,504	422	16.85 %	311	12.42 %	299	11.94 %	291	11.62 %	281	11.22 %	269	10.74 %
2019	2,460	367	14.92 %	304	12.36 %	289	11.75 %	284	11.54 %	277	11.26 %	264	10.73 %
2020	2,231	304	13.67 %	277	12.46 %	270	12.14 %	265	11.92 %	256	11.51 %	243	10.93 %

Notes
 THIS SITE REPLACED A-44 IN 2013,
 ALL AADTS PRIOR TO 2013 HAVE BEEN
 CARRIED OVER FROM A-44,
 SITE DOWN 2014-2015,
 NOT ENOUGH DAYS TO MAKE 2003-2012 &
 2014-2015 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: HILL

Station: W-116

At Road: At Blaine County Line

Ascending Direction: East

Location Id: 21-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 2, RP 392.34, 10 Mi. E of Havre (C000001)

Traffic Mix: Pass: 86.36% SU: 6.03% CU: 7.61%

Directional Split: EB 51.31% / WB 48.69%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,709	2,274	2,353	2,200	2,433	2,845	2,089	2,271	91.93%	2,315	98.10%	2,421	93.80%
FEB	1,678	2,305	2,534	2,595	2,790	3,152	2,182	2,462	99.66%	2,556	96.32%	2,675	92.03%
MAR	1,591	2,204	2,356	2,502	2,629	2,729	1,725	2,247	90.96%	2,423	92.75%	2,484	90.46%
APR	1,368	2,176	2,228	2,213	2,283	2,495	1,570	2,047	82.86%	2,225	92.00%	2,279	89.82%
MAY	1,994	2,481	2,569	2,733	2,743	3,141	2,352	2,572	104.11%	2,632	97.74%	2,733	94.10%
JUN	2,126	2,728	2,769	2,924	3,071	3,223	2,349	2,740	110.91%	2,873	95.37%	2,943	93.10%
JUL	2,170	2,826	2,770	2,930	3,039	3,067	2,017	2,688	108.81%	2,891	92.97%	2,926	91.85%
AUG	2,214	2,751	2,782	2,898	2,926	3,164	2,327	2,722	110.18%	2,839	95.87%	2,904	93.73%
SEP	2,094	2,605	2,794	2,796	2,970	3,437	2,410	2,729	110.47%	2,791	97.77%	2,920	93.45%
OCT	1,931	2,330	2,499	2,656	2,741	3,175	2,142	2,495	101.00%	2,557	97.59%	2,680	93.09%
NOV	1,721	2,305	2,568	2,679	2,133	2,915	2,166	2,354	95.29%	2,421	97.22%	2,520	93.41%
DEC	1,676	2,425	2,462	2,653	2,488	2,416	2,110	2,318	93.83%	2,507	92.46%	2,489	93.14%
Year	1,856	2,451	2,557	2,648	2,687	2,980	2,120	2,470		2,586	95.54%	2,665	92.71%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: HILL

Station: W-116

At Road: At Blaine County Line

Location Id: 21-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 2, RP 392.34, 10 Mi. E of Havre (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,759	420	15.22 %	334	12.11 %	324	11.74 %	313	11.34 %	304	11.02 %	291	10.55 %
2004	2,760	361	13.08 %	329	11.92 %	317	11.49 %	312	11.30 %	301	10.91 %	287	10.40 %
2005	2,750	386	14.04 %	346	12.58 %	327	11.89 %	321	11.67 %	307	11.16 %	292	10.62 %
2006	2,750	373	13.56 %	332	12.07 %	323	11.75 %	312	11.35 %	302	10.98 %	286	10.40 %
2007	2,782	352	12.65 %	316	11.36 %	308	11.07 %	304	10.93 %	294	10.57 %	286	10.28 %
2008	2,683	337	12.56 %	316	11.78 %	306	11.41 %	299	11.14 %	291	10.85 %	276	10.29 %
2009	2,794	350	12.53 %	335	11.99 %	326	11.67 %	317	11.35 %	311	11.13 %	296	10.59 %
2010	2,870	409	14.25 %	361	12.58 %	352	12.26 %	344	11.99 %	334	11.64 %	315	10.98 %
2011	2,830		%		%		%		%		%		%
2012	2,920		%		%		%		%		%		%
2013	2,950		%		%		%		%		%		%
2014	2,838	400	14.09 %	345	12.16 %	332	11.70 %	319	11.24 %	310	10.92 %	295	10.39 %
2015	2,966	385	12.98 %	349	11.77 %	339	11.43 %	335	11.29 %	322	10.86 %	308	10.38 %
2016	2,936	379	12.91 %	352	11.99 %	342	11.65 %	335	11.41 %	324	11.04 %	310	10.56 %
2017	2,883	367	12.73 %	332	11.52 %	326	11.31 %	319	11.06 %	312	10.82 %	296	10.27 %
2018	2,829	430	15.20 %	348	12.30 %	333	11.77 %	324	11.45 %	317	11.21 %	302	10.68 %
2019	2,838	381	13.42 %	354	12.47 %	346	12.19 %	337	11.87 %	325	11.45 %	306	10.78 %
2020	2,470	342	13.85 %	309	12.51 %	295	11.94 %	286	11.58 %	281	11.38 %	265	10.73 %

Notes
 UNDER CONSTRUCTION 2011-2013
 NOT ENOUGH DAYS TO MAKE 2011-2013 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MADISON

Station: W-117

At Road: 0.5 Mi. S of Jefferson River

Ascending Direction: North

Location Id: 29-1-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 41, RP 49.2, 6.3 Mi. N of Twin Bridges (C000029)

Traffic Mix: Pass: 82.79% SU: 4.52% CU: 12.69%

Directional Split: SB 50.11% / NB 49.89%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,520	1,721	1,756	1,648	1,798	1,906	1,669	1,716	88.82%	1,731	99.15%	1,766	97.18%
FEB	1,416	1,639	1,795	1,773	1,831	1,911	1,647	1,715	88.76%	1,760	97.47%	1,790	95.82%
MAR	1,377	1,592	1,641	1,791	1,879	1,932	1,669	1,696	87.78%	1,726	98.28%	1,767	95.98%
APR	1,150	1,312	1,443	1,378	1,475	1,604	1,201	1,365	70.65%	1,402	97.36%	1,442	94.63%
MAY	1,639	1,815	1,791	1,843	1,972	2,072	1,763	1,841	95.29%	1,855	99.23%	1,899	96.97%
JUN	1,947	2,001	2,053	2,045	2,196	2,359	2,109	2,101	108.74%	2,074	101.31%	2,131	98.60%
JUL	2,250	2,201	2,135	2,211	2,383	2,443	2,130	2,250	116.45%	2,233	100.78%	2,275	98.92%
AUG	2,225	2,069	2,141	5,581	2,319	2,557	2,314	2,743	141.97%	3,028	90.60%	2,933	93.51%
SEP	2,190	2,146	2,085	1,963	2,338	2,711	2,423	2,264	117.18%	2,133	106.14%	2,249	100.68%
OCT					1,440	1,030							
NOV	1,515	1,654	1,969	2,057	1,825	2,160	1,888	1,866	96.58%	1,876	99.45%	1,933	96.53%
DEC	1,505	1,707	1,766	1,851	1,768	1,674	1,609	1,696	87.78%	1,773	95.66%	1,753	96.74%
Year	1,703	1,805	1,870	1,887	1,935	2,030	1,857	1,932		1,886	102.46%	1,933	99.96%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF OCTOBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: MADISON

Station: W-117

At Road: 0.5 Mi. S of Jefferson River

Location Id: 29-1-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 41, RP 49.2, 6.3 Mi. N of Twin Bridges (C000029)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,810		%		%		%		%		%		%
2004	1,680	256	15.24 %	212	12.62 %	203	12.08 %	199	11.85 %	185	11.01 %	175	10.42 %
2005	1,640	245	14.94 %	219	13.35 %	199	12.13 %	193	11.77 %	186	11.34 %	176	10.73 %
2006	1,710	242	14.15 %	213	12.46 %	206	12.05 %	197	11.52 %	186	10.88 %	176	10.29 %
2007	1,750	354	20.23 %	228	13.03 %	212	12.11 %	207	11.83 %	196	11.20 %	185	10.57 %
2008	1,691	232	13.72 %	208	12.30 %	198	11.71 %	190	11.24 %	183	10.82 %	174	10.29 %
2009	1,759	244	13.87 %	219	12.45 %	209	11.88 %	202	11.48 %	198	11.26 %	183	10.40 %
2010	1,755	247	14.07 %	222	12.65 %	216	12.31 %	209	11.91 %	200	11.40 %	186	10.60 %
2011	1,847	266	14.40 %	229	12.40 %	216	11.69 %	209	11.32 %	203	10.99 %	189	10.23 %
2012	1,867	254	13.60 %	226	12.10 %	215	11.52 %	207	11.09 %	202	10.82 %	191	10.23 %
2013	1,913	261	13.64 %	240	12.55 %	226	11.81 %	220	11.50 %	210	10.98 %	198	10.35 %
2014	1,957	270	13.80 %	239	12.21 %	226	11.55 %	221	11.29 %	213	10.88 %	203	10.37 %
2015	1,963	321	16.35 %	243	12.38 %	227	11.56 %	222	11.31 %	214	10.90 %	202	10.29 %
2016	1,949	293	15.03 %	249	12.78 %	231	11.85 %	226	11.60 %	216	11.08 %	205	10.52 %
2017	1,992	342	17.17 %	250	12.55 %	241	12.10 %	233	11.70 %	225	11.30 %	212	10.64 %
2018	1,908	256	13.42 %	234	12.26 %	222	11.64 %	215	11.27 %	206	10.80 %	198	10.38 %
2019	1,991	298	14.97 %	258	12.96 %	239	12.00 %	232	11.65 %	226	11.35 %	214	10.75 %
2020	1,932	272	14.81 %	233	12.69 %	229	12.47 %	219	11.93 %	212	11.55 %	201	10.95 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2003 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS FOR 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: SANDERS

Station: W-118

At Road: 0.5 Mi. NW of MT 135

Ascending Direction: East

Location Id: 45-6-001

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 200, RP 84.25, 2 Mi. S of Paradise (C000006)

Traffic Mix: Pass: 86.16% SU: 7.99% CU: 5.85%

Directional Split: EB 50.36% / WB 49.64%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,449	1,745	1,678	1,696	1,950	2,140	1,675	1,761	68.63%	1,767	99.65%	1,842	95.61%
FEB	1,684	1,868	1,902	1,870	2,180	2,533	1,961	1,999	77.91%	1,955	102.25%	2,071	96.54%
MAR	1,625	1,751	1,723	1,851	2,003	2,190	1,576	1,816	70.78%	1,832	99.13%	1,904	95.40%
APR	1,357	1,636	1,756	1,627	1,801	1,894	1,354	1,631	63.57%	1,705	95.66%	1,743	93.59%
MAY	2,317	2,434	2,222	2,278	2,544	2,955	2,310	2,436	94.94%	2,370	102.81%	2,487	97.97%
JUN	2,940	2,904	2,791	2,828	3,129	3,638	2,997	3,031	118.13%	2,913	104.05%	3,058	99.12%
JUL	4,209	3,744	3,392	3,533	3,973	4,528	3,456	3,833	149.39%	3,661	104.71%	3,834	99.97%
AUG	4,294	3,739	3,514	3,632	3,928	4,613	3,991	3,958	154.26%	3,703	106.88%	3,885	101.87%
SEP	3,511	3,603	3,186	3,108	3,608	4,351	3,603	3,566	138.98%	3,376	105.62%	3,571	99.85%
OCT	2,533	2,536	2,530	2,365	2,886	3,228	2,462	2,648	103.21%	2,579	102.67%	2,709	97.75%
NOV	1,926	2,121	2,124	2,325	2,027	2,395	2,026	2,134	83.17%	2,149	99.29%	2,198	97.07%
DEC	1,761	2,031	2,009	2,127	2,109	1,972	1,827	1,976	77.01%	2,069	95.51%	2,050	96.41%
Year	2,467	2,509	2,402	2,437	2,678	3,036	2,437	2,566		2,507	102.36%	2,613	98.21%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: SANDERS

Station: W-118

At Road: 0.5 Mi. NW of MT 135

Location Id: 45-6-001

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 200, RP 84.25, 2 Mi. S of Paradise (C000006)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,230		%		%		%		%		%		%
2004	2,290	417	18.21 %	368	16.07 %	341	14.89 %	328	14.32 %	309	13.49 %	278	12.14 %
2005	2,260	375	16.59 %	346	15.31 %	330	14.60 %	318	14.07 %	301	13.32 %	276	12.21 %
2006	2,260	407	18.01 %	372	16.46 %	345	15.27 %	319	14.12 %	288	12.74 %	270	11.95 %
2007	2,298	497	21.63 %	394	17.15 %	371	16.14 %	343	14.93 %	307	13.36 %	284	12.36 %
2008	2,121	457	21.55 %	354	16.69 %	338	15.94 %	310	14.62 %	288	13.58 %	261	12.31 %
2009	2,181	450	20.63 %	375	17.19 %	352	16.14 %	332	15.22 %	310	14.21 %	275	12.61 %
2010	2,136	415	19.43 %	382	17.88 %	355	16.62 %	338	15.82 %	308	14.42 %	280	13.11 %
2011	2,097	432	20.60 %	384	18.31 %	331	15.78 %	319	15.21 %	300	14.31 %	268	12.78 %
2012	2,087	395	18.93 %	370	17.73 %	345	16.53 %	328	15.72 %	296	14.18 %	270	12.94 %
2013	2,160	397	18.38 %	355	16.44 %	318	14.72 %	308	14.26 %	295	13.66 %	272	12.59 %
2014	2,210		%		%		%		%		%		%
2015	2,270		%		%		%		%		%		%
2016	2,559	474	18.52 %	431	16.84 %	401	15.67 %	389	15.20 %	372	14.54 %	351	13.72 %
2017	2,603	449	17.25 %	410	15.75 %	390	14.98 %	382	14.68 %	366	14.06 %	343	13.18 %
2018	2,662	467	17.54 %	426	16.00 %	407	15.29 %	398	14.95 %	385	14.46 %	357	13.41 %
2019	2,698	535	19.83 %	480	17.79 %	449	16.64 %	426	15.79 %	407	15.09 %	375	13.90 %
2020	2,566	601	23.43 %	453	17.66 %	431	16.80 %	414	16.14 %	394	15.36 %	371	14.46 %

Notes
 UNDER CONSTRUCTION 2003 & 2014-2015,
 NOT ENOUGH DAYS TO MAKE 2003 & 2014-2015
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: STILLWATER

Station: W-120

At Road: 8.3 Mi. E of Columbus Intch

Ascending Direction: East

Location Id: 48-2-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 416.28, 8.3 Mi. E of Columbus Intch (C000090)

Traffic Mix: Pass: 73.46% SU: 5.97% CU: 20.57%

Directional Split: WB 50.04% / EB 49.96%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,426	8,323	8,576	8,561	9,175	10,084	9,037	8,882	79.62%	8,659	102.58%	8,944	99.31%
FEB	8,267	8,319	8,732	9,116	9,690	10,733	9,651	9,214	82.60%	8,964	102.79%	9,318	98.88%
MAR	8,618	8,156	8,839	9,493	9,727	10,543	9,486	9,265	83.05%	9,054	102.33%	9,352	99.07%
APR	6,349	6,953	7,530	7,358	7,613	8,380	7,084	7,323	65.64%	7,364	99.45%	7,567	96.78%
MAY	10,513	10,187	10,139	10,239	11,016	12,275	11,087	10,779	96.62%	10,395	103.69%	10,771	100.07%
JUN	14,559	12,254	12,408	12,717	13,545	15,275	14,705	13,637	122.24%	12,731	107.12%	13,240	103.00%
JUL	16,140	14,099	13,561	14,426	15,444	16,848	14,870	15,054	134.95%	14,383	104.67%	14,876	101.20%
AUG	15,967	11,504	13,007	13,747	15,122	16,577	15,959	14,554	130.46%	13,345	109.06%	13,991	104.02%
SEP	14,048	13,088	12,423	12,849	14,137	16,219	14,564	13,903	124.63%	13,124	105.93%	13,743	101.16%
OCT	10,373	10,483	11,193	11,527	12,167	13,901	10,444	11,440	102.55%	11,343	100.86%	11,854	96.51%
NOV	9,268	9,436	10,361	10,941	9,766	11,079	10,741	10,226	91.67%	10,126	100.99%	10,317	99.12%
DEC	9,221	9,138	9,523	10,364	9,525	9,467	9,902	9,590	85.97%	9,638	99.51%	9,603	99.86%
Year	10,979	10,162	10,524	10,945	11,411	12,615	11,461	11,156		10,760	103.67%	11,131	100.22%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: STILLWATER

Station: W-120

At Road: 8.3 Mi. E of Columbus Intch

Location Id: 48-2-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 416.28, 8.3 Mi. E of Columbus Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	9,571		%		%		%		%		%		%
2004	9,920	1,220	12.30 %	1,192	12.02 %	1,154	11.63 %	1,121	11.30 %	1,075	10.84 %	1,011	10.19 %
2005	9,810	1,382	14.09 %	1,248	12.72 %	1,178	12.01 %	1,147	11.69 %	1,110	11.31 %	1,057	10.77 %
2006	9,980	1,341	13.44 %	1,186	11.88 %	1,148	11.50 %	1,118	11.20 %	1,088	10.90 %	1,032	10.34 %
2007	10,203	1,345	13.18 %	1,218	11.94 %	1,180	11.57 %	1,152	11.29 %	1,131	11.08 %	1,078	10.57 %
2008	9,618	1,334	13.87 %	1,183	12.30 %	1,120	11.64 %	1,081	11.24 %	1,039	10.80 %	974	10.13 %
2009	9,804	1,282	13.08 %	1,176	12.00 %	1,132	11.55 %	1,116	11.38 %	1,086	11.08 %	1,028	10.49 %
2010	10,189	1,406	13.80 %	1,279	12.55 %	1,246	12.23 %	1,225	12.02 %	1,169	11.47 %	1,107	10.86 %
2011	9,862	1,320	13.38 %	1,249	12.66 %	1,205	12.22 %	1,154	11.70 %	1,111	11.27 %	1,046	10.61 %
2012	10,074	1,350	13.40 %	1,278	12.69 %	1,249	12.40 %	1,226	12.17 %	1,194	11.85 %	1,122	11.14 %
2013	10,528	1,684	16.00 %	1,357	12.89 %	1,295	12.30 %	1,244	11.82 %	1,176	11.17 %	1,106	10.51 %
2014	10,764	1,616	15.01 %	1,339	12.44 %	1,300	12.08 %	1,254	11.65 %	1,206	11.20 %	1,148	10.67 %
2015	10,424	1,514	14.52 %	1,321	12.67 %	1,265	12.14 %	1,239	11.89 %	1,184	11.36 %	1,116	10.71 %
2016	11,699	1,511	12.92 %	1,389	11.87 %	1,351	11.55 %	1,325	11.33 %	1,287	11.00 %	1,216	10.39 %
2017	11,723	1,531	13.06 %	1,463	12.48 %	1,398	11.93 %	1,378	11.75 %	1,348	11.50 %	1,264	10.78 %
2018	11,629	1,551	13.34 %	1,422	12.23 %	1,377	11.84 %	1,354	11.64 %	1,306	11.23 %	1,254	10.78 %
2019	11,902	1,592	13.38 %	1,461	12.28 %	1,429	12.01 %	1,408	11.83 %	1,366	11.48 %	1,295	10.88 %
2020	11,156	1,474	13.21 %	1,413	12.67 %	1,387	12.43 %	1,360	12.19 %	1,320	11.83 %	1,271	11.39 %

Notes
 UNDER CONSTRUCTION 2003,
 NOT ENOUGH DAYS FOR 2003 PEAK HOURLY
 REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: W-121

At Road: 1 Mi. NW of Clinton Intch

Ascending Direction: East

Location Id: 32-3B-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 117.99, 4 Mi. S of Turah (C000090)

Traffic Mix: Pass: 74.99% SU: 6.55% CU: 18.46%

Directional Split: WB 50.23% / EB 49.79%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,747	7,689	7,440	7,524	8,257	9,533	8,199	8,055	76.31%	7,728	104.24%	8,089	99.58%
FEB	8,647	8,425	8,431	8,415	9,158	10,679	9,440	9,027	85.51%	8,607	104.88%	9,022	100.06%
MAR	8,731	8,071	8,467	9,071	9,686	11,154	8,663	9,119	86.38%	8,824	103.35%	9,290	98.16%
APR	6,320	6,980	7,176	6,990	7,547	8,077	6,621	7,101	67.27%	7,173	98.99%	7,354	96.56%
MAY	10,288	9,901	9,280	9,452	10,497	11,745	10,707	10,266	97.25%	9,783	104.94%	10,175	100.89%
JUN	14,397	12,361	12,137	12,154	13,475	15,350	13,629	13,356	126.52%	12,532	106.58%	13,095	101.99%
JUL		14,822	13,833	14,591	16,096	15,892	13,082						
AUG	16,852	14,075	13,601	13,957	15,230	17,438	15,806	15,279	144.74%	14,216	107.48%	14,860	102.82%
SEP	14,575	13,971	12,658	13,016	14,442	16,676	14,743	14,296	135.43%	13,522	105.73%	14,153	101.01%
OCT	11,044	10,493	10,708	10,932	12,346	13,523	10,380	11,346	107.48%	11,120	102.03%	11,600	97.81%
NOV	9,161	8,764	9,567	9,915	9,074	10,231	9,904	9,516	90.15%	9,330	101.99%	9,510	100.06%
DEC	8,766	8,690	8,597	9,110	8,725	8,459	8,964	8,758	82.96%	8,781	99.74%	8,716	100.48%
Year	10,593	10,354	10,158	10,427	11,211	12,396	10,845	10,556		10,147	104.04%	10,533	100.22%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF JULY, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: W-121

At Road: 1 Mi. NW of Clinton Intch

Location Id: 32-3B-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 117.99, 4 Mi. S of Turah (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	10,306		%		%		%		%		%		%
2004	10,580	1,517	14.34 %	1,399	13.22 %	1,352	12.78 %	1,308	12.36 %	1,268	11.98 %	1,203	11.37 %
2005	10,460	1,548	14.80 %	1,343	12.84 %	1,305	12.48 %	1,285	12.28 %	1,251	11.96 %	1,206	11.53 %
2006	10,520	1,548	14.71 %	1,334	12.68 %	1,284	12.21 %	1,251	11.89 %	1,223	11.63 %	1,158	11.01 %
2007	10,436	1,538	14.74 %	1,407	13.48 %	1,352	12.96 %	1,312	12.57 %	1,250	11.98 %	1,177	11.28 %
2008	10,027		%		%		%		%		%		%
2009	10,228	1,576	15.41 %	1,399	13.68 %	1,341	13.11 %	1,286	12.57 %	1,210	11.83 %	1,110	10.85 %
2010	10,505	1,494	14.22 %	1,380	13.14 %	1,308	12.45 %	1,251	11.91 %	1,193	11.36 %	1,142	10.87 %
2011	10,331	1,433	13.87 %	1,316	12.74 %	1,253	12.13 %	1,226	11.87 %	1,169	11.32 %	1,106	10.71 %
2012	9,806		%		%		%		%		%		%
2013	10,515	1,879	17.87 %	1,471	13.99 %	1,370	13.03 %	1,329	12.64 %	1,264	12.02 %	1,187	11.29 %
2014	10,702	1,658	15.49 %	1,474	13.77 %	1,417	13.24 %	1,380	12.89 %	1,335	12.47 %	1,253	11.71 %
2015	11,652	1,723	14.79 %	1,583	13.59 %	1,545	13.26 %	1,510	12.96 %	1,470	12.62 %	1,390	11.93 %
2016	11,991	1,750	14.59 %	1,664	13.88 %	1,589	13.25 %	1,552	12.94 %	1,495	12.47 %	1,410	11.76 %
2017	12,117	2,602	21.47 %	1,770	14.61 %	1,705	14.07 %	1,647	13.59 %	1,567	12.93 %	1,479	12.21 %
2018	12,000	1,808	15.07 %	1,682	14.02 %	1,640	13.67 %	1,611	13.43 %	1,548	12.90 %	1,456	12.13 %
2019	11,810	2,013	17.04 %	1,730	14.65 %	1,641	13.90 %	1,608	13.62 %	1,566	13.26 %	1,448	12.26 %
2020	10,556	1,728	15.80 %	1,617	14.79 %	1,552	14.19 %	1,494	13.66 %	1,428	13.06 %	1,339	12.25 %

Notes
 UNDER CONSTRUCTION 2003, 2008, & 2012,
 NOT ENOUGH DAYS TO MAKE 2003, 2008, &
 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BEAVERHEAD

Station: W-122

At Road: 0.8 Mi. N of N Dillon Intch

Ascending Direction: North

Location Id: 01-4-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 65.7, 2 Mi. N of Dillon (C000015)

Traffic Mix: Pass: 71.52% SU: 5.30% CU: 23.18%

Directional Split: NB 51.19% / SB 48.81%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,478	2,405	2,553	2,530	2,779	2,948	2,478	2,595	77.33%	2,567	101.10%	2,643	98.18%
FEB	2,448	2,506	2,680	2,743	2,969	3,128	2,641	2,730	81.35%	2,725	100.20%	2,805	97.32%
MAR	3,071	3,019	3,114	3,581	3,712	3,822	3,153	3,352	99.88%	3,357	99.87%	3,450	97.17%
APR	1,813	2,019	2,264	2,292	2,346	2,389	1,944	2,152	64.13%	2,230	96.49%	2,262	95.14%
MAY	2,869	2,978	2,895	2,952	3,349	3,412	2,924	3,053	90.97%	3,044	100.31%	3,117	97.94%
JUN	4,058	3,738	3,671	3,734	4,072	4,337	3,777	3,911	116.54%	3,804	102.82%	3,910	100.02%
JUL	4,994	4,474	4,170	4,460	4,812	4,971	4,075	4,564	136.00%	4,479	101.90%	4,577	99.71%
AUG	4,727	4,139	4,022	4,135	4,461	4,844	4,396	4,388	130.75%	4,189	104.74%	4,320	101.57%
SEP	4,133	4,040	3,835	3,864	4,422	4,710	3,991	4,141	123.39%	4,040	102.49%	4,174	99.20%
OCT	3,446	3,439	3,420	3,532	3,793	4,210	3,239	3,582	106.74%	3,546	101.02%	3,679	97.37%
NOV	3,105	2,845	3,142	3,458	2,889	3,179	3,109	3,103	92.46%	3,084	100.63%	3,103	100.01%
DEC	2,575	2,829	2,784	2,960	2,666	2,508	2,588	2,700	80.45%	2,810	96.09%	2,749	98.20%
Year	3,310	3,203	3,213	3,353	3,523	3,705	3,193	3,356		3,323	101.00%	3,399	98.73%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BEAVERHEAD

Station: W-122

At Road: 0.8 Mi. N of N Dillon Intch

Location Id: 01-4-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 65.7, 2 Mi. N of Dillon (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,959		%		%		%		%		%		%
2004	2,970	562	18.92 %	425	14.31 %	387	13.03 %	363	12.22 %	338	11.38 %	322	10.84 %
2005	3,000	538	17.93 %	435	14.50 %	384	12.80 %	374	12.47 %	354	11.80 %	333	11.10 %
2006	3,070	547	17.82 %	412	13.42 %	385	12.54 %	376	12.25 %	353	11.50 %	336	10.94 %
2007	3,136	590	18.81 %	430	13.71 %	400	12.76 %	384	12.24 %	369	11.77 %	346	11.03 %
2008	2,945	507	17.22 %	425	14.43 %	378	12.84 %	359	12.19 %	341	11.58 %	321	10.90 %
2009	3,109	560	18.01 %	436	14.02 %	420	13.51 %	406	13.06 %	383	12.32 %	356	11.45 %
2010	3,221	475	14.75 %	446	13.85 %	419	13.01 %	410	12.73 %	394	12.23 %	365	11.33 %
2011	3,134	531	16.94 %	421	13.43 %	392	12.51 %	387	12.35 %	363	11.58 %	336	10.72 %
2012	3,165	498	15.73 %	434	13.71 %	402	12.70 %	389	12.29 %	374	11.82 %	350	11.06 %
2013	3,300		%		%		%		%		%		%
2014	3,484		%		%		%		%		%		%
2015	3,422	583	17.04 %	481	14.06 %	453	13.24 %	436	12.74 %	415	12.13 %	388	11.34 %
2016	3,445	601	17.45 %	511	14.83 %	465	13.50 %	444	12.89 %	426	12.37 %	397	11.52 %
2017	3,647	565	15.49 %	521	14.29 %	486	13.33 %	472	12.94 %	452	12.39 %	421	11.54 %
2018	3,651	615	16.84 %	524	14.35 %	490	13.42 %	467	12.79 %	446	12.22 %	416	11.39 %
2019	3,678	673	18.30 %	568	15.44 %	518	14.08 %	494	13.43 %	466	12.67 %	431	11.72 %
2020	3,356	586	17.46 %	498	14.84 %	474	14.12 %	460	13.71 %	446	13.29 %	412	12.28 %

Notes
 UNDER CONSTRUCTION 2003, & 2013-2014,
 NOT ENOUGH DAYS TO MAKE 2003, & 2013 -2014
 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: W-123

At Road: 2 Mi. SE of Jct I-94 Intch

Ascending Direction: East

Location Id: 56-4A-007

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 458.65, 2 Mi. SE of Pinehill Intch (C000090)

Traffic Mix: Pass: 74.20% SU: 5.40% CU: 20.40%

Directional Split: WB 50.52% / EB 49.48%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,465	5,800	6,061	5,831	6,163	7,017	6,473	6,115	80.67%	5,964	102.54%	6,174	99.04%
FEB	5,096	5,133	5,784	6,258	6,478	7,486	6,834	6,151	81.15%	5,913	104.02%	6,228	98.77%
MAR	5,252	5,675	6,146	6,616	6,756	7,594	6,609	6,377	84.13%	6,298	101.25%	6,557	97.25%
APR	3,700	4,798	5,194	5,077	5,171	5,876	4,678	4,927	65.00%	5,060	97.37%	5,223	94.33%
MAY	6,270	6,568	6,804	7,137	7,416	8,159	7,596	7,135	94.13%	6,981	102.20%	7,217	98.87%
JUN	8,675	8,382	8,500	8,682	9,150	10,099	9,512	8,999	118.72%	8,679	103.69%	8,963	100.41%
JUL	9,818	9,698	9,432	9,874	10,472	11,453	9,903	10,092	133.14%	9,869	102.26%	10,186	99.08%
AUG	9,813	9,452	9,483	9,936	10,275	11,374	10,798	10,161	134.05%	9,787	103.83%	10,104	100.56%
SEP	8,808	8,886	8,774	8,934	9,684	10,964	9,816	9,408	124.11%	9,070	103.73%	9,448	99.57%
OCT	6,655	7,166	7,674	7,867	8,021	9,490	7,231	7,728	101.95%	7,682	100.60%	8,044	96.08%
NOV	6,077	6,613	7,053	7,345	6,694	8,018	7,726	7,074	93.32%	6,926	102.13%	7,145	99.01%
DEC	6,097	6,439	6,440	7,532	6,986	7,002	7,083	6,796	89.65%	6,849	99.22%	6,880	98.78%
Year	6,811	7,051	7,279	7,591	7,772	8,711	7,855	7,580		7,423	102.12%	7,681	98.69%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: W-123

At Road: 2 Mi. SE of Jct I-94 Intch

Location Id: 56-4A-007

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 458.65, 2 Mi. SE of Pinehill Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,667		%		%		%		%		%		%
2004	7,050	961	13.63 %	828	11.74 %	804	11.40 %	787	11.16 %	765	10.85 %	721	10.23 %
2005	7,060	990	14.02 %	883	12.51 %	829	11.74 %	809	11.46 %	778	11.02 %	718	10.17 %
2006	7,250	835	11.52 %	809	11.16 %	780	10.76 %	766	10.57 %	740	10.21 %	701	9.67 %
2007	7,267	1,082	14.89 %	875	12.04 %	835	11.49 %	806	11.09 %	791	10.88 %	747	10.28 %
2008	6,515	755	11.59 %	708	10.87 %	682	10.47 %	670	10.28 %	651	9.99 %	621	9.53 %
2009	7,054	1,069	15.15 %	888	12.59 %	850	12.05 %	833	11.81 %	803	11.38 %	750	10.63 %
2010	6,650	930	13.98 %	793	11.92 %	768	11.55 %	741	11.14 %	717	10.78 %	673	10.12 %
2011	6,880		%		%		%		%		%		%
2012	7,290		%		%		%		%		%		%
2013	7,222	1,102	15.26 %	870	12.05 %	855	11.84 %	833	11.53 %	804	11.13 %	764	10.58 %
2014	7,418	1,052	14.18 %	901	12.15 %	872	11.76 %	854	11.51 %	827	11.15 %	795	10.72 %
2015	8,114	1,286	15.85 %	1,015	12.51 %	974	12.00 %	936	11.54 %	911	11.23 %	853	10.51 %
2016	8,127	1,136	13.98 %	964	11.86 %	942	11.59 %	924	11.37 %	902	11.10 %	857	10.55 %
2017	8,118	1,131	13.93 %	1,006	12.39 %	968	11.92 %	938	11.55 %	917	11.30 %	872	10.74 %
2018	7,947	1,051	13.23 %	957	12.04 %	933	11.74 %	923	11.61 %	899	11.31 %	862	10.85 %
2019	8,121	1,065	13.11 %	953	11.74 %	935	11.51 %	911	11.22 %	885	10.90 %	844	10.39 %
2020	7,580	1,018	13.43 %	950	12.53 %	922	12.16 %	900	11.87 %	873	11.52 %	833	10.99 %

Notes
 UNDER CONSTRUCTION 2003, & 2011-2012,
 NOT ENOUGH DAYS TO MAKE 2003, & 2011 -2012
 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: JEFFERSON

Station: W-124

At Road: 0.7 Mi. W of Cardwell Intch

Ascending Direction: East

Location Id: 22-3-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 255.48, 0.7 Mi. W of Cardwell Intch (C000090)

Traffic Mix: Pass: 74.49% SU: 4.20% CU: 21.31%

Directional Split: EB 50.30% / WB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,297	6,025	6,063	5,954	6,484	7,383	6,720	6,417	73.62%	6,132	104.66%	6,382	100.55%
FEB	6,467	6,229	6,389	6,400	6,851	7,815	7,131	6,754	77.49%	6,467	104.43%	6,737	100.26%
MAR	6,561	6,020	6,419	6,767	7,422	8,048	7,118	6,907	79.24%	6,657	103.76%	6,935	99.59%
APR	4,847	4,878	5,376	5,209	5,639	6,074	5,248	5,324	61.08%	5,276	100.92%	5,435	97.95%
MAY	7,980	7,838	7,075	7,282	7,952	8,954	8,375	7,921	90.88%	7,537	105.10%	7,820	101.29%
JUN	11,397	9,550	9,594	9,644	10,577	11,931	10,938	10,518	120.67%	9,841	106.88%	10,259	102.52%
JUL	13,720	11,753	11,275	11,776	12,862	13,957	11,886	12,460	142.95%	11,917	104.56%	12,325	101.10%
AUG	14,044	11,749	11,608	12,100	12,951	14,460	13,650	12,937	148.42%	12,102	106.90%	12,574	102.89%
SEP	12,277	11,459	10,219	10,512	11,755	13,826	12,191	11,747	134.77%	10,986	106.92%	11,554	101.67%
OCT	9,148	8,448	8,617	8,778	9,609	10,922	8,427	9,135	104.80%	8,863	103.07%	9,275	98.49%
NOV	7,201	6,784	7,519	7,894	7,172	8,057	8,028	7,521	86.29%	7,342	102.43%	7,485	100.48%
DEC	7,060	6,780	6,811	7,326	6,836	6,800	7,077	6,955	79.79%	6,938	100.24%	6,911	100.64%
Year	8,917	8,126	8,080	8,304	8,843	9,852	8,899	8,716		8,338	104.54%	8,641	100.87%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: JEFFERSON

Station: W-124

At Road: 0.7 Mi. W of Cardwell Intch

Location Id: 22-3-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 255.48, 0.7 Mi. W of Cardwell Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	7,079		%		%		%		%		%		%
2004	7,220	1,034	14.32 %	960	13.30 %	941	13.03 %	919	12.73 %	894	12.38 %	840	11.63 %
2005	7,240	1,032	14.25 %	942	13.01 %	913	12.61 %	889	12.28 %	867	11.98 %	820	11.33 %
2006	7,410	1,005	13.56 %	969	13.08 %	934	12.60 %	910	12.28 %	877	11.84 %	817	11.03 %
2007	7,625	1,071	14.05 %	979	12.84 %	954	12.51 %	946	12.41 %	919	12.05 %	855	11.21 %
2008	7,005	1,012	14.45 %	928	13.25 %	893	12.75 %	878	12.53 %	856	12.22 %	805	11.49 %
2009	7,300	1,102	15.10 %	1,010	13.84 %	989	13.55 %	969	13.27 %	943	12.92 %	887	12.15 %
2010	7,590		%		%		%		%		%		%
2011	7,850		%		%		%		%		%		%
2012	7,188		%		%		%		%		%		%
2013	7,793	1,202	15.42 %	1,079	13.85 %	1,031	13.23 %	1,019	13.08 %	983	12.61 %	928	11.91 %
2014	8,109	1,220	15.05 %	1,097	13.53 %	1,064	13.12 %	1,049	12.94 %	1,021	12.59 %	966	11.91 %
2015	8,748	1,268	14.49 %	1,165	13.32 %	1,145	13.09 %	1,114	12.73 %	1,082	12.37 %	1,032	11.80 %
2016	9,044	1,277	14.12 %	1,221	13.50 %	1,187	13.12 %	1,153	12.75 %	1,122	12.41 %	1,060	11.72 %
2017	9,004	1,310	14.55 %	1,207	13.41 %	1,175	13.05 %	1,156	12.84 %	1,122	12.46 %	1,044	11.59 %
2018	9,070	1,270	14.00 %	1,204	13.27 %	1,189	13.11 %	1,174	12.94 %	1,144	12.61 %	1,083	11.94 %
2019	9,112	1,442	15.83 %	1,294	14.20 %	1,227	13.47 %	1,190	13.06 %	1,167	12.81 %	1,101	12.08 %
2020	8,716	1,455	16.69 %	1,290	14.80 %	1,237	14.19 %	1,204	13.81 %	1,176	13.49 %	1,120	12.85 %

Notes
 UNDER CONSTRUCTION 2003, & 2010-2012,
 NOT ENOUGH DAYS TO MAKE 2003, & 2010-2012
 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: W-125

At Road: 3.5 Mi. NE of Augusta Intch

Ascending Direction: North

Location Id: 25-5-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-15, RP 231.84, 5 Mi. N of Wolf Creek Intch (C000015)

Traffic Mix: Pass: 73.67% SU: 6.55% CU: 19.78%

Directional Split: NB 50.73% / SB 49.27%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN				3,077									
FEB	3,189	3,266	3,218	3,404	3,827	4,369	3,868	3,591	99.10%	3,429	104.73%	3,617	99.29%
MAR	3,353	3,280	3,323	3,768	4,013	4,223	3,357	3,616	99.79%	3,596	100.56%	3,721	97.17%
APR	2,175	2,408	2,545	2,493	2,691	2,789	2,022	2,445	67.48%	2,534	96.48%	2,585	94.58%
MAY	3,692	3,493	3,214	3,364	3,701	4,163	3,917	3,649	100.70%	3,443	105.98%	3,587	101.73%
JUN	4,467	3,782	3,826	3,974	4,234	5,061	4,497	4,262	117.62%	3,954	107.79%	4,175	102.07%
JUL	4,598	4,149	4,042	4,252	4,553	4,899	4,174	4,380	120.88%	4,249	103.08%	4,379	100.02%
AUG	4,533	3,801	3,887	3,913	4,220	4,946	4,464	4,251	117.32%	3,955	107.48%	4,153	102.35%
SEP	4,029	3,765	3,619	3,658	4,050	4,881	4,228	4,032	111.27%	3,773	106.86%	3,995	100.94%
OCT	3,155	3,121	3,320	3,499	3,769	4,221	3,012	3,442	94.99%	3,427	100.43%	3,586	95.98%
NOV	2,903	2,931	3,193	3,389	3,162	3,536	2,968	3,154	87.04%	3,169	99.53%	3,242	97.28%
DEC	2,933	2,935	2,895	3,198	3,137	3,079	3,092	3,037	83.81%	3,041	99.86%	3,049	99.61%
Year	3,548	3,357	3,371	3,499	3,760	4,197	3,600	3,624		3,506	103.34%	3,645	99.42%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: W-125

At Road: 3.5 Mi. NE of Augusta Intch

Location Id: 25-5-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-15, RP 231.84, 5 Mi. N of Wolf Creek Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,652		%		%		%		%		%		%
2004	3,700	580	15.68 %	496	13.41 %	466	12.59 %	455	12.30 %	445	12.03 %	421	11.38 %
2005	3,670	566	15.42 %	475	12.94 %	462	12.59 %	453	12.34 %	438	11.93 %	418	11.39 %
2006	3,760	597	15.88 %	476	12.66 %	455	12.10 %	444	11.81 %	432	11.49 %	412	10.96 %
2007	3,850	553	14.36 %	470	12.21 %	461	11.97 %	452	11.74 %	440	11.43 %	420	10.91 %
2008	3,718	617	16.59 %	485	13.04 %	461	12.40 %	447	12.02 %	432	11.62 %	410	11.03 %
2009	3,801	585	15.39 %	507	13.34 %	482	12.68 %	471	12.39 %	451	11.87 %	423	11.13 %
2010	3,879	554	14.28 %	505	13.02 %	482	12.43 %	472	12.17 %	449	11.58 %	427	11.01 %
2011	4,080		%		%		%		%		%		%
2012	4,320		%		%		%		%		%		%
2013	4,490		%		%		%		%		%		%
2014	4,590		%		%		%		%		%		%
2015	4,218	571	13.54 %	538	12.75 %	523	12.40 %	514	12.19 %	498	11.81 %	475	11.26 %
2016	4,262	596	13.98 %	539	12.65 %	519	12.18 %	512	12.01 %	501	11.76 %	477	11.19 %
2017	4,330	633	14.62 %	551	12.73 %	537	12.40 %	528	12.19 %	513	11.85 %	488	11.27 %
2018	4,230	638	15.08 %	554	13.10 %	532	12.58 %	521	12.32 %	504	11.91 %	483	11.42 %
2019	4,209	662	15.73 %	543	12.90 %	521	12.38 %	517	12.28 %	505	12.00 %	481	11.43 %
2020	3,624	504	13.98 %	466	12.93 %	453	12.57 %	442	12.26 %	428	11.88 %	410	11.38 %

Notes
 UNDER CONSTRUCTION 2003 & 2011-2014,
 NOT ENOUGH DAYS TO MAKE 2003, & 2011-2014
 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: W-126

At Road: 0.8 Mi. SE of US 89

Ascending Direction: East

Location Id: 07-2-021

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 87 RP 0.5, 0.8 Mi. SE of US 89, East Armington (Prepass) (C000057)

Traffic Mix: Pass: 51.53% SU: 14.91% CU: 33.56%

Directional Split: WB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	836	936	926	878	984	1,149	854	937	89.54%	931	100.64%	975	96.14%
FEB	819	841	814	907	1,020	1,171	880	921	88.01%	896	102.85%	951	96.89%
MAR	735	848	837	847	888	931	725	829	79.22%	855	96.96%	870	95.27%
APR	606	748	778	736	784	837	554	719	68.71%	762	94.42%	777	92.58%
MAY	1,030	1,081	980	1,030	1,076	1,147	956	1,042	99.58%	1,042	100.02%	1,063	98.04%
JUN	1,316	1,204	1,179	1,237	1,304	1,402	1,170	1,258	120.22%	1,231	102.19%	1,265	99.43%
JUL	1,482	1,325	1,202	1,314	1,414	1,375	1,092	1,314	125.57%	1,314	100.02%	1,326	99.10%
AUG	1,437	1,302	1,226	1,307	1,374	1,448	1,282	1,338	127.86%	1,302	102.75%	1,331	100.50%
SEP	1,334	1,239	1,176	1,203	1,323	1,423	1,301	1,285	122.80%	1,235	104.03%	1,273	100.96%
OCT	1,002	966	1,002	1,068	1,104	1,208	914	1,037	99.10%	1,035	100.19%	1,070	96.95%
NOV	974	921	999	1,082	948	1,115	1,022	1,008	96.33%	988	102.08%	1,013	99.51%
DEC	797	887	854	973	923	872	785	869	83.05%	909	95.57%	902	96.36%
Year	1,031	1,025	998	1,049	1,095	1,173	961	1,046		1,042	100.47%	1,068	97.99%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
ONE DIRECTION ONLY (WB)



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: W-126

At Road: 0.8 Mi. SE of US 89

Location Id: 07-2-021

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 87 RP 0.5, 0.8 Mi. SE of US 89, East Armington (Prepass) (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,115		%		%		%		%		%		%
2004	1,105		%		%		%		%		%		%
2005	1,147	232	20.23 %	161	14.04 %	147	12.82 %	142	12.38 %	135	11.77 %	126	10.99 %
2006	1,075	236	21.95 %	171	15.91 %	152	14.14 %	145	13.49 %	134	12.47 %	125	11.63 %
2007	1,097	252	22.97 %	172	15.68 %	150	13.67 %	143	13.04 %	138	12.58 %	127	11.58 %
2008	1,044	229	21.93 %	158	15.13 %	146	13.98 %	140	13.41 %	132	12.64 %	120	11.49 %
2009	1,065	269	25.26 %	160	15.02 %	148	13.90 %	144	13.52 %	136	12.77 %	128	12.02 %
2010	1,096	293	26.73 %	162	14.78 %	156	14.23 %	151	13.78 %	142	12.96 %	131	11.95 %
2011	1,093	331	30.28 %	167	15.28 %	152	13.91 %	146	13.36 %	140	12.81 %	128	11.71 %
2012	1,104	285	25.82 %	162	14.67 %	150	13.59 %	144	13.04 %	136	12.32 %	124	11.23 %
2013	1,000	357	35.70 %	158	15.80 %	145	14.50 %	137	13.70 %	125	12.50 %	113	11.30 %
2014	1,128	342	30.32 %	168	14.89 %	153	13.56 %	145	12.85 %	138	12.23 %	131	11.61 %
2015	1,154	344	29.81 %	169	14.64 %	160	13.86 %	156	13.52 %	146	12.65 %	137	11.87 %
2016	1,195	269	22.51 %	178	14.90 %	163	13.64 %	155	12.97 %	149	12.47 %	141	11.80 %
2017	1,167	237	20.31 %	191	16.37 %	168	14.40 %	161	13.80 %	152	13.02 %	140	12.00 %
2018	1,122	230	20.50 %	173	15.42 %	165	14.71 %	157	13.99 %	149	13.28 %	137	12.21 %
2019	1,182	263	22.25 %	182	15.40 %	169	14.30 %	162	13.71 %	156	13.20 %	146	12.35 %
2020	1,046	187	17.88 %	148	14.15 %	143	13.67 %	137	13.10 %	131	12.52 %	123	11.76 %

Notes
UNDER CONSTRUCTION 2003-2004, 2004, NOT ENOUGH DAYS TO MAKE 2003 -2004 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: CASCADE

Station: W-127

At Road: 0.5 Mi. NW of US 89

Ascending Direction: North

Location Id: 07-2-019

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 89/87, RP 71.98, West Armington (Prepass) (C000060)

Traffic Mix: Pass: 81.00% SU: 6.97% CU: 12.03%

Directional Split: NB 50.11% / SB 49.89%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,590	2,447	2,284	2,374	2,605	3,037	2,945	2,611	86.09%	2,428	107.56%	2,549	102.42%
FEB	2,545	2,257	2,086	2,409	2,691	3,112	2,941	2,576	84.94%	2,361	109.12%	2,511	102.59%
MAR	2,224	2,165	2,174	2,228	2,395	2,595	2,176	2,279	75.15%	2,241	101.72%	2,311	98.60%
APR	1,989	2,101	2,241	2,033	2,207	2,416	1,868	2,121	69.94%	2,146	98.86%	2,200	96.43%
MAY	3,172	3,080	2,778	2,800	2,971	3,434	3,357	3,084	101.69%	2,907	106.08%	3,013	102.37%
JUN	3,794	3,299	3,311	3,510	3,622	4,360	3,770	3,666	120.88%	3,436	106.71%	3,620	101.26%
JUL	4,595	3,937	3,671	3,912	4,253	4,546	4,136	4,149	136.81%	3,943	105.22%	4,064	102.10%
AUG	4,349	3,650	3,544	3,838	3,871	4,458	4,241	3,992	131.63%	3,726	107.15%	3,872	103.09%
SEP	3,970	3,645	3,249	3,086	3,696	4,542	4,151	3,762	124.05%	3,419	110.03%	3,644	103.25%
OCT					2,837	2,959	2,077						
NOV	2,477	2,410	2,606	2,830	2,522	3,127	2,844	2,687	88.60%	2,592	103.67%	2,699	99.56%
DEC	2,393	2,371	2,263	2,579	2,511	2,324	2,598	2,433	80.22%	2,431	100.08%	2,410	100.97%
Year	3,100	2,851	2,746	2,873	3,015	3,409	3,092	3,033		2,875	105.48%	2,990	101.42%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF OCTOBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: CASCADE

Station: W-127

At Road: 0.5 Mi. NW of US 89

Location Id: 07-2-019

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 89/87, RP 71.98, West Armington (Prepass) (C000060)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,817		%		%		%		%		%		%
2004	2,890	441	15.26 %	401	13.88 %	386	13.36 %	378	13.08 %	358	12.39 %	330	11.42 %
2005	2,760	426	15.43 %	386	13.99 %	373	13.51 %	360	13.04 %	343	12.43 %	321	11.63 %
2006	2,800	416	14.86 %	389	13.89 %	372	13.29 %	364	13.00 %	342	12.21 %	319	11.39 %
2007	2,848	453	15.91 %	394	13.83 %	382	13.41 %	371	13.03 %	351	12.32 %	325	11.41 %
2008	2,702	427	15.80 %	370	13.69 %	356	13.18 %	344	12.73 %	332	12.29 %	310	11.47 %
2009	2,793	468	16.76 %	413	14.79 %	401	14.36 %	386	13.82 %	360	12.89 %	335	11.99 %
2010	2,636	499	18.93 %	400	15.17 %	370	14.04 %	361	13.69 %	343	13.01 %	311	11.80 %
2011	2,600		%		%		%		%		%		%
2012	2,680		%		%		%		%		%		%
2013	2,710		%		%		%		%		%		%
2014	2,780		%		%		%		%		%		%
2015	3,099	620	20.01 %	455	14.68 %	425	13.71 %	414	13.36 %	398	12.84 %	364	11.75 %
2016	3,195	496	15.52 %	458	14.33 %	438	13.71 %	421	13.18 %	404	12.64 %	381	11.92 %
2017	3,200	676	21.13 %	484	15.13 %	458	14.31 %	447	13.97 %	427	13.34 %	396	12.38 %
2018	3,108	532	17.12 %	462	14.86 %	439	14.12 %	425	13.67 %	413	13.29 %	384	12.36 %
2019	3,178	505	15.89 %	468	14.73 %	444	13.97 %	435	13.69 %	421	13.25 %	395	12.43 %
2020	3,033	481	16.11 %	450	15.08 %	431	14.44 %	419	14.04 %	400	13.40 %	371	12.43 %

Notes
 UNDER CONSTRUCTION 2003, & 2011-2014,
 NOT ENOUGH DAYS TO MAKE 2003, & 2011-2014
 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: JEFFERSON

Station: W-128

At Road: 11.5 Mi. SW of I-15 Intch

Ascending Direction: North

Location Id: 22-4-011

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 69, RP 27.14, 11 Mi. S of Boulder (C000069)

Traffic Mix: Pass: 82.65% SU: 4.17% CU: 13.18%

Directional Split: SB 50.83% / NB 49.16%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	626	576	640	632	675	748	679	653	55.50%	631	103.53%	654	99.82%
FEB	579	570	650	664	667	720	663	644	54.73%	638	100.98%	654	98.44%
MAR	631	651	664	711	710	733	750	692	58.81%	684	101.17%	694	99.74%
APR	685	682	773	685	743	778	607	706	60.00%	721	97.95%	732	96.42%
MAY	1,215	1,250	1,149	1,165	1,296	1,422	1,209	1,243	105.64%	1,215	102.30%	1,256	98.93%
JUN	1,878	1,523	1,518	1,485	1,632	2,026	1,795	1,693	143.89%	1,540	109.97%	1,637	103.43%
JUL	2,064	1,843	1,739	1,893	2,074	2,178	1,792	1,940	164.88%	1,887	102.80%	1,945	99.72%
AUG	1,967	1,629	1,556	1,611	1,731	2,035	1,717	1,748	148.57%	1,632	107.12%	1,712	102.08%
SEP	1,839	1,690	1,526	1,512	1,749	2,229	1,934	1,782	151.46%	1,619	110.05%	1,741	102.34%
OCT	1,250	1,202	1,294	1,372	1,529	1,703	1,207	1,365	116.01%	1,349	101.17%	1,420	96.13%
NOV	866	864	967	989	927	1,096	940	949	80.66%	937	101.31%	969	97.98%
DEC	682	695	686	759	738	702	674	704	59.83%	720	97.85%	716	98.32%
Year	1,190	1,098	1,097	1,123	1,206	1,364	1,164	1,177		1,131	104.03%	1,178	99.91%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: JEFFERSON

Station: W-128

At Road: 11.5 Mi. SW of I-15 Intch

Location Id: 22-4-011

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 69, RP 27.14, 11 Mi. S of Boulder (C000069)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	690		%		%		%		%		%		%
2004	700		%		%		%		%		%		%
2005	760	122	16.05 %	105	13.82 %	101	13.29 %	98	12.89 %	94	12.37 %	87	11.45 %
2006	860	154	17.91 %	133	15.47 %	125	14.53 %	121	14.07 %	115	13.37 %	106	12.33 %
2007	771	148	19.20 %	110	14.27 %	105	13.62 %	98	12.71 %	94	12.19 %	88	11.41 %
2008	751	175	23.30 %	104	13.85 %	96	12.78 %	95	12.65 %	91	12.12 %	86	11.45 %
2009	755	168	22.25 %	114	15.10 %	108	14.30 %	104	13.77 %	99	13.11 %	90	11.92 %
2010	760		%		%		%		%		%		%
2011	770		%		%		%		%		%		%
2012	882	181	20.52 %	160	18.14 %	149	16.89 %	145	16.44 %	132	14.97 %	117	13.27 %
2013	789	154	19.52 %	119	15.08 %	110	13.94 %	106	13.43 %	102	12.93 %	93	11.79 %
2014	823	153	18.59 %	130	15.80 %	119	14.46 %	114	13.85 %	109	13.24 %	102	12.39 %
2015	899	168	18.69 %	135	15.02 %	129	14.35 %	124	13.79 %	119	13.24 %	112	12.46 %
2016	709	149	21.02 %	128	18.05 %	118	16.64 %	109	15.37 %	100	14.10 %	91	12.83 %
2017	798	171	21.43 %	126	15.79 %	114	14.29 %	111	13.91 %	107	13.41 %	99	12.41 %
2018	759	130	17.13 %	117	15.42 %	111	14.62 %	108	14.23 %	103	13.57 %	96	12.65 %
2019	823	148	17.98 %	125	15.19 %	120	14.58 %	118	14.34 %	112	13.61 %	105	12.76 %
2020	1,177	254	21.60 %	226	19.22 %	215	18.28 %	205	17.43 %	195	16.58 %	181	15.39 %

Notes

ALL AADT'S PRIOR TO SITE INSTALLATION 2004 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2010-2011, NOT ENOUGH DAYS TO MAKE 2003-2004, & 2010-2011 PEAK HOURLY PROFILE

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: SILVER BOW

Station: W-129

At Road: 1 Mi. W of Montana St Intch

Ascending Direction: North

Location Id: 47-1C-001

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-15/I-90, RP 125.45, 3 Mi. E of Rocker (Prepass) (C000015/C00090)

Traffic Mix: Pass: 0.0% SU: 0.0% CU: 0.0%

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
 SITE DOWN SINCE OCT 2016,



Yearly Peak Hourly Volumes

For Year: 2020

County: SILVER BOW

Station: W-129

At Road: 1 Mi. W of Montana St Intch

Location Id: 47-1C-001

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-15/I-90, RP 125.45, 3 Mi. E of Rocker (Prepass) (C000015/C00090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	13,550		%		%		%		%		%		%
2004	13,520		%		%		%		%		%		%
2005	12,530		%		%		%		%		%		%
2006	12,780		%		%		%		%		%		%
2007	12,472	1,597	12.80 %	1,457	11.68 %	1,421	11.39 %	1,392	11.16 %	1,368	10.97 %	1,314	10.54 %
2008	11,411	1,469	12.87 %	1,387	12.15 %	1,333	11.68 %	1,304	11.43 %	1,267	11.10 %	1,222	10.71 %
2009	11,916	1,607	13.49 %	1,461	12.26 %	1,417	11.89 %	1,403	11.77 %	1,357	11.39 %	1,287	10.80 %
2010	12,090		%		%		%		%		%		%
2011	12,110		%		%		%		%		%		%
2012	12,185	1,539	12.63 %	1,431	11.74 %	1,409	11.56 %	1,375	11.28 %	1,339	10.99 %	1,273	10.45 %
2013	12,333	1,670	13.54 %	1,497	12.14 %	1,471	11.93 %	1,447	11.73 %	1,404	11.38 %	1,335	10.82 %
2014	12,338	1,757	14.24 %	1,561	12.65 %	1,512	12.25 %	1,484	12.03 %	1,449	11.74 %	1,377	11.16 %
2015	13,593	1,776	13.07 %	1,698	12.49 %	1,627	11.97 %	1,601	11.78 %	1,562	11.49 %	1,489	10.95 %
2016	13,549	1,774	13.09 %	1,559	11.51 %	1,522	11.23 %	1,498	11.06 %	1,463	10.80 %	1,392	10.27 %
2017	13,468		%		%		%		%		%		%
2018	13,630		%		%		%		%		%		%
2019	13,507		%		%		%		%		%		%
2020	12,480		%		%		%		%		%		%

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2010-2011, 2017-2020 NOT ENOUGH DAYS TO MAKE 2003-2006, 2010-2011, & 2017-2020 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: GLACIER

Station: W-130

At Road: 2 Mi. NW of US 89

Ascending Direction: East

Location Id: 18-4-005

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 2, RP 222.07, 1.5 Mi. E of Browning (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 50.15% / WB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,045	2,721	2,683	2,839	3,047	3,404	2,309	2,720	82.50%	2,823	96.37%	2,939	92.55%
FEB	2,244	3,020	3,102	3,297	3,447	3,882	2,487	3,068	93.05%	3,217	95.38%	3,350	91.59%
MAR	1,875	2,671	2,687	2,912	2,945	2,828	1,795	2,530	76.74%	2,804	90.24%	2,809	90.08%
APR	1,794	2,565	2,703	2,676	2,840	2,849	1,788	2,458	74.55%	2,696	91.17%	2,727	90.15%
MAY	2,942	3,586	3,491	3,578	3,722	4,281	3,397	3,570	108.28%	3,594	99.33%	3,732	95.67%
JUN	3,305	3,839	4,013	4,096	4,290	4,932	3,598	4,010	121.63%	4,060	98.78%	4,234	94.71%
JUL	3,982	4,337	4,091	4,491	4,546	5,080	3,796	4,331	131.36%	4,366	99.19%	4,509	96.05%
AUG	3,721	4,190	4,172	4,361	4,396	4,774	3,747	4,193	127.18%	4,280	97.97%	4,379	95.76%
SEP	3,318	3,717	3,823	3,929	4,315	4,876	3,590	3,938	119.44%	3,946	99.80%	4,132	95.30%
OCT	2,224	2,890	2,984	3,099	3,383	3,648	2,472	2,956	89.66%	3,089	95.69%	3,201	92.35%
NOV	1,932	2,858	3,067	3,338	2,844	3,168	2,314	2,788	84.56%	3,027	92.11%	3,055	91.26%
DEC	2,194	3,099	3,000	3,482	3,357	3,239	2,651	3,002	91.05%	3,235	92.81%	3,235	92.79%
Year	2,631	3,291	3,318	3,508	3,594	3,913	2,829	3,297		3,428	96.18%	3,525	93.53%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2020

County: GLACIER

Station: W-130

At Road: 2 Mi. NW of US 89

Location Id: 18-4-005

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 2, RP 222.07, 1.5 Mi. E of Browning (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	4,100		%		%		%		%		%		%
2004	3,360		%		%		%		%		%		%
2005	2,420		%		%		%		%		%		%
2006	3,280	521	15.88 %	449	13.69 %	424	12.93 %	409	12.47 %	392	11.95 %	365	11.13 %
2007	3,219	527	16.37 %	434	13.48 %	419	13.02 %	412	12.80 %	400	12.43 %	374	11.62 %
2008	2,987	451	15.10 %	411	13.76 %	402	13.46 %	389	13.02 %	361	12.09 %	341	11.42 %
2009	3,186	536	16.82 %	466	14.63 %	451	14.16 %	442	13.87 %	424	13.31 %	400	12.55 %
2010	3,427	543	15.84 %	507	14.79 %	482	14.06 %	470	13.71 %	451	13.16 %	425	12.40 %
2011	3,434	587	17.09 %	495	14.41 %	477	13.89 %	460	13.40 %	435	12.67 %	412	12.00 %
2012	3,426	562	16.40 %	508	14.83 %	487	14.21 %	468	13.66 %	445	12.99 %	411	12.00 %
2013	3,506	539	15.37 %	499	14.23 %	484	13.80 %	473	13.49 %	454	12.95 %	429	12.24 %
2014	3,372	563	16.70 %	509	15.09 %	485	14.38 %	475	14.09 %	453	13.43 %	421	12.49 %
2015	3,409	755	22.15 %	488	14.32 %	468	13.73 %	455	13.35 %	441	12.94 %	405	11.88 %
2016	3,709	612	16.50 %	534	14.40 %	514	13.86 %	497	13.40 %	481	12.97 %	450	12.13 %
2017	3,778	587	15.54 %	542	14.35 %	515	13.63 %	498	13.18 %	484	12.81 %	459	12.15 %
2018	3,106	498	16.03 %	440	14.17 %	410	13.20 %	395	12.72 %	381	12.27 %	357	11.49 %
2019	3,590	569	15.85 %	535	14.90 %	519	14.46 %	506	14.09 %	490	13.65 %	463	12.90 %
2020	3,297	496	15.05 %	444	13.47 %	423	12.83 %	413	12.53 %	398	12.08 %	381	11.56 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2005 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2005 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: WIBAUX

Station: W-131

At Road: 0.5 Mi. SE of E Wibaux Intch

Ascending Direction: East

Location Id: 55-1-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 242.96, 0.5 Mi. SE of Wibaux Intch (C000094)

Traffic Mix: Pass: 65.31% SU: 4.78% CU: 29.91%

Directional Split: EB 50.83% / WB 49.17%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,344	2,178	2,268	2,408	2,414	2,702	2,364	2,382	74.43%	2,317	102.81%	2,394	99.50%
FEB	2,424	2,352	2,478	2,655	2,666	2,995	2,656	2,603	81.34%	2,538	102.57%	2,629	99.00%
MAR	2,381	2,322	2,739	2,903	2,818	3,123	2,756	2,719	84.96%	2,696	100.87%	2,781	97.77%
APR	1,730	1,814	2,163	2,234	2,114	2,235	2,151	2,063	64.46%	2,081	99.12%	2,112	97.68%
MAY	2,783	2,549	2,731	2,862	2,977	3,260	3,001	2,879	89.96%	2,780	103.57%	2,876	100.11%
JUN	4,003	3,401	3,511	3,702	3,731	4,160	4,072	3,796	118.62%	3,586	105.85%	3,701	102.57%
JUL	4,573	4,010	3,889	4,333	4,618	4,899	4,537	4,408	137.74%	4,213	104.64%	4,350	101.34%
AUG	4,729	3,966	4,032	4,281	4,491	4,995	5,217	4,529	141.52%	4,193	108.03%	4,353	104.04%
SEP	4,138	3,664	3,505	3,817	4,116	4,590	4,470	4,042	126.30%	3,776	107.06%	3,938	102.63%
OCT	3,367	3,081	3,173	3,427	3,646	3,837	3,256	3,397	106.15%	3,332	101.96%	3,433	98.96%
NOV	2,835	2,566	2,908	3,146	2,753	3,154	3,052	2,915	91.09%	2,843	102.52%	2,905	100.33%
DEC	2,677	2,501	2,664	2,801	2,560	2,628	2,862	2,670	83.43%	2,632	101.46%	2,631	101.49%
Year	3,165	2,867	3,005	3,214	3,242	3,548	3,366	3,200		3,082	103.84%	3,175	100.79%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: WIBAUX

Station: W-131

At Road: 0.5 Mi. SE of E Wibaux Intch

Location Id: 55-1-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 242.96, 0.5 Mi. SE of Wibaux Intch (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,870		%		%		%		%		%		%
2004	2,810		%		%		%		%		%		%
2005	2,760		%		%		%		%		%		%
2006	2,900		%		%		%		%		%		%
2007	2,918	429	14.70 %	379	12.99 %	359	12.30 %	347	11.89 %	331	11.34 %	314	10.76 %
2008	2,776	390	14.05 %	340	12.25 %	331	11.92 %	321	11.56 %	311	11.20 %	296	10.66 %
2009	2,806	429	15.29 %	407	14.50 %	365	13.01 %	350	12.47 %	341	12.15 %	321	11.44 %
2010	3,019	435	14.41 %	407	13.48 %	386	12.79 %	377	12.49 %	366	12.12 %	342	11.33 %
2011	3,210	487	15.17 %	406	12.65 %	389	12.12 %	374	11.65 %	366	11.40 %	336	10.47 %
2012	3,408	455	13.35 %	415	12.18 %	397	11.65 %	375	11.00 %	358	10.50 %	342	10.04 %
2013	3,577	489	13.67 %	431	12.05 %	416	11.63 %	403	11.27 %	393	10.99 %	374	10.46 %
2014	3,719	508	13.66 %	452	12.15 %	438	11.78 %	431	11.59 %	418	11.24 %	400	10.76 %
2015	3,737	484	12.95 %	447	11.96 %	438	11.72 %	431	11.53 %	419	11.21 %	399	10.68 %
2016	3,567	540	15.14 %	458	12.84 %	439	12.31 %	432	12.11 %	421	11.80 %	403	11.30 %
2017	3,482		%		%		%		%		%		%
2018	3,440		%		%		%		%		%		%
2019	3,433		%		%		%		%		%		%
2020	3,200	489	15.28 %	440	13.75 %	418	13.06 %	413	12.91 %	395	12.34 %	372	11.63 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2017-2019 2017 - 2019, NOT ENOUGH DAYS TO MAKE-2003-2006 & 2017-2019 PEAK HOURLY REPORTS

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MISSOULA

Station: W-132

At Road: 1 Mi. SW of MT 83

Ascending Direction: East

Location Id: 32-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: MT200, RP 30.7, SW of Clearwater Jct (C000024)

Traffic Mix: Pass: 92.59% SU: 1.63% CU: 5.78%

Directional Split: WB 51.03% / EB 48.97%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,740	1,718	1,626	1,669	1,795	2,228	1,829	1,800	63.01%	1,702	105.76%	1,807	99.60%
FEB	1,703	1,798	1,797	1,796	1,911	2,375	1,953	1,904	66.65%	1,826	104.30%	1,935	98.38%
MAR	1,766	1,716	1,696	1,784	1,988	2,159	1,462	1,795	62.83%	1,796	99.94%	1,869	96.06%
APR	1,899	1,714	1,851	1,765	1,845	2,144	1,690	1,843	64.51%	1,794	102.75%	1,864	98.88%
MAY	3,705	3,015	2,606	2,642	3,033	3,825	4,177	3,285	114.98%	2,824	116.32%	3,024	108.62%
JUN	4,312	3,254	3,349	3,390	3,918	5,100	4,231	3,936	137.77%	3,478	113.18%	3,802	103.52%
JUL	5,813	4,432	3,992	4,276	4,784	5,617	5,324	4,890	171.16%	4,371	111.87%	4,620	105.84%
AUG	5,198	3,807	3,773	3,791	4,086	4,883	4,793	4,332	151.63%	3,864	112.10%	4,068	106.49%
SEP	3,783	3,312	2,950	3,098	3,386	4,236	3,605	3,481	121.84%	3,187	109.24%	3,396	102.49%
OCT	2,413	2,373	2,401	2,377	2,618	2,930	2,278	2,483	86.91%	2,442	101.67%	2,540	97.76%
NOV		2,160	2,282	2,433		2,705							
DEC	1,608	1,737	1,794	1,681	1,694	1,573	1,659	1,677	58.70%	1,727	97.13%	1,696	98.89%
Year	3,085	2,586	2,510	2,559	2,823	3,315	3,000	2,857		2,637	108.33%	2,784	102.63%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF NOVEMBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: MISSOULA

Station: W-132

At Road: 1 Mi. SW of MT 83

Location Id: 32-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: MT200, RP 30.7, SW of Clearwater Jct (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,380		%		%		%		%		%		%
2004	3,150		%		%		%		%		%		%
2005	3,150		%		%		%		%		%		%
2006	2,500		%		%		%		%		%		%
2007	2,854	529	18.54 %	478	16.75 %	459	16.08 %	440	15.42 %	419	14.68 %	391	13.70 %
2008	2,699	550	20.38 %	482	17.86 %	455	16.86 %	428	15.86 %	414	15.34 %	389	14.41 %
2009	2,809	610	21.72 %	521	18.55 %	503	17.91 %	481	17.12 %	448	15.95 %	417	14.85 %
2010	2,828	584	20.65 %	503	17.79 %	489	17.29 %	473	16.73 %	443	15.66 %	396	14.00 %
2011	2,596	512	19.72 %	465	17.91 %	438	16.87 %	417	16.06 %	397	15.29 %	362	13.94 %
2012	2,753	525	19.07 %	458	16.64 %	441	16.02 %	429	15.58 %	405	14.71 %	375	13.62 %
2013	2,751	561	20.39 %	500	18.18 %	469	17.05 %	456	16.58 %	432	15.70 %	402	14.61 %
2014	2,831	618	21.83 %	499	17.63 %	476	16.81 %	462	16.32 %	434	15.33 %	403	14.24 %
2015	2,912	681	23.39 %	513	17.62 %	495	17.00 %	484	16.62 %	453	15.56 %	416	14.29 %
2016	3,039	576	18.95 %	526	17.31 %	505	16.62 %	496	16.32 %	478	15.73 %	444	14.61 %
2017	2,905	562	19.35 %	531	18.28 %	514	17.69 %	501	17.25 %	472	16.25 %	427	14.70 %
2018	2,913	568	19.50 %	532	18.26 %	511	17.54 %	494	16.96 %	478	16.41 %	440	15.10 %
2019	2,901	593	20.44 %	547	18.86 %	522	17.99 %	509	17.55 %	489	16.86 %	440	15.17 %
2020	2,857	646	22.91 %	570	20.21 %	547	19.40 %	525	18.62 %	500	17.73 %	461	16.35 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2006 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LAKE

Station: W-133

At Road: 0.5 Mi. E of MT 28

Ascending Direction: North

Location Id: 24-2-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 78.61, 1 Mi. N of Elmo (C000005)

Traffic Mix: Pass: 89.55% SU: 4.78% CU: 5.67%

Directional Split: SB 50.14% / NB 49.93%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,040	3,121	3,043	3,068	3,485	3,951	3,557	3,323	74.44%	3,179	104.52%	3,334	99.68%
FEB	3,216	3,348	3,242	3,231	3,707	4,297	3,796	3,547	79.46%	3,382	104.88%	3,565	99.50%
MAR	2,941	2,881	2,959	3,132	3,408	3,776	2,876	3,138	70.30%	3,095	101.39%	3,231	97.12%
APR	2,059	2,597	2,727	2,566	2,748	2,851	2,300	2,549	57.10%	2,660	95.85%	2,698	94.48%
MAY	3,792	3,922	3,686	3,853	4,155	4,691	4,368	4,066	91.09%	3,904	104.15%	4,061	100.11%
JUN	5,644	5,006	5,131	4,900	5,383	6,253	5,799	5,444	121.96%	5,105	106.64%	5,335	102.05%
JUL	7,144	6,281	5,880	6,105	6,707	7,621	6,427	6,594	147.72%	6,243	105.62%	6,519	101.15%
AUG	6,818	6,179	5,965	6,239	6,557	7,256	6,987	6,571	147.21%	6,235	105.39%	6,439	102.05%
SEP	5,747	5,679	5,371	5,270	5,951	6,846	6,347	5,886	131.86%	5,568	105.72%	5,823	101.07%
OCT	4,050	4,157	4,193	4,275	4,805	5,285	4,134	4,413	98.86%	4,358	101.27%	4,543	97.14%
NOV	3,664	3,541		4,213	2,782								
DEC	3,284	3,610	3,520	3,786	3,666	3,564	3,566	3,570	79.98%	3,646	97.93%	3,629	98.37%
Year	4,283	4,194	4,156	4,220	4,446	5,126	4,560	4,464		4,307	103.65%	4,471	99.85%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF NOVEMBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: LAKE

Station: W-133

At Road: 0.5 Mi. E of MT 28

Location Id: 24-2-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 78.61, 1 Mi. N of Elmo (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,670		%		%		%		%		%		%
2004	3,970		%		%		%		%		%		%
2005	4,070		%		%		%		%		%		%
2006	3,940		%		%		%		%		%		%
2007	4,130		%		%		%		%		%		%
2008	4,130		%		%		%		%		%		%
2009	3,954	656	16.59 %	595	15.05 %	575	14.54 %	564	14.26 %	539	13.63 %	495	12.52 %
2010	3,993	662	16.58 %	612	15.33 %	595	14.90 %	576	14.43 %	554	13.87 %	508	12.72 %
2011	3,931	650	16.54 %	601	15.29 %	571	14.53 %	557	14.17 %	543	13.81 %	508	12.92 %
2012	3,964	604	15.24 %	582	14.68 %	564	14.23 %	553	13.95 %	532	13.42 %	500	12.61 %
2013	4,093	650	15.88 %	621	15.17 %	587	14.34 %	574	14.02 %	553	13.51 %	521	12.73 %
2014	4,083	651	15.94 %	593	14.52 %	569	13.94 %	555	13.59 %	538	13.18 %	507	12.42 %
2015	4,341	760	17.51 %	673	15.50 %	630	14.51 %	601	13.84 %	572	13.18 %	539	12.42 %
2016	4,491	709	15.79 %	660	14.70 %	639	14.23 %	622	13.85 %	603	13.43 %	568	12.65 %
2017	4,536	734	16.18 %	680	14.99 %	660	14.55 %	644	14.20 %	626	13.80 %	598	13.18 %
2018	4,559	708	15.53 %	646	14.17 %	636	13.95 %	626	13.73 %	609	13.36 %	581	12.74 %
2019	4,609	787	17.08 %	706	15.32 %	666	14.45 %	662	14.36 %	640	13.89 %	611	13.26 %
2020	4,464	797	18.14 %	681	15.50 %	661	15.04 %	643	14.63 %	627	14.27 %	592	13.47 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2008 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2008 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: HILL

Station: W-134

At Road: 3.5 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 21-2-014

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-232, RP 39.67, 3.5 Mi. S of Canadian Border/Port of Wild Horse (C000232)

Traffic Mix: Pass: 66.66% SU: 13.64% CU: 19.70%

Directional Split: NB 51.14% / SB 48.86%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	49	62	79	81	77	82	51	68	101.49%	75	90.97%	76	89.24%
FEB	56	69	76	75	74	86	73	72	107.46%	74	97.96%	76	94.74%
MAR	46	80	90	97	95	85	46	76	113.43%	91	83.98%	89	85.01%
APR	28	61	58	58	72	47	36	51	76.12%	62	81.93%	59	86.15%
MAY	51	91	91	95	92	83	59	79	117.91%	92	85.64%	90	87.39%
JUN	34	72	84	84	99	90	43	71	105.97%	85	83.78%	86	82.75%
JUL	47	76	68	77	81	72	58	68	101.49%	76	90.07%	75	90.91%
AUG	97	97	114	105	124	115	83	104	155.22%	110	94.55%	111	93.69%
SEP	36	63	72	82	66	75	51	63	94.03%	71	89.05%	72	87.99%
OCT	33	57	71	67	65	61	44	56	83.58%	65	86.15%	64	87.23%
NOV	38	57	69	62	50	59	48	54	80.60%	60	90.76%	59	90.91%
DEC	23	55	53	56	44	41	28	42	62.69%	52	80.77%	50	84.34%
Year	45	70	77	78	78	75	52	67		76	88.28%	76	88.57%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: HILL

Station: W-134

At Road: 3.5 Mi. S of Canadian Border

Location Id: 21-2-014

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-232, RP 39.67, 3.5 Mi. S of Canadian Border/Port of Wild Horse (C000232)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2009	123	43	34.96 %	34	27.64 %	31	25.20 %	30	24.39 %	27	21.95 %	24	19.51 %
2010	152	44	28.95 %	36	23.68 %	33	21.71 %	32	21.05 %	31	20.39 %	28	18.42 %
2011	168	47	27.98 %	41	24.40 %	38	22.62 %	36	21.43 %	34	20.24 %	31	18.45 %
2012	158	58	36.71 %	43	27.22 %	39	24.68 %	36	22.78 %	35	22.15 %	31	19.62 %
2013	167	51	30.54 %	47	28.14 %	44	26.35 %	42	25.15 %	39	23.35 %	34	20.36 %
2014	160	104	65.00 %	49	30.63 %	43	26.88 %	39	24.38 %	37	23.13 %	31	19.38 %
2015	134	73	54.48 %	39	29.10 %	36	26.87 %	32	23.88 %	29	21.64 %	26	19.40 %
2016	132	40	30.30 %	37	28.03 %	34	25.76 %	31	23.48 %	29	21.97 %	26	19.70 %
2017	136	39	28.68 %	32	23.53 %	30	22.06 %	29	21.32 %	28	20.59 %	25	18.38 %
2018	123	62	50.41 %	36	29.27 %	32	26.02 %	30	24.39 %	28	22.76 %	24	19.51 %
2019	118	36	30.51 %	31	26.27 %	30	25.42 %	28	23.73 %	26	22.03 %	24	20.34 %
2020	67	22	33.33 %	19	28.79 %	18	27.27 %	16	24.24 %	15	22.73 %	13	19.70 %

Notes

NO SHORT TERM COUNT AADT'S AVAILABLE
PRIOR TO SITE INSTALLATION 2009

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: PHILLIPS

Station: W-135

At Road: 3 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 36-1-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 191, RP 50.95, 3 Mi. S of Canadian Border/Port of Morgan (C000099)

Traffic Mix: Pass: 86.66% SU: 6.67% CU: 6.67%

Directional Split: NB 57.78% / SB 42.22%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	19	39	32	39	35	43	37	34	110.39%	36	93.79%	38	90.43%
FEB	45	53	38	41	42	49	30	42	136.36%	44	96.55%	45	94.17%
MAR	44	55	37	45	38	45	33	41	133.12%	44	93.71%	44	93.18%
APR	10	33	24	46	38	27	28	28	90.91%	35	79.43%	34	83.33%
MAY	22	60	42	44	30	42	28	38	123.38%	44	86.36%	44	87.16%
JUN	17	30	33	41	41	35	17	30	97.40%	36	82.76%	36	83.33%
JUL	10	27	22	31	29	27	14	22	71.43%	27	80.73%	27	80.88%
AUG	17	37	38	27	28	20	13	25	81.17%	33	76.92%	30	83.33%
SEP	11	24	42	46	43	34	12	30	97.40%	39	77.42%	38	79.37%
OCT	12	33	33	35	31	36							
NOV													
DEC	6	24	22	26	23	23	10	18	58.44%	24	75.79%	24	76.27%
Year	19	38	33	38	34	35	22	31		36	85.26%	36	86.03%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
SITE DOWN MOST OF OCTOBER AND NOVEMBER, NOT ENOUGH DAYS TO MAKE MADT



Yearly Peak Hourly Volumes

For Year: 2020

County: PHILLIPS

Station: W-135

At Road: 3 Mi. S of Canadian Border

Location Id: 36-1-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 191, RP 50.95, 3 Mi. S of Canadian Border/Port of Morgan (C000099)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2009	54	36	66.67 %	18	33.33 %	16	29.63 %	15	27.78 %	14	25.93 %	12	22.22 %
2010	75	28	37.33 %	23	30.67 %	22	29.33 %	20	26.67 %	18	24.00 %	16	21.33 %
2011	74	33	44.59 %	21	28.38 %	19	25.68 %	18	24.32 %	16	21.62 %	14	18.92 %
2012	68	35	51.47 %	24	35.29 %	22	32.35 %	20	29.41 %	18	26.47 %	15	22.06 %
2013	66	34	51.52 %	22	33.33 %	20	30.30 %	18	27.27 %	17	25.76 %	14	21.21 %
2014	58	20	34.48 %	17	29.31 %	15	25.86 %	15	25.86 %	14	24.14 %	12	20.69 %
2015	53	25	47.17 %	16	30.19 %	15	28.30 %	13	24.53 %	12	22.64 %	11	20.75 %
2016	50	20	40.00 %	15	30.00 %	14	28.00 %	13	26.00 %	12	24.00 %	11	22.00 %
2017	48	28	58.33 %	16	33.33 %	14	29.17 %	13	27.08 %	12	25.00 %	11	22.92 %
2018	50	75	150.00 %	19	38.00 %	16	32.00 %	15	30.00 %	13	26.00 %	11	22.00 %
2019	49	35	71.43 %	21	42.86 %	18	36.73 %	15	30.61 %	14	28.57 %	12	24.49 %
2020	31	70	233.33 %	20	66.67 %	13	43.33 %	12	40.00 %	11	36.67 %	9	30.00 %

Notes
 NO SHORT TERM COUNT AADT'S AVAILABLE
 PRIOR TO SITE INSTALLATION 2009

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: TOOLE

Station: W-136

At Road: 3 Mi. NW of Sunburst Intch

Ascending Direction: North

Location Id: 51-1-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 392.04, 6 Mi. S of Canadian Border/Port of Sweet Grass (C000015)

Traffic Mix: Pass: 41.27% SU: 4.00% CU: 54.73%

Directional Split: NB 51.93% / SB 48.07%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,398	1,578	1,567	1,583	1,795	1,813	1,455	1,598	122.75%	1,631	97.99%	1,667	95.85%
FEB	1,441	1,658	1,581	1,734	1,837	1,917	1,519	1,669	128.20%	1,703	98.03%	1,745	95.62%
MAR	1,646	2,040	1,953	2,231	2,296	2,134	1,578	1,982	152.25%	2,130	93.05%	2,131	93.02%
APR	813	1,113	1,141	1,219	1,194	1,135	881	1,070	82.19%	1,167	91.71%	1,160	92.21%
MAY	859	1,127	1,195	1,312	1,287	1,204	948	1,133	87.03%	1,230	92.10%	1,225	92.49%
JUN	899	1,218	1,211	1,336	1,311	1,219	977	1,166	89.57%	1,269	91.88%	1,259	92.61%
JUL	933	1,263	1,315	1,303	1,265	1,174	979	1,175	90.26%	1,287	91.33%	1,264	92.96%
AUG	925	1,252	1,319	1,425	1,308	1,242	983	1,207	92.72%	1,326	91.03%	1,309	92.19%
SEP	891	1,149	1,258	1,295	1,319	1,210	989	1,158	88.95%	1,255	92.25%	1,246	92.92%
OCT	864	1,172	1,340	1,384	1,307	1,270	916	1,178	90.49%	1,301	90.56%	1,295	90.99%
NOV	838	1,299	1,280	1,342	1,263	1,262	943	1,174	90.18%	1,296	90.59%	1,289	91.06%
DEC	944	1,210	1,153	1,281	1,170	1,092	943	1,112	85.42%	1,204	92.40%	1,181	94.14%
Year	1,038	1,340	1,359	1,454	1,446	1,389	1,093	1,302		1,400	93.00%	1,398	93.14%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: TOOLE

Station: W-136

At Road: 3 Mi. NW of Sunburst Intch

Location Id: 51-1-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 392.04, 6 Mi. S of Canadian Border/Port of Sweet Grass (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,740		%		%		%		%		%		%
2004	3,150		%		%		%		%		%		%
2005	2,340		%		%		%		%		%		%
2006	2,400		%		%		%		%		%		%
2007	2,370		%		%		%		%		%		%
2008	2,630		%		%		%		%		%		%
2009	2,240		%		%		%		%		%		%
2010	2,048	312	15.23 %	263	12.84 %	248	12.11 %	238	11.62 %	229	11.18 %	215	10.50 %
2011	2,116	312	14.74 %	255	12.05 %	244	11.53 %	236	11.15 %	227	10.73 %	217	10.26 %
2012	2,190	404	18.45 %	271	12.37 %	261	11.92 %	251	11.46 %	243	11.10 %	231	10.55 %
2013	2,280		%		%		%		%		%		%
2014	2,249		%		%		%		%		%		%
2015	2,007	327	16.29 %	278	13.85 %	256	12.76 %	245	12.21 %	232	11.56 %	216	10.76 %
2016	1,924	290	15.07 %	234	12.16 %	228	11.85 %	221	11.49 %	214	11.12 %	203	10.55 %
2017	1,942	373	19.21 %	260	13.39 %	243	12.51 %	233	12.00 %	223	11.48 %	209	10.76 %
2018	1,909	370	19.38 %	243	12.73 %	228	11.94 %	222	11.63 %	214	11.21 %	202	10.58 %
2019	1,941	283	14.58 %	238	12.26 %	221	11.39 %	217	11.18 %	209	10.77 %	202	10.41 %
2020	1,302	319	24.52 %	278	21.37 %	248	19.06 %	232	17.83 %	205	15.76 %	165	12.68 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2013-2014, NOT ENOUGH DAYS TO MAKE 2003-2009, 2013-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MINERAL

Station: W-137

At Road: 1 Mi. W of St. Regis Intch

Ascending Direction: East

Location Id: 31-1-003

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 32.24, 1 Mi. W of St. Regis Intch (C000090)

Traffic Mix: Pass: 68.48% SU: 4.38% CU: 27.14%

Directional Split: EB 50.61% / WB 49.39%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,456	4,128	3,913	4,198	4,541	5,053	4,408	4,384	62.01%	4,195	104.51%	4,367	100.40%
FEB	5,073	4,715	4,471	4,555	4,998	6,034	5,084	4,989	70.56%	4,685	106.49%	4,955	100.69%
MAR	5,537	4,821	5,133	5,255	5,772	6,076	5,173	5,395	76.31%	5,245	102.85%	5,411	99.70%
APR	3,525	3,835	4,163	4,109	4,393	4,515	4,025	4,080	57.71%	4,125	98.91%	4,203	97.07%
MAY	6,304	6,011	5,549	5,678	6,275	7,127	6,482	6,203	87.73%	5,878	105.52%	6,128	101.22%
JUN	10,118	8,316	7,899	7,791	8,946	10,271	9,647	8,998	127.27%	8,238	109.23%	8,645	104.09%
JUL	12,717	10,441	9,459	9,983	11,184	12,560	10,492	10,976	155.24%	10,267	106.91%	10,725	102.34%
AUG	12,795	10,207	9,634	9,908	10,939	12,589	12,098	11,166	157.93%	10,172	109.77%	10,655	104.79%
SEP	10,722	9,872	8,414	8,490	9,783	11,673	10,770	9,960	140.87%	9,140	108.97%	9,646	103.25%
OCT	8,163	7,034	6,843	6,887	7,986	8,403	7,267	7,511	106.24%	7,188	104.50%	7,431	101.08%
NOV	6,155	5,382	5,518	6,089	5,333	6,179	6,533	5,883	83.21%	5,581	105.42%	5,700	103.21%
DEC	5,701	5,201	5,247	5,206	5,143	4,937	5,652	5,297	74.92%	5,199	101.88%	5,147	102.92%
Year	7,606	6,664	6,354	6,512	7,108	7,951	7,303	7,070		6,659	106.17%	6,918	102.20%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MINERAL

Station: W-137

At Road: 1 Mi. W of St. Regis Intch

Location Id: 31-1-003

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 32.24, 1 Mi. W of St. Regis Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	7,190		%		%		%		%		%		%
2004	6,150		%		%		%		%		%		%
2005	6,150		%		%		%		%		%		%
2006	6,300		%		%		%		%		%		%
2007	6,890		%		%		%		%		%		%
2008	6,360		%		%		%		%		%		%
2009	6,560		%		%		%		%		%		%
2010	6,820		%		%		%		%		%		%
2011	6,566	1,293	19.69 %	1,137	17.32 %	1,097	16.71 %	1,016	15.47 %	964	14.68 %	866	13.19 %
2012	5,768		%		%		%		%		%		%
2013	6,600	1,771	26.83 %	1,097	16.62 %	1,039	15.74 %	1,005	15.23 %	965	14.62 %	887	13.44 %
2014	6,798	1,374	20.21 %	1,184	17.42 %	1,141	16.78 %	1,114	16.39 %	1,039	15.28 %	957	14.08 %
2015	7,342	1,383	18.84 %	1,216	16.56 %	1,173	15.98 %	1,154	15.72 %	1,101	15.00 %	1,011	13.77 %
2016	7,524	1,390	18.47 %	1,274	16.93 %	1,223	16.25 %	1,193	15.86 %	1,137	15.11 %	1,041	13.84 %
2017	7,619	1,405	18.44 %	1,248	16.38 %	1,224	16.07 %	1,199	15.74 %	1,156	15.17 %	1,063	13.95 %
2018	7,538	1,363	18.08 %	1,283	17.02 %	1,237	16.41 %	1,207	16.01 %	1,147	15.22 %	1,061	14.08 %
2019	7,226	1,598	22.11 %	1,309	18.12 %	1,233	17.06 %	1,167	16.15 %	1,128	15.61 %	1,027	14.21 %
2020	7,070	1,468	20.76 %	1,282	18.13 %	1,183	16.73 %	1,140	16.12 %	1,113	15.74 %	1,045	14.78 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2010
 ARE BASED ON SHORT TERM COUNTS,
 SITE DOWN PART OF 2012,
 NOT ENOUGH DAYS TO MAKE 2003-2010 & 2012
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: SHERIDAN

Station: W-138

At Road: 4 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 46-1-029

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 16, RP 11.19, 4 Mi. S of Canadian Border/Port of Raymond (C000034)

Traffic Mix: Pass: 50.48% SU: 3.37% CU: 46.15%

Directional Split: NB 50.26% / SB 49.74%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	198	295	354	306	319	315	201	283	135.79%	319	88.85%	318	89.05%
FEB	197	276	304	323	331	339	231	285	136.75%	309	92.38%	315	90.59%
MAR	181	274	305	321	334	318	202	276	132.43%	309	89.47%	310	88.92%
APR	134	230	255	249	241	199	123	204	97.88%	244	83.69%	235	86.88%
MAY	128	204	242	252	263	235	156	210	100.76%	240	87.41%	239	87.79%
JUN	97	191	216	226	211	186	111	176	84.45%	211	83.41%	206	85.44%
JUL	97	190	245	218	238	197	126	187	89.72%	223	83.95%	218	85.94%
AUG	125	248	267	291	245	217	170	222	106.52%	263	84.49%	254	87.54%
SEP	124	200	258	238	233	210	133	198	95.00%	232	85.25%	228	86.92%
OCT	97	192	207	224	208	181	105	172	82.53%	208	82.79%	202	84.98%
NOV	93	157	178	191	159	154	90	145	69.57%	171	84.67%	168	86.41%
DEC	95	165	190	173	156	140	92	143	68.61%	171	83.63%	165	86.77%
Year	131	219	252	251	245	224	145	208		242	86.29%	238	87.55%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: SHERIDAN

Station: W-138

At Road: 4 Mi. S of Canadian Border

Location Id: 46-1-029

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 16, RP 11.19, 4 Mi. S of Canadian Border/Port of Raymond (C000034)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	330		%		%		%		%		%		%
2004	620		%		%		%		%		%		%
2005	620		%		%		%		%		%		%
2006	360		%		%		%		%		%		%
2007	470		%		%		%		%		%		%
2008	380		%		%		%		%		%		%
2009	320		%		%		%		%		%		%
2010	330		%		%		%		%		%		%
2011	410		%		%		%		%		%		%
2012	338	59	17.46 %	51	15.09 %	47	13.91 %	45	13.31 %	43	12.72 %	40	11.83 %
2013	308	57	18.51 %	49	15.91 %	45	14.61 %	44	14.29 %	40	12.99 %	37	12.01 %
2014	336	61	18.15 %	51	15.18 %	48	14.29 %	46	13.69 %	44	13.10 %	41	12.20 %
2015	303	49	16.17 %	44	14.52 %	41	13.53 %	40	13.20 %	38	12.54 %	36	11.88 %
2016	292	56	19.18 %	45	15.41 %	43	14.73 %	41	14.04 %	38	13.01 %	35	11.99 %
2017	295	49	16.61 %	43	14.58 %	41	13.90 %	39	13.22 %	38	12.88 %	36	12.20 %
2018	293	47	16.04 %	42	14.33 %	40	13.65 %	39	13.31 %	37	12.63 %	35	11.95 %
2019	292	51	17.47 %	42	14.38 %	41	14.04 %	40	13.70 %	38	13.01 %	35	11.99 %
2020	208	44	21.15 %	38	18.27 %	36	17.31 %	35	16.83 %	33	15.87 %	30	14.42 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2011 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2011 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MADISON

Station: W-141

At Road: 10.5 Mi. W of US 191

Ascending Direction: East

Location Id: 16-3-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 84, RP 18.48, 18 Mi. E of Norris (C000084)

Traffic Mix: Pass: 91.07% SU: 3.33% CU: 5.60%

Directional Split: WB 50.05% / EB 49.95%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,671	1,687	1,686	1,586	1,781	1,949	1,875	1,747	63.91%	1,685	103.68%	1,738	100.53%
FEB	1,436	1,507	1,668	1,629	1,714	1,886	2,002	1,691	61.86%	1,630	103.77%	1,681	100.61%
MAR	2,172	1,857	1,741	1,700	1,971	2,342	2,439	2,031	74.30%	1,817	111.76%	1,922	105.66%
APR	2,454	1,816	2,154	1,953	1,976	2,485	2,584	2,202	80.56%	1,975	111.51%	2,077	106.03%
MAY	3,071	2,790	2,589	2,489	2,706	3,074	3,663	2,911	106.50%	2,644	110.12%	2,730	106.65%
JUN	3,240	2,972	3,144	3,046	3,333	4,336	4,050	3,445	126.03%	3,124	110.28%	3,366	102.34%
JUL	5,764	3,830	3,513	3,787	4,269	4,918	5,812	4,555	166.64%	3,850	118.32%	4,063	112.10%
AUG	4,999	3,444	3,567	3,527	3,643	4,437	5,297	4,129	151.06%	3,545	116.47%	3,724	110.89%
SEP	3,383	2,865	2,941	2,992	3,196	3,708	3,856	3,276	119.85%	2,999	109.25%	3,140	104.32%
OCT	2,273	2,308	2,469	2,516	2,651	3,058	2,570	2,548	93.22%	2,486	102.49%	2,600	97.98%
NOV	2,273	2,090	2,376	2,226	2,096	2,582	2,702	2,334	85.39%	2,197	106.24%	2,274	102.64%
DEC	1,793	1,991	1,953	2,082	1,968	1,859	1,883	1,932	70.68%	1,999	96.67%	1,971	98.04%
Year	2,877	2,430	2,483	2,461	2,609	3,053	3,228	2,733		2,496	109.52%	2,607	104.84%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MADISON

Station: W-141

At Road: 10.5 Mi. W of US 191

Location Id: 16-3-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 84, RP 18.48, 18 Mi. E of Norris (C000084)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,080		%		%		%		%		%		%
2004	1,910		%		%		%		%		%		%
2005	2,120		%		%		%		%		%		%
2006	2,190		%		%		%		%		%		%
2007	2,250		%		%		%		%		%		%
2008	1,940		%		%		%		%		%		%
2009	2,010		%		%		%		%		%		%
2010	2,190		%		%		%		%		%		%
2011	1,620		%		%		%		%		%		%
2012	1,660		%		%		%		%		%		%
2013	1,960	512	26.12 %	407	20.77 %	379	19.34 %	355	18.11 %	331	16.89 %	295	15.05 %
2014	2,052	532	25.93 %	446	21.73 %	421	20.52 %	396	19.30 %	360	17.54 %	309	15.06 %
2015	2,248	518	23.04 %	449	19.97 %	423	18.82 %	403	17.93 %	363	16.15 %	317	14.10 %
2016	2,303	592	25.71 %	471	20.45 %	424	18.41 %	404	17.54 %	370	16.07 %	336	14.59 %
2017	2,313	481	20.80 %	439	18.98 %	416	17.99 %	404	17.47 %	378	16.34 %	340	14.70 %
2018	2,379	528	22.19 %	458	19.25 %	436	18.33 %	422	17.74 %	394	16.56 %	347	14.59 %
2019	2,466	568	23.03 %	494	20.03 %	468	18.98 %	445	18.05 %	413	16.75 %	371	15.04 %
2020	2,733	644	23.56 %	567	20.75 %	559	20.45 %	534	19.54 %	514	18.81 %	462	16.90 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: BEAVERHEAD

Station: W-142

At Road: 0.5 Mi. N of Lima Intch

Ascending Direction: North

Location Id: 01-8-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 15.53, 0.5 Mi. N of Lima Intch (C000015)

Traffic Mix: Pass: 62.61% SU: 6.54% CU: 30.85%

Directional Split: NB 50.07% / SB 49.41%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,394	2,423	2,360	2,397	2,667	2,678	2,468	2,483	81.98%	2,462	100.86%	2,505	99.12%
FEB	2,340	2,607	2,555	2,556	2,720	2,902	2,432	2,587	85.41%	2,610	99.14%	2,668	96.96%
MAR	3,169	2,966	2,641	2,966	3,059	2,460	2,029	2,755	90.96%	2,908	94.74%	2,818	97.75%
APR	1,736	1,825	2,049	2,111	2,188	2,133	1,804	1,977	65.27%	2,043	96.76%	2,061	95.92%
MAY	2,623	2,669	2,579	2,648	2,972	3,031	2,612	2,733	90.23%	2,717	100.59%	2,780	98.32%
JUN	3,861	3,255	3,203	3,249	3,513	3,661	3,351	3,441	113.60%	3,305	104.11%	3,376	101.92%
JUL	4,449	3,731	3,741	4,019	4,192	4,445	4,127	4,100	135.36%	3,921	104.57%	4,026	101.85%
AUG	3,712	3,252	3,443	3,644	4,023	4,210	3,955	3,747	123.71%	3,591	104.36%	3,714	100.88%
SEP	4,020	3,917	3,361	3,509	4,000	4,158	3,647	3,801	125.49%	3,697	102.82%	3,789	100.32%
OCT	3,557	3,105	3,089	3,350	3,672	3,738	2,970	3,353	110.70%	3,304	101.48%	3,391	98.89%
NOV	3,053	2,600	2,865	3,135	2,759	2,905	2,946	2,894	95.55%	2,840	101.91%	2,853	101.44%
DEC	2,613	2,443	2,563	2,819	2,316	2,163	2,418	2,476	81.75%	2,535	97.66%	2,461	100.62%
Year	3,127	2,899	2,871	3,034	3,173	3,207	2,897	3,029		2,994	101.16%	3,037	99.74%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: BEAVERHEAD

Station: W-142

At Road: 0.5 Mi. N of Lima Intch

Location Id: 01-8-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 15.53, 0.5 Mi. N of Lima Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,760		%		%		%		%		%		%
2004	2,700		%		%		%		%		%		%
2005	2,680		%		%		%		%		%		%
2006	2,770		%		%		%		%		%		%
2007	2,870		%		%		%		%		%		%
2008	2,720		%		%		%		%		%		%
2009	2,810		%		%		%		%		%		%
2010	2,900		%		%		%		%		%		%
2011	2,890		%		%		%		%		%		%
2012	3,010		%		%		%		%		%		%
2013	3,055	647	21.18 %	432	14.14 %	408	13.36 %	391	12.80 %	377	12.34 %	357	11.69 %
2014	3,120	609	19.52 %	476	15.26 %	434	13.91 %	419	13.43 %	396	12.69 %	369	11.83 %
2015	3,224	628	19.48 %	486	15.07 %	460	14.27 %	438	13.59 %	413	12.81 %	387	12.00 %
2016	3,319	661	19.92 %	502	15.13 %	472	14.22 %	456	13.74 %	421	12.68 %	386	11.63 %
2017	3,354	555	16.55 %	475	14.16 %	450	13.42 %	443	13.21 %	414	12.34 %	386	11.51 %
2018	3,237	590	18.23 %	403	12.45 %	392	12.11 %	382	11.80 %	372	11.49 %	358	11.06 %
2019	3,317		%		%		%		%		%		%
2020	3,029	555	18.33 %	449	14.83 %	428	14.13 %	418	13.80 %	391	12.91 %	365	12.05 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2012 & 2019 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: MADISON

Station: W-143

At Road: 3 Mi. S of Cameron

Ascending Direction: North

Location Id: 29-4-022

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: US 287, RP 35.03, 3 Mi. S of Cameron (C000013)

Traffic Mix: Pass: 79.83% SU: 5.60% CU: 14.57%

Directional Split: SB 50.36% / NB 49.64%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	822	644	711	793	911	961	831	810	44.88%	765	105.92%	804	100.75%
FEB	830	898	920	898	927	1,046	907	917	50.81%	911	100.69%	938	97.78%
MAR	979	1,002	986	1,014	1,090	1,217	1,037	1,045	57.90%	1,023	102.15%	1,062	98.42%
APR	797	870	974	898	955	987	890	909	50.36%	924	98.35%	937	97.03%
MAY	1,482	1,466	1,345	1,479	1,538	1,650	1,591	1,506	83.44%	1,457	103.36%	1,496	100.70%
JUN	2,628	2,420	2,398	2,359	2,628	2,997	2,715	2,591	143.55%	2,451	105.70%	2,560	101.20%
JUL	3,804	3,382	3,219	3,385	3,613	3,809	3,470	3,525	195.30%	3,400	103.68%	3,482	101.25%
AUG	3,531	3,113	3,161	3,106	3,377	3,752	3,587	3,374	186.93%	3,189	105.79%	3,302	102.19%
SEP	2,958	2,692	2,524	2,689	2,988	3,251	2,895	2,856	158.23%	2,723	104.87%	2,829	100.96%
OCT	1,895	1,693	1,710	1,824	1,999	2,142	1,764	1,860	103.05%	1,807	102.96%	1,874	99.27%
NOV	1,284	1,155	1,252	1,303	1,208	1,328	1,395	1,274	70.58%	1,230	103.62%	1,249	101.99%
DEC	1,025	1,011	1,010	1,118	982	880	921	992	54.96%	1,030	96.29%	1,000	99.18%
Year	1,836	1,696	1,684	1,739	1,851	2,002	1,834	1,805		1,742	103.58%	1,794	100.59%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: MADISON

Station: W-143

At Road: 3 Mi. S of Cameron

Location Id: 29-4-022

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: US 287, RP 35.03, 3 Mi. S of Cameron (C000013)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,750		%		%		%		%		%		%
2004	1,540		%		%		%		%		%		%
2005	1,780		%		%		%		%		%		%
2006	1,780		%		%		%		%		%		%
2007	2,130		%		%		%		%		%		%
2008	1,570		%		%		%		%		%		%
2009	1,916		%		%		%		%		%		%
2010	1,509	316	20.94 %	273	18.09 %	261	17.30 %	257	17.03 %	248	16.43 %	233	15.44 %
2011	1,329	277	20.84 %	251	18.89 %	243	18.28 %	237	17.83 %	229	17.23 %	216	16.25 %
2012	1,409	267	18.95 %	254	18.03 %	247	17.53 %	242	17.18 %	233	16.54 %	223	15.83 %
2013	1,470	304	20.68 %	269	18.30 %	259	17.62 %	254	17.28 %	246	16.73 %	232	15.78 %
2014	1,484	359	24.19 %	278	18.73 %	260	17.52 %	256	17.25 %	244	16.44 %	232	15.63 %
2015	1,641	401	24.44 %	297	18.10 %	288	17.55 %	281	17.12 %	275	16.76 %	261	15.90 %
2016	1,596	386	24.19 %	298	18.67 %	285	17.86 %	278	17.42 %	267	16.73 %	253	15.85 %
2017	1,631	447	27.41 %	337	20.66 %	319	19.56 %	308	18.88 %	294	18.03 %	276	16.92 %
2018	1,675	345	20.60 %	319	19.04 %	307	18.33 %	300	17.91 %	292	17.43 %	278	16.60 %
2019	1,695	350	20.65 %	323	19.06 %	314	18.53 %	305	17.99 %	296	17.46 %	280	16.52 %
2020	1,805	398	22.05 %	364	20.17 %	351	19.45 %	342	18.95 %	334	18.50 %	316	17.51 %

Notes
 THIS SITE REPLACED A-72 IN 2017,
 ALL AADTS PRIOR TO 2017 HAVE BEEN
 CARRIED OVER FROM A-72,
 ALL AADTS PRIOR TO INSTALLATION OF A-72 IN
 2009 ARE BASED ON SHORT TERM COUNTS,
 NOT ENOUGH DAYS FOR 2003-2009 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: W-144

At Road: 0.5 Mi. N of Shepard-Acton Rd

Ascending Direction: North

Location Id: 56-2-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87, RP 19, 29 Mi. S of Roundup (C000016)

Traffic Mix: Pass: 91.37% SU: 3.80% CU: 4.83%

Directional Split: SB 50.06% / NB 50.03%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,991	2,738	2,891	2,678	2,912	3,125	2,377	2,672	91.48%	2,805	95.27%	2,869	93.14%
FEB	1,988	2,629	2,782	2,901	2,998	3,353	2,556	2,743	93.91%	2,828	97.01%	2,933	93.53%
MAR	1,679	2,568	2,559	2,674	2,689	2,997	2,089	2,464	84.36%	2,623	93.96%	2,697	91.35%
APR	1,582	2,296	2,429	2,251	2,353	2,570	1,708	2,169	74.26%	2,332	93.00%	2,380	91.14%
MAY	2,422	3,027	3,117	3,180	3,200	3,528	2,683	3,022	103.46%	3,131	96.52%	3,210	94.13%
JUN	2,724	3,329	3,380	3,485	3,609	3,792	2,810	3,303	113.08%	3,451	95.72%	3,519	93.86%
JUL	2,695	3,420	3,447	3,476	3,608	3,778	2,622	3,291	112.67%	3,488	94.36%	3,546	92.81%
AUG	2,665	3,481	3,424	3,570	3,451	3,827	2,897	3,330	114.01%	3,482	95.65%	3,551	93.79%
SEP	2,701	3,233	3,545	3,648	3,584	4,164	3,116	3,426	117.30%	3,503	97.82%	3,635	94.26%
OCT	2,153	2,798	3,116	3,147	3,248	3,677	2,401	2,934	100.45%	3,077	95.34%	3,197	91.77%
NOV	2,311	2,882	3,155	3,279	2,917	3,430	2,875	2,978	101.96%	3,058	97.38%	3,133	95.06%
DEC	2,046	2,801	2,868	3,067	2,935	2,868	2,450	2,718	93.06%	2,918	93.15%	2,908	93.47%
Year	2,246	2,934	3,059	3,113	3,125	3,426	2,549	2,921		3,058	95.52%	3,131	93.28%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: W-144

At Road: 0.5 Mi. N of Shepard-Acton Rd

Location Id: 56-2-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87, RP 19, 29 Mi. S of Roundup (C000016)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	3,630		%		%		%		%		%		%
2004	5,070		%		%		%		%		%		%
2005	4,610		%		%		%		%		%		%
2006	4,600		%		%		%		%		%		%
2007	3,000		%		%		%		%		%		%
2008	2,640		%		%		%		%		%		%
2009	3,510		%		%		%		%		%		%
2010	2,730		%		%		%		%		%		%
2011	2,590		%		%		%		%		%		%
2012	3,220		%		%		%		%		%		%
2013	2,600		%		%		%		%		%		%
2014	2,900	384	13.24 %	337	11.62 %	324	11.17 %	318	10.97 %	309	10.66 %	293	10.10 %
2015	3,041	372	12.23 %	350	11.51 %	337	11.08 %	331	10.88 %	316	10.39 %	302	9.93 %
2016	3,035	378	12.45 %	347	11.43 %	335	11.04 %	322	10.61 %	313	10.31 %	296	9.75 %
2017	3,059	384	12.55 %	347	11.34 %	328	10.72 %	322	10.53 %	313	10.23 %	298	9.74 %
2018	3,092	440	14.23 %	364	11.77 %	346	11.19 %	339	10.96 %	325	10.51 %	311	10.06 %
2019	3,079	382	12.41 %	353	11.46 %	341	11.08 %	332	10.78 %	323	10.49 %	307	9.97 %
2020	2,921	399	13.66 %	349	11.95 %	323	11.06 %	317	10.86 %	308	10.55 %	297	10.17 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2013 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: RICHLAND

Station: W-145

At Road: NE of Dawson Co Line

Ascending Direction: North

Location Id: 42-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 16, RP 21.3, 10.5 Mi. S of Savage, Glendive N (C000020)

Traffic Mix: Pass: 75.69% SU: 7.98% CU: 16.33%

Directional Split: SB 50.12% / NB 49.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,582	2,034	2,163	1,925	2,093	2,165	1,484	1,920	104.15%	2,054	93.49%	2,076	92.49%
FEB	1,525	1,988	2,209	2,003	2,104	2,247	1,606	1,953	105.93%	2,076	94.08%	2,110	92.55%
MAR	1,426	1,852	2,122	2,100	1,965	2,084	1,459	1,857	100.73%	2,010	92.40%	2,025	91.72%
APR	936	1,458	1,625	1,518	1,513	1,467	1,067	1,368	74.20%	1,529	89.50%	1,516	90.23%
MAY	1,476	1,799	1,886	1,873	1,962	2,102	1,553	1,806	97.96%	1,880	96.06%	1,924	93.85%
JUN	1,852	2,004	1,994	2,054	2,119	2,283	1,661	1,994	108.16%	2,043	97.61%	2,091	95.37%
JUL	1,940	2,094	2,078	2,064	2,178	2,200	1,519	2,010	109.03%	2,104	95.56%	2,123	94.69%
AUG	1,852	2,003	2,009	2,020	2,083	2,265	1,622	1,978	107.29%	2,029	97.50%	2,076	95.28%
SEP	1,600	1,977	1,974	1,961	2,132	2,390	1,744	1,968	106.75%	2,011	97.86%	2,087	94.31%
OCT	1,573	1,896	1,888	1,929	2,000	2,169	1,499	1,850	100.35%	1,928	95.94%	1,976	93.60%
NOV	1,459	1,726	1,869	1,947	1,662	1,858	1,514	1,718	93.19%	1,801	95.39%	1,812	94.79%
DEC	1,450	1,788	1,885	1,906	1,752	1,697	1,432	1,701	92.27%	1,833	92.81%	1,806	94.21%
Year	1,556	1,885	1,975	1,942	1,964	2,077	1,513	1,844		1,941	94.96%	1,969	93.65%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: RICHLAND

Station: W-145

At Road: NE of Dawson Co Line

Location Id: 42-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 16, RP 21.3, 10.5 Mi. S of Savage, Glendive N (C000020)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	1,250		%		%		%		%		%		%
2004	1,430		%		%		%		%		%		%
2005	1,430		%		%		%		%		%		%
2006	1,430		%		%		%		%		%		%
2007	1,340		%		%		%		%		%		%
2008	1,780		%		%		%		%		%		%
2009	1,520		%		%		%		%		%		%
2010	2,040		%		%		%		%		%		%
2011	2,360		%		%		%		%		%		%
2012	2,850		%		%		%		%		%		%
2013	3,350		%		%		%		%		%		%
2014	3,214	374	11.64 %	318	9.89 %	305	9.49 %	296	9.21 %	289	8.99 %	279	8.68 %
2015	2,873	304	10.58 %	283	9.85 %	279	9.71 %	273	9.50 %	266	9.26 %	258	8.98 %
2016	2,288	296	12.94 %	246	10.75 %	241	10.53 %	233	10.18 %	225	9.83 %	214	9.35 %
2017	2,244	272	12.12 %	239	10.65 %	230	10.25 %	225	10.03 %	218	9.71 %	209	9.31 %
2018	2,228	288	12.93 %	247	11.09 %	233	10.46 %	230	10.32 %	224	10.05 %	213	9.56 %
2019	2,301	264	11.47 %	250	10.86 %	241	10.47 %	236	10.26 %	230	10.00 %	221	9.60 %
2020	1,844	219	11.88 %	199	10.80 %	193	10.47 %	190	10.31 %	183	9.93 %	177	9.60 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2013 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: Mineral

Station: W-146

At Road: 0.25 Mi. W of Saltese Intch

Ascending Direction: East

Location Id: 31-1-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 10.27, 10 Mi. W of Haugan (C000090)

Traffic Mix: Pass: 68.15% SU: 4.43% CU: 27.42%

Directional Split: EB 50.89% / WB 49.11%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,485	4,076	3,932	4,115	4,483	5,001	4,391	4,354	62.20%	4,152	104.88%	4,321	100.75%
FEB	5,055	4,716	4,364	4,469	4,927	6,005	5,043	4,939	70.56%	4,619	106.93%	4,896	100.87%
MAR	5,517	4,780	5,053	5,189	5,664	6,018	5,160	5,340	76.29%	5,172	103.26%	5,341	99.99%
APR	3,515	3,890	4,052	4,027	4,298	4,439	3,949	4,023	57.47%	4,067	98.92%	4,141	97.15%
MAY	6,275	5,986	5,435	5,514	6,153	7,008	6,396	6,109	87.27%	5,772	105.84%	6,019	101.49%
JUN	10,124	8,213	7,779	7,627	8,770	10,143	9,566	8,888	126.98%	8,097	109.77%	8,506	104.49%
JUL	12,661	10,488	9,330	9,844	11,089	12,455	10,446	10,901	155.73%	10,188	107.00%	10,641	102.44%
AUG	12,746	10,099	9,475	9,762	10,825	12,538	12,091	11,076	158.23%	10,040	110.32%	10,540	105.09%
SEP	10,684	9,814	8,215	8,320	9,711	11,562	10,719	9,860	140.86%	9,015	109.37%	9,524	103.52%
OCT	8,116	6,977	6,799	6,749	7,881	8,327	7,190	7,433	106.19%	7,102	104.67%	7,347	101.18%
NOV	6,142	5,263	5,379	5,950	5,242	6,150	6,476	5,799	82.85%	5,459	106.24%	5,597	103.61%
DEC	5,884	5,288	5,296	5,358	4,995	4,463	5,643	5,275	75.36%	5,234	100.78%	5,080	103.84%
Year	7,600	6,633	6,259	6,410	7,003	7,842	7,256	7,000		6,576	106.44%	6,830	102.49%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: Mineral

Station: W-146

At Road: 0.25 Mi. W of Saltese Intch

Location Id: 31-1-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 10.27, 10 Mi. W of Haugan (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	6,400		%		%		%		%		%		%
2004	6,400		%		%		%		%		%		%
2005	6,400		%		%		%		%		%		%
2006	6,500		%		%		%		%		%		%
2007	6,700		%		%		%		%		%		%
2008	6,100		%		%		%		%		%		%
2009	6,300		%		%		%		%		%		%
2010	6,910		%		%		%		%		%		%
2011	6,400		%		%		%		%		%		%
2012	6,600		%		%		%		%		%		%
2013	6,860		%		%		%		%		%		%
2014	6,850		%		%		%		%		%		%
2015	7,247	1,420	19.59 %	1,229	16.96 %	1,185	16.35 %	1,153	15.91 %	1,092	15.07 %	1,019	14.06 %
2016	7,431	1,409	18.96 %	1,272	17.12 %	1,230	16.55 %	1,181	15.89 %	1,131	15.22 %	1,039	13.98 %
2017	7,489	1,423	19.00 %	1,294	17.28 %	1,238	16.53 %	1,215	16.22 %	1,173	15.66 %	1,077	14.38 %
2018	7,431	1,390	18.71 %	1,308	17.60 %	1,254	16.88 %	1,229	16.54 %	1,162	15.64 %	1,083	14.57 %
2019	7,408	1,679	22.66 %	1,360	18.36 %	1,275	17.21 %	1,227	16.56 %	1,174	15.85 %	1,074	14.50 %
2020	7,000	1,472	21.03 %	1,287	18.39 %	1,191	17.02 %	1,161	16.59 %	1,104	15.77 %	1,036	14.80 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2014 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LINCOLN

Station: W-147

At Road: E of Troy and Jct of MT-56

Ascending Direction: East

Location Id: 27-3-007

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 2, RP 18.48, E of Troy (C000001)

Traffic Mix: Pass: 89.26% SU: 6.66% CU: 4.08%

Directional Split: EB 50.05% / WB 49.95%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,268	2,020	2,249	2,063	2,387	2,363	1,519	1,981	74.16%	2,180	90.88%	2,216	89.38%
FEB	1,479	2,316	2,339	2,385	2,475	2,601	1,796	2,198	82.29%	2,379	92.40%	2,423	90.71%
MAR	1,383	2,013	2,109	2,217	2,342	2,348	1,543	1,993	74.61%	2,170	91.83%	2,206	90.35%
APR	1,388	1,981	2,103	2,026	2,062	2,143	1,467	1,880	70.38%	2,043	92.02%	2,063	91.13%
MAY	2,140	2,650	2,764	2,694	2,906	3,158	2,652	2,708	101.38%	2,754	98.35%	2,834	95.54%
JUN	2,658	3,315	3,251	3,344	3,515	3,805	2,959	3,263	122.16%	3,356	97.22%	3,446	94.69%
JUL	3,332	3,757	3,664	3,729	3,879	4,165	3,369	3,699	138.48%	3,757	98.45%	3,839	96.36%
AUG	3,220	3,708	3,732	3,766	3,902	4,278	3,427	3,718	139.19%	3,777	98.44%	3,877	95.89%
SEP	2,814	3,458	3,299	3,422	3,656	4,062	3,291	3,428	128.34%	3,459	99.11%	3,579	95.77%
OCT	2,018	2,756	2,823	2,990	3,128	3,243	2,321	2,753	103.07%	2,924	94.14%	2,988	92.14%
NOV	1,591	2,524	2,509	2,567	2,288	2,390	1,896	2,251	84.27%	2,472	91.06%	2,456	91.67%
DEC	1,498	2,443	2,444	2,500	2,364	2,231	1,792	2,181	81.65%	2,438	89.47%	2,396	91.01%
Year	2,066	2,745	2,774	2,809	2,909	3,066	2,336	2,671		2,809	95.09%	2,860	93.38%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LINCOLN

Station: W-147

At Road: E of Troy and Jct of MT-56

Location Id: 27-3-007

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 2, RP 18.48, E of Troy (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,710		%		%		%		%		%		%
2004	3,090		%		%		%		%		%		%
2005	3,090		%		%		%		%		%		%
2006	2,730		%		%		%		%		%		%
2007	2,870		%		%		%		%		%		%
2008	2,590		%		%		%		%		%		%
2009	2,760		%		%		%		%		%		%
2010	2,520		%		%		%		%		%		%
2011	2,430		%		%		%		%		%		%
2012	2,530		%		%		%		%		%		%
2013	2,580		%		%		%		%		%		%
2014	2,720		%		%		%		%		%		%
2015	2,650		%		%		%		%		%		%
2016	3,025		%		%		%		%		%		%
2017	2,688	427	15.89 %	389	14.47 %	375	13.95 %	362	13.47 %	353	13.13 %	337	12.54 %
2018	2,728	564	20.67 %	404	14.81 %	381	13.97 %	374	13.71 %	361	13.23 %	341	12.50 %
2019	2,718	437	16.08 %	398	14.64 %	380	13.98 %	368	13.54 %	359	13.21 %	341	12.55 %
2020	2,671	456	17.07 %	406	15.20 %	391	14.64 %	379	14.19 %	368	13.78 %	346	12.95 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2003-2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: RICHLAND

Station: W-148

At Road: 12.5 Mi. W of MT 16

Ascending Direction: East

Location Id: 42-4-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 200, RP 58.6, 12.5 Mi. W of MT 16 (C000051)

Traffic Mix: Pass: 84.32% SU: 7.14% CU: 8.54%

Directional Split: WB 50.93% / EB 49.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	363	593	597	566	603	636	460	545	94.87%	590	92.41%	599	90.98%
FEB	380	602	626	587	619	681	439	561	97.65%	609	92.19%	623	90.05%
MAR	322	518	566	600	577	557	364	499	86.86%	565	88.28%	564	88.54%
APR	300	477	551	503	526	492	341	455	79.20%	514	88.48%	510	89.25%
MAY	435	542	610	651	635	636	499	572	99.56%	610	93.85%	615	93.04%
JUN	522	662	671	699	721	695	478	634	110.36%	688	92.12%	690	91.94%
JUL	519	642	645	707	717	666	452	621	108.09%	678	91.63%	675	91.95%
AUG	468	608	613	610	618	632	515	580	100.96%	612	94.73%	616	94.13%
SEP	484	641	652	606	699	743	563	626	108.96%	650	96.38%	668	93.68%
OCT	455	641	688	718	650	713	543	629	109.49%	674	93.29%	682	92.23%
NOV	450	600	692	739	621	729	549	625	108.79%	663	94.27%	676	92.43%
DEC	372	592	621	624	583	588	456	547	95.21%	605	90.41%	602	90.92%
Year	423	593	628	634	631	647	472	575		621	92.45%	627	91.68%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: RICHLAND

Station: W-148

At Road: 12.5 Mi. W of MT 16

Location Id: 42-4-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 200, RP 58.6, 12.5 Mi. W of MT 16 (C000051)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	720		%		%		%		%		%		%
2004	1,140		%		%		%		%		%		%
2005	1,140		%		%		%		%		%		%
2006	990		%		%		%		%		%		%
2007	770		%		%		%		%		%		%
2008	730		%		%		%		%		%		%
2009	820		%		%		%		%		%		%
2010	820		%		%		%		%		%		%
2011	890		%		%		%		%		%		%
2012	890		%		%		%		%		%		%
2013	1,510		%		%		%		%		%		%
2014	1,030		%		%		%		%		%		%
2015	680		%		%		%		%		%		%
2016	656		%		%		%		%		%		%
2017	638		%		%		%		%		%		%
2018	617	284	46.03 %	93	15.07 %	83	13.45 %	79	12.80 %	76	12.32 %	70	11.35 %
2019	635	130	20.47 %	92	14.49 %	88	13.86 %	83	13.07 %	78	12.28 %	70	11.02 %
2020	575	106	18.47 %	80	13.94 %	75	13.07 %	72	12.54 %	69	12.02 %	66	11.50 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, SITE DOWN PERIODICALLY DURING 2017, NOT ENOUGH DAYS TO MAKE 2003-2017 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: LEWIS AND CLARK

Station: W-149

At Road: 5.5 Mi. E of Lincoln

Ascending Direction: East

Location Id: 25-4-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: MT 200, RP 77, 5.5 Mi. E of Lincoln (C000024)

Traffic Mix: Pass: 85.12% SU: 7.11% CU: 7.77%

Directional Split: EB 50.43% / WB 49.57%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,254	1,091	921	970	1,096	1,405	1,223	1,136	62.62%	1,020	111.43%	1,097	103.59%
FEB	1,291	1,155	1,021	1,028	1,185	1,547	1,283	1,215	66.98%	1,097	110.73%	1,187	102.34%
MAR	1,290	1,138	1,041	1,114	1,217	1,403	986	1,168	64.39%	1,128	103.59%	1,183	98.77%
APR	1,248	1,227	1,083	985	1,111	1,315	1,086	1,150	63.39%	1,102	104.40%	1,144	100.51%
MAY	2,478	2,090	1,515	1,565	1,782	2,450	2,389	2,038	112.34%	1,738	117.26%	1,880	108.38%
JUN	3,112	2,162	1,869	1,924	2,250	3,015	2,754	2,440	134.50%	2,051	118.95%	2,244	108.73%
JUL	3,917	2,764	2,202	2,378	2,818	3,432	3,091	2,942	162.18%	2,541	115.80%	2,719	108.21%
AUG	3,530	2,270	2,109	2,046	2,674	3,187	3,039	2,693	148.45%	2,275	118.39%	2,457	109.60%
SEP	2,832	2,140	1,797	1,879	2,111	2,728	2,527	2,287	126.07%	1,982	115.40%	2,131	107.32%
OCT	1,940	1,691	1,493	1,622	1,838	2,364	1,816	1,823	100.49%	1,661	109.75%	1,802	101.19%
NOV	1,677	1,414	1,416	1,582	1,408	1,904	1,769	1,595	87.92%	1,455	109.62%	1,545	103.25%
DEC	1,417	1,291	1,111	1,245	1,299	1,260	1,353	1,282	70.67%	1,237	103.68%	1,241	103.29%
Year	2,166	1,703	1,465	1,528	1,732	2,168	1,943	1,814		1,607	112.88%	1,719	105.52%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: LEWIS AND CLARK

Station: W-149

At Road: 5.5 Mi. E of Lincoln

Location Id: 25-4-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: MT 200, RP 77, 5.5 Mi. E of Lincoln (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	2,311		%		%		%		%		%		%
2004	2,270	494	21.76 %	384	16.92 %	354	15.59 %	342	15.07 %	328	14.45 %	301	13.26 %
2005	2,190	502	22.92 %	364	16.62 %	350	15.98 %	341	15.57 %	319	14.57 %	297	13.56 %
2006	2,150	506	23.53 %	357	16.60 %	336	15.63 %	328	15.26 %	313	14.56 %	291	13.53 %
2007	2,179	406	18.63 %	361	16.57 %	351	16.11 %	335	15.37 %	312	14.32 %	294	13.49 %
2008	2,037	457	22.43 %	382	18.75 %	326	16.00 %	318	15.61 %	305	14.97 %	283	13.89 %
2009	2,132	520	24.39 %	413	19.37 %	370	17.35 %	354	16.60 %	337	15.81 %	312	14.63 %
2010	2,186	480	21.96 %	412	18.85 %	374	17.11 %	363	16.61 %	342	15.65 %	313	14.32 %
2011	2,139	571	26.69 %	384	17.95 %	366	17.11 %	351	16.41 %	336	15.71 %	306	14.31 %
2012	2,130	414	19.44 %	387	18.17 %	376	17.65 %	359	16.85 %	331	15.54 %	302	14.18 %
2013	2,130	481	22.58 %	383	17.98 %	358	16.81 %	347	16.29 %	332	15.59 %	306	14.37 %
2014	2,017	468	23.20 %	360	17.85 %	330	16.36 %	319	15.82 %	305	15.12 %	279	13.83 %
2015	2,160	572	26.48 %	400	18.52 %	379	17.55 %	362	16.76 %	342	15.83 %	318	14.72 %
2016	2,242	550	24.53 %	403	17.98 %	377	16.82 %	369	16.46 %	355	15.83 %	327	14.59 %
2017	1,936	434	22.42 %	370	19.11 %	352	18.18 %	337	17.41 %	324	16.74 %	297	15.34 %
2018	1,949	502	25.76 %	403	20.68 %	381	19.55 %	374	19.19 %	353	18.11 %	315	16.16 %
2019	1,924	466	24.22 %	417	21.67 %	389	20.22 %	368	19.13 %	348	18.09 %	316	16.42 %
2020	1,814	531	29.27 %	420	23.15 %	383	21.11 %	360	19.85 %	333	18.36 %	305	16.81 %

Notes
 THIS SITE REPLACED A-70 JANUARY 2017, AADTS PRIOR TO 2017 HAVE BEEN CARRIED OVER FROM A-70, A-70 WAS UNDER CONSTRUCTION 2003, NOT ENOUGH DAYS TO MAKE 2003 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2020

County: YELLOWSTONE

Station: W-203

At Road: Mossmain (W-139+W-140=W-203)

Ascending Direction: East

Location Id: 56-4-031

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-90, RP 439.94 & 437.94, Mossmain WB & EB (W-139 & W-140) (C000090)

Traffic Mix: Pass: 86.76% SU: 3.50% CU: 9.74%

Directional Split: EB 50.10% / WB 49.90%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	18,177	23,706	24,553	23,346	25,080	27,061	22,812	23,533	90.35%	24,171	97.36%	24,749	95.09%
FEB	17,646	23,018	24,632	25,331	25,960	28,248	23,647	24,068	92.41%	24,735	97.30%	25,438	94.62%
MAR	16,425	22,618	23,050	24,278	24,686	26,705	20,709	22,638	86.92%	23,658	95.69%	24,267	93.29%
APR	12,900	19,504	20,499	19,822	20,163	21,476	15,433	18,541	71.19%	19,997	92.72%	20,293	91.37%
MAY	21,012	24,941	26,546	26,810	27,824	29,342	24,525	25,856	99.27%	26,530	97.46%	27,093	95.44%
JUN	26,195	29,701	30,222	30,582	31,755	34,233	29,621	30,329	116.45%	30,565	99.23%	31,299	96.90%
JUL	28,137	31,849	31,824	32,758	34,061	35,177	29,665	31,924	122.57%	32,623	97.86%	33,134	96.35%
AUG	28,254	31,499	31,802	32,856	33,350	36,086	31,371	32,173	123.53%	32,377	99.37%	33,119	97.14%
SEP	25,746	28,137	29,863	30,988	32,215	35,073	29,339	30,193	115.92%	30,301	99.64%	31,255	96.60%
OCT	19,184	25,202	27,378	27,813	27,511	31,024	22,197	25,757	98.89%	26,976	95.48%	27,786	92.70%
NOV	17,693	24,678	26,092	26,138	23,307	26,770	22,990	23,952	91.96%	25,054	95.60%	25,397	94.31%
DEC	18,606	24,436	25,135	25,622	25,399	24,090	21,801	23,584	90.55%	25,148	93.78%	24,936	94.58%
Year	20,831	25,774	26,800	27,195	27,609	29,607	24,509	26,046		26,845	97.02%	27,397	95.07%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2020

County: YELLOWSTONE

Station: W-203

At Road: Mossmain (W-139+W-140=W-203)

Location Id: 56-4-031

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-90, RP 439.94 & 437.94, Mossmain WB & EB (W-139 & W-140) (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2003	22,714		%		%		%		%		%		%
2004	23,640		%		%		%		%		%		%
2005	23,395	2,706	11.57 %	2,531	10.82 %	2,448	10.46 %	2,402	10.27 %	2,364	10.10 %	2,272	9.71 %
2006	23,440		%		%		%		%		%		%
2007	24,670		%		%		%		%		%		%
2008	23,054	2,608	11.31 %	2,487	10.79 %	2,434	10.56 %	2,399	10.41 %	2,340	10.15 %	2,287	9.92 %
2009	24,536	2,674	10.90 %	2,560	10.43 %	2,478	10.10 %	2,433	9.92 %	2,394	9.76 %	2,298	9.37 %
2010	24,059	2,910	12.10 %	2,641	10.98 %	2,580	10.72 %	2,554	10.62 %	2,507	10.42 %	2,383	9.90 %
2011	23,650	2,735	11.56 %	2,552	10.79 %	2,486	10.51 %	2,449	10.36 %	2,387	10.09 %	2,295	9.70 %
2012	25,367	2,858	11.27 %	2,740	10.80 %	2,661	10.49 %	2,629	10.36 %	2,587	10.20 %	2,491	9.82 %
2013	26,179	3,170	12.11 %	2,933	11.20 %	2,824	10.79 %	2,771	10.58 %	2,700	10.31 %	2,600	9.93 %
2014	26,010	3,400	13.07 %	2,869	11.03 %	2,797	10.75 %	2,758	10.60 %	2,702	10.39 %	2,586	9.94 %
2015	27,755	3,245	11.69 %	3,070	11.06 %	3,004	10.82 %	2,953	10.64 %	2,890	10.41 %	2,763	9.95 %
2016	28,033	3,382	12.06 %	3,025	10.79 %	2,933	10.46 %	2,895	10.33 %	2,839	10.13 %	2,753	9.82 %
2017	28,049	3,138	11.19 %	2,980	10.62 %	2,941	10.49 %	2,921	10.41 %	2,867	10.22 %	2,759	9.84 %
2018	27,928	3,254	11.65 %	3,098	11.09 %	2,972	10.64 %	2,901	10.39 %	2,850	10.20 %	2,737	9.80 %
2019	27,830	3,218	11.56 %	2,965	10.65 %	2,885	10.37 %	2,851	10.24 %	2,808	10.09 %	2,728	9.80 %
2020	26,046	3,038	11.66 %	2,892	11.10 %	2,824	10.84 %	2,787	10.70 %	2,715	10.42 %	2,620	10.06 %

Notes
 UNDER CONSTRUCTION 2003-2004, 2006-2007
 NOT ENOUGH DAYS TO MAKE 2003-2004 &
 2006-2007 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.

Alternative accessible formats of this document will be provided on request. Persons who need an alternative format should contact the Office of Civil Rights, Department of Transportation, 2701 Prospect Avenue, PO Box 201001, Helena, MT 59620. Telephone 406-444-5416 or Montana Relay Service at 711.

This document was printed at state expense. Information on the cost of the publication may be obtained by contacting the Department of Administration.