

Montana's Continuous Traffic Counter Report 2021



MONTANA

Department of Transportation

Traffic Data Collection & Analysis Section

Montana's Continuous Traffic Counter Report 2021

Prepared by:
Montana Department of Transportation,
Traffic Data Collection and Analysis (TDCA) Section

Also available on MDT's Website:
http://www.mdt.mt.gov/publications/datastats/traffic_reports.shtml

If you no longer need a paper copy of this book, please contact TDCA at mdttcrequests@mt.gov or (406) 444-6122

INTRODUCTION

This report is an annual summary of traffic patterns at each of the Montana Department of Transportation's Continuous Traffic Count Stations. The map on the following page displays the locations of each station. The Continuous Count Stations (CCS) are distributed by Functional Classification as follows:

Functional Classification	Urban	Rural
Principal Arterial (Interstate)	4	18
Principal Arterial (other)	6	40
Minor Arterial	5	17
Major Collector	2	9
Minor Collector	0	0
Local	0	1
Total	17	85

Each report header list the CCS Location ID, County, Street/Highway description, functional classification, and Traffic Factor Group.

The **Traffic Factor Group** generally aligns with the roadway's functional classification apart from rural/urban designation and an added designation for recreational routes. Urban and Rural Traffic Factor Group designations consider hourly, day of week, and seasonal traffic patterns, therefore the CCS' assigned Traffic Factor Group does not always align with it's functional classification. Continuous Count Stations located just outside of urban areas are functionally classified as rural but are commonly assigned an urban Traffic Factor Group designation due to the commuter travel patterns. Sites with high summer volumes and/or high weekend volumes are grouped together in the Recreational Factor Group.

The following reports are provided for each CCS:


The **Yearly CCS Profile** report summarizes the daily, weekly, monthly, and annual traffic volume statistics for each location. Directional Splits (the percentage of vehicles in each direction) are reported. When sites are configured to collect specific vehicle type information, the traffic mix is included. The Traffic Mix is reported as the percentage of Passenger Vehicles (Pass), Single Unit Commercial Vehicles (SU), and Combination Unit Commercial Vehicles (CU).

The **Yearly Peak Hourly Volumes** report displays current and historic Annual Average Daily Traffic (AADT) volumes, high hour volumes, and the Design Hour Volume (DHV).

An interactive version of the map on the following page is available at the following URL:

https://www.mdt.mt.gov/other/webdata/external/Planning/TRAFFIC_MAPS/WIM_ATR_SITES.PDF

Continuous Count Stations





CCS W-118, MT 200, RP 84.3, 2 Mi. S of Paradise, MT
Sensor Repair by TDCA Electronic Repair Technologists June 2022

Passenger Vehicles (Types 1-4)


Type 1

Class 1
Motorcycles




Type 2

Class 2
Passenger Cars




Type 3

Class 3
2 Axle Four Tire
Single Unit Vehicles




Type 4s

Class 4-1
2 Axle Single Unit
Passenger Bus



Class 4-2
3 Axle Single Unit
Passenger Bus



Single Unit (SU) Trucks (Types 5-7)

Type 5s

Class 5-1
2 Axle Single Unit



Class 5-2
2 Axle Single Unit w/ Single Axle Trailer



Class 5-3
2 Axle Single Unit w/ 2 Axle Trailer




Class 5-4
2 Axle Single Unit w/ 3 Axle Trailer



Type 6

Class 6-1
3 Axle Single Unit




Type 7s


Class 7-1
4 Axle Single Unit



Class 7-2
5 Axle Single Unit



Class 7-3
6 Axle Single Unit



Combination Unit (CU) Trucks (Types 8-13)

Type 8s


Class 8-1
2 Axle Tractor w/
Single Axle Trailer



Class 8-2
3 Axle Tractor w/
Single Axle Trailer




Class 8-2
2 Axle Tractor w/
2 Axle Trailer



Type 9s

Class 9-1
3 Axle Tractor w/
Tandem Trailer



Class 9-2
3 Axle Tractor w/
Split Tandem Trailer



Class 9-3
2 Axle Tractor w/
Tridem Trailer



Type 10s


Class 10-1
3 Axle Tractor w/
Tridem Trailer



Class 10-1
4 Axle Single Unit
w/ 2 Axle Trailer



Class 10-2
3 Axle Tractor w/
Quadem Trailer



Class 10-3
4 Axle Single Unit
w/ Quadem Trailer



Type 11

Class 11-1
2 Axle Tractor
w/ Single Axle
Trailer w/ 2 Axle Trailer



Type 12

Class 12-1
3 Axle Tractor w/
Single Axle Trailer
w/ 2 Axle Trailer



Type 13s

Class 13-1
3 Axle Tractor
w/ Single Axle
Trailer w/ Single/Tandem Axle Trailer



Class 13-2
3 Axle Tractor
w/ Tandem Axle
Trailer w/ Tandem/Tandem Axle Trailer



Class 13-2
3 Axle Tractor
w/ Tridem Axle Trailer w/ Single/Tandem Axle Trailer



Class 13-3
3 Axle Tractor w/
Tandem Axle
Trailer w/
Single/Tandem Axle Trailer



Class 13
3 Axle Tractor w/ Single
axle trailer w/ 2 axle trailer w/ 2 axle trailer



Class 13-4
4 Axle Tractor
w/ Tandem
Axle Trailer w/
Tandem/Tandem Axle Trailer



Class 13
2 Axle Tractor w/ Single
axle trailer w/ 2 axle trailer w/ 2 axle trailer





Yearly CCS Profile

For Year: 2021

County: JEFFERSON

Station: A-002

At Road: 1 Mi. NW of S-284

Ascending Direction:

Location Id: 22-2-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 287/US 12 near Claysoil, RP 55.02, 9 Mi. E of Helena (C000008)

Traffic Mix: Pass: 94.86% SU: 1.16% CU: 3.98%

Directional Split: WB 51.00% / EB 49.00%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,688	5,562	5,535	5,457	5,630	6,019	5,317	5,458	77.36%	5,546	98.41%	5,641	96.76%
FEB	4,392	5,264	5,182	5,243	5,998	6,364	4,737	5,311	75.28%	5,422	97.96%	5,610	94.67%
MAR	5,804	5,991	5,932	6,488	6,631	7,814	6,388	6,434	91.20%	6,261	102.77%	6,571	97.91%
APR	6,130	6,542	6,621	6,827	7,255	8,424	7,228	7,003	99.26%	6,811	102.82%	7,134	98.17%
MAY	6,321	6,920	6,916	7,000	7,255	7,952	6,737	7,014	99.42%	7,023	99.88%	7,209	97.30%
JUN	8,065	8,028	7,830	7,986	8,275	9,463	8,041	8,241	116.81%	8,030	102.63%	8,316	99.09%
JUL	7,781	8,469	8,345	8,585	9,040	9,591	7,894	8,528	120.88%	8,610	99.05%	8,806	96.84%
AUG	7,845	8,009	7,886	7,983	8,259	9,164	7,846	8,141	115.39%	8,034	101.33%	8,260	98.56%
SEP	6,926	7,726	7,693	7,714	8,199	9,550	8,087	7,984	113.17%	7,833	101.93%	8,176	97.65%
OCT	6,978	6,970	7,005	7,212	7,864	9,055	8,268	7,621	108.02%	7,263	104.93%	7,621	100.00%
NOV	6,127	6,814	6,724	7,305	6,700	7,781	6,516	6,852	97.12%	6,886	99.51%	7,065	96.99%
DEC	4,909	5,739	6,233	6,318	6,860	6,647	5,821	6,075	86.11%	6,288	96.62%	6,359	95.53%
Year	6,331	6,836	6,825	7,010	7,331	8,152	6,907	7,055		7,000	100.78%	7,231	97.57%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: JEFFERSON

Station: A-002

At Road: 1 Mi. NW of S-284

Location Id: 22-2-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 287/US 12 near Claysoil, RP 55.02, 9 Mi. E of Helena (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2002	5,376		%		%		%		%		%		%
2003	5,444		%		%		%		%		%		%
2004	5,730	784	13.68 %	695	12.13 %	674	11.76 %	657	11.47 %	641	11.19 %	606	10.58 %
2005	5,650	749	13.26 %	672	11.89 %	661	11.70 %	650	11.50 %	627	11.10 %	581	10.28 %
2006	5,860	728	12.42 %	689	11.76 %	669	11.42 %	656	11.19 %	632	10.78 %	598	10.20 %
2007	6,182	795	12.86 %	746	12.07 %	723	11.70 %	704	11.39 %	676	10.93 %	640	10.35 %
2008	5,899	1,063	18.02 %	750	12.71 %	712	12.07 %	696	11.80 %	668	11.32 %	624	10.58 %
2009	6,538	877	13.41 %	811	12.40 %	780	11.93 %	770	11.78 %	744	11.38 %	701	10.72 %
2010	6,809	916	13.45 %	860	12.63 %	836	12.28 %	816	11.98 %	791	11.62 %	760	11.16 %
2011	6,010	788	13.11 %	729	12.13 %	697	11.60 %	682	11.35 %	656	10.92 %	625	10.40 %
2012	6,060	797	13.15 %	739	12.19 %	722	11.91 %	704	11.62 %	679	11.20 %	637	10.51 %
2013	6,161	805	13.07 %	747	12.12 %	729	11.83 %	714	11.59 %	691	11.22 %	657	10.66 %
2014	6,178	855	13.84 %	768	12.43 %	738	11.95 %	720	11.65 %	693	11.22 %	648	10.49 %
2015	6,422	948	14.76 %	786	12.24 %	763	11.88 %	747	11.63 %	711	11.07 %	671	10.45 %
2016	6,693	869	12.98 %	832	12.43 %	796	11.89 %	781	11.67 %	749	11.19 %	708	10.58 %
2017	6,805	955	14.03 %	847	12.45 %	818	12.02 %	797	11.71 %	775	11.39 %	727	10.68 %
2018	6,763	916	13.54 %	840	12.42 %	809	11.96 %	795	11.76 %	763	11.28 %	723	10.69 %
2019	6,840	906	13.25 %	845	12.35 %	824	12.05 %	808	11.81 %	780	11.40 %	736	10.76 %
2020	5,755	734	12.75 %	673	11.69 %	655	11.38 %	644	11.19 %	626	10.88 %	592	10.29 %
2021	7,055	877	12.43 %	840	11.91 %	813	11.52 %	796	11.28 %	767	10.87 %	731	10.36 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: A-003

At Road: SE of Capital Intch

Ascending Direction: North

Location Id: 25-7C-001

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-15, RP 191.64, 0.5 Mi. S of Helena (C000015)

Traffic Mix: Pass: 94.64% SU: 0.62% CU: 4.74%

Directional Split: SB 50.11% / NB 49.89%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	9,304	13,356	14,137	14,027	14,061	13,295	10,954	12,732	84.57%	13,895	91.63%	13,775	92.43%
FEB	8,464	12,483	13,542	13,728	13,818	14,029	10,097	12,308	81.75%	13,393	91.90%	13,520	91.04%
MAR	10,850	14,167	14,694	15,648	15,752	16,256	12,430	14,256	94.69%	15,065	94.63%	15,303	93.16%
APR	11,128	14,734	16,636	16,922	16,572	17,164	13,336	15,212	101.04%	16,216	93.81%	16,406	92.72%
MAY	11,953	15,748	17,316	17,595	17,037	16,986	13,509	15,734	104.51%	16,924	92.97%	16,936	92.90%
JUN	13,899	17,773	18,377	18,957	18,779	19,198	15,060	17,434	115.80%	18,472	94.38%	18,617	93.65%
JUL	12,737	16,751	18,184	18,403	18,625	18,377	14,027	16,728	111.11%	17,991	92.98%	18,068	92.58%
AUG	12,743	16,819	17,316	17,631	17,643	17,776	13,794	16,245	107.90%	17,352	93.62%	17,437	93.16%
SEP	12,072	15,395	17,106	17,343	17,425	18,014	13,863	15,887	105.53%	16,817	94.47%	17,057	93.14%
OCT	11,770	15,335	16,283	16,783	16,940	17,513	13,419	15,434	102.52%	16,335	94.48%	16,571	93.14%
NOV	11,465	16,369	16,421	16,499	14,464	16,065	12,765	14,863	98.72%	15,938	93.25%	15,964	93.11%
DEC	9,766	13,967	15,396	16,135	15,735	14,581	11,226	13,829	91.86%	15,308	90.34%	15,163	91.20%
Year	11,346	15,241	16,284	16,639	16,404	16,605	12,873	15,055		16,142	93.27%	16,235	92.73%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: A-003

At Road: SE of Capital Intch

Location Id: 25-7C-001

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-15, RP 191.64, 0.5 Mi. S of Helena (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	10,740	1,728	16.09 %	1,290	12.01 %	1,207	11.24 %	1,181	11.00 %	1,167	10.87 %	1,134	10.56 %
2005	10,300	1,193	11.58 %	1,142	11.09 %	1,130	10.97 %	1,119	10.86 %	1,102	10.70 %	1,077	10.46 %
2006	10,970	1,282	11.69 %	1,228	11.19 %	1,208	11.01 %	1,197	10.91 %	1,180	10.76 %	1,148	10.46 %
2007	11,254	1,285	11.42 %	1,265	11.24 %	1,249	11.10 %	1,229	10.92 %	1,210	10.75 %	1,181	10.49 %
2008	11,065	1,270	11.48 %	1,233	11.14 %	1,210	10.94 %	1,204	10.88 %	1,189	10.75 %	1,160	10.48 %
2009	11,437	1,307	11.43 %	1,275	11.15 %	1,257	10.99 %	1,244	10.88 %	1,227	10.73 %	1,188	10.39 %
2010	11,736	1,373	11.70 %	1,307	11.14 %	1,289	10.98 %	1,278	10.89 %	1,257	10.71 %	1,225	10.44 %
2011	11,968	1,394	11.65 %	1,341	11.20 %	1,314	10.98 %	1,307	10.92 %	1,285	10.74 %	1,257	10.50 %
2012	12,641	1,534	12.14 %	1,484	11.74 %	1,450	11.47 %	1,434	11.34 %	1,411	11.16 %	1,360	10.76 %
2013	13,270		%		%		%		%		%		%
2014	13,420		%		%		%		%		%		%
2015	14,217	1,641	11.54 %	1,593	11.20 %	1,580	11.11 %	1,562	10.99 %	1,535	10.80 %	1,499	10.54 %
2016	14,330		%		%		%		%		%		%
2017	14,244		%		%		%		%		%		%
2018	14,415		%		%		%		%		%		%
2019	15,267		%		%		%		%		%		%
2020	13,946	1,641	11.77 %	1,576	11.30 %	1,559	11.18 %	1,542	11.06 %	1,524	10.93 %	1,495	10.72 %
2021	15,055	1,758	11.68 %	1,669	11.09 %	1,642	10.91 %	1,626	10.80 %	1,609	10.69 %	1,576	10.47 %

Notes
 UNDER CONSTRUCTION 2013-2014
 SITE DOWN SINCE FEBRUARY 2016
 NOT ENOUGH DAYS TO MAKE 2013, 2014, 2016
 - 2018 PEAK HOURLY REPORT
 Site reinstalled 07/12/2019.

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: WIBAUX

Station: A-005

At Road: 1 Mi. S of Wibaux

Ascending Direction: North

Location Id: 55-1-003

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 7, RP 79.19, 1 Mi. S of Wibaux (C000027)

Traffic Mix: Pass: 89.13% SU: 2.48% CU: 8.39%

Directional Split: NB 53.01% / SB 46.99%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	370	524	599	610	600	573	420	527	72.41%	583	90.36%	581	90.67%
FEB	333	558	564	606	596	589	405	521	71.59%	581	89.67%	583	89.43%
MAR	419	584	589	610	716	693	567	596	81.90%	625	95.40%	638	93.36%
APR	476	635	649	677	724	716	583	636	87.39%	671	94.75%	680	93.50%
MAY	556	753	758	813	860	900	657	756	103.88%	796	94.97%	817	92.56%
JUN	732	886	905	919	961	955	875	890	122.29%	918	96.98%	925	96.20%
JUL	826	892	892	997	916	965	755	891	122.43%	924	96.40%	932	95.56%
AUG	994	881	913	1,003	1,030	1,090	1,044	993	136.45%	957	103.79%	983	100.98%
SEP	686	801	839	815	859	1,025	894	845	116.11%	829	101.99%	868	97.37%
OCT	592	841	827	718	911	901	698	783	107.59%	824	95.00%	840	93.26%
NOV	558	775	807	752	702	823	618	718	98.66%	759	94.60%	772	93.03%
DEC	383	600	695	681	704	609	371	577	79.29%	670	86.12%	658	87.72%
Year	577	728	753	767	798	820	657	728		761	95.58%	773	94.13%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: WIBAUX

Station: A-005

At Road: 1 Mi. S of Wibaux

Location Id: 55-1-003

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 7, RP 79.19, 1 Mi. S of Wibaux (C000027)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	740	236	31.89 %	151	20.41 %	124	16.76 %	107	14.46 %	92	12.43 %	82	11.08 %
2005	710	221	31.13 %	133	18.73 %	118	16.62 %	102	14.37 %	90	12.68 %	78	10.99 %
2006	750	301	40.13 %	155	20.67 %	122	16.27 %	105	14.00 %	93	12.40 %	83	11.07 %
2007	779	336	43.13 %	160	20.54 %	123	15.79 %	116	14.89 %	104	13.35 %	90	11.55 %
2008	746	310	41.55 %	184	24.66 %	131	17.56 %	117	15.68 %	95	12.73 %	80	10.72 %
2009	753	385	51.13 %	191	25.37 %	151	20.05 %	118	15.67 %	103	13.68 %	91	12.08 %
2010	758	375	49.47 %	163	21.50 %	140	18.47 %	120	15.83 %	106	13.98 %	92	12.14 %
2011	760	394	51.84 %	225	29.61 %	169	22.24 %	132	17.37 %	102	13.42 %	88	11.58 %
2012	895	413	46.15 %	184	20.56 %	140	15.64 %	128	14.30 %	115	12.85 %	105	11.73 %
2013	897	281	31.33 %	190	21.18 %	151	16.83 %	133	14.83 %	115	12.82 %	100	11.15 %
2014	889	281	31.61 %	158	17.77 %	146	16.42 %	133	14.96 %	119	13.39 %	105	11.81 %
2015	836	331	39.59 %	165	19.74 %	148	17.70 %	129	15.43 %	109	13.04 %	93	11.12 %
2016	810	340	41.98 %	175	21.60 %	132	16.30 %	125	15.43 %	108	13.33 %	96	11.85 %
2017	761	343	45.07 %	158	20.76 %	125	16.43 %	113	14.85 %	102	13.40 %	91	11.96 %
2018	710	312	43.94 %	149	20.99 %	120	16.90 %	111	15.63 %	96	13.52 %	85	11.97 %
2019	818	296	36.19 %	174	21.27 %	148	18.09 %	135	16.50 %	120	14.67 %	110	13.45 %
2020	660	207	31.36 %	126	19.09 %	112	16.97 %	95	14.39 %	87	13.18 %	80	12.12 %
2021	727	272	37.41 %	146	20.08 %	118	16.23 %	108	14.86 %	98	13.48 %	87	11.97 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: A-006

At Road: 1 Mi. SE of Manhattan Intch

Ascending Direction: South

Location Id: 16-1-009

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-288, RP 0.9, Manhattan, S of I-90 Interchange (C000288)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 52.35% / SB 47.65%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,020	1,640	1,757	1,745	1,780	1,678	1,207	1,546	77.82%	1,731	89.34%	1,720	89.88%
FEB	880	1,508	1,598	1,624	1,711	1,637	1,066	1,431	72.03%	1,610	88.87%	1,616	88.57%
MAR	1,312	1,805	1,889	1,990	1,944	1,977	1,421	1,761	88.64%	1,907	92.34%	1,921	91.67%
APR	1,291	1,937	2,122	2,274	2,278	2,279	1,725	1,985	99.91%	2,153	92.21%	2,178	91.14%
MAY	1,620	2,342	2,644	2,628	2,560	2,525	1,803	2,302	115.87%	2,544	90.51%	2,540	90.64%
JUN	1,679	2,779	2,882	2,891	2,787	2,870	2,023	2,558	128.75%	2,835	90.24%	2,842	90.01%
JUL	1,703	2,389	2,644	2,870	2,899	2,941	1,976	2,488	125.23%	2,701	92.13%	2,749	90.52%
AUG	1,561	2,368	2,376	2,348	2,484	2,642	2,095	2,267	114.11%	2,394	94.70%	2,444	92.77%
SEP	1,381	2,036	2,255	2,366	2,378	2,389	1,913	2,102	105.80%	2,259	93.06%	2,285	92.00%
OCT	1,352	1,939	2,129	2,175	2,220	2,387	2,000	2,028	102.08%	2,116	95.85%	2,170	93.46%
NOV	1,227	2,071	2,033	2,142	1,792	1,926	1,443	1,804	90.80%	2,010	89.77%	1,993	90.53%
DEC	1,054	1,579	1,792	1,781	1,823	1,699	1,259	1,569	78.97%	1,744	89.98%	1,735	90.44%
Year	1,340	2,033	2,177	2,236	2,221	2,246	1,661	1,987		2,167	91.69%	2,183	91.03%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: A-006

At Road: 1 Mi. SE of Manhattan Intch

Location Id: 16-1-009

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-288, RP 0.9, Manhattan, S of I-90 Interchange (C000288)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,090	242	22.20 %	188	17.25 %	168	15.41 %	160	14.68 %	144	13.21 %	131	12.02 %
2005	1,120	238	21.25 %	163	14.55 %	147	13.13 %	142	12.68 %	137	12.23 %	128	11.43 %
2006	1,260	229	18.17 %	192	15.24 %	177	14.05 %	170	13.49 %	163	12.94 %	151	11.98 %
2007	1,283	250	19.49 %	186	14.50 %	179	13.95 %	174	13.56 %	167	13.02 %	154	12.00 %
2008	1,227	239	19.48 %	183	14.91 %	176	14.34 %	171	13.94 %	158	12.88 %	149	12.14 %
2009	1,286	252	19.60 %	192	14.93 %	182	14.15 %	178	13.84 %	167	12.99 %	154	11.98 %
2010	1,241	220	17.73 %	182	14.67 %	172	13.86 %	165	13.30 %	159	12.81 %	148	11.93 %
2011	1,250	233	18.64 %	186	14.88 %	174	13.92 %	168	13.44 %	160	12.80 %	149	11.92 %
2012	1,281	271	21.16 %	191	14.91 %	181	14.13 %	171	13.35 %	164	12.80 %	152	11.87 %
2013	1,347	230	17.07 %	202	15.00 %	186	13.81 %	178	13.21 %	171	12.69 %	161	11.95 %
2014	1,356	230	16.96 %	194	14.31 %	187	13.79 %	183	13.50 %	175	12.91 %	164	12.09 %
2015	1,447	234	16.17 %	206	14.24 %	194	13.41 %	193	13.34 %	183	12.65 %	173	11.96 %
2016	1,475	294	19.93 %	219	14.85 %	199	13.49 %	195	13.22 %	185	12.54 %	172	11.66 %
2017	1,525	251	16.46 %	220	14.43 %	210	13.77 %	202	13.25 %	195	12.79 %	182	11.93 %
2018	1,675	351	20.96 %	259	15.46 %	242	14.45 %	236	14.09 %	227	13.55 %	206	12.30 %
2019	1,620	267	16.48 %	238	14.69 %	229	14.14 %	223	13.77 %	216	13.33 %	200	12.35 %
2020	1,628	253	15.54 %	236	14.50 %	226	13.88 %	219	13.45 %	207	12.71 %	196	12.04 %
2021	1,986	465	23.41 %	335	16.87 %	322	16.21 %	309	15.56 %	287	14.45 %	269	13.54 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LAKE

Station: A-008

At Road: 1 Mi. S of Ravalli

Ascending Direction: North

Location Id: 24-3-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 26.3, 1 Mi. S of Ravalli (C000005)

Traffic Mix: Pass: 94.29% SU: 1.17% CU: 4.54%

Directional Split: NB 50.98% / SB 49.02%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,415	6,326	6,354	6,340	6,807	6,664	6,201	6,300	74.15%	6,457	97.57%	6,498	96.95%
FEB	4,853	5,868	5,397	5,900	6,261	6,572	5,417	5,751	67.69%	5,857	98.20%	6,000	95.86%
MAR	7,023	6,940	6,933	7,375	7,878	8,818	7,590	7,507	88.36%	7,282	103.10%	7,589	98.92%
APR	7,270	7,518	7,630	7,668	8,240	9,747	8,041	8,015	94.34%	7,764	103.23%	8,161	98.22%
MAY	8,752	8,712	8,140	8,191	9,195	10,567	9,519	9,010	106.05%	8,560	105.26%	8,961	100.55%
JUN	11,202	10,068	9,703	9,836	10,308	12,250	10,410	10,539	124.05%	9,979	105.61%	10,433	101.02%
JUL	11,949	12,528	10,962	10,941	12,095	14,006	12,181	12,094	142.35%	11,632	103.98%	12,106	99.90%
AUG	11,223	10,151	9,835	10,148	10,898	12,266	11,058	10,796	127.07%	10,258	105.24%	10,660	101.28%
SEP	9,295	9,326	9,121	8,928	9,613	11,457	10,215	9,707	114.26%	9,247	104.97%	9,689	100.19%
OCT	7,660	7,754	7,873	7,834	8,395	9,720	9,211	8,349	98.27%	7,964	104.83%	8,315	100.41%
NOV	6,777	7,237	7,046	7,757	6,990	8,235	7,451	7,355	86.57%	7,258	101.34%	7,453	98.69%
DEC	5,735	5,956	6,349	7,009	7,193	7,247	6,204	6,527	76.83%	6,627	98.49%	6,751	96.68%
Year	8,096	8,199	7,945	8,161	8,656	9,796	8,625	8,496		8,240	103.10%	8,551	99.35%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LAKE

Station: A-008

At Road: 1 Mi. S of Ravalli

Location Id: 24-3-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 26.3, 1 Mi. S of Ravalli (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	7,570		%		%		%		%		%		%
2005	7,290		%		%		%		%		%		%
2006	7,280		%		%		%		%		%		%
2007	7,280		%		%		%		%		%		%
2008	7,280		%		%		%		%		%		%
2009	6,781	1,075	15.85 %	930	13.71 %	883	13.02 %	830	12.24 %	805	11.87 %	751	11.08 %
2010	7,034	1,216	17.29 %	1,034	14.70 %	966	13.73 %	942	13.39 %	894	12.71 %	842	11.97 %
2011	6,892	1,066	15.47 %	969	14.06 %	920	13.35 %	898	13.03 %	861	12.49 %	813	11.80 %
2012	7,047	1,081	15.34 %	978	13.88 %	944	13.40 %	920	13.06 %	891	12.64 %	841	11.93 %
2013	7,046	1,072	15.21 %	981	13.92 %	932	13.23 %	910	12.92 %	879	12.48 %	838	11.89 %
2014	7,059	1,179	16.70 %	1,025	14.52 %	959	13.59 %	923	13.08 %	893	12.65 %	834	11.81 %
2015	7,554	1,392	18.43 %	1,022	13.53 %	976	12.92 %	957	12.67 %	924	12.23 %	872	11.54 %
2016	7,928	1,238	15.62 %	1,091	13.76 %	1,037	13.08 %	1,017	12.83 %	987	12.45 %	936	11.81 %
2017	7,884	1,178	14.94 %	1,097	13.91 %	1,068	13.55 %	1,049	13.31 %	1,007	12.77 %	955	12.11 %
2018	7,960	1,190	14.95 %	1,105	13.88 %	1,055	13.25 %	1,047	13.15 %	1,012	12.71 %	965	12.12 %
2019	7,932	1,442	18.18 %	1,125	14.18 %	1,077	13.58 %	1,061	13.38 %	1,034	13.04 %	975	12.29 %
2020	7,408	1,277	17.24 %	1,121	15.13 %	1,065	14.38 %	1,036	13.98 %	1,002	13.53 %	944	12.74 %
2021	8,495	1,368	16.10 %	1,234	14.53 %	1,162	13.68 %	1,136	13.37 %	1,100	12.95 %	1,039	12.23 %

Notes
 THIS SITE REPLACED A-105 2009
 ALL AADT'S PRIOR TO 2009 HAVE BEEN
 CARRIED OVER FROM A-105

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: A-009

At Road: 7 Mi. W of Great Falls

Ascending Direction: North

Location Id: 07-1-017

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: UI

Located On: I-15, RP 287.04, Vaughn, 7 Mi. W of Great Falls (C000015)

Traffic Mix: Pass: 87.64% SU: 1.26% CU: 11.10%

Directional Split: SB 50.48% / NB 49.52%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,217	7,367	7,601	7,331	7,765	7,618	6,546	7,062	82.30%	7,516	93.96%	7,536	93.71%
FEB	4,319	6,588	6,870	7,068	7,295	7,102	5,331	6,367	74.20%	6,955	91.54%	6,985	91.16%
MAR	6,282	7,245	7,526	8,299	8,288	9,104	7,607	7,764	90.48%	7,840	99.04%	8,092	95.94%
APR	6,018	7,657	8,262	8,489	8,623	9,499	7,752	8,042	93.72%	8,258	97.39%	8,506	94.55%
MAY	6,974	8,457	8,817	8,955	8,866	9,567	8,106	8,534	99.45%	8,774	97.27%	8,932	95.54%
JUN	8,783	9,829	9,933	10,351	10,346	11,392	8,966	9,942	115.86%	10,115	98.29%	10,370	95.87%
JUL	8,663	10,361	10,492	10,744	11,184	11,779	9,831	10,436	121.62%	10,695	97.58%	10,912	95.64%
AUG	8,570	9,908	9,867	10,144	10,591	11,105	9,252	9,919	115.59%	10,128	97.94%	10,323	96.09%
SEP	7,689	8,975	9,348	9,552	9,942	11,015	8,859	9,339	108.84%	9,454	98.78%	9,766	95.62%
OCT	7,217	8,907	8,943	9,198	9,574	10,469	8,480	8,969	104.52%	9,156	97.96%	9,418	95.23%
NOV	7,168	9,349	8,902	9,555	8,639	9,642	8,305	8,793	102.47%	9,111	96.51%	9,217	95.40%
DEC	5,999	7,754	8,397	8,481	8,962	8,397	6,637	7,803	90.94%	8,399	92.91%	8,398	92.91%
Year	6,908	8,533	8,747	9,014	9,173	9,724	7,973	8,581		8,867	96.78%	9,038	94.94%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: A-009

At Road: 7 Mi. W of Great Falls

Location Id: 07-1-017

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: UI

Located On: I-15, RP 287.04, Vaughn, 7 Mi. W of Great Falls (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	8,530	976	11.44 %	917	10.75 %	902	10.57 %	879	10.30 %	861	10.09 %	828	9.71 %
2005	8,390	998	11.90 %	934	11.13 %	914	10.89 %	885	10.55 %	861	10.26 %	820	9.77 %
2006	8,490	1,031	12.14 %	925	10.90 %	899	10.59 %	878	10.34 %	860	10.13 %	821	9.67 %
2007	8,551	1,036	12.12 %	944	11.04 %	923	10.79 %	903	10.56 %	877	10.26 %	843	9.86 %
2008	8,182	995	12.16 %	906	11.07 %	883	10.79 %	862	10.54 %	841	10.28 %	811	9.91 %
2009	8,541	1,048	12.27 %	974	11.40 %	949	11.11 %	928	10.87 %	905	10.60 %	865	10.13 %
2010	8,879	1,089	12.26 %	1,006	11.33 %	977	11.00 %	960	10.81 %	928	10.45 %	892	10.05 %
2011	8,825	1,088	12.33 %	1,000	11.33 %	976	11.06 %	960	10.88 %	924	10.47 %	876	9.93 %
2012	8,948	1,112	12.43 %	989	11.05 %	968	10.82 %	947	10.58 %	929	10.38 %	890	9.95 %
2013	9,170		%		%		%		%		%		%
2014	9,270		%		%		%		%		%		%
2015	9,930		%		%		%		%		%		%
2016	8,876	1,033	11.64 %	991	11.16 %	960	10.82 %	942	10.61 %	914	10.30 %	880	9.91 %
2017	8,237	944	11.46 %	888	10.78 %	871	10.57 %	852	10.34 %	832	10.10 %	803	9.75 %
2018	8,840	1,082	12.24 %	1,021	11.55 %	988	11.18 %	964	10.90 %	938	10.61 %	894	10.11 %
2019	8,736	1,034	11.84 %	975	11.16 %	942	10.78 %	926	10.60 %	911	10.43 %	875	10.02 %
2020	7,731		%		%		%		%		%		%
2021	8,580	1,012	11.79 %	951	11.08 %	937	10.92 %	917	10.69 %	902	10.51 %	866	10.09 %

Notes
 UNDER CONSTRUCTION 2013-2015
 NOT ENOUGH DAYS TO MAKE 2013-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: ROOSEVELT

Station: A-010

At Road: 1.5 Mi. NE of MT 25, Wolf Point

Ascending Direction: East

Location Id: 43-3-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 2, RP 592.71, 2 Mi. E of Wolf Point (C000001)

Traffic Mix: Pass: 91.88% SU: 2.12% CU: 6.00%

Directional Split: EB 53.03% / WB 46.97%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,357	2,348	2,587	2,589	2,573	2,403	1,712	2,223	90.67%	2,524	88.07%	2,500	88.92%
FEB	1,331	2,217	2,515	2,471	2,597	2,635	1,768	2,218	90.47%	2,450	90.53%	2,487	89.18%
MAR	1,573	2,468	2,527	2,774	2,700	2,712	1,837	2,370	96.67%	2,617	90.55%	2,636	89.90%
APR	1,534	2,524	2,577	2,699	2,771	2,744	1,953	2,400	97.89%	2,643	90.81%	2,663	90.12%
MAY	1,553	2,447	2,655	2,730	2,748	2,807	1,852	2,398	97.81%	2,645	90.66%	2,677	89.56%
JUN	1,844	2,766	2,892	2,963	2,932	2,770	2,015	2,597	105.93%	2,888	89.92%	2,865	90.66%
JUL	1,815	2,763	3,041	3,160	3,251	3,186	2,183	2,770	112.98%	3,054	90.71%	3,080	89.93%
AUG	1,966	3,057	3,024	3,186	3,118	3,211	2,254	2,830	115.43%	3,096	91.40%	3,119	90.73%
SEP	1,786	2,687	2,965	3,045	3,133	3,113	2,311	2,719	110.90%	2,958	91.94%	2,989	90.98%
OCT	1,709	2,743	2,837	2,865	2,909	3,071	2,086	2,602	106.13%	2,839	91.67%	2,885	90.19%
NOV	1,446	2,657	2,633	2,822	2,251	2,493	1,677	2,282	93.08%	2,591	88.08%	2,571	88.75%
DEC	1,144	2,129	2,310	2,364	2,505	2,230	1,405	2,011	82.03%	2,327	86.42%	2,308	87.15%
Year	1,588	2,567	2,714	2,806	2,791	2,781	1,921	2,452		2,719	90.16%	2,732	89.75%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: ROOSEVELT

Station: A-010

At Road: 1.5 Mi. NE of MT 25, Wolf Point

Location Id: 43-3-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 2, RP 592.71, 2 Mi. E of Wolf Point (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,260	328	14.51 %	292	12.92 %	282	12.48 %	277	12.26 %	270	11.95 %	256	11.33 %
2005	2,230	308	13.81 %	291	13.05 %	276	12.38 %	272	12.20 %	265	11.88 %	256	11.48 %
2006	2,190	316	14.43 %	289	13.20 %	276	12.60 %	271	12.37 %	264	12.05 %	254	11.60 %
2007	2,211	326	14.74 %	290	13.12 %	282	12.75 %	276	12.48 %	269	12.17 %	256	11.58 %
2008	2,183	322	14.75 %	283	12.96 %	275	12.60 %	268	12.28 %	263	12.05 %	252	11.54 %
2009	2,327	336	14.44 %	301	12.94 %	295	12.68 %	290	12.46 %	284	12.20 %	270	11.60 %
2010	2,457	348	14.16 %	322	13.11 %	316	12.86 %	309	12.58 %	301	12.25 %	284	11.56 %
2011	2,550	334	13.10 %	319	12.51 %	310	12.16 %	303	11.88 %	296	11.61 %	285	11.18 %
2012	2,801	474	16.92 %	374	13.35 %	359	12.82 %	342	12.21 %	329	11.75 %	312	11.14 %
2013	2,744	363	13.23 %	339	12.35 %	333	12.14 %	327	11.92 %	319	11.63 %	307	11.19 %
2014	2,768	367	13.26 %	334	12.07 %	326	11.78 %	322	11.63 %	316	11.42 %	300	10.84 %
2015	2,755	352	12.78 %	325	11.80 %	321	11.65 %	318	11.54 %	311	11.29 %	295	10.71 %
2016	2,662	377	14.16 %	325	12.21 %	317	11.91 %	309	11.61 %	301	11.31 %	290	10.89 %
2017	2,591	347	13.39 %	327	12.62 %	321	12.39 %	312	12.04 %	304	11.73 %	290	11.19 %
2018	2,522	337	13.36 %	320	12.69 %	309	12.25 %	305	12.09 %	297	11.78 %	283	11.22 %
2019	2,571	367	14.27 %	332	12.91 %	324	12.60 %	319	12.41 %	312	12.14 %	293	11.40 %
2020	2,435	347	14.25 %	317	13.02 %	301	12.36 %	294	12.07 %	287	11.79 %	277	11.38 %
2021	2,451	337	13.75 %	316	12.89 %	309	12.61 %	303	12.36 %	294	12.00 %	277	11.30 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FERGUS

Station: A-012

At Road: 5 Mi. W of Lewistown

Ascending Direction: East

Location Id: 14-6-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87/MT 200, RP 76.85, 5 Mi. W of Lewistown (C000057)

Traffic Mix: Pass: 91.68% SU: 2.32% CU: 6.00%

Directional Split: EB 50.89% / WB 49.11%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,444	2,050	2,230	2,211	2,120	2,222	1,793	2,009	80.29%	2,153	93.32%	2,167	92.73%
FEB	1,256	1,933	2,047	1,981	2,087	2,018	1,362	1,811	72.37%	2,012	90.01%	2,013	89.96%
MAR	1,765	2,246	2,237	2,462	2,462	2,748	1,909	2,260	90.32%	2,352	96.10%	2,431	92.97%
APR	1,652	2,282	2,511	2,492	2,577	2,819	2,134	2,351	93.95%	2,466	95.36%	2,536	92.70%
MAY	2,209	2,806	2,743	2,760	2,865	3,029	2,479	2,698	107.82%	2,794	96.58%	2,841	94.98%
JUN	2,699	3,175	3,048	3,214	3,270	3,501	2,843	3,106	124.12%	3,177	97.77%	3,242	95.82%
JUL	2,719	3,206	3,096	3,251	3,428	3,696	3,037	3,204	128.04%	3,245	98.73%	3,335	96.06%
AUG	2,501	2,953	2,869	2,907	2,929	3,181	2,655	2,855	114.09%	2,915	97.96%	2,968	96.20%
SEP	2,414	2,874	2,902	2,852	2,925	3,405	2,906	2,896	115.73%	2,888	100.27%	2,992	96.80%
OCT	2,139	2,545	2,446	2,545	2,646	2,998	2,272	2,512	100.39%	2,546	98.68%	2,636	95.30%
NOV	2,074	2,443	2,403	2,636	2,342	2,673	2,205	2,396	95.75%	2,456	97.56%	2,499	95.86%
DEC	1,353	1,855	2,112	2,101	2,325	2,164	1,611	1,930	77.13%	2,098	91.98%	2,111	91.41%
Year	2,019	2,531	2,554	2,618	2,665	2,871	2,267	2,502		2,592	96.55%	2,648	94.51%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: FERGUS

Station: A-012

At Road: 5 Mi. W of Lewistown

Location Id: 14-6-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87/MT 200, RP 76.85, 5 Mi. W of Lewistown (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,300	377	16.39 %	288	12.52 %	273	11.87 %	262	11.39 %	255	11.09 %	240	10.43 %
2005	2,190	350	15.98 %	277	12.65 %	260	11.87 %	254	11.60 %	248	11.32 %	234	10.68 %
2006	2,180	347	15.92 %	289	13.26 %	260	11.93 %	250	11.47 %	238	10.92 %	227	10.41 %
2007	2,206	360	16.32 %	282	12.78 %	264	11.97 %	256	11.60 %	244	11.06 %	231	10.47 %
2008	2,137	309	14.46 %	262	12.26 %	255	11.93 %	248	11.61 %	238	11.14 %	225	10.53 %
2009	2,207		%		%		%		%		%		%
2010	2,260		%		%		%		%		%		%
2011	2,230		%		%		%		%		%		%
2012	2,300		%		%		%		%		%		%
2013	2,115	400	18.91 %	270	12.77 %	257	12.15 %	249	11.77 %	240	11.35 %	229	10.83 %
2014	2,134	375	17.57 %	302	14.15 %	276	12.93 %	264	12.37 %	253	11.86 %	239	11.20 %
2015	2,375	390	16.42 %	323	13.60 %	302	12.72 %	293	12.34 %	280	11.79 %	266	11.20 %
2016	2,603	389	14.94 %	313	12.02 %	303	11.64 %	298	11.45 %	290	11.14 %	275	10.56 %
2017	2,514	406	16.15 %	320	12.73 %	303	12.05 %	294	11.69 %	284	11.30 %	271	10.78 %
2018	2,469	392	15.88 %	334	13.53 %	314	12.72 %	306	12.39 %	292	11.83 %	277	11.22 %
2019	2,522	408	16.18 %	331	13.12 %	314	12.45 %	306	12.13 %	296	11.74 %	284	11.26 %
2020	2,423	357	14.73 %	329	13.58 %	308	12.71 %	302	12.46 %	294	12.13 %	282	11.64 %
2021	2,502	375	14.99 %	316	12.63 %	310	12.39 %	305	12.19 %	299	11.95 %	281	11.23 %

Notes
 UNDER CONSTRUCTION 2009 - 2012
 NOT ENOUGH DAYS TO MAKE 2009 - 2012 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FERGUS

Station: A-013

At Road: 0.5 Mi. S of MT 81

Ascending Direction: East

Location Id: 14-6-007

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 191, Brooks, 9 Mi. N of Lewistown (C000043)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.25% / EB 49.75%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	756	1,145	1,280	1,186	1,197	1,198	910	1,095	77.30%	1,202	91.10%	1,201	91.16%
FEB	602	1,057	1,057	1,012	1,042	1,057	702	932	65.79%	1,042	89.44%	1,045	89.19%
MAR	888	1,190	1,179	1,336	1,305	1,407	943	1,177	83.09%	1,253	93.97%	1,283	91.71%
APR	879	1,286	1,359	1,362	1,499	1,528	1,144	1,293	91.28%	1,377	93.93%	1,407	91.91%
MAY	1,181	1,611	1,631	1,684	1,669	1,752	1,304	1,547	109.21%	1,649	93.83%	1,669	92.67%
JUN	1,323	1,745	1,778	1,747	1,759	1,822	1,490	1,665	117.54%	1,757	94.75%	1,770	94.06%
JUL	1,421	1,646	1,693	1,774	1,776	1,848	1,578	1,676	118.31%	1,722	97.31%	1,747	95.91%
AUG	1,236	1,667	1,700	1,595	1,664	1,707	1,370	1,562	110.27%	1,657	94.30%	1,667	93.72%
SEP	1,406	1,696	1,765	1,736	1,814	1,981	1,649	1,720	121.42%	1,753	98.13%	1,798	95.64%
OCT	1,367	1,867	1,651	1,639	1,803	1,954	1,520	1,685	118.95%	1,740	96.84%	1,783	94.51%
NOV	1,288	1,653	1,576	1,597	1,524	1,718	1,513	1,552	109.56%	1,588	97.76%	1,614	96.18%
DEC	716	1,104	1,243	1,332	1,308	1,100	870	1,095	77.30%	1,247	87.83%	1,217	89.95%
Year	1,089	1,472	1,493	1,500	1,530	1,589	1,249	1,417		1,499	94.52%	1,517	93.39%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: FERGUS

Station: A-013

At Road: 0.5 Mi. S of MT 81

Location Id: 14-6-007

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 191, Brooks, 9 Mi. N of Lewistown (C000043)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,350	172	12.74 %	164	12.15 %	159	11.78 %	154	11.41 %	148	10.96 %	141	10.44 %
2005	1,220	182	14.92 %	159	13.03 %	152	12.46 %	148	12.13 %	140	11.48 %	133	10.90 %
2006	1,270	167	13.15 %	155	12.20 %	150	11.81 %	146	11.50 %	142	11.18 %	135	10.63 %
2007	1,288	214	16.61 %	161	12.50 %	155	12.03 %	151	11.72 %	144	11.18 %	138	10.71 %
2008	1,217	204	16.76 %	153	12.57 %	147	12.08 %	145	11.91 %	139	11.42 %	132	10.85 %
2009	1,297	191	14.73 %	167	12.88 %	161	12.41 %	157	12.10 %	151	11.64 %	144	11.10 %
2010	1,300	179	13.77 %	168	12.92 %	164	12.62 %	159	12.23 %	153	11.77 %	145	11.15 %
2011	1,280	249	19.45 %	178	13.91 %	164	12.81 %	159	12.42 %	150	11.72 %	142	11.09 %
2012	1,301	196	15.07 %	169	12.99 %	161	12.38 %	157	12.07 %	151	11.61 %	143	10.99 %
2013	1,281	196	15.30 %	162	12.65 %	157	12.26 %	151	11.79 %	145	11.32 %	139	10.85 %
2014	1,261	173	13.72 %	159	12.61 %	153	12.13 %	149	11.82 %	145	11.50 %	139	11.02 %
2015	1,326	176	13.27 %	163	12.29 %	159	11.99 %	155	11.69 %	152	11.46 %	143	10.78 %
2016	1,362	200	14.68 %	177	13.00 %	170	12.48 %	167	12.26 %	160	11.75 %	152	11.16 %
2017	1,374	203	14.77 %	176	12.81 %	168	12.23 %	163	11.86 %	158	11.50 %	152	11.06 %
2018	1,336	176	13.17 %	171	12.80 %	166	12.43 %	163	12.20 %	159	11.90 %	152	11.38 %
2019	1,298	189	14.56 %	170	13.10 %	163	12.56 %	162	12.48 %	155	11.94 %	145	11.17 %
2020	1,299	193	14.86 %	171	13.16 %	164	12.63 %	161	12.39 %	157	12.09 %	150	11.55 %
2021	1,416	226	15.96 %	179	12.64 %	176	12.43 %	173	12.22 %	165	11.65 %	157	11.09 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BEAVERHEAD

Station: A-014

At Road: 7 Mi. SW of Dillon

Ascending Direction: West

Location Id: 01-4-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-278, RP 4.167, 7 Mi. SW of Dillon (C000278)

Traffic Mix: Pass: 96.56% SU: 1.29% CU: 2.15%

Directional Split: WB 50.16% / EB 49.84%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	960	878	872	842	1,032	1,046	1,075	957	82.13%	906	105.63%	934	102.46%
FEB	919	838	812	862	931	1,021	996	911	78.19%	861	105.84%	893	102.04%
MAR	1,006	854	864	904	999	1,156	1,026	972	83.42%	905	107.37%	955	101.74%
APR	870	909	980	980	1,028	1,103	947	973	83.51%	974	99.87%	1,000	97.30%
MAY	1,036	1,141	1,114	1,145	1,150	1,261	1,172	1,145	98.27%	1,138	100.66%	1,162	98.52%
JUN	1,375	1,465	1,397	1,378	1,440	1,555	1,477	1,440	123.59%	1,420	101.41%	1,447	99.52%
JUL	1,506	1,457	1,354	1,463	1,460	1,568	1,688	1,499	128.65%	1,434	104.57%	1,460	102.64%
AUG	1,377	1,391	1,367	1,390	1,439	1,541	1,461	1,423	122.13%	1,397	101.88%	1,426	99.82%
SEP	1,332	1,363	1,313	1,383	1,420	1,584	1,549	1,420	121.87%	1,370	103.67%	1,413	100.52%
OCT	1,192	1,122	1,150	1,182	1,226	1,411	1,314	1,227	105.31%	1,170	104.87%	1,218	100.72%
NOV	1,088	1,121	1,051	1,203	1,084	1,281	1,190	1,145	98.27%	1,115	102.71%	1,148	99.74%
DEC	780	866	881	906	936	960	764	870	74.67%	897	96.96%	910	95.63%
Year	1,120	1,117	1,096	1,137	1,179	1,291	1,222	1,165		1,132	102.92%	1,164	100.11%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: BEAVERHEAD

Station: A-014

At Road: 7 Mi. SW of Dillon

Location Id: 01-4-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-278, RP 4.167, 7 Mi. SW of Dillon (C000278)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	850	173	20.35 %	140	16.47 %	121	14.24 %	115	13.53 %	104	12.24 %	95	11.18 %
2005	840	213	25.36 %	163	19.40 %	118	14.05 %	110	13.10 %	103	12.26 %	95	11.31 %
2006	850	149	17.53 %	114	13.41 %	107	12.59 %	103	12.12 %	98	11.53 %	93	10.94 %
2007	901	157	17.43 %	138	15.32 %	129	14.32 %	117	12.99 %	105	11.65 %	100	11.10 %
2008	873	157	17.98 %	134	15.35 %	122	13.97 %	116	13.29 %	107	12.26 %	98	11.23 %
2009	924	194	21.00 %	165	17.86 %	138	14.94 %	124	13.42 %	115	12.45 %	106	11.47 %
2010	916	198	21.62 %	169	18.45 %	141	15.39 %	124	13.54 %	114	12.45 %	106	11.57 %
2011	900	257	28.56 %	170	18.89 %	144	16.00 %	125	13.89 %	114	12.67 %	101	11.22 %
2012	921	324	35.18 %	191	20.74 %	149	16.18 %	126	13.68 %	115	12.49 %	105	11.40 %
2013	958	183	19.10 %	147	15.34 %	139	14.51 %	132	13.78 %	123	12.84 %	112	11.69 %
2014	966	274	28.36 %	169	17.49 %	145	15.01 %	129	13.35 %	120	12.42 %	110	11.39 %
2015	1,030	229	22.23 %	183	17.77 %	150	14.56 %	138	13.40 %	122	11.84 %	115	11.17 %
2016	1,082	254	23.48 %	201	18.58 %	155	14.33 %	141	13.03 %	132	12.20 %	124	11.46 %
2017	1,074	207	19.27 %	170	15.83 %	157	14.62 %	141	13.13 %	131	12.20 %	123	11.45 %
2018	1,098	235	21.40 %	193	17.58 %	156	14.21 %	142	12.93 %	133	12.11 %	125	11.38 %
2019	1,076	273	25.37 %	219	20.35 %	162	15.06 %	149	13.85 %	136	12.64 %	126	11.71 %
2020	1,112	183	16.46 %	166	14.93 %	158	14.21 %	152	13.67 %	145	13.04 %	135	12.14 %
2021	1,165	240	20.60 %	176	15.11 %	160	13.73 %	151	12.96 %	143	12.27 %	132	11.33 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-015

At Road: 5 Mi. NE of Bonner Intch

Ascending Direction: East

Location Id: 32-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: MT 200, RP 5.52, 5 Mi. NE of Bonner (C000024)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.15% / EB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,949	3,373	3,317	3,344	3,503	3,660	3,346	3,355	70.30%	3,384	99.14%	3,439	97.55%
FEB	2,603	3,078	2,989	3,188	3,308	3,336	2,748	3,035	63.59%	3,141	96.63%	3,180	95.45%
MAR	3,436	3,429	3,476	3,859	3,790	4,314	3,660	3,709	77.71%	3,639	101.94%	3,774	98.29%
APR	3,918	3,934	4,156	4,257	4,354	5,166	4,240	4,288	89.84%	4,175	102.70%	4,373	98.05%
MAY	4,930	5,222	4,744	4,821	5,201	5,817	5,193	5,132	107.53%	4,997	102.70%	5,161	99.44%
JUN	7,230	6,321	6,001	5,936	6,238	7,299	6,599	6,517	136.55%	6,124	106.42%	6,359	102.48%
JUL	7,336	6,982	6,193	6,309	6,932	7,855	7,277	6,983	146.31%	6,604	105.74%	6,854	101.88%
AUG	6,365	5,746	5,582	5,841	5,998	6,706	6,200	6,062	127.01%	5,792	104.67%	5,975	101.46%
SEP	5,611	5,473	5,022	5,157	5,505	6,314	5,511	5,512	115.49%	5,289	104.21%	5,494	100.32%
OCT	4,808	4,578	4,623	4,693	4,946	5,758	5,185	4,941	103.53%	4,710	104.90%	4,920	100.43%
NOV	4,435	4,365	4,127	4,721	4,220	5,027	4,387	4,468	93.62%	4,358	102.52%	4,492	99.47%
DEC	2,723	3,071	3,359	3,698	3,658	3,628	2,758	3,270	68.52%	3,447	94.88%	3,483	93.89%
Year	4,695	4,631	4,466	4,652	4,804	5,407	4,759	4,773		4,638	102.90%	4,792	99.60%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-015

At Road: 5 Mi. NE of Bonner Intch

Location Id: 32-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: MT 200, RP 5.52, 5 Mi. NE of Bonner (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	4,470	897	20.07 %	735	16.44 %	685	15.32 %	659	14.74 %	626	14.00 %	576	12.89 %
2005	4,360	814	18.67 %	739	16.95 %	719	16.49 %	687	15.76 %	645	14.79 %	573	13.14 %
2006	4,410	836	18.96 %	767	17.39 %	719	16.30 %	695	15.76 %	660	14.97 %	603	13.67 %
2007	4,255	793	18.64 %	702	16.50 %	675	15.86 %	651	15.30 %	614	14.43 %	552	12.97 %
2008	4,034	677	16.78 %	636	15.77 %	624	15.47 %	607	15.05 %	577	14.30 %	520	12.89 %
2009	4,205	802	19.07 %	713	16.96 %	678	16.12 %	660	15.70 %	634	15.08 %	575	13.67 %
2010	4,206	782	18.59 %	704	16.74 %	671	15.95 %	651	15.48 %	614	14.60 %	562	13.36 %
2011	4,052	736	18.16 %	661	16.31 %	639	15.77 %	616	15.20 %	595	14.68 %	541	13.35 %
2012	4,092	738	18.04 %	674	16.47 %	643	15.71 %	620	15.15 %	578	14.13 %	533	13.03 %
2013	4,131	770	18.64 %	658	15.93 %	628	15.20 %	609	14.74 %	578	13.99 %	533	12.90 %
2014	4,069	746	18.33 %	662	16.27 %	635	15.61 %	599	14.72 %	578	14.20 %	522	12.83 %
2015	4,348	799	18.38 %	654	15.04 %	615	14.14 %	595	13.68 %	567	13.04 %	532	12.24 %
2016	4,539	725	15.97 %	682	15.03 %	649	14.30 %	634	13.97 %	609	13.42 %	571	12.58 %
2017	4,495	755	16.80 %	699	15.55 %	683	15.19 %	656	14.59 %	625	13.90 %	575	12.79 %
2018	4,524	759	16.78 %	692	15.30 %	674	14.90 %	659	14.57 %	625	13.82 %	584	12.91 %
2019	4,472	752	16.82 %	704	15.74 %	681	15.23 %	665	14.87 %	634	14.18 %	591	13.22 %
2020	4,408	823	18.67 %	738	16.74 %	723	16.40 %	702	15.93 %	666	15.11 %	624	14.16 %
2021	4,772	817	17.12 %	756	15.84 %	712	14.92 %	691	14.48 %	652	13.66 %	610	12.78 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: A-018

At Road: 4 Mi. W of W Yellowstone

Ascending Direction: East

Location Id: 16-5-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: MT 20, RP 4.2, 4 mi. W of W Yellowstone (C000012)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.01% / EB 49.99%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,685	1,553	1,440	1,401	1,516	1,808	1,856	1,607	31.81%	1,478	108.76%	1,544	104.11%
FEB	1,773	1,624	1,501	1,565	1,718	1,745	1,726	1,664	32.94%	1,602	103.87%	1,631	102.05%
MAR	2,363	1,739	1,676	1,838	1,901	2,293	2,175	1,997	39.53%	1,789	111.66%	1,889	105.69%
APR	2,675	2,228	2,244	2,389	2,550	3,074	2,918	2,582	51.11%	2,353	109.74%	2,497	103.40%
MAY	6,342	6,000	5,008	5,335	5,863	6,228	6,564	5,905	116.88%	5,552	106.37%	5,687	103.84%
JUN	10,694	10,941	10,397	10,451	10,812	11,290	11,208	10,826	214.28%	10,650	101.65%	10,778	100.44%
JUL	11,484	11,771	11,480	11,631	11,821	11,923	11,642	11,678	231.14%	11,676	100.02%	11,725	99.60%
AUG	9,520	8,979	8,900	9,503	9,722	10,117	10,000	9,534	188.70%	9,276	102.78%	9,444	100.95%
SEP	8,286	7,697	7,020	6,997	7,211	8,501	8,972	7,811	154.60%	7,231	108.02%	7,485	104.35%
OCT	4,110	3,459	3,177	3,532	3,742	4,547	4,377	3,848	76.16%	3,478	110.65%	3,691	104.24%
NOV	1,935	1,778	1,618	1,862	1,617	1,919	2,109	1,833	36.28%	1,719	106.65%	1,759	104.22%
DEC	969	1,627	1,455	1,531	1,341	1,387	1,094	1,343	26.58%	1,489	90.23%	1,468	91.47%
Year	5,153	4,950	4,660	4,836	4,985	5,403	5,387	5,052		4,858	104.01%	4,967	101.73%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: A-018

At Road: 4 Mi. W of W Yellowstone

Location Id: 16-5-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: MT 20, RP 4.2, 4 mi. W of W Yellowstone (C000012)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,660	654	24.59 %	581	21.84 %	562	21.13 %	542	20.38 %	518	19.47 %	487	18.31 %
2005	2,630	638	24.26 %	577	21.94 %	545	20.72 %	530	20.15 %	508	19.32 %	479	18.21 %
2006	2,680	658	24.55 %	595	22.20 %	574	21.42 %	556	20.75 %	526	19.63 %	499	18.62 %
2007	2,833	678	23.93 %	594	20.97 %	574	20.26 %	559	19.73 %	550	19.41 %	528	18.64 %
2008	2,488	592	23.79 %	552	22.19 %	535	21.50 %	523	21.02 %	497	19.98 %	469	18.85 %
2009	2,521	692	27.45 %	606	24.04 %	586	23.24 %	567	22.49 %	550	21.82 %	517	20.51 %
2010	2,672	671	25.11 %	620	23.20 %	596	22.31 %	577	21.59 %	556	20.81 %	528	19.76 %
2011	2,776	652	23.49 %	608	21.90 %	584	21.04 %	568	20.46 %	550	19.81 %	518	18.66 %
2012	2,851	671	23.54 %	620	21.75 %	598	20.98 %	577	20.24 %	558	19.57 %	535	18.77 %
2013	2,981	790	26.50 %	664	22.27 %	617	20.70 %	603	20.23 %	584	19.59 %	559	18.75 %
2014	3,073	709	23.07 %	658	21.41 %	637	20.73 %	620	20.18 %	604	19.66 %	576	18.74 %
2015	3,511	865	24.64 %	752	21.42 %	714	20.34 %	697	19.85 %	675	19.23 %	646	18.40 %
2016	3,787	892	23.55 %	778	20.54 %	744	19.65 %	726	19.17 %	713	18.83 %	679	17.93 %
2017	3,837	1,001	26.09 %	867	22.60 %	835	21.76 %	787	20.51 %	755	19.68 %	719	18.74 %
2018	3,985	874	21.93 %	818	20.53 %	794	19.92 %	779	19.55 %	766	19.22 %	723	18.14 %
2019	4,070	995	24.45 %	856	21.03 %	836	20.54 %	808	19.85 %	785	19.29 %	752	18.48 %
2020	4,070	1,020	25.06 %	891	21.89 %	867	21.30 %	852	20.93 %	826	20.29 %	789	19.39 %
2021	5,052	1,002	19.83 %	909	17.99 %	898	17.78 %	890	17.62 %	876	17.34 %	850	16.83 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: A-019

At Road: 0.5 Mi. S of US 287

Ascending Direction: North

Location Id: 16-5-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 191/US 287, RP 7.82, Duck Creek, 7.5 Mi. N of W Yellowstone (C000050)

Traffic Mix: Pass: 88.74% SU: 2.25% CU: 9.01%

Directional Split: SB 50.15% / NB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,882	1,692	1,532	1,579	1,665	1,873	1,863	1,726	51.76%	1,617	106.74%	1,668	103.46%
FEB	1,734			1,550			1,728						
MAR	2,404	1,864	1,810	1,974	2,034	2,300	2,146	2,075	62.22%	1,921	108.04%	1,996	103.94%
APR	2,242	2,005	2,011	2,181	2,306	2,543	2,359	2,234	66.99%	2,126	105.09%	2,209	101.12%
MAY	3,623	3,639	3,064	3,275	3,528	3,894	3,560	3,511	105.28%	3,377	103.98%	3,480	100.89%
JUN	5,623	5,719	5,225	5,521	5,591	5,829	5,583	5,583	167.42%	5,514	101.25%	5,577	100.11%
JUL	5,754	5,970	4,832	5,729	5,918	6,043	5,758	5,714	171.34%	5,612	101.81%	5,698	100.27%
AUG	5,191	4,921	4,736	4,946	5,163	5,406	5,165	5,074	152.15%	4,942	102.68%	5,034	100.79%
SEP	4,494	4,499	4,248	4,239	4,366	4,911	4,633	4,484	134.46%	4,338	103.37%	4,453	100.71%
OCT	3,068	2,710	2,575	2,802	2,884	3,404	3,051	2,927	87.77%	2,743	106.72%	2,875	101.81%
NOV	1,967	1,889	1,754	1,981	1,731	1,974	2,004	1,899	56.94%	1,839	103.28%	1,866	101.78%
DEC	1,275	1,481	1,476	1,557	1,486	1,504	1,420	1,456	43.66%	1,500	97.07%	1,501	97.01%
Year	3,271	3,308	3,024	3,111	3,334	3,607	3,273	3,335		3,230	103.25%	3,305	100.89%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: A-019

At Road: 0.5 Mi. S of US 287

Location Id: 16-5-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 191/US 287, RP 7.82, Duck Creek, 7.5 Mi. N of W Yellowstone (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,410	425	17.63 %	396	16.43 %	385	15.98 %	374	15.52 %	363	15.06 %	347	14.40 %
2005	2,440	446	18.28 %	425	17.42 %	401	16.43 %	391	16.02 %	380	15.57 %	361	14.80 %
2006	2,240	426	19.02 %	400	17.86 %	387	17.28 %	375	16.74 %	365	16.29 %	348	15.54 %
2007	2,397	473	19.73 %	407	16.98 %	398	16.60 %	390	16.27 %	379	15.81 %	362	15.10 %
2008	2,083	425	20.40 %	371	17.81 %	353	16.95 %	344	16.51 %	330	15.84 %	313	15.03 %
2009	2,083	413	19.83 %	385	18.48 %	376	18.05 %	370	17.76 %	356	17.09 %	343	16.47 %
2010	2,220	463	20.86 %	412	18.56 %	392	17.66 %	388	17.48 %	381	17.16 %	371	16.71 %
2011	2,337	450	19.26 %	420	17.97 %	403	17.24 %	396	16.94 %	387	16.56 %	370	15.83 %
2012	2,396	476	19.87 %	418	17.45 %	403	16.82 %	396	16.53 %	385	16.07 %	364	15.19 %
2013	2,495	518	20.76 %	449	18.00 %	432	17.31 %	420	16.83 %	409	16.39 %	386	15.47 %
2014	2,508	469	18.70 %	440	17.54 %	427	17.03 %	417	16.63 %	406	16.19 %	388	15.47 %
2015	2,753	511	18.56 %	467	16.96 %	462	16.78 %	457	16.60 %	446	16.20 %	424	15.40 %
2016	2,860	626	21.89 %	478	16.71 %	459	16.05 %	449	15.70 %	438	15.31 %	419	14.65 %
2017	2,952	708	23.98 %	555	18.80 %	511	17.31 %	486	16.46 %	479	16.23 %	453	15.35 %
2018	2,888	559	19.36 %	492	17.04 %	475	16.45 %	463	16.03 %	453	15.69 %	435	15.06 %
2019	2,846	545	19.15 %	486	17.08 %	474	16.65 %	464	16.30 %	446	15.67 %	430	15.11 %
2020	2,678	610	22.78 %	476	17.77 %	461	17.21 %	447	16.69 %	432	16.13 %	409	15.27 %
2021	3,196	564	17.65 %	506	15.83 %	486	15.21 %	477	14.92 %	471	14.74 %	457	14.30 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: PARK

Station: A-020

At Road: 2 Mi. SW of S-540

Ascending Direction: North

Location Id: 34-3-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 89, RP 16.8, at Carbella, 2 Mi. SW of S-540 (C000011)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.15% / NB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,332	1,149	1,129	1,146	1,156	1,434	1,571	1,273	52.27%	1,145	111.18%	1,203	105.84%
FEB	1,209	1,095	1,033	1,034	1,166	1,177	1,259	1,138	46.73%	1,082	105.18%	1,101	103.36%
MAR	1,718	1,316	1,284	1,435	1,520	1,694	1,810	1,539	63.19%	1,389	110.82%	1,450	106.15%
APR	1,748	1,586	1,702	1,849	1,863	2,081	2,146	1,853	76.08%	1,750	105.89%	1,816	102.03%
MAY	2,952	2,821	2,712	2,741	2,982	2,919	2,953	2,868	117.76%	2,814	101.92%	2,835	101.16%
JUN	3,908	4,147	4,076	4,084	4,125	4,208	4,064	4,086	167.77%	4,108	99.46%	4,128	98.98%
JUL	4,107	4,329	4,376	4,438	4,474	4,405	4,250	4,339	178.16%	4,404	98.52%	4,404	98.52%
AUG	3,806	3,672	3,599	3,702	3,769	3,778	3,825	3,735	153.36%	3,686	101.34%	3,704	100.84%
SEP	3,694	3,452	3,405	3,323	3,469	3,821	4,032	3,599	147.77%	3,412	105.47%	3,494	103.01%
OCT	2,433	1,966	1,951	2,048	2,185	2,603	2,537	2,245	92.18%	2,038	110.18%	2,151	104.39%
NOV	1,395	1,344	1,300	1,424	1,325	1,615	1,658	1,436	58.96%	1,348	106.51%	1,402	102.45%
DEC	888	1,094	1,164	1,187	1,255	1,141	1,081	1,115	45.78%	1,175	94.89%	1,168	95.45%
Year	2,433	2,331	2,311	2,368	2,441	2,573	2,599	2,436		2,363	103.09%	2,405	101.28%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: PARK

Station: A-020

At Road: 2 Mi. SW of S-540

Location Id: 34-3-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 89, RP 16.8, at Carbella, 2 Mi. SW of S-540 (C000011)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,600	269	16.81 %	253	15.81 %	245	15.31 %	240	15.00 %	235	14.69 %	226	14.13 %
2005	1,550	314	20.26 %	263	16.97 %	250	16.13 %	248	16.00 %	242	15.61 %	232	14.97 %
2006	1,540	298	19.35 %	269	17.47 %	255	16.56 %	244	15.84 %	237	15.39 %	224	14.55 %
2007	1,627	285	17.52 %	264	16.23 %	254	15.61 %	250	15.37 %	246	15.12 %	235	14.44 %
2008	1,548	271	17.51 %	257	16.60 %	246	15.89 %	243	15.70 %	235	15.18 %	224	14.47 %
2009	1,684	331	19.66 %	285	16.92 %	282	16.75 %	272	16.15 %	264	15.68 %	251	14.90 %
2010	1,738	318	18.30 %	292	16.80 %	287	16.51 %	283	16.28 %	275	15.82 %	263	15.13 %
2011	1,670	313	18.74 %	278	16.65 %	272	16.29 %	269	16.11 %	260	15.57 %	249	14.91 %
2012	1,706	341	19.99 %	306	17.94 %	299	17.53 %	291	17.06 %	280	16.41 %	265	15.53 %
2013	1,710	317	18.54 %	295	17.25 %	285	16.67 %	283	16.55 %	273	15.96 %	259	15.15 %
2014	1,804	330	18.29 %	302	16.74 %	291	16.13 %	288	15.96 %	283	15.69 %	272	15.08 %
2015	1,969	365	18.54 %	323	16.40 %	306	15.54 %	303	15.39 %	299	15.19 %	285	14.47 %
2016	2,068	407	19.68 %	325	15.72 %	316	15.28 %	312	15.09 %	302	14.60 %	293	14.17 %
2017	2,049	357	17.42 %	331	16.15 %	318	15.52 %	315	15.37 %	308	15.03 %	297	14.49 %
2018	2,076	341	16.43 %	329	15.85 %	317	15.27 %	315	15.17 %	308	14.84 %	297	14.31 %
2019	2,158	370	17.15 %	342	15.85 %	336	15.57 %	330	15.29 %	319	14.78 %	308	14.27 %
2020	2,003	405	20.22 %	360	17.97 %	344	17.17 %	336	16.77 %	328	16.38 %	313	15.63 %
2021	2,435	388	15.93 %	366	15.03 %	359	14.74 %	350	14.37 %	344	14.13 %	335	13.76 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: A-021

At Road: Btwn Billings & Missoula Ave

Ascending Direction: East

Location Id: 25-7C-013

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 12, RP 44.09, Montana Ave, Helena (C000008)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 53.54% / EB 46.46%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	10,873	16,799	17,418	17,634	17,616	16,616	13,237	15,741	84.85%	17,367	90.64%	17,217	91.43%
FEB	11,122	16,612	17,962	18,014	18,087	18,622	13,493	16,272	87.71%	17,669	92.09%	17,859	91.11%
MAR	12,654	18,555	19,001	19,578	19,799	20,476	15,203	17,894	96.46%	19,233	93.04%	19,482	91.85%
APR	12,723	19,184	20,381	20,637	20,478	21,166	16,148	18,673	100.65%	20,170	92.58%	20,369	91.67%
MAY	13,597	19,121	21,141	21,025	20,743	21,187	16,237	19,007	102.46%	20,508	92.68%	20,643	92.07%
JUN	15,277	21,990	22,701	22,769	22,758	23,194	17,877	20,937	112.86%	22,555	92.83%	22,682	92.31%
JUL	14,166	20,498	22,142	22,505	22,615	22,447	16,563	20,133	108.52%	21,940	91.76%	22,041	91.34%
AUG	14,770	20,865	21,510	21,622	21,454	21,463	16,157	19,691	106.14%	21,363	92.17%	21,383	92.09%
SEP	13,522	19,112	21,638	21,791	21,854	22,763	16,171	19,549	105.38%	21,099	92.65%	21,432	91.22%
OCT	13,291	19,755	20,846	20,814	21,032	22,267	16,184	19,169	103.33%	20,612	93.00%	20,943	91.53%
NOV	12,563	20,185	20,683	20,703	17,433	19,839	14,948	18,050	97.30%	19,751	91.39%	19,769	91.31%
DEC	11,682	18,695	19,964	20,425	20,103	18,443	13,206	17,502	94.34%	19,797	88.41%	19,526	89.63%
Year	13,020	19,281	20,449	20,626	20,331	20,707	15,452	18,552		20,172	91.97%	20,279	91.48%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: A-021

At Road: Btwn Billings & Missoula Ave

Location Id: 25-7C-013

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 12, RP 44.09, Montana Ave, Helena (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	21,920	2,475	11.29 %	2,262	10.32 %	2,215	10.10 %	2,199	10.03 %	2,172	9.91 %	2,130	9.72 %
2005	21,860	2,492	11.40 %	2,272	10.39 %	2,207	10.10 %	2,183	9.99 %	2,153	9.85 %	2,115	9.68 %
2006	21,760	2,387	10.97 %	2,255	10.36 %	2,207	10.14 %	2,184	10.04 %	2,155	9.90 %	2,116	9.72 %
2007	21,530	2,307	10.72 %	2,216	10.29 %	2,185	10.15 %	2,165	10.06 %	2,119	9.84 %	2,074	9.63 %
2008	20,184	2,336	11.57 %	2,137	10.59 %	2,085	10.33 %	2,043	10.12 %	2,010	9.96 %	1,967	9.75 %
2009	20,875	2,303	11.03 %	2,150	10.30 %	2,127	10.19 %	2,108	10.10 %	2,075	9.94 %	2,033	9.74 %
2010	20,884	2,336	11.19 %	2,190	10.49 %	2,154	10.31 %	2,129	10.19 %	2,107	10.09 %	2,056	9.84 %
2011	20,403	2,310	11.32 %	2,122	10.40 %	2,061	10.10 %	2,045	10.02 %	2,016	9.88 %	1,978	9.69 %
2012	19,700	2,254	11.44 %	2,091	10.61 %	2,048	10.40 %	2,031	10.31 %	2,004	10.17 %	1,963	9.96 %
2013	18,844	2,171	11.52 %	2,006	10.65 %	1,947	10.33 %	1,924	10.21 %	1,891	10.04 %	1,849	9.81 %
2014	18,797	2,175	11.57 %	1,990	10.59 %	1,956	10.41 %	1,939	10.32 %	1,910	10.16 %	1,862	9.91 %
2015	19,354	2,205	11.39 %	2,006	10.36 %	1,968	10.17 %	1,949	10.07 %	1,920	9.92 %	1,888	9.76 %
2016	19,968	2,254	11.29 %	2,110	10.57 %	2,078	10.41 %	2,051	10.27 %	2,024	10.14 %	1,980	9.92 %
2017	20,097	2,244	11.17 %	2,081	10.35 %	2,058	10.24 %	2,036	10.13 %	2,014	10.02 %	1,982	9.86 %
2018	19,772	2,210	11.18 %	2,067	10.45 %	2,026	10.25 %	2,005	10.14 %	1,982	10.02 %	1,935	9.79 %
2019	19,586	2,239	11.43 %	2,060	10.52 %	2,021	10.32 %	2,004	10.23 %	1,976	10.09 %	1,946	9.94 %
2020	16,064	1,973	12.28 %	1,866	11.62 %	1,831	11.40 %	1,811	11.27 %	1,786	11.12 %	1,746	10.87 %
2021	18,551	2,018	10.88 %	1,942	10.47 %	1,918	10.34 %	1,903	10.26 %	1,875	10.11 %	1,844	9.94 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CUSTER

Station: A-022

At Road: 14 Mi. N of Miles City

Ascending Direction: North

Location Id: 09-2-016

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 59, RP 14.02, 14 Mi. N of Miles City (C000018)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.68% / NB 49.32%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	220	315	309	297	289	285	240	278	47.51%	303	91.90%	299	92.98%
FEB	215	274	294	287	337	305	238	277	47.34%	298	92.95%	299	92.52%
MAR	268	352	290	338	344	390	285	322	55.03%	331	97.28%	343	93.93%
APR	282	501	565	512	596	599	316	481	82.20%	544	88.50%	555	86.73%
MAY	372	561	579	539	593	561	362	509	86.98%	568	89.61%	567	89.83%
JUN	428	695	661	642	644	596	463	589	100.66%	661	89.17%	648	90.95%
JUL	362	724	776	829	847	810	451	685	117.06%	794	86.27%	797	85.93%
AUG	384	845	824	840	837	780	553	722	123.38%	837	86.31%	825	87.49%
SEP	376	862	1,054	1,026	1,010	1,033	617	853	145.77%	988	86.34%	997	85.56%
OCT	434	1,206	983	996	1,145	1,187	805	964	164.74%	1,083	89.05%	1,103	87.37%
NOV	481	968	898	897	917	964	694	830	141.84%	920	90.22%	929	89.36%
DEC	255	575	590	568	601	590	407	512	87.50%	584	87.75%	585	87.55%
Year	340	657	652	648	680	675	453	585		659	88.80%	662	88.37%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: CUSTER

Station: A-022

At Road: 14 Mi. N of Miles City

Location Id: 09-2-016

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 59, RP 14.02, 14 Mi. N of Miles City (C000018)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	360	78	21.67 %	71	19.72 %	67	18.61 %	65	18.06 %	62	17.22 %	58	16.11 %
2005	320	63	19.69 %	56	17.50 %	54	16.88 %	53	16.56 %	47	14.69 %	43	13.44 %
2006	320	58	18.13 %	48	15.00 %	45	14.06 %	44	13.75 %	42	13.13 %	38	11.88 %
2007	363	74	20.39 %	67	18.46 %	65	17.91 %	64	17.63 %	63	17.36 %	59	16.25 %
2008	280	52	18.57 %	44	15.71 %	41	14.64 %	40	14.29 %	38	13.57 %	35	12.50 %
2009	305	54	17.70 %	46	15.08 %	43	14.10 %	41	13.44 %	39	12.79 %	37	12.13 %
2010	301	75	24.92 %	46	15.28 %	43	14.29 %	41	13.62 %	39	12.96 %	37	12.29 %
2011	328	62	18.90 %	50	15.24 %	47	14.33 %	46	14.02 %	44	13.41 %	41	12.50 %
2012	344	59	17.15 %	51	14.83 %	49	14.24 %	48	13.95 %	46	13.37 %	42	12.21 %
2013	331	63	19.03 %	49	14.80 %	46	13.90 %	45	13.60 %	43	12.99 %	40	12.08 %
2014	345	85	24.64 %	56	16.23 %	50	14.49 %	49	14.20 %	47	13.62 %	43	12.46 %
2015	350	104	29.71 %	55	15.71 %	51	14.57 %	49	14.00 %	46	13.14 %	43	12.29 %
2016	372	62	16.67 %	55	14.78 %	53	14.25 %	50	13.44 %	48	12.90 %	45	12.10 %
2017	380	70	18.42 %	61	16.05 %	57	15.00 %	54	14.21 %	52	13.68 %	49	12.89 %
2018	334	64	19.16 %	52	15.57 %	49	14.67 %	48	14.37 %	45	13.47 %	41	12.28 %
2019	352	76	21.59 %	54	15.34 %	53	15.06 %	52	14.77 %	50	14.20 %	46	13.07 %
2020	352	66	18.75 %	54	15.34 %	50	14.20 %	48	13.64 %	45	12.78 %	43	12.22 %
2021	585	172	29.40 %	150	25.64 %	142	24.27 %	136	23.25 %	119	20.34 %	105	17.95 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BLAINE

Station: A-023

At Road: 2 Mi. N of S-396

Ascending Direction: North

Location Id: 03-4-003

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-241, RP 3.06, 2 Mi. N of Harlem (C000241)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.19% / NB 49.81%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	164	309	333	352	376	333	225	298	96.39%	343	87.01%	341	87.49%
FEB	151	261	308	295	333	305	191	262	84.74%	299	87.55%	300	87.22%
MAR	189	317	318	344	349	339	239	299	96.71%	332	90.06%	333	89.68%
APR	195	326	328	345	370	356	251	309	99.95%	342	90.28%	345	89.57%
MAY	230	348	371	385	385	382	291	341	110.30%	372	91.61%	374	91.13%
JUN	236	389	367	374	390	366	266	340	109.97%	380	89.47%	377	90.14%
JUL	201	350	397	390	398	341	253	332	107.39%	384	86.51%	375	88.49%
AUG	263	339	362	345	356	357	267	326	105.44%	351	93.01%	352	92.67%
SEP	202	322	347	350	386	395	270	324	104.80%	351	92.24%	360	90.00%
OCT	217	333	334	337	362	377	245	314	101.56%	342	91.95%	349	90.07%
NOV	233	336	303	339	308	353	276	306	98.98%	322	95.18%	328	93.35%
DEC	155	276	301	302	320	284	181	259	83.77%	300	86.41%	297	87.32%
Year	203	326	339	347	361	349	246	309		343	90.13%	344	89.81%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: BLAINE

Station: A-023

At Road: 2 Mi. N of S-396

Location Id: 03-4-003

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-241, RP 3.06, 2 Mi. N of Harlem (C000241)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	320	61	19.06 %	50	15.63 %	45	14.06 %	44	13.75 %	42	13.13 %	38	11.88 %
2005	310	105	33.87 %	47	15.16 %	44	14.19 %	42	13.55 %	40	12.90 %	37	11.94 %
2006	290	92	31.72 %	46	15.86 %	44	15.17 %	42	14.48 %	40	13.79 %	36	12.41 %
2007	291	79	27.15 %	50	17.18 %	46	15.81 %	42	14.43 %	39	13.40 %	36	12.37 %
2008	306	66	21.57 %	62	20.26 %	55	17.97 %	53	17.32 %	50	16.34 %	43	14.05 %
2009	316	53	16.77 %	48	15.19 %	45	14.24 %	44	13.92 %	42	13.29 %	40	12.66 %
2010	316	61	19.30 %	48	15.19 %	44	13.92 %	43	13.61 %	42	13.29 %	39	12.34 %
2011	323	69	21.36 %	54	16.72 %	48	14.86 %	46	14.24 %	44	13.62 %	40	12.38 %
2012	348	59	16.95 %	50	14.37 %	48	13.79 %	47	13.51 %	45	12.93 %	42	12.07 %
2013	366	61	16.67 %	54	14.75 %	51	13.93 %	50	13.66 %	48	13.11 %	45	12.30 %
2014	356	61	17.13 %	52	14.61 %	50	14.04 %	48	13.48 %	46	12.92 %	43	12.08 %
2015	362	117	32.32 %	58	16.02 %	54	14.92 %	51	14.09 %	49	13.54 %	46	12.71 %
2016	352	68	19.32 %	50	14.20 %	48	13.64 %	47	13.35 %	46	13.07 %	43	12.22 %
2017	338	66	19.53 %	53	15.68 %	48	14.20 %	46	13.61 %	45	13.31 %	42	12.43 %
2018	328	100	30.49 %	56	17.07 %	49	14.94 %	47	14.33 %	44	13.41 %	41	12.50 %
2019	338	58	17.16 %	54	15.98 %	50	14.79 %	48	14.20 %	46	13.61 %	43	12.72 %
2020	305	51	16.72 %	48	15.74 %	46	15.08 %	44	14.43 %	42	13.77 %	40	13.11 %
2021	308	82	26.62 %	49	15.91 %	45	14.61 %	44	14.29 %	42	13.64 %	39	12.66 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FLATHEAD

Station: A-024

At Road: 1.3 Mi. W of Kalispell

Ascending Direction: East

Location Id: 15-7B-001

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 2, RP 118.9, 1.3 Mi. W of Kalispell (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.17% / EB 49.83%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,148	10,405	10,748	10,829	10,963	10,494	8,690	9,896	90.63%	10,736	92.17%	10,688	92.59%
FEB	7,062	9,897	10,379	10,661	10,472	10,784	8,368	9,659	88.46%	10,352	93.30%	10,439	92.53%
MAR	8,207	10,769	11,371	11,746	11,475	11,983	9,694	10,749	98.44%	11,340	94.79%	11,469	93.72%
APR	8,380	11,820	12,423	12,630	12,336	13,075	10,180	11,548	105.76%	12,302	93.87%	12,457	92.70%
MAY	9,619	12,366	13,051	13,334	13,277	13,920	11,301	12,409	113.65%	13,007	95.40%	13,190	94.08%
JUN	11,096	13,634	13,783	13,796	13,739	14,679	11,708	13,204	120.93%	13,738	96.11%	13,926	94.81%
JUL	11,044	13,096	13,530	13,715	13,586	13,687	11,981	12,947	118.57%	13,482	96.03%	13,523	95.74%
AUG	9,264	11,274	11,267	11,605	11,665	12,052	9,874	10,999	100.73%	11,453	96.04%	11,573	95.04%
SEP	8,444	10,346	11,257	11,278	11,354	11,839	9,656	10,595	97.03%	11,059	95.81%	11,215	94.47%
OCT	8,037	9,935	10,301	10,469	10,504	10,961	9,325	9,932	90.96%	10,302	96.41%	10,434	95.19%
NOV	7,991	10,472	9,683	9,733	8,918	10,549	9,140	9,497	86.98%	9,702	97.89%	9,871	96.21%
DEC	7,064	10,005	10,536	10,806	10,626	10,598	7,509	9,591	87.84%	10,493	91.40%	10,514	91.22%
Year	8,613	11,168	11,527	11,717	11,576	12,052	9,786	10,919		11,497	94.97%	11,608	94.06%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: FLATHEAD

Station: A-024

At Road: 1.3 Mi. W of Kalispell

Location Id: 15-7B-001

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 2, RP 118.9, 1.3 Mi. W of Kalispell (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	8,750	966	11.04 %	937	10.71 %	906	10.35 %	900	10.29 %	882	10.08 %	847	9.68 %
2005	8,740	1,008	11.53 %	948	10.85 %	939	10.74 %	922	10.55 %	888	10.16 %	858	9.82 %
2006	9,000	1,052	11.69 %	998	11.09 %	969	10.77 %	959	10.66 %	939	10.43 %	901	10.01 %
2007	9,220	1,056	11.45 %	1,016	11.02 %	990	10.74 %	982	10.65 %	963	10.44 %	918	9.96 %
2008	8,643	1,003	11.60 %	943	10.91 %	922	10.67 %	912	10.55 %	897	10.38 %	865	10.01 %
2009	8,590	969	11.28 %	926	10.78 %	915	10.65 %	895	10.42 %	882	10.27 %	848	9.87 %
2010	7,915	1,021	12.90 %	884	11.17 %	842	10.64 %	823	10.40 %	797	10.07 %	761	9.61 %
2011	8,247	932	11.30 %	904	10.96 %	884	10.72 %	874	10.60 %	845	10.25 %	808	9.80 %
2012	8,379	955	11.40 %	910	10.86 %	896	10.69 %	887	10.59 %	864	10.31 %	836	9.98 %
2013	8,738	1,030	11.79 %	960	10.99 %	944	10.80 %	935	10.70 %	924	10.57 %	889	10.17 %
2014	9,222	1,088	11.80 %	1,008	10.93 %	998	10.82 %	988	10.71 %	970	10.52 %	932	10.11 %
2015	9,716	1,098	11.30 %	1,048	10.79 %	1,035	10.65 %	1,025	10.55 %	1,005	10.34 %	974	10.02 %
2016	9,931	1,100	11.08 %	1,070	10.77 %	1,052	10.59 %	1,039	10.46 %	1,021	10.28 %	995	10.02 %
2017	9,836	1,267	12.88 %	1,143	11.62 %	1,121	11.40 %	1,106	11.24 %	1,087	11.05 %	1,041	10.58 %
2018	10,635	1,213	11.41 %	1,164	10.94 %	1,140	10.72 %	1,125	10.58 %	1,101	10.35 %	1,070	10.06 %
2019	10,687	1,251	11.71 %	1,190	11.14 %	1,169	10.94 %	1,152	10.78 %	1,136	10.63 %	1,090	10.20 %
2020	10,618	1,248	11.75 %	1,208	11.38 %	1,197	11.27 %	1,190	11.21 %	1,176	11.08 %	1,130	10.64 %
2021	10,918	1,294	11.85 %	1,247	11.42 %	1,222	11.19 %	1,202	11.01 %	1,181	10.82 %	1,120	10.26 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FERGUS

Station: A-027

At Road: 3 Mi. N of Jct MT 19

Ascending Direction: North

Location Id: 14-4-006

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 191, RP 69.58, Roy, 3 Mi. N of Jct MT 19 (C000061)

Traffic Mix: Pass: 89.15% SU: 2.23% CU: 8.62%

Directional Split: SB 50.29% / NB 49.71%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	452	398	395	401	399	512	441	427	63.43%	398	107.22%	421	101.43%
FEB	386	428	378	360	409	482	344	397	58.97%	394	100.83%	411	96.50%
MAR	650	469	429	538	542	704	474	543	80.66%	495	109.81%	536	101.23%
APR	615	535	515	547	662	841	599	616	91.51%	565	109.07%	620	99.35%
MAY	868	794	634	724	852	1,022	750	805	119.58%	751	107.19%	805	99.98%
JUN	968	779	736	752	830	1,018	782	837	124.34%	774	108.10%	823	101.70%
JUL	767	739	635	685	802	952	659	748	111.12%	715	104.58%	763	98.09%
AUG	852	674	665	671	723	891	643	731	108.59%	683	106.99%	725	100.86%
SEP	1,020	900	827	782	853	1,183	1,000	937	139.19%	841	111.48%	909	103.08%
OCT	873	763	667	734	802	1,032	739	800	118.84%	742	107.89%	800	100.05%
NOV	838	716	634	789	729	933	746	768	114.09%	717	107.11%	760	101.03%
DEC	518	409	430	462	550	552	367	469	69.67%	463	101.35%	481	97.59%
Year	734	634	579	620	679	844	629	673		628	107.18%	671	100.30%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: FERGUS

Station: A-027

At Road: 3 Mi. N of Jct MT 19

Location Id: 14-4-006

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 191, RP 69.58, Roy, 3 Mi. N of Jct MT 19 (C000061)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	620	184	29.68 %	132	21.29 %	119	19.19 %	112	18.06 %	104	16.77 %	92	14.84 %
2005	590	145	24.58 %	111	18.81 %	103	17.46 %	100	16.95 %	93	15.76 %	83	14.07 %
2006	580	153	26.38 %	117	20.17 %	103	17.76 %	98	16.90 %	92	15.86 %	84	14.48 %
2007	582	134	23.02 %	107	18.38 %	101	17.35 %	97	16.67 %	91	15.64 %	84	14.43 %
2008	555	137	24.68 %	104	18.74 %	94	16.94 %	92	16.58 %	88	15.86 %	78	14.05 %
2009	598	135	22.58 %	114	19.06 %	109	18.23 %	104	17.39 %	98	16.39 %	89	14.88 %
2010	601	124	20.63 %	115	19.13 %	108	17.97 %	102	16.97 %	97	16.14 %	88	14.64 %
2011	568	138	24.30 %	103	18.13 %	101	17.78 %	97	17.08 %	92	16.20 %	82	14.44 %
2012	618	132	21.36 %	109	17.64 %	100	16.18 %	97	15.70 %	92	14.89 %	85	13.75 %
2013	615	123	20.00 %	105	17.07 %	100	16.26 %	96	15.61 %	90	14.63 %	85	13.82 %
2014	603	149	24.71 %	105	17.41 %	102	16.92 %	97	16.09 %	90	14.93 %	84	13.93 %
2015	643	125	19.44 %	119	18.51 %	112	17.42 %	107	16.64 %	99	15.40 %	92	14.31 %
2016	661	151	22.84 %	117	17.70 %	111	16.79 %	108	16.34 %	100	15.13 %	92	13.92 %
2017	649	134	20.65 %	111	17.10 %	104	16.02 %	101	15.56 %	96	14.79 %	88	13.56 %
2018	618	138	22.33 %	118	19.09 %	112	18.12 %	107	17.31 %	98	15.86 %	89	14.40 %
2019	623	120	19.26 %	106	17.01 %	103	16.53 %	100	16.05 %	96	15.41 %	89	14.29 %
2020	568	117	20.60 %	104	18.31 %	97	17.08 %	94	16.55 %	91	16.02 %	82	14.44 %
2021	673	138	20.51 %	120	17.83 %	113	16.79 %	110	16.34 %	106	15.75 %	98	14.56 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: A-028

At Road: 7 Mi. W of Great Falls

Ascending Direction: North

Location Id: 07-1-018

Functional Class: Major Collector Rural


Traffic Factor Group: UMA_UC

Located On: Vaughn South Frontage Road, RP 3.33, 7 Mi. W of Great Falls (C007611)

Traffic Mix: Pass: 97.33% SU: 1.26% CU: 1.41%

Directional Split: NB 50.12% / SB 49.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,169	2,988	3,199	3,240	3,288	3,136	2,629	2,949	90.46%	3,179	92.77%	3,170	93.02%
FEB	1,952	2,795	2,968	3,078	3,058	2,970	2,214	2,718	83.37%	2,975	91.37%	2,974	91.40%
MAR	2,539	3,276	3,251	3,606	3,447	3,675	2,953	3,249	99.66%	3,395	95.70%	3,451	94.15%
APR	2,340	3,251	3,599	3,655	3,615	3,879	3,099	3,348	102.70%	3,530	94.84%	3,600	93.01%
MAY	2,530	3,498	3,821	3,768	3,704	3,754	3,015	3,441	105.55%	3,698	93.06%	3,709	92.77%
JUN	2,781	3,833	3,948	4,037	3,942	4,031	3,158	3,675	112.73%	3,940	93.27%	3,958	92.85%
JUL	2,863	3,564	3,839	3,957	3,942	4,000	3,296	3,637	111.56%	3,826	95.07%	3,860	94.21%
AUG	2,698	3,702	3,789	3,744	3,686	3,815	3,127	3,508	107.60%	3,730	94.04%	3,747	93.62%
SEP	2,483	3,248	3,633	3,758	3,648	3,877	3,019	3,380	103.68%	3,572	94.63%	3,633	93.04%
OCT	2,505	3,244	3,400	3,461	3,386	3,722	2,992	3,243	99.48%	3,373	96.15%	3,443	94.20%
NOV	2,323	3,216	3,266	3,267	3,047	3,370	2,771	3,036	93.13%	3,199	94.90%	3,233	93.90%
DEC	2,160	3,010	3,210	3,217	3,307	3,166	2,498	2,937	90.09%	3,186	92.18%	3,182	92.30%
Year	2,445	3,302	3,494	3,566	3,506	3,616	2,898	3,260		3,467	94.04%	3,497	93.23%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: A-028

At Road: 7 Mi. W of Great Falls

Location Id: 07-1-018

Functional Class: Major Collector Rural

Traffic Factor Group: UMA_UC

Located On: Vaughn South Frontage Road, RP 3.33, 7 Mi. W of Great Falls (C007611)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,460	720	20.81 %	403	11.65 %	390	11.27 %	379	10.95 %	368	10.64 %	353	10.20 %
2005	3,360	426	12.68 %	372	11.07 %	365	10.86 %	359	10.68 %	350	10.42 %	335	9.97 %
2006	3,290	670	20.36 %	500	15.20 %	446	13.56 %	404	12.28 %	361	10.97 %	340	10.33 %
2007	3,337	423	12.68 %	384	11.51 %	372	11.15 %	368	11.03 %	361	10.82 %	341	10.22 %
2008	3,243	398	12.27 %	366	11.29 %	361	11.13 %	352	10.85 %	347	10.70 %	332	10.24 %
2009	3,180		%		%		%		%		%		%
2010	3,170		%		%		%		%		%		%
2011	3,190		%		%		%		%		%		%
2012	3,013	365	12.11 %	331	10.99 %	322	10.69 %	318	10.55 %	311	10.32 %	300	9.96 %
2013	3,720	747	20.08 %	648	17.42 %	597	16.05 %	569	15.30 %	504	13.55 %	446	11.99 %
2014	2,939	467	15.89 %	328	11.16 %	318	10.82 %	311	10.58 %	306	10.41 %	294	10.00 %
2015	3,073	359	11.68 %	337	10.97 %	331	10.77 %	324	10.54 %	317	10.32 %	308	10.02 %
2016	3,250	375	11.54 %	350	10.77 %	346	10.65 %	342	10.52 %	335	10.31 %	323	9.94 %
2017	3,904	527	13.50 %	489	12.53 %	478	12.24 %	470	12.04 %	456	11.68 %	432	11.07 %
2018	3,193	501	15.69 %	389	12.18 %	365	11.43 %	354	11.09 %	346	10.84 %	330	10.34 %
2019	3,055	374	12.24 %	345	11.29 %	335	10.97 %	330	10.80 %	325	10.64 %	315	10.31 %
2020	3,069	376	12.25 %	363	11.83 %	353	11.50 %	344	11.21 %	337	10.98 %	323	10.52 %
2021	3,260	381	11.69 %	361	11.07 %	356	10.92 %	352	10.80 %	344	10.55 %	334	10.25 %

Notes
UNDER CONSTRUCTION 2009-2011 NOT ENOUGH DAYS TO MAKE 2009-2011 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: A-029

At Road: 6 Mi. W of Billings

Ascending Direction: North

Location Id: 56-4A-035

Functional Class: Local Rural


Traffic Factor Group: RMA_RMC_345

Located On: Billings South Frontage Road, RP 4.34, 6 Mi. W of Billings (C056683)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.21% / SB 48.79%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,331	4,730	4,812	4,728	4,686	4,338	3,045	4,095	89.52%	4,739	86.41%	4,659	87.90%
FEB	1,955	4,093	4,233	4,277	4,160	4,164	2,475	3,622	79.18%	4,191	86.43%	4,185	86.54%
MAR	2,760	4,762	4,819	4,994	4,927	5,286	3,408	4,421	96.65%	4,876	90.68%	4,958	89.18%
APR	2,687	4,939	4,979	5,281	5,246	5,508	3,721	4,622	101.04%	5,111	90.43%	5,191	89.05%
MAY	2,976	5,023	5,800	5,721	5,923	5,884	4,160	5,068	110.79%	5,617	90.23%	5,670	89.38%
JUN	3,137	5,603	5,683	5,556	5,632	5,577	3,765	4,993	109.15%	5,619	88.87%	5,610	89.00%
JUL	3,171	5,025	5,565	5,541	5,666	5,740	3,832	4,933	107.84%	5,449	90.53%	5,507	89.57%
AUG	3,108	5,638	5,704	5,661	5,578	5,352	3,743	4,968	108.61%	5,645	88.00%	5,587	88.93%
SEP	2,746	4,879	5,666	5,642	5,635	5,811	3,728	4,871	106.49%	5,456	89.29%	5,527	88.14%
OCT	2,784	5,567	5,235	5,492	5,557	5,766	3,407	4,829	105.57%	5,463	88.40%	5,523	87.43%
NOV	2,488	5,319	5,335	5,196	4,499	5,013	3,178	4,432	96.89%	5,087	87.12%	5,072	87.37%
DEC	2,244	4,589	4,868	4,776	4,754	4,220	2,819	4,037	88.25%	4,747	85.05%	4,641	86.98%
Year	2,699	5,014	5,225	5,239	5,189	5,222	3,440	4,574		5,167	88.54%	5,178	88.35%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: A-029

At Road: 6 Mi. W of Billings

Location Id: 56-4A-035

Functional Class: Local Rural

Traffic Factor Group: RMA_RMC_345

Located On: Billings South Frontage Road, RP 4.34, 6 Mi. W of Billings (C056683)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,260	487	14.94 %	380	11.66 %	368	11.29 %	364	11.17 %	357	10.95 %	345	10.58 %
2005	3,320	518	15.60 %	398	11.99 %	385	11.60 %	376	11.33 %	369	11.11 %	358	10.78 %
2006	3,520	481	13.66 %	443	12.59 %	432	12.27 %	428	12.16 %	418	11.88 %	395	11.22 %
2007	3,725	1,058	28.40 %	513	13.77 %	475	12.75 %	470	12.62 %	458	12.30 %	439	11.79 %
2008	3,592	478	13.31 %	451	12.56 %	445	12.39 %	440	12.25 %	432	12.03 %	419	11.66 %
2009	3,671	706	19.23 %	467	12.72 %	456	12.42 %	449	12.23 %	434	11.82 %	420	11.44 %
2010	3,641	778	21.37 %	550	15.11 %	485	13.32 %	450	12.36 %	431	11.84 %	410	11.26 %
2011	3,951	1,173	29.69 %	812	20.55 %	703	17.79 %	650	16.45 %	604	15.29 %	516	13.06 %
2012	3,843	1,137	29.59 %	790	20.56 %	618	16.08 %	554	14.42 %	477	12.41 %	428	11.14 %
2013	3,889	587	15.09 %	465	11.96 %	454	11.67 %	447	11.49 %	439	11.29 %	427	10.98 %
2014	3,979	520	13.07 %	484	12.16 %	474	11.91 %	466	11.71 %	457	11.49 %	442	11.11 %
2015	4,101	965	23.53 %	510	12.44 %	489	11.92 %	483	11.78 %	475	11.58 %	459	11.19 %
2016	4,233	750	17.72 %	524	12.38 %	513	12.12 %	506	11.95 %	496	11.72 %	478	11.29 %
2017	4,211	606	14.39 %	540	12.82 %	518	12.30 %	507	12.04 %	492	11.68 %	477	11.33 %
2018	4,182	993	23.74 %	621	14.85 %	531	12.70 %	516	12.34 %	501	11.98 %	480	11.48 %
2019	4,202	775	18.44 %	543	12.92 %	530	12.61 %	521	12.40 %	509	12.11 %	488	11.61 %
2020	4,184	868	20.75 %	553	13.22 %	525	12.55 %	515	12.31 %	506	12.09 %	487	11.64 %
2021	4,574	759	16.59 %	582	12.72 %	555	12.13 %	543	11.87 %	532	11.63 %	517	11.30 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MINERAL

Station: A-030

At Road: 1.5 Mi. W of Superior Intch

Ascending Direction: East

Location Id: 31-2-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 46.01, 1.5 Mi. W of Superior Interchange (C000090)

Traffic Mix: Pass: 72.62% SU: 1.57% CU: 25.81%

Directional Split: EB 50.75% / WB 49.25%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,890	4,952	5,086	4,996	5,298	5,348	5,246	5,116	63.67%	5,083	100.65%	5,136	99.61%
FEB	4,507	4,559	4,701	5,184	4,954	5,359	4,606	4,837	60.20%	4,850	99.74%	4,951	97.69%
MAR	6,781	5,910	6,297	6,513	6,889	7,632	6,802	6,688	83.23%	6,402	104.46%	6,648	100.60%
APR	7,485	6,948	7,078	7,196	7,890	8,835	7,407	7,548	93.94%	7,278	103.71%	7,589	99.45%
MAY	8,715	8,678	7,891	8,057	8,799	10,098	8,679	8,701	108.29%	8,356	104.13%	8,705	99.96%
JUN	11,114	10,409	9,749	10,076	10,766	11,946	10,352	10,629	132.28%	10,250	103.70%	10,589	100.38%
JUL	11,891	11,810	10,696	10,972	12,185	13,349	11,829	11,818	147.08%	11,416	103.52%	11,802	100.13%
AUG	12,198	10,664	9,910	10,505	11,342	12,306	11,292	11,173	139.05%	10,605	105.35%	10,945	102.08%
SEP	9,453	9,335	8,555	8,620	9,445	10,878	9,092	9,339	116.23%	8,989	103.90%	9,367	99.71%
OCT	8,472	7,513	7,374	7,536	8,274	9,446	7,865	8,068	100.41%	7,674	105.13%	8,029	100.49%
NOV	7,992	6,592	6,359	7,533	6,393	7,253	7,267	7,055	87.80%	6,719	105.00%	6,826	103.35%
DEC	5,201	4,951	5,719	6,077	5,684	5,976	4,552	5,451	67.84%	5,608	97.20%	5,681	95.94%
Year	8,225	7,693	7,451	7,772	8,160	9,036	7,916	8,035		7,769	103.42%	8,022	100.16%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MINERAL

Station: A-030

At Road: 1.5 Mi. W of Superior Intch

Location Id: 31-2-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 46.01, 1.5 Mi. W of Superior Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	6,520	1,067	16.37 %	972	14.91 %	927	14.22 %	887	13.60 %	836	12.82 %	771	11.83 %
2005	6,410	1,024	15.98 %	901	14.06 %	878	13.70 %	860	13.42 %	820	12.79 %	769	12.00 %
2006	6,590	1,066	16.18 %	961	14.58 %	914	13.87 %	896	13.60 %	867	13.16 %	803	12.19 %
2007	6,720	1,063	15.82 %	995	14.81 %	967	14.39 %	937	13.94 %	893	13.29 %	832	12.38 %
2008	6,167	1,066	17.29 %	928	15.05 %	874	14.17 %	854	13.85 %	808	13.10 %	751	12.18 %
2009	6,407	1,121	17.50 %	1,025	16.00 %	980	15.30 %	942	14.70 %	900	14.05 %	845	13.19 %
2010	6,660		%		%		%		%		%		%
2011	6,890		%		%		%		%		%		%
2012	7,300		%		%		%		%		%		%
2013	7,590		%		%		%		%		%		%
2014	7,770		%		%		%		%		%		%
2015	6,407		%		%		%		%		%		%
2016	6,974	1,132	16.23 %	1,045	14.98 %	1,007	14.44 %	993	14.24 %	960	13.77 %	878	12.59 %
2017	7,107	1,135	15.97 %	1,046	14.72 %	1,012	14.24 %	1,002	14.10 %	966	13.59 %	912	12.83 %
2018	7,033	1,111	15.80 %	1,052	14.96 %	1,020	14.50 %	996	14.16 %	961	13.66 %	899	12.78 %
2019	6,851	1,266	18.48 %	1,056	15.41 %	1,014	14.80 %	990	14.45 %	954	13.92 %	881	12.86 %
2020	6,498	1,098	16.90 %	972	14.96 %	947	14.57 %	925	14.24 %	902	13.88 %	852	13.11 %
2021	8,035	1,336	16.63 %	1,190	14.81 %	1,151	14.32 %	1,137	14.15 %	1,103	13.73 %	1,021	12.71 %

Notes
 UNDER CONSTRUCTION MAY 2010-JULY 2015
 NOT ENOUGH DAYS TO MAKE 2010-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CUSTER

Station: A-031

At Road: 4 Mi. W of Miles City Intch

Ascending Direction: East

Location Id: 09-2-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 132.83, 4 Mi. W of Miles City (C000094)

Traffic Mix: Pass: 74.09% SU: 1.55% CU: 24.36%

Directional Split: WB 50.64% / EB 49.36%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,607	3,375	3,565	3,696	3,649	3,870	3,689	3,635	72.23%	3,571	101.79%	3,631	100.11%
FEB	3,401	3,336	3,474	3,576	3,925	3,950	3,389	3,578	71.10%	3,578	100.01%	3,652	97.97%
MAR	4,811	3,920	4,011	4,579	4,476	5,126	4,648	4,509	89.60%	4,247	106.18%	4,422	101.96%
APR	4,465	4,417	4,528	4,737	5,129	5,566	4,596	4,776	94.91%	4,703	101.56%	4,875	97.96%
MAY	5,559	5,408	5,263	5,429	5,889	6,339	5,479	5,623	111.74%	5,497	102.29%	5,666	99.25%
JUN	6,431	6,101	6,040	6,331	6,733	7,003	6,034	6,381	126.80%	6,301	101.27%	6,442	99.06%
JUL	6,171	6,379	6,194	6,452	7,048	7,476	6,234	6,564	130.44%	6,518	100.70%	6,710	97.83%
AUG	6,629	6,050	6,174	6,596	6,654	6,989	6,319	6,486	128.89%	6,369	101.85%	6,493	99.90%
SEP	5,409	5,476	5,560	5,667	5,895	6,574	5,556	5,733	113.92%	5,650	101.48%	5,834	98.26%
OCT	4,518	4,340	4,605	4,669	4,910	5,492	4,523	4,721	93.81%	4,631	101.94%	4,803	98.29%
NOV	4,919	4,243	4,322	4,871	4,079	4,864	4,357	4,521	89.84%	4,379	103.25%	4,476	101.01%
DEC	3,785	3,583	4,027	4,023	4,356	3,766	3,495	3,861	76.72%	3,997	96.59%	3,951	97.72%
Year	4,975	4,719	4,814	5,052	5,229	5,585	4,860	5,032		4,953	101.59%	5,080	99.07%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CUSTER

Station: A-031

At Road: 4 Mi. W of Miles City Intch

Location Id: 09-2-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 132.83, 4 Mi. W of Miles City (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,990	528	13.23 %	470	11.78 %	453	11.35 %	439	11.00 %	420	10.53 %	403	10.10 %
2005	3,980	594	14.92 %	489	12.29 %	466	11.71 %	453	11.38 %	439	11.03 %	418	10.50 %
2006	4,020	598	14.88 %	471	11.72 %	455	11.32 %	445	11.07 %	435	10.82 %	409	10.17 %
2007	4,171		%		%		%		%		%		%
2008	4,170		%		%		%		%		%		%
2009	4,320		%		%		%		%		%		%
2010	4,375	582	13.30 %	530	12.11 %	513	11.73 %	499	11.41 %	481	10.99 %	458	10.47 %
2011	4,890	702	14.36 %	589	12.04 %	567	11.60 %	550	11.25 %	531	10.86 %	504	10.31 %
2012	5,363	655	12.21 %	608	11.34 %	588	10.96 %	574	10.70 %	559	10.42 %	534	9.96 %
2013	5,303	759	14.31 %	643	12.13 %	591	11.14 %	575	10.84 %	558	10.52 %	531	10.01 %
2014	5,393	681	12.63 %	625	11.59 %	583	10.81 %	578	10.72 %	563	10.44 %	538	9.98 %
2015	5,304	674	12.71 %	610	11.50 %	588	11.09 %	573	10.80 %	558	10.52 %	533	10.05 %
2016	4,995	708	14.17 %	616	12.33 %	586	11.73 %	571	11.43 %	548	10.97 %	526	10.53 %
2017	4,910	686	13.97 %	587	11.96 %	569	11.59 %	557	11.34 %	544	11.08 %	516	10.51 %
2018	4,745	685	14.44 %	596	12.56 %	573	12.08 %	560	11.80 %	545	11.49 %	516	10.87 %
2019	4,817	739	15.34 %	589	12.23 %	568	11.79 %	549	11.40 %	533	11.06 %	511	10.61 %
2020	4,414	626	14.18 %	546	12.37 %	527	11.94 %	516	11.69 %	504	11.42 %	481	10.90 %
2021	5,032	680	13.51 %	618	12.28 %	609	12.10 %	600	11.92 %	583	11.59 %	559	11.11 %

Notes
 UNDER CONSTRUCTION 2007 -2009
 NOT ENOUGH DAYS TO MAKE 2007-2009 PEAK
 HOURLY REPORTS

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: A-032

At Road: Btwn 4th & 5th Aves N

Ascending Direction: South

Location Id: 07-2A-118

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: 25th St N, Great Falls, RP 0.5, btwn 4th & 5th Aves (C005217)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,077	3,474	3,638	3,646	3,783	3,384	2,448	3,206	102.46%	3,635	88.19%	3,585	89.43%
FEB	1,921	3,314	3,512	3,476	3,543	3,346	2,107	3,030	96.83%	3,461	87.54%	3,438	88.13%
MAR	2,310	3,648	3,761	3,947	3,963	3,934	2,668	3,461	110.61%	3,830	90.37%	3,851	89.88%
APR	2,190	3,632	3,901	4,065	3,934	3,932	2,727	3,482	111.28%	3,883	89.67%	3,893	89.45%
MAY	2,335	3,708	4,044	4,114	4,093	3,907	2,702	3,556	113.64%	3,990	89.13%	3,973	89.50%
JUN	2,477	3,990	4,139	4,011	4,163	4,110	2,703	3,655	116.81%	4,076	89.68%	4,083	89.53%
JUL													
AUG	2,533	3,934	3,912	3,928	4,147	4,051	2,757	3,608	115.31%	3,980	90.65%	3,994	90.33%
SEP	2,360	3,069	3,292	3,475	3,407	4,077	2,710	3,198	102.20%	3,311	96.59%	3,464	92.32%
OCT	1,329	1,802	2,389	2,409	2,451	2,073	1,377	1,975	63.12%	2,263	87.28%	2,225	88.77%
NOV	1,490	2,765	2,791	2,731	2,393	2,349	1,763	2,325	74.30%	2,670	87.08%	2,606	89.22%
DEC	1,869	3,140	3,479	3,381	3,428	3,100	2,073	2,924	93.45%	3,357	87.10%	3,306	88.46%
Year	2,081	3,316	3,533	3,562	3,573	3,478	2,367	3,129		3,496	89.51%	3,492	89.60%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: A-032

At Road: Btwn 4th & 5th Aves N

Location Id: 07-2A-118

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: 25th St N, Great Falls, RP 0.5, btwn 4th & 5th Aves (C005217)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	4,580	564	12.31 %	504	11.00 %	495	10.81 %	489	10.68 %	477	10.41 %	460	10.04 %
2005	4,060	470	11.58 %	432	10.64 %	423	10.42 %	419	10.32 %	410	10.10 %	402	9.90 %
2006	3,930	449	11.42 %	418	10.64 %	410	10.43 %	404	10.28 %	394	10.03 %	385	9.80 %
2007	3,876	438	11.30 %	413	10.66 %	406	10.47 %	400	10.32 %	392	10.11 %	383	9.88 %
2008	3,741	428	11.44 %	394	10.53 %	389	10.40 %	385	10.29 %	376	10.05 %	363	9.70 %
2009	3,825	477	12.47 %	422	11.03 %	408	10.67 %	403	10.54 %	396	10.35 %	382	9.99 %
2010	3,647	834	22.87 %	435	11.93 %	405	11.11 %	398	10.91 %	387	10.61 %	371	10.17 %
2011	3,665	457	12.47 %	408	11.13 %	394	10.75 %	387	10.56 %	377	10.29 %	366	9.99 %
2012	3,669	454	12.37 %	400	10.90 %	388	10.58 %	383	10.44 %	374	10.19 %	363	9.89 %
2013	3,470		%		%		%		%		%		%
2014	3,530		%		%		%		%		%		%
2015	3,620		%		%		%		%		%		%
2016	3,663		%		%		%		%		%		%
2017	3,601		%		%		%		%		%		%
2018	3,600		%		%		%		%		%		%
2019	3,592	479	13.34 %	415	11.55 %	398	11.08 %	390	10.86 %	383	10.66 %	371	10.33 %
2020	3,312	415	12.53 %	378	11.41 %	366	11.05 %	361	10.90 %	356	10.75 %	346	10.45 %
2021	3,106	614	19.77 %	368	11.85 %	362	11.65 %	357	11.49 %	349	11.24 %	338	10.88 %

Notes
SITE DOWN 2013 - 2018 NOT ENOUGH DAYS TO MAKE PEAK HOURLY REPORT 2013-2018

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: A-033

At Road: Btwn 9th & 10th Sts S

Ascending Direction: North

Location Id: 07-2A-011

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: 10th Ave S, Great Falls, RP 93.54, Btwn 9th & 10th Sts S (C000060)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.39% / NB 49.61%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	23,424	33,740	34,606	34,126	35,014	34,740	29,641	32,184	90.41%	34,372	93.64%	34,445	93.44%
FEB	21,583	31,763	33,189	32,952	34,154	34,119	26,549	30,615	86.00%	33,015	92.73%	33,235	92.12%
MAR	27,395	35,859	36,484	38,821	38,672	41,242	34,595	36,152	101.56%	37,459	96.51%	38,216	94.60%
APR	25,498	36,279	38,201	38,768	38,911	41,632	34,023	36,186	101.65%	38,040	95.13%	38,758	93.36%
MAY	28,246	36,865	38,847	39,609	39,507	40,758	34,079	36,844	103.50%	38,707	95.19%	39,117	94.19%
JUN	29,942	40,273	41,177	41,800	42,132	43,519	35,009	39,121	109.90%	41,346	94.62%	41,780	93.64%
JUL	29,215	37,887	40,613	40,712	41,994	42,361	34,432	38,172	107.23%	40,302	94.72%	40,713	93.76%
AUG	28,773	38,864	39,158	39,293	40,023	41,091	33,381	37,225	104.57%	39,335	94.64%	39,686	93.80%
SEP	27,475	35,281	38,851	39,170	39,632	41,563	32,823	36,399	102.25%	38,234	95.20%	38,899	93.57%
OCT	26,990	36,853	37,663	38,020	38,831	41,358	32,559	36,039	101.24%	37,842	95.24%	38,545	93.50%
NOV	25,808	36,979	37,380	37,849	33,596	38,991	31,895	34,642	97.31%	36,451	95.04%	36,959	93.73%
DEC	24,364	34,171	37,517	36,936	37,583	35,884	28,747	33,599	94.38%	36,552	91.92%	36,418	92.26%
Year	26,559	36,235	37,807	38,171	38,337	39,772	32,311	35,598		37,638	94.58%	38,064	93.52%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: A-033

At Road: Btwn 9th & 10th Sts S

Location Id: 07-2A-011

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: 10th Ave S, Great Falls, RP 93.54, Btwn 9th & 10th Sts S (C000060)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	40,280	3,810	9.46 %	3,751	9.31 %	3,671	9.11 %	3,633	9.02 %	3,597	8.93 %	3,533	8.77 %
2005	38,770	3,840	9.90 %	3,622	9.34 %	3,562	9.19 %	3,511	9.06 %	3,452	8.90 %	3,394	8.75 %
2006	38,330	3,620	9.44 %	3,512	9.16 %	3,458	9.02 %	3,440	8.97 %	3,404	8.88 %	3,353	8.75 %
2007	38,161	3,569	9.35 %	3,525	9.24 %	3,458	9.06 %	3,442	9.02 %	3,382	8.86 %	3,323	8.71 %
2008	37,283	3,561	9.55 %	3,457	9.27 %	3,407	9.14 %	3,377	9.06 %	3,343	8.97 %	3,304	8.86 %
2009	37,378	3,632	9.72 %	3,462	9.26 %	3,406	9.11 %	3,384	9.05 %	3,356	8.98 %	3,292	8.81 %
2010	34,966	3,742	10.70 %	3,424	9.79 %	3,338	9.55 %	3,316	9.48 %	3,288	9.40 %	3,177	9.09 %
2011	37,310	3,700	9.92 %	3,495	9.37 %	3,421	9.17 %	3,392	9.09 %	3,355	8.99 %	3,294	8.83 %
2012	37,407	3,609	9.65 %	3,496	9.35 %	3,460	9.25 %	3,437	9.19 %	3,397	9.08 %	3,334	8.91 %
2013	36,568	3,549	9.71 %	3,418	9.35 %	3,388	9.26 %	3,345	9.15 %	3,291	9.00 %	3,230	8.83 %
2014	36,423	3,687	10.12 %	3,414	9.37 %	3,376	9.27 %	3,343	9.18 %	3,308	9.08 %	3,254	8.93 %
2015	36,983	4,359	11.79 %	3,657	9.89 %	3,460	9.36 %	3,396	9.18 %	3,334	9.01 %	3,253	8.80 %
2016	36,603	3,600	9.84 %	3,381	9.24 %	3,346	9.14 %	3,308	9.04 %	3,278	8.96 %	3,228	8.82 %
2017	36,200	3,461	9.56 %	3,375	9.32 %	3,339	9.22 %	3,301	9.12 %	3,264	9.02 %	3,217	8.89 %
2018	35,382	3,524	9.96 %	3,388	9.58 %	3,299	9.32 %	3,262	9.22 %	3,230	9.13 %	3,175	8.97 %
2019	34,914	3,458	9.90 %	3,347	9.59 %	3,278	9.39 %	3,243	9.29 %	3,212	9.20 %	3,152	9.03 %
2020	32,204	3,370	10.46 %	3,220	10.00 %	3,168	9.84 %	3,146	9.77 %	3,098	9.62 %	3,040	9.44 %
2021	35,598	3,520	9.89 %	3,394	9.53 %	3,334	9.37 %	3,294	9.25 %	3,258	9.15 %	3,206	9.01 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: ROSEBUD

Station: A-034

At Road: 5.5 Mi. NW of Forsyth

Ascending Direction: East

Location Id: 44-5-023

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 265.07, 5.5 Mi. NW of Forsyth (C000014)

Traffic Mix: Pass: 84.37% SU: 2.68% CU: 12.95%

Directional Split: WB 50.71% / EB 49.29%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	160	175	165	174	179	181	177	172	76.53%	173	99.28%	175	98.40%
FEB	115	146	135	139	147	150	115	134	59.62%	142	94.53%	143	93.44%
MAR	188	170	137	169	174	202	157	170	75.64%	163	104.62%	170	99.77%
APR	200	183	168	186	184	219	188	189	84.09%	180	104.85%	188	100.53%
MAY	240	246	231	240	242	258	220	239	106.34%	240	99.69%	243	98.19%
JUN	288	279	279	259	279	313	260	279	124.14%	274	101.82%	282	99.01%
JUL	277	297	291	295	305	327	289	296	131.70%	297	99.66%	303	97.69%
AUG	283	276	273	292	271	299	251	277	123.25%	278	99.64%	282	98.16%
SEP	252	249	245	240	254	288	258	254	113.01%	247	102.83%	255	99.53%
OCT	232	249	196	234	265	294	212	239	106.34%	236	101.27%	248	96.53%
NOV	311	287	256	296	270	328	329	296	131.70%	277	106.76%	287	102.99%
DEC	141	140	183	156	162	144	140	152	67.63%	160	94.85%	157	96.82%
Year	224	225	213	223	228	250	216	225		222	101.12%	228	98.64%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: ROSEBUD

Station: A-034

At Road: 5.5 Mi. NW of Forsyth

Location Id: 44-5-023

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 265.07, 5.5 Mi. NW of Forsyth (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	230	51	22.17 %	42	18.26 %	40	17.39 %	38	16.52 %	36	15.65 %	32	13.91 %
2005	230	49	21.30 %	41	17.83 %	39	16.96 %	37	16.09 %	35	15.22 %	32	13.91 %
2006	220	42	19.09 %	36	16.36 %	34	15.45 %	33	15.00 %	31	14.09 %	29	13.18 %
2007	233	118	50.64 %	40	17.17 %	38	16.31 %	37	15.88 %	34	14.59 %	31	13.30 %
2008	223	43	19.28 %	40	17.94 %	38	17.04 %	36	16.14 %	34	15.25 %	31	13.90 %
2009	221	47	21.27 %	38	17.19 %	35	15.84 %	34	15.38 %	32	14.48 %	30	13.57 %
2010	221	51	23.08 %	37	16.74 %	35	15.84 %	33	14.93 %	32	14.48 %	30	13.57 %
2011	240	58	24.17 %	48	20.00 %	43	17.92 %	41	17.08 %	38	15.83 %	34	14.17 %
2012	250		%		%		%		%		%		%
2013	250		%		%		%		%		%		%
2014	260		%		%		%		%		%		%
2015	244	54	22.13 %	41	16.80 %	38	15.57 %	37	15.16 %	34	13.93 %	32	13.11 %
2016	238	53	22.27 %	42	17.65 %	38	15.97 %	36	15.13 %	34	14.29 %	32	13.45 %
2017	237	53	22.36 %	40	16.88 %	38	16.03 %	35	14.77 %	34	14.35 %	32	13.50 %
2018	236	50	21.19 %	41	17.37 %	38	16.10 %	37	15.68 %	35	14.83 %	32	13.56 %
2019	244	54	22.13 %	45	18.44 %	43	17.62 %	42	17.21 %	40	16.39 %	36	14.75 %
2020	203	51	25.12 %	36	17.73 %	34	16.75 %	33	16.26 %	31	15.27 %	29	14.29 %
2021	224	44	19.64 %	38	16.96 %	37	16.52 %	36	16.07 %	34	15.18 %	31	13.84 %

Notes
 UNDER CONSTRUCTION MARCH 2012-JUNE 2014
 NOT ENOUGH DAYS TO MAKE 2012-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-035

At Road: 1 Mi. SE of Turah Intch

Ascending Direction: East

Location Id: 32-3B-002

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-210, RP 3.58, Turah, 3.5 Mi. SE of Bonner (C000210)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 51.12% / WB 48.88%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	663	903	959	958	974	912	758	874	82.06%	949	92.15%	941	92.86%
FEB	645	887	980	947	955	932	723	866	81.31%	942	91.91%	940	92.11%
MAR	876	964	991	1,033	1,042	1,059	897	979	91.92%	1,008	97.17%	1,018	96.19%
APR	917	1,061	1,114	1,135	1,114	1,210	1,028	1,082	101.59%	1,106	97.83%	1,127	96.02%
MAY	966	1,102	1,152	1,157	1,209	1,241	1,001	1,117	104.87%	1,155	96.71%	1,172	95.29%
JUN	1,107	1,315	1,345	1,364	1,319	1,410	1,174	1,290	121.12%	1,336	96.57%	1,351	95.51%
JUL	1,144	1,228	1,303	1,327	1,398	1,482	1,124	1,286	120.74%	1,314	97.87%	1,348	95.43%
AUG	1,020	1,172	1,221	1,220	1,259	1,350	1,082	1,188	111.54%	1,218	97.54%	1,244	95.47%
SEP	976	1,121	1,241	1,199	1,219	1,287	1,053	1,155	108.44%	1,195	96.65%	1,213	95.19%
OCT	900	1,080	1,100	1,131	1,114	1,181	988	1,070	100.46%	1,106	96.72%	1,121	95.43%
NOV	810	1,021	1,063	1,063	989	1,055	858	979	91.92%	1,034	94.68%	1,038	94.30%
DEC	658	952	972	962	984	954	785	895	84.03%	968	92.51%	965	92.77%
Year	890	1,067	1,120	1,125	1,131	1,173	956	1,065		1,111	95.88%	1,123	94.83%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-035

At Road: 1 Mi. SE of Turah Intch

Location Id: 32-3B-002

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-210, RP 3.58, Turah, 3.5 Mi. SE of Bonner (C000210)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,070	265	24.77 %	124	11.59 %	118	11.03 %	115	10.75 %	111	10.37 %	106	9.91 %
2005	1,070	142	13.27 %	124	11.59 %	120	11.21 %	117	10.93 %	113	10.56 %	107	10.00 %
2006	1,080	142	13.15 %	127	11.76 %	124	11.48 %	121	11.20 %	117	10.83 %	110	10.19 %
2007	1,113	506	45.46 %	182	16.35 %	156	14.02 %	140	12.58 %	128	11.50 %	117	10.51 %
2008	998	169	16.93 %	127	12.73 %	115	11.52 %	113	11.32 %	107	10.72 %	101	10.12 %
2009	966	126	13.04 %	115	11.90 %	108	11.18 %	106	10.97 %	102	10.56 %	97	10.04 %
2010	997	172	17.25 %	153	15.35 %	143	14.34 %	138	13.84 %	126	12.64 %	115	11.53 %
2011	901	127	14.10 %	110	12.21 %	106	11.76 %	103	11.43 %	101	11.21 %	95	10.54 %
2012	875	134	15.31 %	104	11.89 %	101	11.54 %	98	11.20 %	95	10.86 %	91	10.40 %
2013	921	229	24.86 %	171	18.57 %	153	16.61 %	147	15.96 %	137	14.88 %	116	12.60 %
2014	877	161	18.36 %	111	12.66 %	105	11.97 %	101	11.52 %	98	11.17 %	92	10.49 %
2015	913	162	17.74 %	113	12.38 %	107	11.72 %	104	11.39 %	101	11.06 %	95	10.41 %
2016	938	126	13.43 %	113	12.05 %	110	11.73 %	108	11.51 %	105	11.19 %	98	10.45 %
2017	970	184	18.97 %	122	12.58 %	116	11.96 %	112	11.55 %	107	11.03 %	102	10.52 %
2018	976	221	22.64 %	123	12.60 %	117	11.99 %	115	11.78 %	110	11.27 %	103	10.55 %
2019	1,028	162	15.76 %	141	13.72 %	134	13.04 %	129	12.55 %	123	11.96 %	115	11.19 %
2020	1,050	378	36.00 %	216	20.57 %	189	18.00 %	170	16.19 %	150	14.29 %	132	12.57 %
2021	1,065	160	15.02 %	140	13.15 %	135	12.68 %	130	12.21 %	126	11.83 %	119	11.17 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GLACIER

Station: A-036

At Road: 2.3 Mi. SW of US 89

Ascending Direction: East

Location Id: 18-4-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 2, RP 219.14, 2.3 Mi. SW of Browning (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.09% / EB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,254	1,262	1,178	1,204	1,407	1,535	1,292	1,303	56.77%	1,263	103.19%	1,317	98.92%
FEB	955	1,235	1,157	1,161	1,176	1,299	1,002	1,139	49.62%	1,182	96.34%	1,206	94.48%
MAR	1,719	1,346	1,497	1,636	1,696	2,025	1,709	1,660	72.32%	1,544	107.53%	1,640	101.22%
APR	1,593	1,693	1,740	1,767	1,799	2,227	1,726	1,791	78.03%	1,750	102.36%	1,845	97.06%
MAY	2,286	2,430	2,114	2,270	2,126	2,571	2,319	2,302	100.29%	2,235	103.00%	2,302	99.99%
JUN	4,073	3,835	3,541	3,613	3,680	4,559	4,160	3,922	170.87%	3,667	106.95%	3,846	101.99%
JUL	4,205	4,179	3,716	3,846	3,989	4,608	4,074	4,087	178.06%	3,933	103.93%	4,068	100.48%
AUG	3,599	3,327	3,213	3,388	3,568	3,874	3,362	3,475	151.40%	3,374	102.99%	3,474	100.03%
SEP	2,872	2,883	2,566	2,635	2,889	3,435	2,940	2,888	125.83%	2,743	105.28%	2,882	100.22%
OCT	2,072	1,998	1,978	2,055	2,110	2,459	2,033	2,100	91.49%	2,035	103.18%	2,120	99.06%
NOV	1,725	1,700	1,497	1,765	1,636	1,903	1,608	1,690	73.63%	1,650	102.46%	1,700	99.40%
DEC	1,022	1,254	1,258	1,285	1,345	1,406	738	1,186	51.67%	1,286	92.26%	1,310	90.56%
Year	2,281	2,262	2,121	2,219	2,285	2,658	2,247	2,295		2,222	103.31%	2,309	99.40%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: GLACIER

Station: A-036

At Road: 2.3 Mi. SW of US 89

Location Id: 18-4-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 2, RP 219.14, 2.3 Mi. SW of Browning (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,920	368	19.17 %	324	16.88 %	310	16.15 %	300	15.63 %	288	15.00 %	268	13.96 %
2005	1,890	312	16.51 %	302	15.98 %	292	15.45 %	285	15.08 %	274	14.50 %	257	13.60 %
2006	1,980	375	18.94 %	332	16.77 %	324	16.36 %	307	15.51 %	293	14.80 %	270	13.64 %
2007	2,028	351	17.31 %	322	15.88 %	311	15.34 %	304	14.99 %	286	14.10 %	269	13.26 %
2008	1,900	396	20.84 %	323	17.00 %	302	15.89 %	293	15.42 %	281	14.79 %	261	13.74 %
2009	1,948	439	22.54 %	342	17.56 %	328	16.84 %	314	16.12 %	299	15.35 %	280	14.37 %
2010	2,102	383	18.22 %	357	16.98 %	345	16.41 %	339	16.13 %	326	15.51 %	299	14.22 %
2011	2,098	399	19.02 %	366	17.45 %	343	16.35 %	337	16.06 %	323	15.40 %	297	14.16 %
2012	2,181	459	21.05 %	368	16.87 %	356	16.32 %	339	15.54 %	321	14.72 %	292	13.39 %
2013	2,083	429	20.60 %	368	17.67 %	348	16.71 %	332	15.94 %	321	15.41 %	297	14.26 %
2014	2,055	452	22.00 %	376	18.30 %	356	17.32 %	344	16.74 %	332	16.16 %	307	14.94 %
2015	2,295	476	20.74 %	416	18.13 %	393	17.12 %	384	16.73 %	366	15.95 %	340	14.81 %
2016	2,403	459	19.10 %	412	17.15 %	393	16.35 %	385	16.02 %	365	15.19 %	341	14.19 %
2017	2,449	584	23.85 %	488	19.93 %	426	17.39 %	403	16.46 %	391	15.97 %	365	14.90 %
2018	2,391	506	21.16 %	444	18.57 %	422	17.65 %	405	16.94 %	391	16.35 %	367	15.35 %
2019	2,398	490	20.43 %	432	18.02 %	412	17.18 %	404	16.85 %	392	16.35 %	366	15.26 %
2020	1,809	324	17.91 %	289	15.98 %	275	15.20 %	270	14.93 %	260	14.37 %	240	13.27 %
2021	2,295	645	28.10 %	424	18.47 %	395	17.21 %	381	16.60 %	359	15.64 %	328	14.29 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-037

At Road: S of Orange St Bridge

Ascending Direction: North

Location Id: 32-3A-210

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: Orange St Bridge, Missoula, RP 1.48, South end of bridge (C008107)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 51.66% / NB 48.34%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	12,321	20,244	21,350	21,559	21,810	19,991	15,073	18,906	84.74%	21,241	89.01%	20,991	90.07%
FEB	12,372	19,555	20,765	21,576	21,364	22,160	14,935	18,960	84.98%	20,815	91.09%	21,084	89.93%
MAR	14,430	21,957	22,767	24,146	23,734	24,354	17,107	21,213	95.08%	23,151	91.63%	23,392	90.69%
APR	14,812	22,912	24,939	24,957	25,118	26,464	17,901	22,443	100.59%	24,482	91.67%	24,878	90.21%
MAY	16,106	22,974	25,642	25,943	26,582	27,149	20,332	23,532	105.47%	25,285	93.07%	25,658	91.71%
JUN	18,117	26,533	27,116	27,833	27,979	28,582	20,948	25,300	113.40%	27,365	92.45%	27,609	91.64%
JUL	17,600	24,950	27,250	27,970	28,481	28,689	21,415	25,193	112.92%	27,163	92.75%	27,468	91.72%
AUG	17,173	25,279	26,330	27,039	26,719	27,292	20,866	24,385	109.30%	26,342	92.57%	26,532	91.91%
SEP	16,311	22,505	25,556	25,989	26,609	27,473	20,632	23,581	105.69%	25,165	93.71%	25,626	92.02%
OCT	15,497	23,369	24,714	24,909	25,307	26,450	19,994	22,890	102.60%	24,575	93.14%	24,950	91.74%
NOV	14,732	23,197	24,086	24,231	20,572	23,493	17,611	21,131	94.71%	23,022	91.79%	23,116	91.41%
DEC	13,249	20,527	22,389	23,746	23,460	22,263	15,742	20,196	90.52%	22,531	89.64%	22,477	89.85%
Year	15,227	22,834	24,409	24,992	24,811	25,363	18,546	22,311		24,261	91.96%	24,482	91.13%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-037

At Road: S of Orange St Bridge

Location Id: 32-3A-210

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: Orange St Bridge, Missoula, RP 1.48, South end of bridge (C008107)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	21,930		%		%		%		%		%		%
2005	21,220	2,606	12.28 %	2,444	11.52 %	2,401	11.31 %	2,373	11.18 %	2,318	10.92 %	2,246	10.58 %
2006	21,250	2,688	12.65 %	2,433	11.45 %	2,397	11.28 %	2,362	11.12 %	2,304	10.84 %	2,255	10.61 %
2007	21,543	2,861	13.28 %	2,478	11.50 %	2,426	11.26 %	2,389	11.09 %	2,359	10.95 %	2,307	10.71 %
2008	20,847	2,560	12.28 %	2,414	11.58 %	2,366	11.35 %	2,341	11.23 %	2,296	11.01 %	2,231	10.70 %
2009	21,499	2,596	12.07 %	2,428	11.29 %	2,381	11.07 %	2,360	10.98 %	2,325	10.81 %	2,264	10.53 %
2010	21,867	2,570	11.75 %	2,456	11.23 %	2,413	11.03 %	2,391	10.93 %	2,363	10.81 %	2,294	10.49 %
2011	22,034	2,606	11.83 %	2,457	11.15 %	2,427	11.01 %	2,407	10.92 %	2,379	10.80 %	2,315	10.51 %
2012	21,494	2,597	12.08 %	2,389	11.11 %	2,355	10.96 %	2,337	10.87 %	2,300	10.70 %	2,246	10.45 %
2013	21,625	2,504	11.58 %	2,417	11.18 %	2,379	11.00 %	2,361	10.92 %	2,324	10.75 %	2,268	10.49 %
2014	21,766	2,601	11.95 %	2,475	11.37 %	2,428	11.16 %	2,414	11.09 %	2,389	10.98 %	2,321	10.66 %
2015	22,821	2,689	11.78 %	2,557	11.20 %	2,537	11.12 %	2,514	11.02 %	2,483	10.88 %	2,426	10.63 %
2016	23,584	2,807	11.90 %	2,672	11.33 %	2,639	11.19 %	2,612	11.08 %	2,580	10.94 %	2,505	10.62 %
2017	23,633	2,782	11.77 %	2,695	11.40 %	2,645	11.19 %	2,626	11.11 %	2,585	10.94 %	2,520	10.66 %
2018	24,380	2,996	12.29 %	2,789	11.44 %	2,748	11.27 %	2,717	11.14 %	2,663	10.92 %	2,584	10.60 %
2019	24,415	2,923	11.97 %	2,809	11.51 %	2,761	11.31 %	2,741	11.23 %	2,712	11.11 %	2,644	10.83 %
2020	19,329	2,609	13.50 %	2,449	12.67 %	2,406	12.45 %	2,362	12.22 %	2,271	11.75 %	2,153	11.14 %
2021	22,311	2,593	11.62 %	2,500	11.21 %	2,470	11.07 %	2,444	10.95 %	2,407	10.79 %	2,344	10.51 %

Notes
UNDER CONSTRUCTION 2000-2004 NOT ENOUGH DAYS TO MAKE 2000-2004 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GARFIELD

Station: A-038

At Road: 2.5 Mi. SW of MT 59

Ascending Direction: East

Location Id: 17-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 200, RP 209.54, 2 Mi. SW of Jordan (C000057)

Traffic Mix: Pass: 84.85% SU: 2.34% CU: 12.81%

Directional Split: EB 51.84% / WB 48.16%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN				695									
JUL	775	797	691	704	842	813	717	762	125.05%	759	100.46%	769	99.04%
AUG	781	590	595	633	700	791	606	670	109.96%	630	106.43%	662	101.24%
SEP	609	659	609	585	649	847	659	659	108.15%	626	105.36%	670	98.39%
OCT	614	709	586	576	680	816	594	653	107.17%	638	102.39%	673	96.97%
NOV	567	595	560	613	543	691	544	587	96.33%	578	101.60%	600	97.77%
DEC	269	318	346	367	412	345	226	325	53.34%	361	90.09%	358	90.88%
Year	603	611	565	596	638	717	558	609		598	101.85%	622	97.95%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
Site down for road reconstruction 04/2019, unknown date of return.



Yearly Peak Hourly Volumes

For Year: 2021

County: GARFIELD

Station: A-038

At Road: 2.5 Mi. SW of MT 59

Location Id: 17-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 200, RP 209.54, 2 Mi. SW of Jordan (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	480	136	28.33 %	86	17.92 %	80	16.67 %	76	15.83 %	71	14.79 %	65	13.54 %
2005	430	79	18.37 %	73	16.98 %	67	15.58 %	66	15.35 %	62	14.42 %	59	13.72 %
2006	440	93	21.14 %	73	16.59 %	70	15.91 %	68	15.45 %	65	14.77 %	60	13.64 %
2007	427	85	19.91 %	70	16.39 %	66	15.46 %	65	15.22 %	61	14.29 %	57	13.35 %
2008	411	91	22.14 %	70	17.03 %	65	15.82 %	62	15.09 %	59	14.36 %	55	13.38 %
2009	420	106	25.24 %	80	19.05 %	76	18.10 %	74	17.62 %	69	16.43 %	61	14.52 %
2010	432	93	21.53 %	79	18.29 %	75	17.36 %	73	16.90 %	69	15.97 %	63	14.58 %
2011	449	90	20.04 %	81	18.04 %	75	16.70 %	73	16.26 %	70	15.59 %	65	14.48 %
2012	493	107	21.70 %	87	17.65 %	79	16.02 %	77	15.62 %	74	15.01 %	67	13.59 %
2013	470	99	21.06 %	83	17.66 %	77	16.38 %	74	15.74 %	70	14.89 %	64	13.62 %
2014	486	107	22.02 %	89	18.31 %	83	17.08 %	80	16.46 %	76	15.64 %	69	14.20 %
2015	482	113	23.44 %	89	18.46 %	82	17.01 %	79	16.39 %	75	15.56 %	68	14.11 %
2016	523	106	20.27 %	92	17.59 %	88	16.83 %	84	16.06 %	82	15.68 %	76	14.53 %
2017	525	105	20.00 %	96	18.29 %	91	17.33 %	89	16.95 %	85	16.19 %	80	15.24 %
2018	490	95	19.39 %	86	17.55 %	82	16.73 %	80	16.33 %	77	15.71 %	71	14.49 %
2019	312		%		%		%		%		%		%
2020	285		%		%		%		%		%		%
2021	640		%		%		%		%		%		%

Notes
 Site down for road reconstruction 04/2019, unknown date of return. Not enough day for 2019 Peak Hourly Report.

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: PONDERA

Station: A-039

At Road: 6 Mi. N of Dupuyer/S-534

Ascending Direction: North

Location Id: 37-3-022

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: US 89, RP 81.29, 6 Mi. N of Dupuyer (C000003)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 52.24% / NB 47.76%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	165	186	159	186	191	215	206	186	44.19%	181	103.05%	187	99.25%
FEB	134	153	159	159	187	171	153	158	37.54%	165	96.05%	166	95.30%
MAR	292	216	233	266	271	329	327	276	65.57%	247	111.97%	263	104.94%
APR	244	233	253	271	274	332	276	268	63.67%	258	103.98%	273	98.31%
MAY	383	359	310	341	313	358	372	347	82.44%	331	104.91%	336	103.21%
JUN	821	708	658	648	638	790	714	710	168.68%	663	107.09%	688	103.14%
JUL	875	882	832	835	851	942	826	862	204.79%	850	101.41%	868	99.26%
AUG	778	723	698	724	704	799	746	738	175.33%	712	103.62%	730	101.15%
SEP	701	688	615	615	640	783	710	678	161.08%	640	106.02%	668	101.47%
OCT	401	386	382	353	385	459	405	395	93.84%	377	104.91%	393	100.51%
NOV	243	275	239	273	265	315	289	270	64.15%	263	102.66%	273	98.76%
DEC	119	152	171	184	190	200	130	163	38.73%	174	93.54%	179	90.86%
Year	430	413	392	405	409	474	430	421		405	103.96%	419	100.51%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: PONDERA

Station: A-039

At Road: 6 Mi. N of Dupuyer/S-534

Location Id: 37-3-022

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: US 89, RP 81.29, 6 Mi. N of Dupuyer (C000003)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	360	104	28.89 %	89	24.72 %	84	23.33 %	82	22.78 %	79	21.94 %	74	20.56 %
2005	350	104	29.71 %	87	24.86 %	82	23.43 %	81	23.14 %	77	22.00 %	72	20.57 %
2006	350	96	27.43 %	91	26.00 %	84	24.00 %	81	23.14 %	77	22.00 %	71	20.29 %
2007	384	99	25.78 %	88	22.92 %	82	21.35 %	79	20.57 %	75	19.53 %	71	18.49 %
2008	345	95	27.54 %	87	25.22 %	82	23.77 %	77	22.32 %	72	20.87 %	67	19.42 %
2009	359	119	33.15 %	96	26.74 %	89	24.79 %	87	24.23 %	81	22.56 %	74	20.61 %
2010	375	107	28.53 %	95	25.33 %	92	24.53 %	88	23.47 %	84	22.40 %	79	21.07 %
2011	360	99	27.50 %	84	23.33 %	82	22.78 %	80	22.22 %	77	21.39 %	71	19.72 %
2012	383	104	27.15 %	90	23.50 %	87	22.72 %	85	22.19 %	80	20.89 %	75	19.58 %
2013	351	107	30.48 %	89	25.36 %	83	23.65 %	80	22.79 %	78	22.22 %	71	20.23 %
2014	353	121	34.28 %	101	28.61 %	92	26.06 %	88	24.93 %	83	23.51 %	77	21.81 %
2015	370	104	28.11 %	90	24.32 %	84	22.70 %	81	21.89 %	77	20.81 %	71	19.19 %
2016	456	121	26.54 %	104	22.81 %	101	22.15 %	99	21.71 %	95	20.83 %	89	19.52 %
2017	430	109	25.35 %	101	23.49 %	99	23.02 %	96	22.33 %	93	21.63 %	88	20.47 %
2018	420	115	27.38 %	110	26.19 %	103	24.52 %	100	23.81 %	96	22.86 %	92	21.90 %
2019	426	130	30.52 %	112	26.29 %	108	25.35 %	105	24.65 %	101	23.71 %	92	21.60 %
2020	285	65	22.81 %	59	20.70 %	56	19.65 %	54	18.95 %	51	17.89 %	47	16.49 %
2021	421	120	28.50 %	102	24.23 %	95	22.57 %	90	21.38 %	85	20.19 %	79	18.76 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: A-040

At Road: 2.5 Mi. E of Wolf Creek Intch

Ascending Direction: North

Location Id: 25-5-006

Functional Class: Major Collector Rural


Traffic Factor Group: REC_MA

Located On: Wolf Creek Frontage Rd, RP 9.7, 2 Mi. N of Wolf Creek (C081003)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.83% / SB 48.17%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	241	161	181	185	194	229	264	207	51.01%	180	114.84%	190	108.95%
FEB	196	183	176	156	155	186	237	183	45.09%	168	109.25%	171	106.89%
MAR	378	172	226	263	278	303	449	294	72.44%	235	125.24%	248	118.36%
APR	373	235	314	311	300	429	540	356	87.72%	290	122.76%	318	112.02%
MAY	628	555	377	392	449	516	683	514	126.65%	443	115.96%	458	112.28%
JUN	927	634	644	649	665	854	1,111	782	192.69%	648	120.68%	689	113.46%
JUL	1,075	722	649	606	699	831	1,170	821	202.30%	669	122.72%	701	117.05%
AUG	697	427	417	428	444	521	718	521	128.38%	429	121.45%	447	116.45%
SEP	606	444	361	360	401	489	633	470	115.81%	392	120.05%	411	114.36%
OCT	452	291	287	270	302	377	451	346	85.26%	288	120.35%	305	113.29%
NOV	285	202	179	206	214	259	297	234	57.66%	200	116.85%	212	110.38%
DEC	121	116	139	155	162	162	143	142	34.99%	143	99.30%	147	96.73%
Year	498	345	329	332	355	430	558	406		340	119.25%	358	113.30%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: A-040

At Road: 2.5 Mi. E of Wolf Creek Intch

Location Id: 25-5-006

Functional Class: Major Collector Rural

Traffic Factor Group: REC_MA

Located On: Wolf Creek Frontage Rd, RP 9.7, 2 Mi. N of Wolf Creek (C081003)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	366	138	37.70 %	102	27.87 %	98	26.78 %	96	26.23 %	88	24.04 %	77	21.04 %
2005	355	130	36.62 %	111	31.27 %	104	29.30 %	97	27.32 %	91	25.63 %	79	22.25 %
2006	331	134	40.48 %	102	30.82 %	95	28.70 %	93	28.10 %	86	25.98 %	78	23.56 %
2007	335	112	33.43 %	100	29.85 %	96	28.66 %	91	27.16 %	85	25.37 %	76	22.69 %
2008	299	107	35.79 %	94	31.44 %	89	29.77 %	85	28.43 %	80	26.76 %	72	24.08 %
2009	338	116	34.32 %	99	29.29 %	95	28.11 %	92	27.22 %	87	25.74 %	75	22.19 %
2010	357	145	40.62 %	113	31.65 %	102	28.57 %	97	27.17 %	92	25.77 %	82	22.97 %
2011	343	127	37.03 %	104	30.32 %	97	28.28 %	94	27.41 %	87	25.36 %	77	22.45 %
2012	375	120	32.00 %	108	28.80 %	104	27.73 %	99	26.40 %	92	24.53 %	83	22.13 %
2013	363	131	36.09 %	101	27.82 %	96	26.45 %	93	25.62 %	88	24.24 %	78	21.49 %
2014	360	137	38.06 %	105	29.17 %	98	27.22 %	93	25.83 %	87	24.17 %	79	21.94 %
2015	387	126	32.56 %	114	29.46 %	106	27.39 %	102	26.36 %	95	24.55 %	82	21.19 %
2016	421	143	33.97 %	121	28.74 %	109	25.89 %	104	24.70 %	98	23.28 %	86	20.43 %
2017	407	142	34.89 %	123	30.22 %	113	27.76 %	110	27.03 %	102	25.06 %	91	22.36 %
2018	396	135	34.09 %	111	28.03 %	105	26.52 %	100	25.25 %	95	23.99 %	85	21.46 %
2019	375	146	38.93 %	116	30.93 %	108	28.80 %	104	27.73 %	94	25.07 %	85	22.67 %
2020	443	179	40.41 %	137	30.93 %	129	29.12 %	124	27.99 %	118	26.64 %	107	24.15 %
2021	405	208	51.36 %	127	31.36 %	120	29.63 %	109	26.91 %	101	24.94 %	88	21.73 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: A-042

At Road: Btwn 4th & 5th Aves N

Ascending Direction: North

Location Id: 07-2A-119

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: 26th Street N, Great Falls, RP 2.09, Btwn 4th & 5th Aves (C005226)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,595	2,536	2,661	2,662	2,733	2,497	1,861	2,363	99.00%	2,648	89.24%	2,618	90.27%
FEB	1,592	2,544	2,664	2,663	2,619	2,576	1,730	2,340	98.04%	2,623	89.23%	2,613	89.55%
MAR	1,811	2,793	2,767	2,874	2,854	2,893	2,157	2,592	108.60%	2,822	91.85%	2,836	91.39%
APR	1,637	2,607	2,829	2,866	2,779	2,819	2,047	2,511	105.20%	2,770	90.64%	2,780	90.32%
MAY	1,778	2,673	2,844	2,902	2,875	2,802	1,986	2,550	106.84%	2,824	90.31%	2,819	90.45%
JUN	1,870	2,803	2,912	2,981	2,964	3,030	2,089	2,663	111.57%	2,915	91.36%	2,938	90.64%
JUL	1,939	2,493	2,727	2,845	2,790	2,780	2,007	2,511	105.20%	2,714	92.53%	2,727	92.08%
AUG	1,862	2,771	2,776	2,781	2,874	2,772	2,033	2,552	106.92%	2,801	91.13%	2,795	91.31%
SEP	1,817	2,610	2,906	3,013	2,879	2,940	2,047	2,601	108.97%	2,852	91.20%	2,870	90.64%
OCT	1,280	2,117	1,954	1,809	1,789	2,044	1,434	1,774	74.32%	1,917	92.53%	1,943	91.32%
NOV	1,472	2,205	2,240	2,169	2,030	2,262	1,695	2,009	84.17%	2,161	92.97%	2,181	92.11%
DEC	1,501	2,325	2,433	2,498	2,467	2,372	1,645	2,176	91.17%	2,431	89.52%	2,419	89.95%
Year	1,680	2,540	2,643	2,672	2,638	2,649	1,894	2,387		2,623	90.99%	2,628	90.82%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: A-042

At Road: Btwn 4th & 5th Aves N

Location Id: 07-2A-119

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: 26th Street N, Great Falls, RP 2.09, Btwn 4th & 5th Aves (C005226)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,730	448	12.01 %	423	11.34 %	416	11.15 %	413	11.07 %	405	10.86 %	392	10.51 %
2005	3,370	443	13.15 %	393	11.66 %	383	11.36 %	376	11.16 %	369	10.95 %	358	10.62 %
2006	3,390	438	12.92 %	410	12.09 %	402	11.86 %	394	11.62 %	382	11.27 %	363	10.71 %
2007	3,229	436	13.50 %	394	12.20 %	380	11.77 %	366	11.33 %	361	11.18 %	347	10.75 %
2008	3,130	419	13.39 %	372	11.88 %	363	11.60 %	355	11.34 %	348	11.12 %	336	10.73 %
2009	3,052	403	13.20 %	366	11.99 %	353	11.57 %	349	11.44 %	341	11.17 %	329	10.78 %
2010	3,044	383	12.58 %	363	11.93 %	356	11.70 %	349	11.47 %	343	11.27 %	328	10.78 %
2011	2,920	392	13.42 %	361	12.36 %	351	12.02 %	345	11.82 %	332	11.37 %	320	10.96 %
2012	2,884	389	13.49 %	350	12.14 %	339	11.75 %	333	11.55 %	324	11.23 %	311	10.78 %
2013	2,720		%		%		%		%		%		%
2014	2,770		%		%		%		%		%		%
2015	2,840		%		%		%		%		%		%
2016	2,874		%		%		%		%		%		%
2017	2,825		%		%		%		%		%		%
2018	2,618		%		%		%		%		%		%
2019	2,693	557	20.68 %	389	14.44 %	359	13.33 %	336	12.48 %	320	11.88 %	302	11.21 %
2020	2,432	459	18.87 %	298	12.25 %	288	11.84 %	281	11.55 %	277	11.39 %	268	11.02 %
2021	2,386	388	16.26 %	302	12.66 %	290	12.15 %	283	11.86 %	274	11.48 %	266	11.15 %

Notes
SITE DOWN 2013 - 2018 NOT ENOUGH DAYS TO MAKE 2013-2018 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: A-043

At Road: 1.5 Mi. NE of MT 64

Ascending Direction: North

Location Id: 16-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 191, RP 49.81, Big Sky, 1.5 Mi. NE of Big Sky Rd (C000050)

Traffic Mix: Pass: 91.99% SU: 2.57% CU: 5.44%

Directional Split: NB 51.51% / SB 48.49%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,660	8,031	8,080	8,143	8,205	7,530	7,312	7,708	91.11%	8,115	94.99%	7,998	96.38%
FEB	6,701	8,123	7,866	8,187	8,255	7,688	7,183	7,714	91.18%	8,108	95.14%	8,024	96.14%
MAR	7,794	8,391	8,548	9,257	9,287	9,270	8,362	8,700	102.83%	8,871	98.08%	8,951	97.20%
APR	5,566	7,222	7,235	7,582	7,907	7,611	6,285	7,057	83.41%	7,487	94.26%	7,511	93.95%
MAY	4,767	7,409	7,782	8,069	8,211	7,080	5,027	6,906	81.63%	7,868	87.78%	7,710	89.57%
JUN	7,720	10,965	10,882	11,269	11,183	10,301	7,981	10,042	118.70%	11,075	90.67%	10,920	91.96%
JUL	8,919	11,560	12,327	12,721	12,956	11,906	9,732	11,445	135.28%	12,391	92.37%	12,294	93.09%
AUG	8,340	10,992	11,108	11,607	11,737	10,664	8,464	10,415	123.11%	11,361	91.67%	11,222	92.81%
SEP	6,937	9,261	9,995	10,217	10,673	10,324	7,687	9,298	109.90%	10,037	92.64%	10,094	92.11%
OCT	4,885	7,533	7,823	8,418	8,544	8,037	5,397	7,233	85.49%	8,080	89.52%	8,071	89.62%
NOV	4,849	7,580	7,245	7,393	7,165	6,950	4,632	6,544	77.35%	7,346	89.09%	7,267	90.06%
DEC													
Year	6,649	8,824	8,990	9,351	9,466	8,851	7,097	8,460		9,158	92.38%	9,096	93.01%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: A-043

At Road: 1.5 Mi. NE of MT 64

Location Id: 16-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 191, RP 49.81, Big Sky, 1.5 Mi. NE of Big Sky Rd (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	4,600		%		%		%		%		%		%
2005	5,150	764	14.83 %	718	13.94 %	710	13.79 %	699	13.57 %	667	12.95 %	618	12.00 %
2006	5,440	771	14.17 %	740	13.60 %	719	13.22 %	714	13.13 %	690	12.68 %	649	11.93 %
2007	5,355	838	15.65 %	755	14.10 %	729	13.61 %	716	13.37 %	683	12.75 %	636	11.88 %
2008	4,523	785	17.36 %	650	14.37 %	618	13.66 %	610	13.49 %	590	13.04 %	555	12.27 %
2009	3,976	648	16.30 %	540	13.58 %	529	13.30 %	515	12.95 %	494	12.42 %	464	11.67 %
2010	3,969	821	20.69 %	554	13.96 %	537	13.53 %	521	13.13 %	494	12.45 %	468	11.79 %
2011	4,163	635	15.25 %	559	13.43 %	538	12.92 %	522	12.54 %	510	12.25 %	486	11.67 %
2012	4,162	617	14.82 %	563	13.53 %	537	12.90 %	515	12.37 %	493	11.85 %	472	11.34 %
2013	4,397	676	15.37 %	603	13.71 %	579	13.17 %	567	12.90 %	539	12.26 %	502	11.42 %
2014	4,776	725	15.18 %	676	14.15 %	642	13.44 %	624	13.07 %	598	12.52 %	558	11.68 %
2015	5,442	825	15.16 %	748	13.74 %	722	13.27 %	700	12.86 %	675	12.40 %	615	11.30 %
2016	6,055	922	15.23 %	864	14.27 %	838	13.84 %	821	13.56 %	775	12.80 %	716	11.82 %
2017	6,412	976	15.22 %	910	14.19 %	871	13.58 %	852	13.29 %	802	12.51 %	745	11.62 %
2018	6,760	1,140	16.86 %	973	14.39 %	949	14.04 %	908	13.43 %	874	12.93 %	791	11.70 %
2019	6,975	1,138	16.32 %	1,032	14.80 %	998	14.31 %	959	13.75 %	906	12.99 %	833	11.94 %
2020	6,596	1,082	16.40 %	999	15.15 %	979	14.84 %	964	14.61 %	936	14.19 %	868	13.16 %
2021	8,421	1,340	15.91 %	1,191	14.14 %	1,164	13.82 %	1,141	13.55 %	1,103	13.10 %	1,015	12.05 %

Notes
 UNDER CONSTRUCTION 2002-2004
 NOT ENOUGH DAYS TO MAKE 2002-2004 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: HILL

Station: A-046

At Road: 7.5 Mi. W of US 87

Ascending Direction: East

Location Id: 21-4-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 2, RP 372.87, 9 Mi. W of Havre (C000001)

Traffic Mix: Pass: 91.77% SU: 1.70% CU: 6.53%

Directional Split: EB 50.34% / WB 49.66%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	820	1,084	1,159	1,160	1,258	1,144	1,023	1,092	71.30%	1,165	93.71%	1,161	94.06%
FEB	755	1,098	1,178	1,130	1,226	1,244	886	1,073	70.06%	1,158	92.66%	1,175	91.30%
MAR	1,123	1,252	1,356	1,408	1,481	1,543	1,344	1,357	88.61%	1,374	98.74%	1,408	96.38%
APR	1,013	1,437	1,500	1,456	1,547	1,641	1,386	1,425	93.05%	1,485	95.96%	1,516	93.98%
MAY	1,331	1,602	1,517	1,614	1,582	1,716	1,517	1,553	101.40%	1,579	98.37%	1,606	96.69%
JUN	1,969	2,152	2,100	2,041	2,111	2,225	1,906	2,071	135.23%	2,101	98.57%	2,126	97.42%
JUL	2,095	2,247	2,038	2,097	2,275	2,420	2,096	2,180	142.34%	2,164	100.73%	2,215	98.40%
AUG	1,670	1,904	1,856	1,820	1,891	2,008	1,628	1,824	119.10%	1,868	97.66%	1,896	96.21%
SEP	1,555	1,712	1,806	1,725	1,870	2,065	1,694	1,774	115.83%	1,778	99.76%	1,836	96.64%
OCT	1,217	1,545	1,662	1,639	1,676	1,791	1,385	1,558	101.73%	1,631	95.55%	1,663	93.71%
NOV	1,074	1,428	1,421	1,444	1,322	1,513	1,266	1,352	88.28%	1,404	96.31%	1,426	94.84%
DEC	767	1,085	1,229	1,280	1,316	1,261	903	1,119	73.07%	1,228	91.16%	1,234	90.67%
Year	1,282	1,546	1,569	1,568	1,630	1,714	1,420	1,532		1,578	97.06%	1,605	95.41%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: HILL

Station: A-046

At Road: 7.5 Mi. W of US 87

Location Id: 21-4-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 2, RP 372.87, 9 Mi. W of Havre (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,470	206	14.01 %	186	12.65 %	181	12.31 %	175	11.90 %	171	11.63 %	163	11.09 %
2005	1,470	213	14.49 %	197	13.40 %	190	12.93 %	185	12.59 %	177	12.04 %	167	11.36 %
2006	1,420	208	14.65 %	195	13.73 %	182	12.82 %	176	12.39 %	169	11.90 %	159	11.20 %
2007	1,473	222	15.07 %	198	13.44 %	190	12.90 %	185	12.56 %	179	12.15 %	169	11.47 %
2008	1,406	221	15.72 %	188	13.37 %	181	12.87 %	176	12.52 %	169	12.02 %	159	11.31 %
2009	1,486	254	17.09 %	208	14.00 %	202	13.59 %	193	12.99 %	183	12.31 %	173	11.64 %
2010	1,569	256	16.32 %	227	14.47 %	214	13.64 %	206	13.13 %	198	12.62 %	187	11.92 %
2011	1,550		%		%		%		%		%		%
2012	1,600		%		%		%		%		%		%
2013	1,620		%		%		%		%		%		%
2014	1,585	248	15.65 %	227	14.32 %	211	13.31 %	202	12.74 %	194	12.24 %	181	11.42 %
2015	1,613	254	15.75 %	221	13.70 %	210	13.02 %	204	12.65 %	197	12.21 %	182	11.28 %
2016	1,584	258	16.29 %	222	14.02 %	209	13.19 %	205	12.94 %	196	12.37 %	185	11.68 %
2017	1,561	283	18.13 %	227	14.54 %	212	13.58 %	203	13.00 %	193	12.36 %	181	11.60 %
2018	1,519	240	15.80 %	209	13.76 %	199	13.10 %	193	12.71 %	183	12.05 %	173	11.39 %
2019	1,495	232	15.52 %	208	13.91 %	201	13.44 %	197	13.18 %	190	12.71 %	178	11.91 %
2020	1,379	221	16.03 %	193	14.00 %	187	13.56 %	181	13.13 %	175	12.69 %	162	11.75 %
2021	1,531	248	16.20 %	215	14.04 %	200	13.06 %	195	12.74 %	187	12.21 %	176	11.50 %

Notes
UNDER CONSTRUCTION 2011-2013 NOT ENOUGH DAYS TO MAKE 2011-2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: RAVALLI

Station: A-047

At Road: 2.2 Mi. S of S-203

Ascending Direction: North

Location Id: 41-1-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: UPA

Located On: US 93, RP 72.48, 2 Mi. S of Florence (C000007)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.08% / NB 49.92%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,292	10,257	10,618	10,463	10,879	10,284	9,392	9,883	81.76%	10,554	93.64%	10,500	94.12%
FEB	6,592	9,668	10,244		10,665	10,446	8,748						
MAR	8,766	10,879	11,495	12,148	12,021	12,863	10,897	11,295	93.44%	11,636	97.07%	11,881	95.07%
APR	9,320	11,659	12,616	12,797	12,952	13,717	11,406	12,066	99.82%	12,506	96.48%	12,748	94.65%
MAY	9,723	12,146	12,982	13,078	13,569	13,976	11,922	12,484	103.28%	12,944	96.45%	13,150	94.93%
JUN	11,470	13,909	14,075	14,184	14,431	15,539	13,083	13,812	114.27%	14,150	97.61%	14,428	95.73%
JUL	10,688	13,364	14,291	14,437	14,688	15,106	12,181	13,535	111.97%	14,195	95.35%	14,377	94.14%
AUG	10,476	13,332	13,818	14,067	14,229	14,579	12,388	13,269	109.77%	13,862	95.73%	14,005	94.74%
SEP	9,938	12,087	13,664	13,552	13,836	14,559	11,952	12,797	105.87%	13,285	96.33%	13,540	94.52%
OCT	9,199	12,184	12,856	12,991	13,166	13,919	12,010	12,331	102.01%	12,799	96.34%	13,023	94.68%
NOV	8,540	11,918	12,138	12,436	11,041	12,289	10,065	11,203	92.68%	11,883	94.28%	11,964	93.64%
DEC	7,489	9,826	11,119	11,841	11,704	11,154	8,887	10,288	85.11%	11,123	92.50%	11,129	92.44%
Year	9,124	11,769	12,493	12,909	12,765	13,203	11,078	12,088		12,631	95.70%	12,795	94.47%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: RAVALLI

Station: A-047

At Road: 2.2 Mi. S of S-203

Location Id: 41-1-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: UPA

Located On: US 93, RP 72.48, 2 Mi. S of Florence (C000007)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	10,340		%		%		%		%		%		%
2005	10,340		%		%		%		%		%		%
2006	9,480	1,076	11.35 %	1,006	10.61 %	987	10.41 %	977	10.31 %	964	10.17 %	934	9.85 %
2007	9,570	1,071	11.19 %	1,016	10.62 %	1,001	10.46 %	991	10.36 %	981	10.25 %	952	9.95 %
2008	8,554	1,064	12.44 %	933	10.91 %	919	10.74 %	907	10.60 %	884	10.33 %	860	10.05 %
2009	9,254	1,037	11.21 %	983	10.62 %	966	10.44 %	951	10.28 %	936	10.11 %	914	9.88 %
2010	9,266	1,071	11.56 %	1,002	10.81 %	978	10.55 %	959	10.35 %	942	10.17 %	912	9.84 %
2011	8,982	1,056	11.76 %	970	10.80 %	953	10.61 %	944	10.51 %	921	10.25 %	893	9.94 %
2012	9,257	1,062	11.47 %	1,010	10.91 %	979	10.58 %	968	10.46 %	949	10.25 %	915	9.88 %
2013	9,421	1,060	11.25 %	1,009	10.71 %	990	10.51 %	975	10.35 %	954	10.13 %	927	9.84 %
2014	9,571	1,097	11.46 %	1,031	10.77 %	1,010	10.55 %	999	10.44 %	984	10.28 %	954	9.97 %
2015	10,082	1,117	11.08 %	1,074	10.65 %	1,049	10.40 %	1,037	10.29 %	1,020	10.12 %	992	9.84 %
2016	10,456	1,190	11.38 %	1,125	10.76 %	1,094	10.46 %	1,083	10.36 %	1,063	10.17 %	1,030	9.85 %
2017	10,757	1,414	13.14 %	1,159	10.77 %	1,144	10.63 %	1,129	10.50 %	1,108	10.30 %	1,076	10.00 %
2018	11,186	1,337	11.95 %	1,212	10.83 %	1,193	10.67 %	1,176	10.51 %	1,162	10.39 %	1,116	9.98 %
2019	11,169	1,325	11.86 %	1,205	10.79 %	1,187	10.63 %	1,178	10.55 %	1,157	10.36 %	1,129	10.11 %
2020	10,696	1,245	11.64 %	1,206	11.28 %	1,191	11.14 %	1,175	10.99 %	1,162	10.86 %	1,121	10.48 %
2021	11,875	1,424	11.99 %	1,266	10.66 %	1,240	10.44 %	1,231	10.37 %	1,213	10.21 %	1,188	10.00 %

Notes
UNDER CONSTRUCTION 2004-2005 NOT ENOUGH DAYS TO MAKE 2004 & 2005 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: ROSEBUD

Station: A-049

At Road: 0.5 Mi. S of I-94 Colstrip Intch

Ascending Direction: North

Location Id: 44-5-006

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 39, RP 50.78, Colstrip, 0.5 Mi. S of Jct I-94 (C000039)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.41% / SB 49.59%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	487	732	784	791	831	751	596	709	78.89%	785	90.38%	778	91.15%
FEB	400	705	739	718	783	785	563	669	74.44%	736	90.87%	746	89.68%
MAR	598	820	831	902	926	898	655	803	89.35%	870	92.33%	875	91.73%
APR	631	928	923	1,069	1,034	1,042	888	930	103.48%	989	94.08%	999	93.07%
MAY	913	1,138	1,192	1,242	1,255	1,276	1,041	1,150	127.96%	1,207	95.30%	1,221	94.22%
JUN	814	1,085	1,119	1,148	1,159	1,233	933	1,069	118.94%	1,128	94.79%	1,149	93.05%
JUL	666	935	971	1,080	1,088	1,111	769	945	105.15%	1,019	92.78%	1,037	91.13%
AUG	725	994	1,032	1,119	1,104	1,103	826	985	109.60%	1,062	92.73%	1,070	92.02%
SEP	680	915	985	1,013	1,040	1,075	907	944	105.03%	988	95.52%	1,006	93.87%
OCT	699	923	845	959	1,039	1,081	793	905	100.70%	942	96.12%	969	93.36%
NOV	663	941	961	1,062	968	1,024	739	907	100.92%	983	92.27%	991	91.51%
DEC	563	787	864	793	879	791	707	769	85.56%	831	92.57%	823	93.46%
Year	653	909	937	991	1,009	1,014	785	899		961	93.48%	972	92.46%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: ROSEBUD

Station: A-049

At Road: 0.5 Mi. S of I-94 Colstrip Intch

Location Id: 44-5-006

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 39, RP 50.78, Colstrip, 0.5 Mi. S of Jct I-94 (C000039)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	950	181	19.05 %	154	16.21 %	146	15.37 %	138	14.53 %	123	12.95 %	109	11.47 %
2005	890	199	22.36 %	149	16.74 %	133	14.94 %	124	13.93 %	113	12.70 %	102	11.46 %
2006	950	173	18.21 %	153	16.11 %	147	15.47 %	140	14.74 %	128	13.47 %	112	11.79 %
2007	943	192	20.36 %	158	16.76 %	147	15.59 %	141	14.95 %	127	13.47 %	114	12.09 %
2008	933	233	24.97 %	165	17.68 %	154	16.51 %	143	15.33 %	121	12.97 %	106	11.36 %
2009	973	176	18.09 %	160	16.44 %	147	15.11 %	142	14.59 %	129	13.26 %	119	12.23 %
2010	921	193	20.96 %	123	13.36 %	116	12.60 %	113	12.27 %	109	11.83 %	104	11.29 %
2011	1,002	212	21.16 %	165	16.47 %	156	15.57 %	149	14.87 %	139	13.87 %	125	12.48 %
2012	923	208	22.54 %	142	15.38 %	132	14.30 %	124	13.43 %	116	12.57 %	105	11.38 %
2013	882	163	18.48 %	137	15.53 %	131	14.85 %	125	14.17 %	113	12.81 %	103	11.68 %
2014	903	168	18.60 %	148	16.39 %	138	15.28 %	132	14.62 %	124	13.73 %	107	11.85 %
2015	935	182	19.47 %	156	16.68 %	147	15.72 %	141	15.08 %	127	13.58 %	110	11.76 %
2016	962	181	18.81 %	168	17.46 %	159	16.53 %	143	14.86 %	132	13.72 %	118	12.27 %
2017	944	203	21.50 %	177	18.75 %	172	18.22 %	152	16.10 %	137	14.51 %	119	12.61 %
2018	865	199	23.01 %	147	16.99 %	136	15.72 %	125	14.45 %	115	13.29 %	103	11.91 %
2019	898	155	17.26 %	126	14.03 %	117	13.03 %	112	12.47 %	108	12.03 %	100	11.14 %
2020	835	172	20.60 %	153	18.32 %	138	16.53 %	130	15.57 %	117	14.01 %	105	12.57 %
2021	898	154	17.15 %	135	15.03 %	127	14.14 %	122	13.59 %	115	12.81 %	108	12.03 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: A-050

At Road: Btwn Milton and Hilltop Rds

Ascending Direction: North

Location Id: 56-4A-014

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: US 87/Main St, Billings, RP 2.72, Btwn Milton & Hilltop Rds (C000016)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 51.84% / SB 48.07%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	20,423	29,149	29,567	29,717	29,615	30,279	25,662	27,772	96.66%	29,512	94.10%	29,665	93.62%
FEB	18,874	27,219	28,081	28,942	28,888	30,339	23,692	26,575	92.49%	28,283	93.96%	28,694	92.62%
MAR	23,869	31,088	31,418	33,262	32,911	36,414	29,601	31,222	108.66%	32,170	97.05%	33,019	94.56%
APR	22,830	30,419	30,952	32,020	32,613	35,385	30,419	30,662	106.71%	31,501	97.34%	32,278	94.99%
MAY	24,017	30,198	31,666	32,366	32,483	34,656	29,741	30,732	106.96%	31,678	97.01%	32,274	95.22%
JUN	24,111	32,279	32,394	33,228	32,826	34,894	28,519	31,178	108.51%	32,682	95.40%	33,124	94.12%
JUL	22,724	28,377	29,463	31,451	30,364	32,768	27,204	28,906	100.60%	29,914	96.63%	30,485	94.82%
AUG	22,539	28,479	28,558	28,845	29,308	31,277	26,644	27,949	97.27%	28,798	97.05%	29,293	95.41%
SEP	21,739	26,183	28,142	28,145	28,717	31,300	26,971	27,313	95.06%	27,797	98.26%	28,497	95.84%
OCT	21,802	27,833	27,712	29,021	29,278	32,351	27,159	27,879	97.03%	28,461	97.96%	29,239	95.35%
NOV	21,059	29,001	29,121	29,618	26,351	31,225	26,543	27,559	95.92%	28,523	96.62%	29,063	94.82%
DEC	20,145	27,219	28,931	28,991	30,665	29,676	23,690	27,045	94.13%	28,952	93.41%	29,096	92.95%
Year	22,011	28,954	29,667	30,467	30,335	32,547	27,154	28,733		29,856	96.24%	30,394	94.53%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: A-050

At Road: Btwn Milton and Hilltop Rds

Location Id: 56-4A-014

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: US 87/Main St, Billings, RP 2.72, Btwn Milton & Hilltop Rds (C000016)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	37,110		%		%		%		%		%		%
2005	37,110		%		%		%		%		%		%
2006	38,290		%		%		%		%		%		%
2007	36,398	3,662	10.06 %	3,562	9.79 %	3,486	9.58 %	3,458	9.50 %	3,418	9.39 %	3,368	9.25 %
2008	35,922	3,667	10.21 %	3,530	9.83 %	3,491	9.72 %	3,463	9.64 %	3,422	9.53 %	3,363	9.36 %
2009	36,858	4,101	11.13 %	3,785	10.27 %	3,671	9.96 %	3,591	9.74 %	3,507	9.51 %	3,418	9.27 %
2010	37,988	4,074	10.72 %	3,846	10.12 %	3,778	9.95 %	3,757	9.89 %	3,711	9.77 %	3,632	9.56 %
2011	35,782	3,716	10.39 %	3,514	9.82 %	3,440	9.61 %	3,405	9.52 %	3,379	9.44 %	3,324	9.29 %
2012	33,020	3,463	10.49 %	3,295	9.98 %	3,207	9.71 %	3,166	9.59 %	3,122	9.45 %	3,063	9.28 %
2013	34,726	3,782	10.89 %	3,692	10.63 %	3,628	10.45 %	3,583	10.32 %	3,537	10.19 %	3,441	9.91 %
2014	32,602	3,241	9.94 %	3,204	9.83 %	3,160	9.69 %	3,127	9.59 %	3,094	9.49 %	3,048	9.35 %
2015	32,669	3,368	10.31 %	3,215	9.84 %	3,160	9.67 %	3,131	9.58 %	3,092	9.46 %	3,041	9.31 %
2016	34,487	5,426	15.73 %	3,733	10.82 %	3,571	10.35 %	3,515	10.19 %	3,443	9.98 %	3,346	9.70 %
2017	30,807	3,105	10.08 %	3,038	9.86 %	3,001	9.74 %	2,977	9.66 %	2,939	9.54 %	2,887	9.37 %
2018	31,353	3,463	11.05 %	3,316	10.58 %	3,247	10.36 %	3,200	10.21 %	3,065	9.78 %	2,967	9.46 %
2019	30,931	3,108	10.05 %	3,040	9.83 %	2,994	9.68 %	2,976	9.62 %	2,951	9.54 %	2,910	9.41 %
2020	29,083	3,527	12.13 %	2,969	10.21 %	2,913	10.02 %	2,888	9.93 %	2,848	9.79 %	2,787	9.58 %
2021	28,732	3,042	10.59 %	2,943	10.24 %	2,892	10.07 %	2,857	9.94 %	2,786	9.70 %	2,712	9.44 %

Notes
 UNDER CONSTRUCTION IN 2004-2006
 NOT ENOUGH DAYS TO MAKE 2004-2006 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: A-051

At Road: Btwn N 22nd W & Gay PI

Ascending Direction: East

Location Id: 56-4A-072

Functional Class: Principal Arterial - Other Urban


Traffic Factor Group: UPA

Located On: Broadwater Ave, Billings, RP 2.12, Btwn N 22nd St & Gay PI (C001006)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 52.45% / EB 47.55%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,562	12,891	13,699	13,950	13,444	12,869	10,159	12,081	92.80%	13,496	89.52%	13,371	90.35%
FEB	7,140	12,493	13,460	13,884	13,438	13,743	9,588	11,963	91.89%	13,319	89.82%	13,404	89.25%
MAR	8,700	13,877	14,578	15,493	14,843	15,522	11,490	13,500	103.70%	14,698	91.85%	14,863	90.83%
APR	8,382	13,862	14,799	15,696	15,376	15,593	11,613	13,616	104.59%	14,933	91.18%	15,065	90.38%
MAY	8,703	13,391	15,374	15,684	15,456	15,132	11,551	13,612	104.56%	14,976	90.89%	15,007	90.70%
JUN	8,840	14,470	15,253	15,703	15,508	15,435	11,163	13,767	105.75%	15,234	90.37%	15,274	90.13%
JUL	8,253	12,829	14,431	14,875	14,733	14,480	10,883	12,926	99.29%	14,217	90.92%	14,270	90.58%
AUG	8,580	13,735	14,469	14,526	14,421	14,377	11,094	13,028	100.07%	14,288	91.18%	14,306	91.07%
SEP	8,250	12,503	14,911	15,177	15,019	15,251	10,721	13,118	100.76%	14,403	91.08%	14,572	90.02%
OCT	8,548	13,866	14,401	14,994	14,625	15,158	11,013	13,229	101.62%	14,472	91.41%	14,609	90.56%
NOV	8,102	14,347	14,797	14,706	12,385	13,981	10,853	12,738	97.84%	14,059	90.61%	14,043	90.71%
DEC	7,996	13,553	14,336	14,784	14,634	13,336	9,888	12,646	97.14%	14,327	88.27%	14,129	89.51%
Year	8,255	13,485	14,542	14,956	14,490	14,573	10,835	13,019		14,368	90.61%	14,409	90.35%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: A-051

At Road: Btwn N 22nd W & Gay PI

Location Id: 56-4A-072

Functional Class: Principal Arterial - Other Urban

Traffic Factor Group: UPA

Located On: Broadwater Ave, Billings, RP 2.12, Btwn N 22nd St & Gay PI (C001006)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	14,730	1,668	11.32 %	1,584	10.75 %	1,551	10.53 %	1,523	10.34 %	1,493	10.14 %	1,445	9.81 %
2005	14,380	1,561	10.86 %	1,475	10.26 %	1,448	10.07 %	1,440	10.01 %	1,423	9.90 %	1,395	9.70 %
2006	14,070	1,594	11.33 %	1,467	10.43 %	1,440	10.23 %	1,428	10.15 %	1,411	10.03 %	1,376	9.78 %
2007	14,350	1,617	11.27 %	1,561	10.88 %	1,508	10.51 %	1,477	10.29 %	1,457	10.15 %	1,411	9.83 %
2008	13,452	1,533	11.40 %	1,447	10.76 %	1,421	10.56 %	1,406	10.45 %	1,378	10.24 %	1,343	9.98 %
2009	12,832	1,409	10.98 %	1,375	10.72 %	1,358	10.58 %	1,348	10.50 %	1,330	10.36 %	1,295	10.09 %
2010	11,170	1,494	13.38 %	1,357	12.15 %	1,335	11.95 %	1,319	11.81 %	1,293	11.58 %	1,252	11.21 %
2011	12,132	1,469	12.11 %	1,343	11.07 %	1,296	10.68 %	1,277	10.53 %	1,262	10.40 %	1,224	10.09 %
2012	12,562	1,476	11.75 %	1,351	10.75 %	1,337	10.64 %	1,325	10.55 %	1,301	10.36 %	1,274	10.14 %
2013	12,750		%		%		%		%		%		%
2014	12,402	1,584	12.77 %	1,472	11.87 %	1,445	11.65 %	1,418	11.43 %	1,379	11.12 %	1,336	10.77 %
2015	13,344	1,669	12.51 %	1,504	11.27 %	1,461	10.95 %	1,431	10.72 %	1,410	10.57 %	1,365	10.23 %
2016	14,067	2,060	14.64 %	1,522	10.82 %	1,488	10.58 %	1,466	10.42 %	1,435	10.20 %	1,398	9.94 %
2017	13,277	1,585	11.94 %	1,495	11.26 %	1,446	10.89 %	1,425	10.73 %	1,404	10.57 %	1,368	10.30 %
2018	13,401	1,576	11.76 %	1,476	11.01 %	1,458	10.88 %	1,449	10.81 %	1,422	10.61 %	1,386	10.34 %
2019	13,215	1,528	11.56 %	1,450	10.97 %	1,434	10.85 %	1,421	10.75 %	1,398	10.58 %	1,364	10.32 %
2020	11,721	1,397	11.92 %	1,356	11.57 %	1,337	11.41 %	1,323	11.29 %	1,298	11.07 %	1,265	10.79 %
2021	13,018	1,643	12.62 %	1,434	11.02 %	1,409	10.82 %	1,393	10.70 %	1,379	10.59 %	1,344	10.32 %

Notes
UNDER CONSTRUCTION 2013 NOT ENOUGH DAYS TO MAKE 2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: A-054

At Road: Btwn Wyoming & Yellowstone Aves

Ascending Direction: North

Location Id: 56-4A-153

Functional Class: Major Collector Urban


Traffic Factor Group: UMA_UC

Located On: 19th St W, Billings, RP 0.76, Btwn Wyoming & Yellowstone Aves (C067362)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.36% / SB 49.64%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,880	6,435	6,842	6,934	6,761	6,474	5,234	6,079	89.46%	6,743	90.15%	6,689	90.88%
FEB	3,730	6,233	6,557	6,766	6,705	6,855	4,918	5,966	87.80%	6,565	90.87%	6,623	90.08%
MAR	4,544	7,101	7,262	7,865	7,592	8,122	5,937	6,917	101.80%	7,455	92.78%	7,588	91.15%
APR	4,246	7,069	7,482	7,928	7,795	7,961	6,315	6,970	102.58%	7,569	92.09%	7,647	91.15%
MAY	4,702	7,048	7,871	8,126	7,855	8,116	6,493	7,172	105.55%	7,725	92.84%	7,803	91.91%
JUN	4,728	7,687	8,013	8,249	8,102	8,183	6,107	7,295	107.36%	8,013	91.04%	8,047	90.66%
JUL	4,393	6,859	7,597	7,897	7,787	7,693	5,741	6,852	100.84%	7,535	90.94%	7,567	90.56%
AUG	4,757	7,407	7,707	7,815	7,839	7,928	6,014	7,066	103.99%	7,692	91.86%	7,739	91.30%
SEP	4,622	6,953	8,015	8,196	8,154	8,287	6,035	7,180	105.67%	7,830	91.70%	7,921	90.65%
OCT	4,718	7,527	7,657	8,083	7,760	8,382	6,075	7,171	105.53%	7,757	92.45%	7,882	90.98%
NOV	4,253	7,411	7,534	7,289	6,405	7,465	5,701	6,579	96.82%	7,160	91.89%	7,221	91.11%
DEC	4,046	6,595	7,052	7,220	7,443	6,642	5,059	6,293	92.61%	7,078	88.92%	6,990	90.02%
Year	4,385	7,027	7,466	7,697	7,517	7,676	5,802	6,795		7,427	91.49%	7,476	90.89%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR THIS SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: A-054

At Road: Btwn Wyoming & Yellowstone Aves

Location Id: 56-4A-153

Functional Class: Major Collector Urban

Traffic Factor Group: UMA_UC

Located On: 19th St W, Billings, RP 0.76, Btwn Wyoming & Yellowstone Aves (C067362)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	8,242	1,163	14.11 %	935	11.34 %	906	10.99 %	894	10.85 %	879	10.66 %	856	10.39 %
2005	8,218	1,051	12.79 %	933	11.35 %	914	11.12 %	897	10.92 %	886	10.78 %	861	10.48 %
2006	8,336	1,016	12.19 %	938	11.25 %	919	11.02 %	910	10.92 %	892	10.70 %	866	10.39 %
2007	7,904	996	12.60 %	876	11.08 %	850	10.75 %	841	10.64 %	832	10.53 %	815	10.31 %
2008	7,708	919	11.92 %	865	11.22 %	843	10.94 %	827	10.73 %	817	10.60 %	800	10.38 %
2009	8,203	1,052	12.82 %	1,006	12.26 %	988	12.04 %	976	11.90 %	955	11.64 %	928	11.31 %
2010	8,408	1,075	12.79 %	1,013	12.05 %	1,004	11.94 %	992	11.80 %	981	11.67 %	955	11.36 %
2011	7,631	934	12.24 %	873	11.44 %	849	11.13 %	837	10.97 %	820	10.75 %	792	10.38 %
2012	7,407	1,212	16.36 %	837	11.30 %	823	11.11 %	808	10.91 %	796	10.75 %	774	10.45 %
2013	6,704	967	14.42 %	822	12.26 %	800	11.93 %	794	11.84 %	778	11.61 %	747	11.14 %
2014	6,815	921	13.51 %	811	11.90 %	790	11.59 %	780	11.45 %	763	11.20 %	745	10.93 %
2015	6,891	855	12.41 %	802	11.64 %	785	11.39 %	773	11.22 %	762	11.06 %	742	10.77 %
2016	7,144	869	12.16 %	810	11.34 %	797	11.16 %	789	11.04 %	778	10.89 %	755	10.57 %
2017	7,038	832	11.82 %	807	11.47 %	788	11.20 %	778	11.05 %	769	10.93 %	750	10.66 %
2018	7,266	951	13.09 %	894	12.30 %	860	11.84 %	840	11.56 %	817	11.24 %	781	10.75 %
2019	7,232	910	12.58 %	867	11.99 %	843	11.66 %	831	11.49 %	813	11.24 %	783	10.83 %
2020	6,212	788	12.69 %	746	12.01 %	743	11.96 %	729	11.74 %	715	11.51 %	701	11.28 %
2021	6,794	922	13.57 %	814	11.98 %	785	11.55 %	775	11.41 %	763	11.23 %	740	10.89 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: RAVALLI

Station: A-056

At Road: 1 Mi. S of S-373

Ascending Direction: North

Location Id: 41-2A-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: UPA


Located On: US 93, RP 50.06, 2.5 Mi. N of Hamilton (C000007)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.18% / SB 49.82%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,154	13,112	13,699	13,528	14,019	13,001	10,874	12,340	84.91%	13,590	90.81%	13,472	91.60%
FEB	7,687	12,296	12,939	13,498	13,548	13,335	10,318	11,945	82.19%	13,070	91.39%	13,123	91.02%
MAR	9,593	13,989	14,743	15,244	15,413	16,103	12,643	13,960	96.06%	14,847	94.02%	15,098	92.46%
APR	9,858	14,892	16,155	16,397	16,436	17,212	12,991	14,848	102.17%	15,970	92.97%	16,218	91.55%
MAY	10,665	15,686	16,925	16,904	17,096	17,522	13,677	15,495	106.62%	16,653	93.05%	16,827	92.09%
JUN	12,114	17,433	17,737	17,984	17,981	18,852	15,293	16,770	115.39%	17,784	94.30%	17,997	93.18%
JUL	11,905	16,454	17,962	18,018	18,082	18,529	14,340	16,469	113.32%	17,629	93.42%	17,809	92.48%
AUG	11,095	16,523	17,082	17,220	17,165	17,475	13,714	15,753	108.40%	16,998	92.68%	17,093	92.16%
SEP	10,605	14,775	16,774	17,047	17,156	17,997	13,951	15,471	106.46%	16,438	94.12%	16,750	92.37%
OCT	9,934	15,425	16,266	16,421	15,991	17,298	13,256	14,941	102.81%	16,026	93.23%	16,280	91.77%
NOV	9,255	15,522	15,642	16,081	13,406	15,015	11,740	13,808	95.01%	15,163	91.07%	15,133	91.24%
DEC	8,120	13,061	13,601	14,491	14,648	14,638	9,606	12,594	86.66%	13,950	90.28%	14,088	89.40%
Year	9,915	14,931	15,794	16,069	15,912	16,415	12,700	14,533		15,676	92.71%	15,824	91.84%

MADT By Month



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: RAVALLI

Station: A-056

At Road: 1 Mi. S of S-373

Location Id: 41-2A-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: UPA

Located On: US 93, RP 50.06, 2.5 Mi. N of Hamilton (C000007)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	11,330	1,285	11.34 %	1,213	10.71 %	1,200	10.59 %	1,188	10.49 %	1,172	10.34 %	1,141	10.07 %
2005	11,240	1,316	11.71 %	1,194	10.62 %	1,178	10.48 %	1,162	10.34 %	1,149	10.22 %	1,126	10.02 %
2006	11,350	1,288	11.35 %	1,215	10.70 %	1,199	10.56 %	1,181	10.41 %	1,165	10.26 %	1,133	9.98 %
2007	11,275	1,252	11.10 %	1,200	10.64 %	1,182	10.48 %	1,168	10.36 %	1,155	10.24 %	1,127	10.00 %
2008	11,280		%		%		%		%		%		%
2009	10,880		%		%		%		%		%		%
2010	10,720		%		%		%		%		%		%
2011	9,753	1,147	11.76 %	1,049	10.76 %	1,024	10.50 %	1,011	10.37 %	996	10.21 %	969	9.94 %
2012	11,071	1,303	11.77 %	1,192	10.77 %	1,165	10.52 %	1,153	10.41 %	1,140	10.30 %	1,107	10.00 %
2013	11,644	1,303	11.19 %	1,260	10.82 %	1,235	10.61 %	1,227	10.54 %	1,195	10.26 %	1,171	10.06 %
2014	11,618	1,334	11.48 %	1,268	10.91 %	1,241	10.68 %	1,225	10.54 %	1,205	10.37 %	1,173	10.10 %
2015	12,205	1,321	10.82 %	1,276	10.45 %	1,265	10.36 %	1,250	10.24 %	1,240	10.16 %	1,213	9.94 %
2016	12,728	1,408	11.06 %	1,341	10.54 %	1,323	10.39 %	1,314	10.32 %	1,293	10.16 %	1,264	9.93 %
2017	12,933	1,614	12.48 %	1,380	10.67 %	1,367	10.57 %	1,345	10.40 %	1,317	10.18 %	1,291	9.98 %
2018	13,449	1,498	11.14 %	1,426	10.60 %	1,405	10.45 %	1,398	10.39 %	1,382	10.28 %	1,360	10.11 %
2019	13,507	1,605	11.88 %	1,450	10.74 %	1,432	10.60 %	1,423	10.54 %	1,410	10.44 %	1,371	10.15 %
2020	13,265	1,547	11.66 %	1,478	11.14 %	1,455	10.97 %	1,445	10.89 %	1,424	10.74 %	1,398	10.54 %
2021	14,532	1,608	11.07 %	1,555	10.70 %	1,532	10.54 %	1,523	10.48 %	1,504	10.35 %	1,480	10.18 %

Notes
 UNDER CONSTRUCTION 2008-2010
 NOT ENOUGH DAYS TO MAKE 2008-2010 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BIG HORN

Station: A-057

At Road: 2.4 Mi. S of Lodge Grass Intch

Ascending Direction: East

Location Id: 02-7-016

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 533.08, 2.4 Mi. S of Lodge Grass Interchange (C000090)

Traffic Mix: Pass: 74.17% SU: 1.79% CU: 24.04%

Directional Split: EB 50.50% / WB 49.50%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,601	2,208	2,262	2,371	2,350	2,673	2,679	2,448	59.92%	2,298	106.54%	2,373	103.17%
FEB	2,377	2,265	2,186	2,202	2,437	2,556	2,197	2,317	56.72%	2,273	101.96%	2,329	99.48%
MAR	3,091	2,533	2,536	3,064	3,196	3,614	3,380	3,058	74.85%	2,832	107.97%	2,989	102.32%
APR	3,625	2,957	2,970	3,373	3,523	3,913	3,616	3,424	83.81%	3,206	106.81%	3,347	102.29%
MAY	4,484	4,202	3,755	3,924	4,368	4,905	4,318	4,279	104.74%	4,062	105.34%	4,231	101.14%
JUN	6,317	5,306	5,021	5,376	5,683	6,304	5,740	5,677	138.96%	5,347	106.18%	5,538	102.51%
JUL	6,313	6,014	5,406	5,804	6,334	6,730	6,306	6,128	150.00%	5,890	104.05%	6,058	101.16%
AUG	6,476	5,442	5,333	5,789	6,116	6,457	6,256	5,980	146.38%	5,670	105.47%	5,827	102.62%
SEP	5,280	4,931	4,577	4,815	5,220	5,785	5,211	5,116	125.23%	4,886	104.71%	5,066	100.99%
OCT	4,192	3,872	3,242	3,714	4,445	4,695	4,104	4,037	98.82%	3,818	105.73%	3,994	101.09%
NOV	3,796	3,215	3,201	3,624	3,217	3,633	3,840	3,503	85.75%	3,314	105.70%	3,378	103.70%
DEC	2,813	3,129	3,173	3,145	3,408	2,915	2,819	3,056	74.81%	3,214	95.09%	3,154	96.89%
Year	4,280	3,840	3,639	3,933	4,191	4,515	4,206	4,085		3,901	104.73%	4,024	101.53%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: BIG HORN

Station: A-057

At Road: 2.4 Mi. S of Lodge Grass Intch

Location Id: 02-7-016

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 533.08, 2.4 Mi. S of Lodge Grass Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,780	609	16.11 %	526	13.92 %	509	13.47 %	500	13.23 %	489	12.94 %	464	12.28 %
2005	3,830	585	15.27 %	542	14.15 %	528	13.79 %	518	13.52 %	507	13.24 %	476	12.43 %
2006	3,910	606	15.50 %	550	14.07 %	519	13.27 %	505	12.92 %	491	12.56 %	465	11.89 %
2007	3,939	690	17.52 %	562	14.27 %	546	13.86 %	522	13.25 %	506	12.85 %	479	12.16 %
2008	3,619	527	14.56 %	499	13.79 %	479	13.24 %	469	12.96 %	450	12.43 %	427	11.80 %
2009	3,707	576	15.54 %	534	14.41 %	519	14.00 %	502	13.54 %	485	13.08 %	461	12.44 %
2010	3,741	590	15.77 %	556	14.86 %	532	14.22 %	521	13.93 %	501	13.39 %	471	12.59 %
2011	3,766	559	14.84 %	528	14.02 %	510	13.54 %	496	13.17 %	482	12.80 %	460	12.21 %
2012	3,979		%		%		%		%		%		%
2013	4,140		%		%		%		%		%		%
2014	4,240		%		%		%		%		%		%
2015	3,877	595	15.35 %	561	14.47 %	537	13.85 %	530	13.67 %	509	13.13 %	488	12.59 %
2016	3,873	611	15.78 %	563	14.54 %	541	13.97 %	526	13.58 %	507	13.09 %	483	12.47 %
2017	3,980	811	20.38 %	590	14.82 %	566	14.22 %	557	13.99 %	539	13.54 %	510	12.81 %
2018	3,797	614	16.17 %	562	14.80 %	544	14.33 %	534	14.06 %	517	13.62 %	491	12.93 %
2019	3,419	649	18.98 %	530	15.50 %	514	15.03 %	507	14.83 %	486	14.21 %	463	13.54 %
2020	3,102	560	18.05 %	525	16.92 %	507	16.34 %	496	15.99 %	480	15.47 %	454	14.64 %
2021	4,085	733	17.94 %	633	15.50 %	618	15.13 %	601	14.71 %	590	14.44 %	548	13.41 %

Notes
 UNDER CONSTRUCTION 2012-2014 NOT ENOUGH DAYS TO MAKE 2012-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CARBON

Station: A-058

At Road: 0.5 Mi. N of Two Mi. Bridge Rd

Ascending Direction: North

Location Id: 05-3-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 212, RP 72.05, 1.8 Mi. N of Red Lodge (C000028)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.30% / NB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,475	2,592	2,557	2,673	2,656	2,864	2,992	2,686	75.48%	2,620	102.54%	2,668	100.66%
FEB	2,362	2,518	2,346	2,467	2,660	2,879	2,818	2,577	72.42%	2,498	103.17%	2,574	100.12%
MAR	3,000	2,619	2,551	3,036	3,060	3,307	3,097	2,952	82.96%	2,817	104.81%	2,915	101.28%
APR	2,470	2,481	2,594	3,005	2,967	3,136	3,188	2,833	79.61%	2,762	102.58%	2,837	99.87%
MAY	3,238	3,626	3,277	3,430	3,492	3,789	3,614	3,494	98.19%	3,456	101.09%	3,523	99.18%
JUN	4,783	4,533	4,659	4,712	4,709	5,304	5,157	4,836	135.90%	4,653	103.93%	4,783	101.10%
JUL	5,783	5,130	4,856	5,086	5,399	6,035	6,126	5,487	154.19%	5,118	107.22%	5,301	103.50%
AUG	4,487	4,306	4,393	4,387	4,454	4,921	4,870	4,544	127.69%	4,385	103.63%	4,492	101.15%
SEP	4,010	4,013	4,002	4,053	4,078	4,761	4,911	4,260	119.71%	4,037	105.54%	4,181	101.88%
OCT	2,706	3,034	2,937	3,254	3,380	3,686	3,088	3,154	88.63%	3,151	100.09%	3,258	96.80%
NOV	2,336	3,050	3,140	3,228	2,743	3,351	2,832	2,954	83.01%	3,040	97.16%	3,102	95.22%
DEC	2,345	2,631	2,885	2,854	3,135	3,198	3,428	2,925	82.20%	2,876	101.69%	2,941	99.47%
Year	3,333	3,378	3,350	3,515	3,561	3,936	3,843	3,559		3,451	103.12%	3,548	100.30%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: CARBON

Station: A-058

At Road: 0.5 Mi. N of Two Mi. Bridge Rd

Location Id: 05-3-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 212, RP 72.05, 1.8 Mi. N of Red Lodge (C000028)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,880	915	31.77 %	486	16.88 %	442	15.35 %	416	14.44 %	392	13.61 %	364	12.64 %
2005	2,780	719	25.86 %	461	16.58 %	425	15.29 %	401	14.42 %	366	13.17 %	333	11.98 %
2006	2,980	897	30.10 %	520	17.45 %	473	15.87 %	455	15.27 %	421	14.13 %	384	12.89 %
2007	3,031	820	27.05 %	500	16.50 %	452	14.91 %	439	14.48 %	418	13.79 %	384	12.67 %
2008	2,866	888	30.98 %	519	18.11 %	448	15.63 %	428	14.93 %	398	13.89 %	357	12.46 %
2009	2,933	891	30.38 %	516	17.59 %	478	16.30 %	462	15.75 %	423	14.42 %	387	13.19 %
2010	2,966	996	33.58 %	559	18.85 %	515	17.36 %	464	15.64 %	430	14.50 %	400	13.49 %
2011	2,940	925	31.46 %	594	20.20 %	519	17.65 %	483	16.43 %	440	14.97 %	409	13.91 %
2012	2,987	974	32.61 %	518	17.34 %	469	15.70 %	455	15.23 %	421	14.09 %	393	13.16 %
2013	2,920	933	31.95 %	504	17.26 %	466	15.96 %	435	14.90 %	420	14.38 %	387	13.25 %
2014	2,986	757	25.35 %	518	17.35 %	470	15.74 %	460	15.41 %	438	14.67 %	407	13.63 %
2015	3,128	875	27.97 %	541	17.30 %	512	16.37 %	484	15.47 %	461	14.74 %	427	13.65 %
2016	3,180	922	28.99 %	592	18.62 %	544	17.11 %	511	16.07 %	479	15.06 %	438	13.77 %
2017	3,165	928	29.32 %	570	18.01 %	525	16.59 %	508	16.05 %	480	15.17 %	448	14.15 %
2018	3,214	897	27.91 %	556	17.30 %	517	16.09 %	488	15.18 %	471	14.65 %	442	13.75 %
2019	3,162	800	25.30 %	554	17.52 %	521	16.48 %	505	15.97 %	484	15.31 %	450	14.23 %
2020	3,159	569	18.01 %	512	16.21 %	500	15.83 %	490	15.51 %	475	15.04 %	449	14.21 %
2021	3,558	814	22.88 %	584	16.41 %	547	15.37 %	521	14.64 %	496	13.94 %	469	13.18 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: A-059

At Road: 0.5 Mi. E of S Billings Blvd

Ascending Direction: East

Location Id: 56-4A-003

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-90, RP 447.82, E of S Billings Blvd Interchange (C000090)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 50.06% / WB 49.94%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	19,388	27,788	28,692	28,894	28,915	28,675	23,896	26,606	85.31%	28,572	93.12%	28,593	93.05%
FEB	17,126	25,219	26,254	26,907	27,869	28,050	19,544	24,423	78.31%	26,562	91.95%	26,860	90.93%
MAR	24,090	29,749	30,935	33,209	33,658	37,027	30,675	31,334	100.47%	31,888	98.26%	32,916	95.19%
APR	23,358	31,197	32,530	34,216	34,648	36,903	30,878	31,960	102.48%	33,148	96.42%	33,899	94.28%
MAY	26,970	33,182	35,465	36,364	37,161	39,141	32,823	34,443	110.44%	35,543	96.91%	36,263	94.98%
JUN	29,899	37,894	37,945	39,330	39,735	41,911	33,906	37,230	119.38%	38,726	96.14%	39,363	94.58%
JUL	29,208	36,154	38,004	38,996	40,556	41,992	33,750	36,950	118.48%	38,428	96.16%	39,140	94.40%
AUG	29,435	36,745	36,945	38,517	39,005	40,726	33,602	36,424	116.79%	37,803	96.35%	38,388	94.88%
SEP	24,515	29,989	32,615	33,443	34,283	35,190	30,074	31,443	100.82%	32,583	96.50%	33,104	94.98%
OCT	23,154	29,109	29,073	30,814	32,573	33,548	28,225	29,498	94.59%	30,392	97.06%	31,023	95.08%
NOV	21,876	28,990	29,515	30,533	27,167	31,033	26,076	27,883	89.41%	29,051	95.98%	29,448	94.69%
DEC	18,684	25,932	28,250	28,385	30,332	27,278	23,444	26,043	83.51%	28,225	92.27%	28,035	92.89%
Year	23,975	30,996	32,185	33,301	33,825	35,123	28,908	31,186		32,577	95.73%	33,086	94.26%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: A-059

At Road: 0.5 Mi. E of S Billings Blvd

Location Id: 56-4A-003

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-90, RP 447.82, E of S Billings Blvd Interchange (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	24,630	2,796	11.35 %	2,630	10.68 %	2,587	10.50 %	2,551	10.36 %	2,505	10.17 %	2,446	9.93 %
2005	24,430	2,803	11.47 %	2,641	10.81 %	2,556	10.46 %	2,510	10.27 %	2,472	10.12 %	2,392	9.79 %
2006	25,510	2,840	11.13 %	2,723	10.67 %	2,663	10.44 %	2,625	10.29 %	2,554	10.01 %	2,479	9.72 %
2007	26,191	2,893	11.05 %	2,783	10.63 %	2,723	10.40 %	2,692	10.28 %	2,645	10.10 %	2,556	9.76 %
2008	25,082	2,877	11.47 %	2,716	10.83 %	2,640	10.53 %	2,601	10.37 %	2,553	10.18 %	2,489	9.92 %
2009	26,161	3,030	11.58 %	2,875	10.99 %	2,794	10.68 %	2,764	10.57 %	2,704	10.34 %	2,633	10.06 %
2010	26,295	3,103	11.80 %	2,861	10.88 %	2,810	10.69 %	2,784	10.59 %	2,737	10.41 %	2,639	10.04 %
2011	26,682	3,166	11.87 %	2,914	10.92 %	2,860	10.72 %	2,825	10.59 %	2,766	10.37 %	2,678	10.04 %
2012	27,573	3,128	11.34 %	2,939	10.66 %	2,884	10.46 %	2,854	10.35 %	2,795	10.14 %	2,723	9.88 %
2013	27,848	3,143	11.29 %	3,016	10.83 %	2,954	10.61 %	2,926	10.51 %	2,885	10.36 %	2,801	10.06 %
2014	28,940	3,355	11.59 %	3,161	10.92 %	3,100	10.71 %	3,062	10.58 %	3,037	10.49 %	2,958	10.22 %
2015	29,839	3,330	11.16 %	3,203	10.73 %	3,169	10.62 %	3,137	10.51 %	3,087	10.35 %	2,986	10.01 %
2016	30,361	3,460	11.40 %	3,319	10.93 %	3,242	10.68 %	3,222	10.61 %	3,184	10.49 %	3,044	10.03 %
2017	29,997	3,435	11.45 %	3,262	10.87 %	3,160	10.53 %	3,119	10.40 %	3,060	10.20 %	2,913	9.71 %
2018	30,815	3,512	11.40 %	3,377	10.96 %	3,285	10.66 %	3,256	10.57 %	3,199	10.38 %	3,114	10.11 %
2019	30,515	3,386	11.10 %	3,297	10.80 %	3,218	10.55 %	3,193	10.46 %	3,138	10.28 %	3,059	10.02 %
2020	29,001	3,287	11.33 %	3,195	11.02 %	3,146	10.85 %	3,121	10.76 %	3,066	10.57 %	2,996	10.33 %
2021	31,186	3,456	11.08 %	3,345	10.73 %	3,300	10.58 %	3,247	10.41 %	3,197	10.25 %	3,130	10.04 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FLATHEAD

Station: A-060

At Road: 1.5 Mi. NE of MT 206

Ascending Direction: East

Location Id: 15-4A-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: REC_PA

Located On: US 2, RP 139.8, 3 Mi. N of Columbia Falls (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 51.29% / EB 48.71%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,231	4,743	4,706	4,846	5,195	5,162	4,827	4,815	53.72%	4,873	98.82%	4,930	97.66%
FEB	3,708	4,402	4,474	4,753	4,794	4,680	4,160	4,424	49.35%	4,606	96.05%	4,621	95.75%
MAR	5,265	5,025	5,467	5,734	5,867	6,242	5,938	5,647	63.00%	5,523	102.24%	5,667	99.65%
APR	5,331	6,164	6,532	6,663	6,343	7,281	6,300	6,372	71.09%	6,426	99.17%	6,597	96.60%
MAY	8,550	9,163	8,247	8,786	9,285	9,619	9,643	9,041	100.86%	8,870	101.92%	9,020	100.23%
JUN	14,239	14,534	13,925	13,979	13,609	14,938	13,902	14,160	157.97%	14,012	101.06%	14,197	99.74%
JUL	17,259	18,139	17,655	17,924	17,999	18,317	17,759	17,864	199.29%	17,929	99.64%	18,007	99.21%
AUG	14,281	14,577	14,445	15,324	15,716	15,281	14,245	14,838	165.53%	15,016	98.82%	15,069	98.47%
SEP	12,403	12,693	12,609	12,251	12,890	13,950	13,129	12,846	143.31%	12,611	101.87%	12,879	99.75%
OCT	7,706	7,725	7,905	7,424	7,710	8,449	8,684	7,943	88.61%	7,691	103.28%	7,843	101.28%
NOV	4,509	5,573	5,227	5,658	5,209	5,395	5,089	5,236	58.41%	5,417	96.66%	5,412	96.74%
DEC	3,554	4,391	4,481	4,887	4,908	4,929	3,501	4,378	48.84%	4,667	93.81%	4,719	92.77%
Year	8,420	8,927	8,806	9,019	9,127	9,520	8,931	8,964		8,970	99.93%	9,080	98.72%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: FLATHEAD

Station: A-060

At Road: 1.5 Mi. NE of MT 206

Location Id: 15-4A-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: REC_PA

Located On: US 2, RP 139.8, 3 Mi. N of Columbia Falls (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	6,570		%		%		%		%		%		%
2005	6,520	1,107	16.98 %	1,042	15.98 %	1,020	15.64 %	1,009	15.48 %	985	15.11 %	938	14.39 %
2006	6,550	1,099	16.78 %	1,061	16.20 %	1,034	15.79 %	1,017	15.53 %	981	14.98 %	942	14.38 %
2007	6,676	1,177	17.63 %	1,087	16.28 %	1,061	15.89 %	1,046	15.67 %	1,010	15.13 %	962	14.41 %
2008	6,454	1,131	17.52 %	1,075	16.66 %	1,044	16.18 %	1,031	15.97 %	1,010	15.65 %	961	14.89 %
2009	6,459	1,198	18.55 %	1,138	17.62 %	1,099	17.02 %	1,073	16.61 %	1,022	15.82 %	966	14.96 %
2010	6,765	1,234	18.24 %	1,155	17.07 %	1,128	16.67 %	1,113	16.45 %	1,088	16.08 %	1,038	15.34 %
2011	6,409	1,176	18.35 %	1,124	17.54 %	1,076	16.79 %	1,061	16.55 %	1,038	16.20 %	992	15.48 %
2012	6,615	1,243	18.79 %	1,171	17.70 %	1,137	17.19 %	1,122	16.96 %	1,089	16.46 %	1,040	15.72 %
2013	6,810	1,231	18.08 %	1,166	17.12 %	1,150	16.89 %	1,129	16.58 %	1,103	16.20 %	1,061	15.58 %
2014	7,003	1,316	18.79 %	1,272	18.16 %	1,196	17.08 %	1,182	16.88 %	1,150	16.42 %	1,097	15.66 %
2015	7,327	1,323	18.06 %	1,230	16.79 %	1,203	16.42 %	1,180	16.10 %	1,136	15.50 %	1,094	14.93 %
2016	7,822	1,486	19.00 %	1,317	16.84 %	1,282	16.39 %	1,261	16.12 %	1,238	15.83 %	1,190	15.21 %
2017	7,832	1,442	18.41 %	1,387	17.71 %	1,356	17.31 %	1,328	16.96 %	1,295	16.53 %	1,251	15.97 %
2018	7,707	1,447	18.78 %	1,349	17.50 %	1,315	17.06 %	1,296	16.82 %	1,275	16.54 %	1,221	15.84 %
2019	7,971	1,460	18.32 %	1,383	17.35 %	1,365	17.12 %	1,350	16.94 %	1,320	16.56 %	1,280	16.06 %
2020	7,750	1,494	19.28 %	1,369	17.66 %	1,328	17.14 %	1,305	16.84 %	1,270	16.39 %	1,223	15.78 %
2021	8,963	1,538	17.16 %	1,456	16.24 %	1,416	15.80 %	1,384	15.44 %	1,357	15.14 %	1,296	14.46 %

Notes
UNDER CONSTRUCTION 2003-2004 NOT ENOUGH DAYS TO MAKE 2003-2004 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: TOOLE

Station: A-061

At Road: 3.8 Mi. S of Shelby Intch

Ascending Direction: North

Location Id: 51-3-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 359.54, 3.8 Mi. S of Shelby Intch (C000015)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.26% / NB 49.74%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,542	2,323	2,310	2,262	2,409	2,206	1,897	2,135	84.19%	2,326	91.79%	2,302	92.75%
FEB	1,339	2,003	2,142	2,268	2,346	2,242	1,688	2,003	78.99%	2,190	91.47%	2,200	91.04%
MAR	1,803	2,208	2,415	2,604	2,591	2,702	2,219	2,362	93.14%	2,455	96.23%	2,504	94.33%
APR	1,782	2,452	2,661	2,902	2,851	2,830	2,194	2,523	99.49%	2,717	92.88%	2,739	92.11%
MAY	2,051	2,668	2,769	3,013	2,768	2,836	2,391	2,641	104.15%	2,805	94.17%	2,811	93.96%
JUN	2,245	2,907	2,954	3,055	3,054	3,071	2,491	2,824	111.36%	2,993	94.37%	3,008	93.88%
JUL	2,209	2,862	3,031	3,108	3,177	3,065	2,432	2,840	111.99%	3,045	93.28%	3,049	93.16%
AUG	2,183	2,795	2,902	3,013	3,009	2,942	2,451	2,755	108.64%	2,930	94.04%	2,932	93.96%
SEP	2,016	2,521	2,730	2,826	2,963	2,914	2,349	2,616	103.16%	2,760	94.78%	2,791	93.74%
OCT	1,909	2,586	2,632	2,692	2,780	2,827	2,191	2,516	99.22%	2,673	94.14%	2,703	93.07%
NOV	2,098	3,196	2,803	2,999	2,699	2,781	2,361	2,704	106.63%	2,924	92.47%	2,896	93.38%
DEC	2,062	2,525	2,667	2,717	2,868	2,623	2,123	2,511	99.02%	2,694	93.20%	2,680	93.69%
Year	1,937	2,587	2,668	2,788	2,793	2,753	2,232	2,536		2,709	93.60%	2,718	93.30%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: TOOLE

Station: A-061

At Road: 3.8 Mi. S of Shelby Intch

Location Id: 51-3-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 359.54, 3.8 Mi. S of Shelby Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,720	351	12.90 %	292	10.74 %	283	10.40 %	277	10.18 %	270	9.93 %	257	9.45 %
2005	2,720	317	11.65 %	305	11.21 %	293	10.77 %	287	10.55 %	279	10.26 %	267	9.82 %
2006	2,770	335	12.09 %	303	10.94 %	294	10.61 %	285	10.29 %	277	10.00 %	267	9.64 %
2007	2,876	349	12.13 %	321	11.16 %	315	10.95 %	307	10.67 %	297	10.33 %	281	9.77 %
2008	2,886	360	12.47 %	322	11.16 %	311	10.78 %	303	10.50 %	294	10.19 %	281	9.74 %
2009	2,827	343	12.13 %	315	11.14 %	305	10.79 %	301	10.65 %	292	10.33 %	279	9.87 %
2010	3,023	426	14.09 %	367	12.14 %	344	11.38 %	336	11.11 %	319	10.55 %	305	10.09 %
2011	3,103	416	13.41 %	346	11.15 %	328	10.57 %	323	10.41 %	314	10.12 %	302	9.73 %
2012	3,286	411	12.51 %	363	11.05 %	352	10.71 %	346	10.53 %	335	10.19 %	322	9.80 %
2013	3,170	452	14.26 %	372	11.74 %	355	11.20 %	346	10.91 %	335	10.57 %	320	10.09 %
2014	3,188	416	13.05 %	361	11.32 %	342	10.73 %	335	10.51 %	325	10.19 %	311	9.76 %
2015	2,958	438	14.81 %	357	12.07 %	327	11.05 %	320	10.82 %	310	10.48 %	292	9.87 %
2016	2,910	378	12.99 %	316	10.86 %	310	10.65 %	305	10.48 %	295	10.14 %	283	9.73 %
2017	2,966	393	13.25 %	336	11.33 %	325	10.96 %	322	10.86 %	309	10.42 %	296	9.98 %
2018	2,916	345	11.83 %	320	10.97 %	314	10.77 %	304	10.43 %	297	10.19 %	285	9.77 %
2019	2,893	365	12.62 %	317	10.96 %	308	10.65 %	302	10.44 %	297	10.27 %	287	9.92 %
2020	2,275	408	17.93 %	344	15.12 %	323	14.20 %	302	13.27 %	280	12.31 %	245	10.77 %
2021	2,535	416	16.41 %	290	11.44 %	274	10.81 %	268	10.57 %	260	10.26 %	249	9.82 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.




Yearly CCS Profile

For Year: 2021
 County: POWDER RIVER
 Station: A-063
 At Road: 10 Mi. E of S-484
 Ascending Direction: East

Location Id: 38-1-010
 Functional Class: Principal Arterial - Other Rural
 Traffic Factor Group: RPA_45
 Located On: US 212, RP 76.3, 14 Mi. E of Ashland (C000037)
 Traffic Mix: Pass: 53.89% SU: 1.64% CU: 44.47%
 Directional Split: WB 51.78% / EB 48.22%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	988	794	928	1,066	981	1,024	1,079	979	69.84%	942	103.90%	959	102.13%
FEB	828	707	826	896	912	886	932	855	60.99%	835	102.36%	845	101.14%
MAR	1,287	973	1,248	1,350	1,247	1,369	1,521	1,284	91.59%	1,205	106.60%	1,237	103.77%
APR	1,324	1,090	1,255	1,456	1,414	1,447	1,524	1,358	96.87%	1,304	104.16%	1,332	101.92%
MAY	1,668	1,471	1,560	1,672	1,643	1,733	1,740	1,640	116.99%	1,587	103.37%	1,616	101.50%
JUN	2,265	1,854	1,908	2,091	2,028	2,117	2,274	2,076	148.09%	1,970	105.37%	2,000	103.82%
JUL	2,166	1,943	1,945	2,065	2,164	2,255	2,298	2,119	151.16%	2,029	104.42%	2,074	102.15%
AUG	1,570	1,321	1,191	1,206	1,334	1,381	1,415	1,345	95.95%	1,263	106.49%	1,287	104.54%
SEP	1,463	1,249	1,270	1,406	1,392	1,416	1,508	1,385	98.80%	1,329	104.19%	1,347	102.85%
OCT	1,464	1,203	1,287	1,385	1,484	1,539	1,590	1,421	101.37%	1,340	106.06%	1,380	103.00%
NOV	1,359	1,092	1,289	1,367	1,307	1,340	1,450	1,314	93.73%	1,264	103.98%	1,279	102.74%
DEC	1,019	899	1,047	1,125	1,155	935	1,145	1,046	74.62%	1,057	99.01%	1,032	101.34%
Year	1,450	1,216	1,313	1,424	1,422	1,454	1,540	1,402		1,344	104.33%	1,366	102.65%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: POWDER RIVER

Station: A-063

At Road: 10 Mi. E of S-484

Location Id: 38-1-010

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 212, RP 76.3, 14 Mi. E of Ashland (C000037)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	750	150	20.00 %	115	15.33 %	105	14.00 %	103	13.73 %	94	12.53 %	84	11.20 %
2005	720	162	22.50 %	114	15.83 %	105	14.58 %	100	13.89 %	91	12.64 %	81	11.25 %
2006	780	188	24.10 %	135	17.31 %	126	16.15 %	122	15.64 %	109	13.97 %	91	11.67 %
2007	826	182	22.03 %	142	17.19 %	134	16.22 %	122	14.77 %	112	13.56 %	100	12.11 %
2008	798	160	20.05 %	130	16.29 %	121	15.16 %	114	14.29 %	108	13.53 %	96	12.03 %
2009	855	226	26.43 %	164	19.18 %	153	17.89 %	146	17.08 %	134	15.67 %	114	13.33 %
2010	933	272	29.15 %	202	21.65 %	188	20.15 %	178	19.08 %	157	16.83 %	130	13.93 %
2011	727	200	27.51 %	151	20.77 %	131	18.02 %	123	16.92 %	112	15.41 %	92	12.65 %
2012	889	205	23.06 %	157	17.66 %	144	16.20 %	136	15.30 %	124	13.95 %	108	12.15 %
2013	951	208	21.87 %	173	18.19 %	160	16.82 %	153	16.09 %	142	14.93 %	124	13.04 %
2014	1,034	240	23.21 %	192	18.57 %	180	17.41 %	171	16.54 %	152	14.70 %	137	13.25 %
2015	1,154	377	32.67 %	266	23.05 %	253	21.92 %	238	20.62 %	204	17.68 %	159	13.78 %
2016	1,269	226	17.81 %	197	15.52 %	192	15.13 %	187	14.74 %	177	13.95 %	161	12.69 %
2017	1,279	226	17.67 %	179	14.00 %	172	13.45 %	165	12.90 %	158	12.35 %	149	11.65 %
2018	1,265		%		%		%		%		%		%
2019	1,274		%		%		%		%		%		%
2020	1,471		%		%		%		%		%		%
2021	1,401	226	16.13 %	215	15.35 %	209	14.92 %	202	14.42 %	197	14.06 %	186	13.28 %

Notes
SITE DOWN SINCE SEPTEMBER 2017 NOT ENOUGH DAYS FOR 2018-2019 PEAK HOURLY REPORT
SITE REINSTALLED 07/15/2020

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: A-064

At Road: 1.6 Mi W of US 191

Ascending Direction: East

Location Id: 16-4-004

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: Big Sky Road, RP 1.65, 1.6 Mi. W of US 191 (C081064)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.30% / EB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,329	11,088	11,293	11,237	11,165	10,307	9,476	10,413	99.05%	11,196	93.01%	11,018	94.51%
FEB	8,445	11,045	11,259	11,448	11,482	10,826	9,475	10,568	100.52%	11,309	93.45%	11,212	94.26%
MAR	9,636	11,366	11,787	12,245	12,374	12,024	10,251	11,382	108.26%	11,943	95.30%	11,959	95.17%
APR	6,359	9,410	9,970	10,114	10,202	9,430	7,458	8,991	85.52%	9,924	90.60%	9,825	91.51%
MAY	4,650	8,849	10,116	10,088	10,079	8,196	5,188	8,166	77.67%	9,783	83.47%	9,466	86.27%
JUN	8,317	13,758	14,000	14,414	14,056	12,610	9,194	12,335	117.33%	14,057	87.75%	13,768	89.59%
JUL	10,218	14,226	15,472	15,944	16,169	14,462	11,299	13,969	132.87%	15,453	90.40%	15,255	91.57%
AUG	8,993	13,562	14,010	14,442	14,492	12,859	9,494	12,549	119.36%	14,127	88.83%	13,873	90.46%
SEP	7,323	10,851	12,371	12,822	13,148	12,115	8,382	11,001	104.64%	12,298	89.45%	12,261	89.72%
OCT	4,854	9,715	10,040	10,392	10,504	9,562	5,930	8,713	82.88%	10,163	85.73%	10,043	86.76%
NOV	4,787	10,087	10,284	9,734	8,712	8,155	5,684	8,205	78.04%	9,704	84.55%	9,394	87.34%
DEC	6,710	10,836	11,210	11,339	11,341	10,154	7,481	9,866	93.84%	11,182	88.24%	10,976	89.89%
Year	7,385	11,233	11,818	12,018	11,977	10,892	8,276	10,513		11,761	89.39%	11,587	90.73%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: A-064

At Road: 1.6 Mi W of US 191

Location Id: 16-4-004

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: Big Sky Road, RP 1.65, 1.6 Mi. W of US 191 (C081064)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	5,480	925	16.88 %	772	14.09 %	726	13.25 %	718	13.10 %	682	12.45 %	642	11.72 %
2005	6,210	946	15.23 %	847	13.64 %	822	13.24 %	800	12.88 %	782	12.59 %	741	11.93 %
2006	6,500	934	14.37 %	853	13.12 %	832	12.80 %	820	12.62 %	792	12.18 %	755	11.62 %
2007	6,335	938	14.81 %	845	13.34 %	832	13.13 %	816	12.88 %	794	12.53 %	751	11.85 %
2008	5,467	880	16.10 %	775	14.18 %	753	13.77 %	737	13.48 %	711	13.01 %	667	12.20 %
2009	4,664	804	17.24 %	647	13.87 %	617	13.23 %	599	12.84 %	576	12.35 %	548	11.75 %
2010	4,655	862	18.52 %	657	14.11 %	619	13.30 %	595	12.78 %	575	12.35 %	541	11.62 %
2011	4,775	745	15.60 %	653	13.68 %	621	13.01 %	598	12.52 %	583	12.21 %	553	11.58 %
2012	4,805	817	17.00 %	663	13.80 %	634	13.19 %	611	12.72 %	583	12.13 %	551	11.47 %
2013	5,270	825	15.65 %	752	14.27 %	723	13.72 %	688	13.06 %	656	12.45 %	618	11.73 %
2014	5,920	921	15.56 %	820	13.85 %	795	13.43 %	775	13.09 %	747	12.62 %	695	11.74 %
2015	6,658	1,067	16.03 %	919	13.80 %	886	13.31 %	869	13.05 %	828	12.44 %	762	11.44 %
2016	7,399	1,188	16.06 %	1,068	14.43 %	1,016	13.73 %	986	13.33 %	947	12.80 %	861	11.64 %
2017	7,722	1,159	15.01 %	1,026	13.29 %	992	12.85 %	971	12.57 %	921	11.93 %	880	11.40 %
2018	8,521	1,302	15.28 %	1,225	14.38 %	1,178	13.82 %	1,138	13.36 %	1,081	12.69 %	1,012	11.88 %
2019	9,202	1,398	15.19 %	1,239	13.46 %	1,205	13.09 %	1,177	12.79 %	1,151	12.51 %	1,093	11.88 %
2020	9,132	1,384	15.16 %	1,314	14.39 %	1,265	13.85 %	1,217	13.33 %	1,169	12.80 %	1,109	12.14 %
2021	10,513	1,486	14.13 %	1,430	13.60 %	1,390	13.22 %	1,363	12.96 %	1,320	12.56 %	1,248	11.87 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-066

At Road: 0.8 Mi. N of MT 200

Ascending Direction: North

Location Id: 32-4-005

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: MT 83, RP 0.81, Clearwater N, 0.8 Mi. N of MT 200 (C000083)

Traffic Mix: Pass: 94.62% SU: 2.02% CU: 3.36%

Directional Split: SB 50.60% / NB 49.40%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,692	1,608	1,538	1,558	1,723	2,020	1,871	1,715	58.76%	1,607	106.74%	1,689	101.52%
FEB	1,366	1,463	1,384	1,552	1,577	1,675	1,407	1,488	50.98%	1,494	99.60%	1,530	97.24%
MAR	1,993	1,578	1,617	1,803	1,873	2,262	1,892	1,859	63.70%	1,718	108.22%	1,827	101.77%
APR	2,203	1,900	1,978	2,117	2,154	2,762	2,191	2,185	74.87%	2,037	107.25%	2,182	100.13%
MAY	3,266	3,255	2,556	2,632	2,974	3,670	3,245	3,084	105.67%	2,854	108.05%	3,017	102.21%
JUN	5,661	4,180	3,772	3,888	4,154	5,293	4,616	4,508	154.46%	3,999	112.74%	4,257	105.89%
JUL	6,356	5,531	4,570	4,632	5,310	6,456	5,640	5,498	188.38%	5,011	109.72%	5,300	103.74%
AUG	5,504	4,012	3,765	4,058	4,320	4,998	4,646	4,471	153.19%	4,039	110.70%	4,231	105.68%
SEP	4,046	3,864	3,175	3,137	3,426	4,598	3,732	3,711	127.15%	3,401	109.13%	3,640	101.95%
OCT	2,948	2,506	2,459	2,504	2,699	3,360	2,750	2,746	94.09%	2,542	108.03%	2,706	101.49%
NOV	2,227	2,120	1,976	2,251	2,017	2,403	2,094	2,155	73.84%	2,091	103.06%	2,153	100.07%
DEC	1,407	1,496	1,593	1,807	1,816	1,790	1,314	1,603	54.92%	1,678	95.53%	1,700	94.27%
Year	3,222	2,793	2,532	2,662	2,837	3,441	2,950	2,919		2,706	107.86%	2,853	102.31%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-066

At Road: 0.8 Mi. N of MT 200

Location Id: 32-4-005

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: MT 83, RP 0.81, Clearwater N, 0.8 Mi. N of MT 200 (C000083)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,240	753	33.62 %	482	21.52 %	466	20.80 %	445	19.87 %	404	18.04 %	360	16.07 %
2005	2,220	867	39.05 %	491	22.12 %	440	19.82 %	415	18.69 %	394	17.75 %	358	16.13 %
2006	2,440	591	24.22 %	546	22.38 %	508	20.82 %	487	19.96 %	453	18.57 %	406	16.64 %
2007	2,235	580	25.95 %	492	22.01 %	438	19.60 %	417	18.66 %	390	17.45 %	344	15.39 %
2008	2,102	645	30.69 %	499	23.74 %	457	21.74 %	438	20.84 %	405	19.27 %	357	16.98 %
2009	2,225	693	31.15 %	568	25.53 %	510	22.92 %	474	21.30 %	436	19.60 %	380	17.08 %
2010	2,188	720	32.91 %	546	24.95 %	482	22.03 %	464	21.21 %	432	19.74 %	381	17.41 %
2011	2,086	601	28.81 %	491	23.54 %	451	21.62 %	439	21.05 %	404	19.37 %	365	17.50 %
2012	2,327		%		%		%		%		%		%
2013	2,340		%		%		%		%		%		%
2014	2,380		%		%		%		%		%		%
2015	2,600		%		%		%		%		%		%
2016	2,475	630	25.45 %	584	23.60 %	548	22.14 %	538	21.74 %	508	20.53 %	444	17.94 %
2017	2,375	664	27.96 %	595	25.05 %	551	23.20 %	539	22.69 %	503	21.18 %	439	18.48 %
2018	2,467	722	29.27 %	612	24.81 %	571	23.15 %	547	22.17 %	516	20.92 %	459	18.61 %
2019	2,488	747	30.02 %	653	26.25 %	610	24.52 %	585	23.51 %	533	21.42 %	470	18.89 %
2020	2,675	771	28.82 %	693	25.91 %	666	24.90 %	640	23.93 %	579	21.64 %	529	19.78 %
2021	2,918	753	25.81 %	700	23.99 %	654	22.41 %	633	21.69 %	603	20.66 %	532	18.23 %

Notes
 UNDER CONSTRUCTION 2012-2015
 NOT ENOUGH DAYS TO MAKE 2012-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-067

At Road: N of I-90

Ascending Direction: North

Location Id: 32-3A-232

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: Van Buren Street, Missoula, RP 0.11, SW of Poplar St (C008115)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: NB 50.65% / SB 49.35%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,935	7,628	7,984	7,901	8,136	7,499	6,281	7,337	86.22%	7,912	92.73%	7,830	93.71%
FEB	5,780	7,383	7,941	8,212	7,910	8,134	6,251	7,372	86.64%	7,862	93.77%	7,916	93.13%
MAR	6,467	7,953	8,331	8,634	8,562	8,453	6,924	7,902	92.86%	8,370	94.41%	8,387	94.22%
APR	7,131	9,025	9,722	9,875	9,591	9,803	7,656	8,971	105.43%	9,553	93.91%	9,603	93.42%
MAY	7,410	9,465	10,030	10,120	10,315	9,680	8,439	9,351	109.89%	9,983	93.67%	9,922	94.25%
JUN	7,891	10,247	10,342	10,546	10,192	10,374	8,377	9,709	114.10%	10,332	93.97%	10,340	93.90%
JUL	7,510	9,401	10,003	9,939	10,176	9,867	7,942	9,262	108.85%	9,880	93.75%	9,877	93.77%
AUG	7,445	9,549	9,589	9,734	9,614	8,669	7,948	8,935	105.00%	9,622	92.86%	9,431	94.74%
SEP	7,343	8,696	9,414	9,686	9,979	9,608	7,593	8,902	104.62%	9,444	94.26%	9,477	93.94%
OCT	7,325	8,857	9,421	9,339	9,195	9,290	7,732	8,736	102.67%	9,203	94.93%	9,220	94.75%
NOV	6,730	8,719	8,705	8,830	7,825	8,363	6,973	8,019	94.24%	8,520	94.12%	8,488	94.47%
DEC	6,152	7,689	8,158	8,446	8,333	8,216	6,309	7,614	89.48%	8,157	93.35%	8,168	93.21%
Year	6,927	8,718	9,137	9,272	9,152	8,996	7,369	8,509		9,070	93.82%	9,055	93.97%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-067

At Road: N of I-90

Location Id: 32-3A-232

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: Van Buren Street, Missoula, RP 0.11, SW of Poplar St (C008115)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	9,770	1,111	11.37 %	1,052	10.77 %	1,025	10.49 %	1,011	10.35 %	982	10.05 %	949	9.71 %
2005	9,530	1,105	11.59 %	1,027	10.78 %	1,004	10.54 %	998	10.47 %	975	10.23 %	934	9.80 %
2006	9,580	1,081	11.28 %	1,048	10.94 %	1,007	10.51 %	985	10.28 %	961	10.03 %	923	9.63 %
2007	9,483	1,203	12.69 %	1,005	10.60 %	983	10.37 %	968	10.21 %	946	9.98 %	916	9.66 %
2008	9,179	1,312	14.29 %	1,044	11.37 %	993	10.82 %	972	10.59 %	950	10.35 %	909	9.90 %
2009	9,350	1,147	12.27 %	1,010	10.80 %	992	10.61 %	969	10.36 %	951	10.17 %	917	9.81 %
2010	9,434	1,148	12.17 %	1,028	10.90 %	1,005	10.65 %	997	10.57 %	967	10.25 %	931	9.87 %
2011	8,790		%		%		%		%		%		%
2012	9,254	1,162	12.56 %	996	10.76 %	980	10.59 %	971	10.49 %	949	10.26 %	902	9.75 %
2013	8,717	1,106	12.69 %	974	11.17 %	953	10.93 %	943	10.82 %	923	10.59 %	892	10.23 %
2014	8,919	1,115	12.50 %	1,016	11.39 %	974	10.92 %	961	10.77 %	933	10.46 %	901	10.10 %
2015	9,312	1,722	18.49 %	1,229	13.20 %	1,166	12.52 %	1,132	12.16 %	1,068	11.47 %	1,006	10.80 %
2016	9,260		%		%		%		%		%		%
2017	9,140		%		%		%		%		%		%
2018	8,615	1,238	14.37 %	991	11.50 %	948	11.00 %	931	10.81 %	907	10.53 %	875	10.16 %
2019	8,874	1,691	19.06 %	1,231	13.87 %	1,055	11.89 %	995	11.21 %	950	10.71 %	910	10.25 %
2020	7,951	1,196	15.04 %	947	11.91 %	927	11.66 %	904	11.37 %	877	11.03 %	836	10.51 %
2021	8,509	1,051	12.35 %	993	11.67 %	965	11.34 %	945	11.11 %	919	10.80 %	879	10.33 %

Notes
 UNDER CONSTRUCTION 2011
 SITE DOWN AUG 2016 - JUN 2017
 NOT ENOUGH DAYS TO MAKE 2011, 2016, & 2017
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: A-068

At Road: Btwn Ronald & Hilda Avs

Ascending Direction: East

Location Id: 32-3A-258

Functional Class: Major Collector Urban


Traffic Factor Group: UMA_UC

Located On: Beckwith Ave, Missoula, RP 2.29, E of Hilda Ave (C008116)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: WB 50.54% / EB 49.46%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,881	2,914	3,291	3,346	3,351	2,906	2,109	2,827	87.03%	3,226	87.65%	3,162	89.42%
FEB	2,024	3,076	3,494	3,579	3,520	3,483	2,203	3,054	94.02%	3,417	89.37%	3,430	89.03%
MAR	2,284	3,501	3,624	3,817	3,654	3,631	2,428	3,276	100.85%	3,649	89.78%	3,645	89.87%
APR	2,563	3,819	4,098	4,098	4,109	4,086	2,877	3,663	112.76%	4,031	90.87%	4,042	90.62%
MAY	1,951	2,873	3,209	3,274	3,240	3,123	2,420	2,869	88.32%	3,149	91.11%	3,144	91.26%
JUN	2,056	3,333	3,453	3,621	3,550	3,465	2,273	3,106	95.62%	3,489	89.02%	3,484	89.14%
JUL	1,999	2,982	3,404	3,446	3,483	3,257	2,168	2,962	91.18%	3,329	88.98%	3,314	89.37%
AUG	2,298	3,778	3,674	3,599	3,582	3,845	2,660	3,347	103.03%	3,658	91.49%	3,696	90.57%
SEP	2,351	3,468	4,128	4,273	4,184	4,158	3,146	3,672	113.04%	4,013	91.50%	4,042	90.84%
OCT	2,406	3,912	4,065	4,194	4,114	3,994	3,098	3,683	113.38%	4,071	90.46%	4,056	90.81%
NOV	2,453	4,221	4,420	3,720	3,004	3,442	2,991	3,464	106.64%	3,841	90.18%	3,761	92.09%
DEC	2,093	3,143	3,281	3,630	3,625	3,398	2,242	3,058	94.14%	3,420	89.42%	3,415	89.54%
Year	2,197	3,418	3,678	3,716	3,618	3,566	2,551	3,248		3,608	90.04%	3,599	90.25%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: A-068

At Road: Btwn Ronald & Hilda Avs

Location Id: 32-3A-258

Functional Class: Major Collector Urban

Traffic Factor Group: UMA_UC

Located On: Beckwith Ave, Missoula, RP 2.29, E of Hilda Ave (C008116)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,980	598	20.07 %	431	14.46 %	402	13.49 %	387	12.99 %	371	12.45 %	352	11.81 %
2005	2,770	562	20.29 %	396	14.30 %	362	13.07 %	354	12.78 %	344	12.42 %	330	11.91 %
2006	2,820	600	21.28 %	441	15.64 %	400	14.18 %	373	13.23 %	355	12.59 %	335	11.88 %
2007	2,698	617	22.87 %	448	16.60 %	392	14.53 %	368	13.64 %	332	12.31 %	315	11.68 %
2008	3,055	518	16.96 %	454	14.86 %	420	13.75 %	399	13.06 %	382	12.50 %	365	11.95 %
2009	2,706	704	26.02 %	487	18.00 %	435	16.08 %	417	15.41 %	401	14.82 %	364	13.45 %
2010	3,535	668	18.90 %	548	15.50 %	485	13.72 %	474	13.41 %	458	12.96 %	437	12.36 %
2011	4,167	756	18.14 %	601	14.42 %	569	13.65 %	544	13.05 %	530	12.72 %	508	12.19 %
2012	3,935	715	18.17 %	582	14.79 %	538	13.67 %	523	13.29 %	508	12.91 %	487	12.38 %
2013	3,892	734	18.86 %	571	14.67 %	522	13.41 %	497	12.77 %	482	12.38 %	465	11.95 %
2014	3,933	795	20.21 %	554	14.09 %	521	13.25 %	505	12.84 %	491	12.48 %	472	12.00 %
2015	4,021	691	17.18 %	535	13.31 %	510	12.68 %	500	12.43 %	489	12.16 %	474	11.79 %
2016	4,032	779	19.32 %	537	13.32 %	506	12.55 %	496	12.30 %	487	12.08 %	468	11.61 %
2017	4,029	589	14.62 %	540	13.40 %	519	12.88 %	509	12.63 %	492	12.21 %	476	11.81 %
2018	4,020	661	16.44 %	539	13.41 %	517	12.86 %	500	12.44 %	489	12.16 %	470	11.69 %
2019	4,219	651	15.43 %	524	12.42 %	506	11.99 %	494	11.71 %	485	11.50 %	470	11.14 %
2020	2,973	509	17.12 %	475	15.98 %	461	15.51 %	455	15.30 %	437	14.70 %	410	13.79 %
2021	3,248	613	18.87 %	441	13.58 %	420	12.93 %	407	12.53 %	393	12.10 %	371	11.42 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: DEER LODGE

Station: A-069

At Road: 1 Mi. N of MT 48

Ascending Direction: North

Location Id: 12-1B-006

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_12

Located On: S-273, Galen, RP 1.03, 1 Mi. N of MT 48 (C000273)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: SB 50.49% / NB 49.51%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	635	871	863	885	880	879	738	821	83.85%	875	93.86%	876	93.76%
FEB	562	753	807	832	799	813	634	742	75.79%	798	93.01%	801	92.66%
MAR	759	864	884	927	951	959	812	879	89.78%	907	96.97%	917	95.86%
APR	799	960	1,016	1,037	1,001	1,120	880	973	99.38%	1,004	96.96%	1,027	94.76%
MAY	959	1,053	1,160	1,123	1,146	1,147	1,077	1,094	111.74%	1,121	97.63%	1,126	97.18%
JUN	941	1,173	1,166	1,197	1,168	1,226	1,064	1,133	115.72%	1,176	96.34%	1,186	95.53%
JUL	927	1,168	1,253	1,312	1,277	1,233	1,019	1,169	119.40%	1,253	93.33%	1,249	93.62%
AUG	880	1,141	1,181	1,160	1,134	1,130	977	1,085	110.82%	1,154	94.02%	1,149	94.41%
SEP	829	1,040	1,133	1,154	1,152	1,165	967	1,062	108.47%	1,120	94.84%	1,129	94.08%
OCT	832	1,025	1,051	1,123	1,069	1,187	964	1,034	105.61%	1,067	96.91%	1,091	94.78%
NOV	809	1,038	1,026	1,087	948	1,076	906	983	100.40%	1,025	95.93%	1,035	94.98%
DEC	601	817	805	891	838	828	641	774	79.05%	838	92.39%	836	92.61%
Year	794	992	1,029	1,061	1,030	1,064	890	979		1,028	95.25%	1,035	94.59%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: DEER LODGE

Station: A-069

At Road: 1 Mi. N of MT 48

Location Id: 12-1B-006

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_12

Located On: S-273, Galen, RP 1.03, 1 Mi. N of MT 48 (C000273)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	870		%		%		%		%		%		%
2005	850		%		%		%		%		%		%
2006	830		%		%		%		%		%		%
2007	880		%		%		%		%		%		%
2008	880		%		%		%		%		%		%
2009	900		%		%		%		%		%		%
2010	980	168	17.14 %	117	11.94 %	112	11.43 %	109	11.12 %	106	10.82 %	102	10.41 %
2011	899	157	17.46 %	133	14.79 %	126	14.02 %	119	13.24 %	108	12.01 %	99	11.01 %
2012	832	121	14.54 %	103	12.38 %	100	12.02 %	96	11.54 %	91	10.94 %	87	10.46 %
2013	856	136	15.89 %	104	12.15 %	100	11.68 %	97	11.33 %	94	10.98 %	89	10.40 %
2014	857	134	15.64 %	102	11.90 %	100	11.67 %	97	11.32 %	95	11.09 %	90	10.50 %
2015	888	161	18.13 %	110	12.39 %	106	11.94 %	103	11.60 %	99	11.15 %	94	10.59 %
2016	936	176	18.80 %	118	12.61 %	113	12.07 %	110	11.75 %	106	11.32 %	101	10.79 %
2017	948	150	15.82 %	121	12.76 %	116	12.24 %	113	11.92 %	110	11.60 %	105	11.08 %
2018	928	137	14.76 %	116	12.50 %	114	12.28 %	111	11.96 %	107	11.53 %	102	10.99 %
2019	924	137	14.83 %	112	12.12 %	109	11.80 %	107	11.58 %	104	11.26 %	100	10.82 %
2020	925	183	19.78 %	115	12.43 %	113	12.22 %	110	11.89 %	106	11.46 %	100	10.81 %
2021	979	159	16.24 %	131	13.38 %	124	12.67 %	123	12.56 %	115	11.75 %	108	11.03 %

Notes
THIS SITE REPLACED W-109 IN 2010 ALL AADTS PRIOR TO 2010 WERE CARRIED OVER FROM W-109

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LAKE

Station: A-073

At Road: 2.5 Mi. E of US 93

Ascending Direction: North

Location Id: 24-2-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 35, RP 2.49, Polson, 2.5 Mi. E of US 93 (C000052)

Traffic Mix: Pass: 94.95% SU: 1.74% CU: 3.31%

Directional Split: NB 50.19% / SB 49.81%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,409	3,085	3,137	3,110	3,335	3,232	2,747	3,007	70.65%	3,167	94.96%	3,180	94.57%
FEB	2,092	2,816	2,683	2,866	3,007	3,123	2,369	2,707	63.60%	2,843	95.22%	2,899	93.38%
MAR	3,002	3,334	3,398	3,587	3,724	4,051	3,420	3,502	82.28%	3,511	99.75%	3,619	96.77%
APR	3,206	3,770	3,826	3,949	4,116	4,755	3,885	3,929	92.31%	3,915	100.35%	4,083	96.22%
MAY	4,335	4,789	4,537	4,625	4,936	5,424	4,977	4,802	112.82%	4,722	101.70%	4,862	98.76%
JUN	5,747	5,833	5,703	5,792	5,795	6,668	5,884	5,916	139.00%	5,781	102.34%	5,958	99.29%
JUL	7,272	7,448	6,903	6,854	7,377	8,149	7,838	7,405	173.98%	7,146	103.63%	7,346	100.80%
AUG	4,045	4,056	4,025	4,177	4,448	4,814	4,545	4,300	101.03%	4,177	102.96%	4,304	99.91%
SEP	4,772	5,070	5,276	5,367	5,608	6,472	5,415	5,425	127.46%	5,330	101.78%	5,559	97.60%
OCT	3,430	3,952	3,996	3,986	4,143	4,587	4,001	4,013	94.29%	4,019	99.84%	4,133	97.10%
NOV	2,692	3,449	3,425	3,672	3,240	3,561	3,103	3,305	77.65%	3,447	95.89%	3,469	95.26%
DEC	2,188	2,619	2,802	3,126	3,105	3,183	2,323	2,763	64.92%	2,913	94.85%	2,967	93.12%
Year	3,766	4,185	4,143	4,259	4,403	4,835	4,209	4,256		4,247	100.21%	4,365	97.51%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LAKE

Station: A-073

At Road: 2.5 Mi. E of US 93

Location Id: 24-2-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 35, RP 2.49, Polson, 2.5 Mi. E of US 93 (C000052)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	5,840		%		%		%		%		%		%
2005	5,840		%		%		%		%		%		%
2006	6,030		%		%		%		%		%		%
2007	4,470		%		%		%		%		%		%
2008	4,510		%		%		%		%		%		%
2009	4,670		%		%		%		%		%		%
2010	3,736	672	17.99 %	623	16.68 %	595	15.93 %	583	15.60 %	545	14.59 %	504	13.49 %
2011	3,570	663	18.57 %	595	16.67 %	570	15.97 %	556	15.57 %	530	14.85 %	499	13.98 %
2012	3,589	644	17.94 %	612	17.05 %	585	16.30 %	576	16.05 %	538	14.99 %	502	13.99 %
2013	3,664	640	17.47 %	607	16.57 %	586	15.99 %	565	15.42 %	548	14.96 %	513	14.00 %
2014	3,601	643	17.86 %	611	16.97 %	591	16.41 %	578	16.05 %	556	15.44 %	517	14.36 %
2015	3,777	701	18.56 %	638	16.89 %	587	15.54 %	571	15.12 %	544	14.40 %	503	13.32 %
2016	3,890	716	18.41 %	646	16.61 %	626	16.09 %	604	15.53 %	581	14.94 %	541	13.91 %
2017	3,879	696	17.94 %	649	16.73 %	635	16.37 %	619	15.96 %	598	15.42 %	563	14.51 %
2018	4,030	757	18.78 %	716	17.77 %	685	17.00 %	664	16.48 %	640	15.88 %	598	14.84 %
2019	3,961	699	17.65 %	668	16.86 %	648	16.36 %	634	16.01 %	608	15.35 %	566	14.29 %
2020	3,970	734	18.49 %	648	16.32 %	634	15.97 %	626	15.77 %	604	15.21 %	573	14.43 %
2021	4,256	775	18.21 %	685	16.09 %	668	15.70 %	649	15.25 %	630	14.80 %	589	13.84 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2009 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LAKE

Station: A-074

At Road: 1.8 Mi. S of MT 28

Ascending Direction: North

Location Id: 24-2-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 75.74, Elmo, 1.8 Mi. S of MT 28 (C000005)

Traffic Mix: Pass: 94.54% SU: 1.26% CU: 4.20%

Directional Split: SB 50.33% / NB 49.67%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,680	2,993	3,017	2,990	3,259	3,403	3,331	3,095	72.33%	3,065	100.99%	3,132	98.81%
FEB	2,428	2,849	2,789	2,901	3,138	3,265	2,919	2,898	67.73%	2,919	99.27%	2,988	96.97%
MAR	3,335	3,146	3,303	3,510	3,768	4,186	3,620	3,552	83.01%	3,432	103.50%	3,583	99.15%
APR		3,508	3,659	3,668	3,177	4,126							
MAY	3,886	3,860	3,430	3,622	3,934	4,869	4,467	4,009	93.69%	3,712	108.02%	3,943	101.67%
JUN	5,174	5,056	4,799	4,917	5,039	5,897	5,207	5,155	120.47%	4,953	104.08%	5,142	100.26%
JUL	5,704	5,988	5,461	5,524	5,925	6,655	6,111	5,909	138.09%	5,725	103.22%	5,911	99.97%
AUG	6,590	6,218	6,029	6,322	6,641	7,155	6,608	6,508	152.09%	6,303	103.26%	6,473	100.54%
SEP	4,126	4,105	3,960	3,993	4,135	4,911	4,664	4,270	99.79%	4,048	105.48%	4,221	101.17%
OCT	3,459	3,618	3,703	3,749	4,066	4,483	4,306	3,911	91.40%	3,784	103.36%	3,924	99.67%
NOV	3,074	3,427	3,416	3,706	3,379	3,885	3,500	3,483	81.40%	3,482	100.03%	3,563	97.77%
DEC													
Year	4,046	4,070	3,961	4,082	4,224	4,803	4,473	4,279		4,142	103.30%	4,288	99.79%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LAKE

Station: A-074

At Road: 1.8 Mi. S of MT 28

Location Id: 24-2-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 75.74, Elmo, 1.8 Mi. S of MT 28 (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,190		%		%		%		%		%		%
2005	3,190		%		%		%		%		%		%
2006	3,180		%		%		%		%		%		%
2007	3,730		%		%		%		%		%		%
2008	3,490		%		%		%		%		%		%
2009	2,730		%		%		%		%		%		%
2010	3,543	617	17.41 %	532	15.02 %	511	14.42 %	495	13.97 %	475	13.41 %	433	12.22 %
2011	3,374	603	17.87 %	495	14.67 %	476	14.11 %	467	13.84 %	452	13.40 %	413	12.24 %
2012	3,380	587	17.37 %	479	14.17 %	454	13.43 %	447	13.22 %	425	12.57 %	397	11.75 %
2013	3,398	562	16.54 %	524	15.42 %	459	13.51 %	449	13.21 %	428	12.60 %	404	11.89 %
2014	3,376	592	17.54 %	511	15.14 %	479	14.19 %	462	13.68 %	441	13.06 %	411	12.17 %
2015	3,605	676	18.75 %	536	14.87 %	512	14.20 %	498	13.81 %	454	12.59 %	425	11.79 %
2016	3,735	561	15.02 %	530	14.19 %	504	13.49 %	480	12.85 %	468	12.53 %	440	11.78 %
2017	3,737	653	17.47 %	547	14.64 %	512	13.70 %	493	13.19 %	478	12.79 %	459	12.28 %
2018	3,778	571	15.11 %	511	13.53 %	491	13.00 %	484	12.81 %	470	12.44 %	448	11.86 %
2019	3,807	630	16.55 %	556	14.60 %	522	13.71 %	506	13.29 %	494	12.98 %	462	12.14 %
2020	3,631	592	16.30 %	516	14.21 %	497	13.69 %	483	13.30 %	470	12.94 %	452	12.45 %
2021	4,143	809	19.53 %	728	17.57 %	687	16.58 %	648	15.64 %	606	14.63 %	566	13.66 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2009 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: RICHLAND

Station: A-076

At Road: 4.5 Mi. E of MT 16

Ascending Direction: East

Location Id: 42-2-010

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: Route 201, RP 62.17, 7.3 Mi. W of Fairview (C000201)

Traffic Mix: Pass: 76.86% SU: 5.04% CU: 18.10%

Directional Split: EB 50.32% / WB 49.68%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	188	281	290	305	303	303	218	269	79.68%	295	91.26%	296	90.76%
FEB	181	277	307	276	284	276	198	256	75.83%	286	89.51%	284	90.14%
MAR	235	295	295	340	347	328	227	294	87.09%	319	92.09%	321	91.59%
APR	225	318	343	360	383	340	260	318	94.20%	351	90.60%	349	91.17%
MAY	237	320	370	393	372	389	258	333	98.64%	364	91.55%	369	90.29%
JUN	291	472	499	532	446	411	316	423	125.30%	487	86.81%	472	89.62%
JUL	301	432	472	507	497	462	321	426	126.19%	477	89.31%	474	89.87%
AUG	295	464	453	433	423	424	306	399	118.19%	443	90.02%	439	90.81%
SEP	243	345	392	404	423	419	303	361	106.94%	391	92.33%	397	91.02%
OCT	269	383	369	352	399	402	310	354	104.86%	376	94.21%	381	92.91%
NOV	266	342	359	347	301	332	298	320	94.79%	337	94.89%	336	95.18%
DEC	189	340	353	327	331	275	276	298	88.27%	338	88.23%	325	91.64%
Year	243	356	375	381	376	363	274	338		372	90.75%	370	91.17%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: RICHLAND

Station: A-076

At Road: 4.5 Mi. E of MT 16

Location Id: 42-2-010

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: Route 201, RP 62.17, 7.3 Mi. W of Fairview (C000201)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,340		%		%		%		%		%		%
2005	1,340		%		%		%		%		%		%
2006	950		%		%		%		%		%		%
2007	880		%		%		%		%		%		%
2008	840		%		%		%		%		%		%
2009	820		%		%		%		%		%		%
2010	1,630		%		%		%		%		%		%
2011	1,220		%		%		%		%		%		%
2012	1,150		%		%		%		%		%		%
2013	670		%		%		%		%		%		%
2014	580		%		%		%		%		%		%
2015	568	107	18.84 %	86	15.14 %	78	13.73 %	76	13.38 %	73	12.85 %	69	12.15 %
2016	395	93	23.54 %	55	13.92 %	53	13.42 %	50	12.66 %	48	12.15 %	45	11.39 %
2017	370	104	28.11 %	50	13.51 %	48	12.97 %	48	12.97 %	46	12.43 %	43	11.62 %
2018	369	94	25.47 %	52	14.09 %	48	13.01 %	46	12.47 %	44	11.92 %	42	11.38 %
2019	383	75	19.58 %	59	15.40 %	55	14.36 %	53	13.84 %	50	13.05 %	47	12.27 %
2020	306	229	74.84 %	46	15.03 %	42	13.73 %	41	13.40 %	38	12.42 %	36	11.76 %
2021	337	87	25.82 %	54	16.02 %	51	15.13 %	47	13.95 %	46	13.65 %	42	12.46 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2013-2014, NOT ENOUGH DAYS TO MAKE 2012-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: FALLON

Station: A-077

At Road: 2.5 Mi. E of RR Tracks

Ascending Direction: East

Location Id: 13-1-005

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 88.64, 5.5 Mi. E of Baker (C000002)

Traffic Mix: Pass: 83.09% SU: 5.44% CU: 11.47%

Directional Split: WB 50.28% / EB 49.72%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	316	558	599	642	577	565	365	517	75.99%	594	87.04%	588	87.90%
FEB	291	550	543	563	542	541	321	478	70.26%	550	86.99%	548	87.26%
MAR	348	611	600	653	659	615	382	552	81.14%	631	87.51%	628	87.95%
APR	352	666	675	697	763	673	463	612	89.96%	700	87.40%	695	88.08%
MAY	436	704	747	785	781	736	461	664	97.60%	754	88.03%	751	88.46%
JUN	538	846	854	935	923	833	569	784	115.24%	890	88.14%	878	89.27%
JUL	626	1,015	1,105	1,113	1,079	1,063	800	970	142.58%	1,078	89.98%	1,075	90.23%
AUG	600	1,096	1,095	1,124	1,152	1,080	830	996	146.40%	1,117	89.19%	1,109	89.78%
SEP	532	1,026	1,155	1,209	1,163	1,180	875	1,019	149.78%	1,138	89.52%	1,147	88.87%
OCT	442	905	839	743	884	908	551	752	110.53%	843	89.23%	856	87.87%
NOV	139	263	380	249	115	166	145	208	30.57%	252	82.62%	235	88.66%
DEC	316	703	766	759	710	630	405	612	89.96%	735	83.32%	714	85.76%
Year	411	745	780	789	779	749	514	680		773	87.97%	769	88.53%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: FALLON

Station: A-077

At Road: 2.5 Mi. E of RR Tracks

Location Id: 13-1-005

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 88.64, 5.5 Mi. E of Baker (C000002)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	880		%		%		%		%		%		%
2005	880		%		%		%		%		%		%
2006	810		%		%		%		%		%		%
2007	1,120		%		%		%		%		%		%
2008	1,050		%		%		%		%		%		%
2009	880		%		%		%		%		%		%
2010	870		%		%		%		%		%		%
2011	880		%		%		%		%		%		%
2012	990		%		%		%		%		%		%
2013	812	137	16.87 %	114	14.04 %	110	13.55 %	107	13.18 %	104	12.81 %	97	11.95 %
2014	878	130	14.81 %	118	13.44 %	110	12.53 %	108	12.30 %	104	11.85 %	100	11.39 %
2015	790	181	22.91 %	101	12.78 %	97	12.28 %	95	12.03 %	92	11.65 %	87	11.01 %
2016	687	96	13.97 %	90	13.10 %	88	12.81 %	86	12.52 %	83	12.08 %	78	11.35 %
2017	636	98	15.41 %	88	13.84 %	85	13.36 %	81	12.74 %	77	12.11 %	73	11.48 %
2018	672	111	16.52 %	100	14.88 %	98	14.58 %	94	13.99 %	90	13.39 %	83	12.35 %
2019	696	113	16.24 %	95	13.65 %	89	12.79 %	87	12.50 %	84	12.07 %	80	11.49 %
2020	607	112	18.45 %	99	16.31 %	96	15.82 %	92	15.16 %	86	14.17 %	78	12.85 %
2021	680	141	20.74 %	120	17.65 %	116	17.06 %	113	16.62 %	108	15.88 %	101	14.85 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MEAGHER

Station: A-078

At Road: 2.5 Mi. W of S-294

Ascending Direction: East

Location Id: 30-4-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: US 12, RP 73.47, 10.5 Mi. E of Checkerboard (C000014)

Traffic Mix: Pass: 91.18% SU: 1.47% CU: 7.35%

Directional Split: WB 50.87% / EB 49.13%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	232	187	180	200	191	260	257	214	62.82%	190	112.93%	204	105.11%
FEB	204	170	169	150	163	174	175	171	50.20%	163	104.91%	165	103.51%
MAR	284	194	190	208	233	289	282	240	70.45%	206	116.36%	223	107.72%
APR	274	221	228	240	254	326	269	258	75.73%	236	109.44%	254	101.65%
MAY	397	361	284	305	329	388	390	350	102.74%	320	109.46%	333	104.98%
JUN	590	383	358	379	450	508	465	447	131.21%	393	113.89%	416	107.56%
JUL	603	513	409	438	473	598	485	502	147.36%	458	109.55%	486	103.25%
AUG	490	376	423	438	454	477	422	439	128.86%	423	103.84%	434	101.25%
SEP	486	460	340	358	426	530	455	435	127.69%	396	109.85%	423	102.89%
OCT	459	366	320	349	400	542	457	413	121.23%	359	115.12%	395	104.45%
NOV	462	349	336	389	382	494	486	413	121.23%	364	113.46%	390	105.90%
DEC	196	181	192	209	225	246	200	206	60.47%	202	102.11%	211	97.82%
Year	390	313	286	305	332	403	362	341		309	110.24%	328	103.94%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MEAGHER

Station: A-078

At Road: 2.5 Mi. W of S-294

Location Id: 30-4-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: US 12, RP 73.47, 10.5 Mi. E of Checkerboard (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	360		%		%		%		%		%		%
2005	340		%		%		%		%		%		%
2006	350		%		%		%		%		%		%
2007	360		%		%		%		%		%		%
2008	270		%		%		%		%		%		%
2009	280		%		%		%		%		%		%
2010	410		%		%		%		%		%		%
2011	380		%		%		%		%		%		%
2012	380		%		%		%		%		%		%
2013	380		%		%		%		%		%		%
2014	390		%		%		%		%		%		%
2015	450		%		%		%		%		%		%
2016	330	129	39.09 %	78	23.64 %	72	21.82 %	69	20.91 %	63	19.09 %	57	17.27 %
2017	317	100	31.55 %	78	24.61 %	72	22.71 %	67	21.14 %	62	19.56 %	55	17.35 %
2018	330	99	30.00 %	80	24.24 %	73	22.12 %	68	20.61 %	64	19.39 %	57	17.27 %
2019	294	96	32.65 %	70	23.81 %	64	21.77 %	59	20.07 %	54	18.37 %	50	17.01 %
2020	317	202	63.72 %	81	25.55 %	72	22.71 %	66	20.82 %	61	19.24 %	55	17.35 %
2021	340	108	31.76 %	80	23.53 %	73	21.47 %	69	20.29 %	65	19.12 %	58	17.06 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2015 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2015 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: A-079

At Road: 0.5 Mi. E of York Rd

Ascending Direction: East

Location Id: 25-7B-037

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: U-5818, Canyon Ferry Rd, RP 0.672, E of Bompat Ln (C0000430)

Traffic Mix: Pass: 97.46% SU: 1.66% CU: 0.88%

Directional Split: EB 50.05% / WB 49.95%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,833	9,337	9,645	9,309	9,434	9,221	8,064	8,834	86.37%	9,431	93.67%	9,389	94.09%
FEB	6,407	8,857	9,238	9,343	9,692	10,106	7,671	8,758	85.63%	9,283	94.35%	9,447	92.70%
MAR	7,931	9,952	10,120	10,475	10,906	11,371	9,303	10,007	97.84%	10,363	96.56%	10,565	94.72%
APR	7,947	10,613	11,587	11,672	11,637	12,113	10,118	10,812	105.71%	11,377	95.03%	11,524	93.82%
MAY	8,824	11,265	12,075	12,020	11,939	12,018	10,084	11,174	109.25%	11,825	94.50%	11,863	94.19%
JUN	9,762	11,537	12,040	12,425	12,551	13,105	10,979	11,770	115.08%	12,138	96.97%	12,332	95.45%
JUL	8,715	10,876	11,422	11,765	11,763	11,889	9,644	10,867	106.25%	11,457	94.85%	11,543	94.14%
AUG	8,287	11,009	11,162	11,109	11,329	11,377	9,345	10,516	102.82%	11,152	94.29%	11,197	93.92%
SEP	7,501	8,994	8,867	10,014	10,315	10,851	8,645	9,312	91.05%	9,548	97.53%	9,808	94.94%
OCT													
NOV													
DEC													
Year	8,023	10,271	10,684	10,904	11,063	11,339	9,317	10,228		10,730	95.32%	10,852	94.25%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: A-079

At Road: 0.5 Mi. E of York Rd

Location Id: 25-7B-037

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: U-5818, Canyon Ferry Rd, RP 0.672, E of Bompert Ln (C0000430)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	6,270		%		%		%		%		%		%
2005	7,300		%		%		%		%		%		%
2006	7,750		%		%		%		%		%		%
2007	8,410		%		%		%		%		%		%
2008	7,270		%		%		%		%		%		%
2009	7,420		%		%		%		%		%		%
2010	8,540		%		%		%		%		%		%
2011	8,890		%		%		%		%		%		%
2012	9,050		%		%		%		%		%		%
2013	9,020		%		%		%		%		%		%
2014	9,970		%		%		%		%		%		%
2015	10,690		%		%		%		%		%		%
2016	10,818		%		%		%		%		%		%
2017	9,608	1,154	12.01 %	1,115	11.60 %	1,095	11.40 %	1,082	11.26 %	1,058	11.01 %	1,017	10.58 %
2018	10,093	1,279	12.67 %	1,202	11.91 %	1,177	11.66 %	1,165	11.54 %	1,141	11.30 %	1,096	10.86 %
2019	10,016	1,194	11.92 %	1,165	11.63 %	1,150	11.48 %	1,142	11.40 %	1,120	11.18 %	1,084	10.82 %
2020	9,613	1,180	12.28 %	1,108	11.53 %	1,088	11.32 %	1,076	11.19 %	1,057	11.00 %	1,028	10.69 %
2021	10,227	1,210	11.83 %	1,149	11.23 %	1,120	10.95 %	1,103	10.79 %	1,076	10.52 %	1,037	10.14 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: A-080

At Road: Btwn Custer Ave & Brady St

Ascending Direction: South

Location Id: 25-7C-085

Functional Class: Minor Arterial Urban


Traffic Factor Group: UMA_UC

Located On: U-5810, Henderson Ave, RP 0.145 (C005810)

Traffic Mix: Pass: 98.77% SU: 0.91% CU: 0.32%

Directional Split: SB 51.04% / NB 48.96%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,897	8,066	8,861	8,449	8,504	8,191	6,716	7,811	86.62%	8,470	92.22%	8,414	92.83%
FEB	5,713	7,647	8,421	8,322	8,615	8,936	6,325	7,710	85.50%	8,251	93.44%	8,388	91.91%
MAR	7,147	8,857	9,277	9,497	10,128	10,174	7,797	8,982	99.61%	9,440	95.15%	9,587	93.69%
APR	7,139	9,470	10,441	10,125	10,479	10,806	8,296	9,536	105.75%	10,129	94.15%	10,264	92.91%
MAY	7,571	10,205	10,775	10,523	10,699	10,247	8,749	9,823	108.94%	10,551	93.10%	10,490	93.64%
JUN	8,726	10,455	10,784	11,032	10,593	11,822	10,311	10,531	116.79%	10,716	98.27%	10,937	96.29%
JUL	8,214	10,179	10,659	10,251	10,752	10,962	8,761	9,967	110.53%	10,460	95.28%	10,561	94.38%
AUG	7,640	9,786	9,879	9,832	9,667	10,276	8,304	9,340	103.58%	9,791	95.39%	9,888	94.46%
SEP	7,171	8,993	10,073	9,968	10,071	10,697	8,668	9,376	103.98%	9,776	95.91%	9,960	94.13%
OCT	7,026	8,878	9,444	9,457	9,301	10,026	8,211	8,905	98.76%	9,270	96.06%	9,421	94.52%
NOV	6,337	9,070	9,120	9,024	8,234	9,064	7,404	8,321	92.28%	8,862	93.90%	8,902	93.47%
DEC	5,925	7,927	8,624	8,893	8,793	8,321	6,856	7,905	87.67%	8,559	92.36%	8,512	92.87%
Year	7,042	9,128	9,697	9,614	9,653	9,960	8,033	9,017		9,523	94.69%	9,610	93.83%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: A-080

At Road: Btwn Custer Ave & Brady St

Location Id: 25-7C-085

Functional Class: Minor Arterial Urban

Traffic Factor Group: UMA_UC

Located On: U-5810, Henderson Ave, RP 0.145 (C005810)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	5,790		%		%		%		%		%		%
2005	6,600		%		%		%		%		%		%
2006	6,390		%		%		%		%		%		%
2007	3,540		%		%		%		%		%		%
2008	7,190		%		%		%		%		%		%
2009	7,320		%		%		%		%		%		%
2010	8,470		%		%		%		%		%		%
2011	7,710		%		%		%		%		%		%
2012	7,900		%		%		%		%		%		%
2013	9,560		%		%		%		%		%		%
2014	7,690		%		%		%		%		%		%
2015	7,890		%		%		%		%		%		%
2016	8,623		%		%		%		%		%		%
2017	8,445	1,048	12.41 %	963	11.40 %	943	11.17 %	929	11.00 %	905	10.72 %	880	10.42 %
2018	8,526	1,120	13.14 %	978	11.47 %	952	11.17 %	940	11.03 %	919	10.78 %	894	10.49 %
2019	8,523	1,045	12.26 %	991	11.63 %	967	11.35 %	953	11.18 %	934	10.96 %	913	10.71 %
2020	8,235	1,059	12.86 %	976	11.85 %	961	11.67 %	943	11.45 %	931	11.31 %	902	10.95 %
2021	9,017	1,067	11.83 %	1,030	11.42 %	1,008	11.18 %	995	11.03 %	981	10.88 %	954	10.58 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BROADWATER

Station: W-101

At Road: 5.3 Mi. NW of Townsend

Ascending Direction: East

Location Id: 04-1-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 287/US 12, RP 72.32, 5.3 Mi. NW of Townsend (C000008)

Traffic Mix: Pass: 94.09% SU: 1.27% CU: 4.64%

Directional Split: WB 50.34% / EB 49.66%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	4,526	4,975	4,879	4,855	5,019	5,523	5,003	4,968	75.99%	4,932	100.73%	5,050	98.37%
FEB	4,097	4,667	4,461	4,638	4,967	5,575	4,279	4,668	71.40%	4,683	99.67%	4,862	96.02%
MAR	5,670	5,414	5,293	5,883	5,983	7,100	5,956	5,899	90.23%	5,643	104.53%	5,935	99.40%
APR	6,029	5,751	5,847	6,078	6,505	7,773	6,954	6,419	98.18%	6,045	106.18%	6,391	100.44%
MAY	6,277	6,405	6,085	6,282	6,555	7,356	6,674	6,519	99.71%	6,332	102.96%	6,537	99.73%
JUN	8,194	7,300	7,065	7,243	7,574	8,948	7,776	7,727	118.19%	7,296	105.91%	7,626	101.32%
JUL	7,967	8,072	7,603	7,988	8,383	9,405	7,958	8,196	125.36%	8,012	102.30%	8,290	98.86%
AUG	8,041	7,456	7,150	7,297	7,672	8,671	7,752	7,719	118.06%	7,394	104.40%	7,649	100.91%
SEP	6,892	7,271	6,895	6,969	7,342	8,892	7,886	7,449	113.93%	7,119	104.63%	7,474	99.67%
OCT	6,977	6,137	6,118	6,468	6,983	8,303	8,086	7,009	107.20%	6,427	109.06%	6,802	103.05%
NOV	5,875	6,102	5,905	6,713	5,993	7,106	6,308	6,285	96.13%	6,178	101.73%	6,364	98.76%
DEC	4,804	5,231	5,650	5,694	6,218	6,098	5,493	5,598	85.62%	5,698	98.24%	5,778	96.88%
Year	6,279	6,232	6,079	6,342	6,600	7,563	6,677	6,538		6,313	103.56%	6,563	99.62%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
NOT ENOUGH VALID DAY'S DATA FOR SEPTEMBER TO CREATE MONTHLY AVERAGES



Yearly Peak Hourly Volumes

For Year: 2021

County: BROADWATER

Station: W-101

At Road: 5.3 Mi. NW of Townsend

Location Id: 04-1-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 287/US 12, RP 72.32, 5.3 Mi. NW of Townsend (C000008)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	4,800	695	14.48 %	608	12.67 %	579	12.06 %	566	11.79 %	548	11.42 %	509	10.60 %
2005	4,870	656	13.47 %	609	12.51 %	585	12.01 %	573	11.77 %	559	11.48 %	523	10.74 %
2006	4,970	649	13.06 %	599	12.05 %	582	11.71 %	569	11.45 %	557	11.21 %	529	10.64 %
2007	5,227	701	13.41 %	650	12.44 %	629	12.03 %	621	11.88 %	606	11.59 %	567	10.85 %
2008	4,918	692	14.07 %	630	12.81 %	618	12.57 %	600	12.20 %	583	11.85 %	546	11.10 %
2009	5,227	704	13.47 %	663	12.68 %	643	12.30 %	633	12.11 %	608	11.63 %	575	11.00 %
2010	5,290	809	15.29 %	680	12.85 %	666	12.59 %	648	12.25 %	617	11.66 %	580	10.96 %
2011	5,091	725	14.24 %	641	12.59 %	622	12.22 %	609	11.96 %	581	11.41 %	546	10.72 %
2012	5,191	697	13.43 %	645	12.43 %	629	12.12 %	611	11.77 %	593	11.42 %	556	10.71 %
2013	5,315	716	13.47 %	683	12.85 %	654	12.30 %	644	12.12 %	627	11.80 %	593	11.16 %
2014	5,371	832	15.49 %	690	12.85 %	670	12.47 %	653	12.16 %	630	11.73 %	598	11.13 %
2015	5,514	834	15.13 %	693	12.57 %	671	12.17 %	646	11.72 %	625	11.33 %	593	10.75 %
2016	6,107	869	14.23 %	778	12.74 %	752	12.31 %	736	12.05 %	715	11.71 %	677	11.09 %
2017	6,216	867	13.95 %	802	12.90 %	779	12.53 %	765	12.31 %	739	11.89 %	698	11.23 %
2018	6,172	887	14.37 %	784	12.70 %	764	12.38 %	748	12.12 %	728	11.80 %	690	11.18 %
2019	6,373	895	14.04 %	810	12.71 %	787	12.35 %	777	12.19 %	754	11.83 %	719	11.28 %
2020	5,314	715	13.46 %	654	12.31 %	634	11.93 %	610	11.48 %	590	11.10 %	562	10.58 %
2021	6,537	972	14.87 %	854	13.06 %	809	12.38 %	787	12.04 %	756	11.56 %	721	11.03 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BIG HORN

Station: W-102

At Road: 1 Mi W of Decker

Ascending Direction: North

Location Id: 02-8-003

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-314, RP 1.51, 1 Mi. W of Decker (C000314)

Traffic Mix: Pass: 90.59% SU: 5.86% CU: 3.55%

Directional Split: NB 51.64% / SB 48.36%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	525		619	642		588	514						
FEB	367	523	567	549	560	513	406	497	76.04%	550	90.40%	542	91.63%
MAR	451	567	592	601	630	555	476	552	84.45%	598	92.38%	589	93.72%
APR	487	531	581	606	660	590	585	576	88.12%	595	96.89%	594	97.04%
MAY	553	633	635	677	717	652	645	644	98.53%	666	96.77%	663	97.16%
JUN	794	754	762	823	873	884	815	814	124.53%	803	101.37%	819	99.37%
JUL	792	781	789	781	841	812	820	801	122.55%	798	100.38%	801	100.02%
AUG	633	691	685	773	799	692	613	697	106.63%	737	94.57%	728	95.74%
SEP	582	652	667	676	758	740	636	672	102.81%	688	97.64%	699	96.19%
OCT	516	627	677	647	717	687	571	634	97.00%	667	95.05%	671	94.49%
NOV	568	704	745	730	670	712	610	676	103.42%	712	94.91%	712	94.92%
DEC	418	639	758	722	748	611	498	627	95.92%	717	87.48%	696	90.14%
Year	557	646	673	686	725	670	599	654		685	95.49%	683	95.70%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: BIG HORN

Station: W-102

At Road: 1 Mi W of Decker

Location Id: 02-8-003

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-314, RP 1.51, 1 Mi. W of Decker (C000314)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	800		%		%		%		%		%		%
2005	870		%		%		%		%		%		%
2006	1,010		%		%		%		%		%		%
2007	968		%		%		%		%		%		%
2008	929		%		%		%		%		%		%
2009	888		%		%		%		%		%		%
2010	851	152	17.86 %	119	13.98 %	117	13.75 %	113	13.28 %	109	12.81 %	103	12.10 %
2011	867	179	20.65 %	135	15.57 %	129	14.88 %	126	14.53 %	121	13.96 %	113	13.03 %
2012	832	150	18.03 %	127	15.26 %	123	14.78 %	120	14.42 %	116	13.94 %	108	12.98 %
2013	812	137	16.87 %	128	15.76 %	119	14.66 %	115	14.16 %	111	13.67 %	103	12.68 %
2014	820	170	20.73 %	133	16.22 %	128	15.61 %	125	15.24 %	119	14.51 %	111	13.54 %
2015	866		%		%		%		%		%		%
2016	753		%		%		%		%		%		%
2017	821	150	18.27 %	132	16.08 %	128	15.59 %	125	15.23 %	120	14.62 %	113	13.76 %
2018	856	152	17.76 %	132	15.42 %	130	15.19 %	126	14.72 %	122	14.25 %	115	13.43 %
2019	815	217	26.63 %	153	18.77 %	129	15.83 %	122	14.97 %	116	14.23 %	108	13.25 %
2020	727	151	20.77 %	119	16.37 %	113	15.54 %	108	14.86 %	102	14.03 %	96	13.20 %
2021	648	108	16.67 %	95	14.66 %	89	13.73 %	85	13.12 %	83	12.81 %	79	12.19 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2010 ARE BASED ON SHORT TERM COUNTS, SITE DOWN 2015-2016, NOT ENOUGH DAYS TO MAKE 2015-2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: DAWSON

Station: W-103

At Road: 2 Mi. SW of Cracker Box Intch

Ascending Direction: East

Location Id: 11-4-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 194.72, 2 Mi. NE of Bad Route Intch (C000094)

Traffic Mix: Pass: 70.07% SU: 4.86% CU: 25.07%

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: DAWSON

Station: W-103

At Road: 2 Mi. SW of Cracker Box Intch

Location Id: 11-4-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 194.72, 2 Mi. NE of Bad Route Intch (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,160	456	14.43 %	411	13.01 %	393	12.44 %	380	12.03 %	360	11.39 %	343	10.85 %
2005	3,160		%		%		%		%		%		%
2006	3,240		%		%		%		%		%		%
2007	3,114	424	13.62 %	370	11.88 %	356	11.43 %	345	11.08 %	338	10.85 %	321	10.31 %
2008	3,026	455	15.04 %	370	12.23 %	356	11.76 %	346	11.43 %	333	11.00 %	313	10.34 %
2009	3,121	437	14.00 %	400	12.82 %	383	12.27 %	372	11.92 %	362	11.60 %	342	10.96 %
2010	3,495	484	13.85 %	432	12.36 %	423	12.10 %	409	11.70 %	393	11.24 %	373	10.67 %
2011	4,095	559	13.65 %	499	12.19 %	470	11.48 %	457	11.16 %	443	10.82 %	417	10.18 %
2012	4,620	567	12.27 %	527	11.41 %	510	11.04 %	494	10.69 %	482	10.43 %	457	9.89 %
2013	4,498	638	14.18 %	538	11.96 %	503	11.18 %	489	10.87 %	468	10.40 %	449	9.98 %
2014	4,477	570	12.73 %	520	11.61 %	502	11.21 %	474	10.59 %	457	10.21 %	435	9.72 %
2015	4,718	593	12.57 %	519	11.00 %	507	10.75 %	495	10.49 %	478	10.13 %	453	9.60 %
2016	4,165	580	13.93 %	515	12.36 %	481	11.55 %	467	11.21 %	448	10.76 %	423	10.16 %
2017	4,146	566	13.65 %	505	12.18 %	493	11.89 %	478	11.53 %	460	11.10 %	436	10.52 %
2018	4,091	550	13.44 %	499	12.20 %	483	11.81 %	473	11.56 %	456	11.15 %	435	10.63 %
2019	4,092	608	14.86 %	521	12.73 %	489	11.95 %	478	11.68 %	463	11.31 %	440	10.75 %
2020	3,748		%		%		%		%		%		%
2021	4,400		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2005-2006, NOT ENOUGH DAYS TO MAKE 2005-2006 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: W-104

At Road: 1 Mi. NW of Manhattan Intch

Ascending Direction: East

Location Id: 16-1-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 287.41, 1 Mi. NW of Manhattan Intch (C000090)

Traffic Mix: Pass: 80.92% SU: 6.07% CU: 13.01%

Directional Split: EB 50.44% / WB 49.56%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	12,503	13,801	13,785	14,243	14,289	14,823	13,725	13,880	72.41%	14,030	98.93%	14,188	97.83%
FEB	11,225	12,945	13,042	13,061	14,269	14,929	11,907	13,053	68.10%	13,329	97.93%	13,649	95.63%
MAR	16,475	15,265	15,588	17,178	17,291	19,734	17,239	16,966	88.51%	16,331	103.89%	17,011	99.73%
APR	17,035	16,810	17,485	18,517	19,339	22,088	19,669	18,705	97.59%	18,038	103.70%	18,848	99.24%
MAY	18,951	19,599	19,022	19,489	20,491	22,113	19,849	19,930	103.98%	19,650	101.42%	20,143	98.94%
JUN	24,364	22,488	21,661	22,991	23,053	26,748	23,302	23,514	122.67%	22,548	104.28%	23,388	100.54%
JUL	25,258	24,633	23,242	24,029	24,133	28,148	24,934	24,910	129.96%	24,009	103.75%	24,837	100.29%
AUG	24,114	22,287	22,364	23,346	24,568	25,087	23,772	23,647	123.37%	23,141	102.19%	23,530	100.50%
SEP	20,531	21,040	20,570	21,015	22,210	25,911	22,525	21,971	114.62%	21,209	103.59%	22,149	99.20%
OCT	18,895	17,626	17,923	18,831	20,718	23,508	20,511	19,715	102.86%	18,775	105.01%	19,721	99.97%
NOV	17,451	17,261	17,386	18,990	16,871	19,634	17,716	17,900	93.39%	17,627	101.55%	18,028	99.29%
DEC	13,021	15,415	16,610	16,371	17,541	16,910	14,890	15,822	82.54%	16,484	95.98%	16,569	95.49%
Year	18,319	18,264	18,223	19,005	19,564	21,636	19,170	19,168		18,764	102.15%	19,339	99.12%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: W-104

At Road: 1 Mi. NW of Manhattan Intch

Location Id: 16-1-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 287.41, 1 Mi. NW of Manhattan Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	12,520	1,754	14.01 %	1,513	12.08 %	1,473	11.77 %	1,447	11.56 %	1,402	11.20 %	1,343	10.73 %
2005	12,640	1,764	13.96 %	1,526	12.07 %	1,482	11.72 %	1,462	11.57 %	1,426	11.28 %	1,359	10.75 %
2006	13,140	1,676	12.75 %	1,593	12.12 %	1,504	11.45 %	1,474	11.22 %	1,432	10.90 %	1,372	10.44 %
2007	13,550	1,792	13.23 %	1,594	11.76 %	1,560	11.51 %	1,541	11.37 %	1,487	10.97 %	1,426	10.52 %
2008	12,671	1,582	12.49 %	1,512	11.93 %	1,468	11.59 %	1,438	11.35 %	1,394	11.00 %	1,327	10.47 %
2009	12,970	1,757	13.55 %	1,598	12.32 %	1,550	11.95 %	1,504	11.60 %	1,461	11.26 %	1,408	10.86 %
2010	13,410	1,785	13.31 %	1,615	12.04 %	1,583	11.80 %	1,564	11.66 %	1,519	11.33 %	1,460	10.89 %
2011	13,870		%		%		%		%		%		%
2012	14,690		%		%		%		%		%		%
2013	15,280		%		%		%		%		%		%
2014	15,630		%		%		%		%		%		%
2015	15,092	1,904	12.62 %	1,802	11.94 %	1,767	11.71 %	1,744	11.56 %	1,684	11.16 %	1,625	10.77 %
2016	15,732	2,138	13.59 %	1,894	12.04 %	1,833	11.65 %	1,780	11.31 %	1,746	11.10 %	1,661	10.56 %
2017	16,558	2,097	12.66 %	1,983	11.98 %	1,924	11.62 %	1,886	11.39 %	1,836	11.09 %	1,769	10.68 %
2018	16,750	2,195	13.10 %	1,990	11.88 %	1,946	11.62 %	1,918	11.45 %	1,853	11.06 %	1,795	10.72 %
2019	17,272	2,352	13.62 %	2,099	12.15 %	2,031	11.76 %	1,996	11.56 %	1,947	11.27 %	1,863	10.79 %
2020	16,119	2,147	13.32 %	1,982	12.30 %	1,919	11.91 %	1,880	11.66 %	1,827	11.33 %	1,740	10.79 %
2021	19,167	2,654	13.85 %	2,242	11.70 %	2,198	11.47 %	2,164	11.29 %	2,124	11.08 %	2,042	10.65 %

Notes
UNDER CONSTRUCTION 2011-2014 NOT ENOUGH DAYS TO MAKE 2011-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GALLATIN

Station: W-107

At Road: 1.5 Mi. S of Gallatin Gateway

Ascending Direction: North

Location Id: 16-3-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_2

Located On: US 191, RP 74.78, 7 Mi. S of Four Corners (C000050)

Traffic Mix: Pass: 87.21% SU: 8.27% CU: 4.52%

Directional Split: NB 50.25% / SB 49.75%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	7,523	9,176	9,283	9,162	9,400	8,541	8,294	8,767	87.26%	9,255	94.72%	9,112	96.21%
FEB	7,302	9,242	9,172	9,373	9,672	8,983	8,102	8,834	87.92%	9,365	94.33%	9,288	95.11%
MAR	8,884	9,651	9,744	10,605	10,673	10,544	9,373	9,924	98.77%	10,168	97.60%	10,243	96.88%
APR	6,788	8,842	9,177	9,640	9,701	9,503	7,995	8,806	87.64%	9,340	94.28%	9,373	93.95%
MAY	6,327	9,425	9,840	10,207	10,283	8,980	6,629	8,812	87.70%	9,939	88.66%	9,747	90.41%
JUN	9,858	13,243	13,137	13,603	13,697	11,930	10,381	12,263	122.05%	13,420	91.38%	13,122	93.45%
JUL	10,888	13,634	14,544	14,954	15,157	14,268	11,916	13,623	135.59%	14,572	93.49%	14,511	93.88%
AUG	10,386	12,900	12,964	13,469	13,614	12,914	10,706	12,421	123.62%	13,237	93.84%	13,172	94.30%
SEP	9,019	11,281	12,088	12,481	12,819	12,620	10,055	11,480	114.26%	12,167	94.35%	12,258	93.65%
OCT	6,621	9,227	9,603	10,237	10,261	10,053	7,313	9,044	90.01%	9,832	91.99%	9,876	91.57%
NOV	5,851	9,560	9,415	9,244	8,203	7,969	6,367	8,086	80.48%	9,106	88.80%	8,878	91.08%
DEC	6,377	9,114	9,483	9,626	9,756	8,424	6,786	8,509	84.69%	9,495	89.62%	9,281	91.69%
Year	7,985	10,441	10,704	11,050	11,103	10,394	8,660	10,047		10,825	92.82%	10,739	93.56%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: GALLATIN

Station: W-107

At Road: 1.5 Mi. S of Gallatin Gateway

Location Id: 16-3-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_2

Located On: US 191, RP 74.78, 7 Mi. S of Four Corners (C000050)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	5,840	783	13.41 %	727	12.45 %	706	12.09 %	690	11.82 %	672	11.51 %	636	10.89 %
2005	6,270	867	13.83 %	812	12.95 %	794	12.66 %	775	12.36 %	742	11.83 %	708	11.29 %
2006	6,560	888	13.54 %	824	12.56 %	808	12.32 %	797	12.15 %	773	11.78 %	729	11.11 %
2007	6,437	890	13.83 %	860	13.36 %	821	12.75 %	790	12.27 %	763	11.85 %	718	11.15 %
2008	5,606	927	16.54 %	736	13.13 %	705	12.58 %	688	12.27 %	671	11.97 %	633	11.29 %
2009	5,020	778	15.50 %	650	12.95 %	625	12.45 %	614	12.23 %	596	11.87 %	568	11.31 %
2010	5,111	923	18.06 %	657	12.85 %	638	12.48 %	618	12.09 %	595	11.64 %	561	10.98 %
2011	5,040		%		%		%		%		%		%
2012	5,200		%		%		%		%		%		%
2013	5,620	772	13.74 %	700	12.46 %	666	11.85 %	654	11.64 %	630	11.21 %	610	10.85 %
2014	6,093	817	13.41 %	770	12.64 %	734	12.05 %	720	11.82 %	705	11.57 %	667	10.95 %
2015	6,812	967	14.20 %	856	12.57 %	823	12.08 %	797	11.70 %	767	11.26 %	732	10.75 %
2016	7,532	1,109	14.72 %	950	12.61 %	921	12.23 %	900	11.95 %	866	11.50 %	793	10.53 %
2017	7,789	1,098	14.10 %	1,006	12.92 %	969	12.44 %	949	12.18 %	912	11.71 %	851	10.93 %
2018	8,126	1,194	14.69 %	1,053	12.96 %	1,029	12.66 %	1,014	12.48 %	958	11.79 %	883	10.87 %
2019	8,607	1,280	14.87 %	1,138	13.22 %	1,097	12.75 %	1,065	12.37 %	1,017	11.82 %	948	11.01 %
2020	8,785	1,306	14.87 %	1,147	13.06 %	1,122	12.77 %	1,099	12.51 %	1,074	12.23 %	1,026	11.68 %
2021	10,047	1,483	14.76 %	1,312	13.06 %	1,284	12.78 %	1,250	12.44 %	1,198	11.92 %	1,117	11.12 %

Notes
UNDER CONSTRUCTION 2011-2012 NOT ENOUGH DAYS TO MAKE 2011-2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: W-110

At Road: 1 Mi. N of Broadview

Ascending Direction: North

Location Id: 56-2-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 3, RP 32.54, 1 Mi. N of Broadview (C000053)

Traffic Mix: Pass: 79.00% SU: 4.84% CU: 16.16%

Directional Split: SB 50.16% / NB 49.84%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,284	1,405	1,365	1,383	1,473	1,504	1,361	1,396	75.91%	1,407	99.25%	1,426	97.90%
FEB	938	1,133	1,261	1,254	1,412	1,336	1,083	1,201	65.31%	1,265	94.94%	1,279	93.89%
MAR	1,648	1,448	1,476	1,669	1,701	2,015	1,669	1,660	90.27%	1,574	105.50%	1,662	99.89%
APR	1,617	1,517	1,596	1,722	1,782	2,095	1,811	1,733	94.24%	1,654	104.76%	1,742	99.46%
MAY	1,939	2,030	1,788	1,927	1,978	2,365	1,955	1,996	108.54%	1,931	103.38%	2,018	98.93%
JUN	2,524	2,152	2,059	2,203	2,396	2,647	2,271	2,321	126.22%	2,203	105.38%	2,291	101.29%
JUL	2,356	2,385	2,172	2,210	2,430	2,694	2,242	2,355	128.06%	2,299	102.42%	2,378	99.02%
AUG	2,295	2,076	1,988	2,073	2,165	2,500	2,141	2,176	118.33%	2,076	104.84%	2,160	100.72%
SEP	1,720	1,701	1,739	1,836	1,917	2,427	1,919	1,894	103.00%	1,798	105.32%	1,924	98.44%
OCT	1,928	1,824	1,720	1,850	2,075	2,452	2,032	1,982	107.78%	1,867	106.15%	1,984	99.89%
NOV	1,927	1,766	1,713	1,905	1,834	2,096	1,867	1,872	101.80%	1,805	103.74%	1,863	100.49%
DEC	1,320	1,382	1,488	1,511	1,687	1,612	1,377	1,481	80.54%	1,517	97.63%	1,536	96.42%
Year	1,791	1,735	1,697	1,795	1,904	2,145	1,811	1,839		1,783	103.14%	1,855	99.12%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: W-110

At Road: 1 Mi. N of Broadview

Location Id: 56-2-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 3, RP 32.54, 1 Mi. N of Broadview (C000053)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,610	250	15.53 %	210	13.04 %	199	12.36 %	194	12.05 %	188	11.68 %	176	10.93 %
2005	1,560	239	15.32 %	209	13.40 %	198	12.69 %	193	12.37 %	184	11.79 %	172	11.03 %
2006	1,650	276	16.73 %	215	13.03 %	205	12.42 %	199	12.06 %	191	11.58 %	176	10.67 %
2007	1,680	235	13.99 %	214	12.74 %	205	12.20 %	198	11.79 %	193	11.49 %	180	10.71 %
2008	1,584	229	14.46 %	208	13.13 %	198	12.50 %	193	12.18 %	187	11.81 %	173	10.92 %
2009	1,640		%		%		%		%		%		%
2010	1,680		%		%		%		%		%		%
2011	1,660		%		%		%		%		%		%
2012	1,629	337	20.69 %	266	16.33 %	233	14.30 %	216	13.26 %	194	11.91 %	174	10.68 %
2013	1,701	244	14.34 %	226	13.29 %	216	12.70 %	208	12.23 %	198	11.64 %	189	11.11 %
2014	1,704	243	14.26 %	231	13.56 %	222	13.03 %	212	12.44 %	204	11.97 %	191	11.21 %
2015	1,767	266	15.05 %	232	13.13 %	225	12.73 %	218	12.34 %	206	11.66 %	193	10.92 %
2016	1,810	295	16.30 %	248	13.70 %	236	13.04 %	226	12.49 %	219	12.10 %	203	11.22 %
2017	1,831	350	19.12 %	248	13.54 %	238	13.00 %	232	12.67 %	222	12.12 %	210	11.47 %
2018	1,753	250	14.26 %	226	12.89 %	220	12.55 %	218	12.44 %	210	11.98 %	199	11.35 %
2019	1,764	264	14.97 %	238	13.49 %	229	12.98 %	222	12.59 %	215	12.19 %	203	11.51 %
2020	1,663	262	15.75 %	226	13.59 %	213	12.81 %	210	12.63 %	203	12.21 %	194	11.67 %
2021	1,838	286	15.56 %	257	13.98 %	239	13.00 %	232	12.62 %	225	12.24 %	213	11.59 %

Notes
UNDER CONSTRUCTION 2009-2011 NOT ENOUGH DAYS TO MAKE 2009-2011 PEAK HOURLY REPORT

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CUSTER

Station: W-111

At Road: 4.5 Mi. E of Baker Intch

Ascending Direction: East

Location Id: 09-2-003

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 14.01, 7.5 Mi. E of Miles City (C000002)

Traffic Mix: Pass: 80.28% SU: 9.37% CU: 10.35%

Directional Split: WB 49.91% / EB 49.64%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	436	556	593	592	604	563	503	548	76.60%	586	93.48%	582	94.22%
FEB	394	530	526	573	576	585	443	517	72.27%	551	93.79%	558	92.65%
MAR	548	580	624	631	631	723	566	614	85.82%	617	99.59%	638	96.27%
APR	541	712	689	760	834	808	648	712	99.52%	749	95.09%	761	93.61%
MAY	671	814	815	814	837	883	696	789	110.29%	820	96.22%	833	94.76%
JUN	774	852	880	934	954	941	770	872	121.89%	905	96.35%	912	95.59%
JUL	692	816	824	809	881	930	689	805	112.52%	833	96.70%	852	94.48%
AUG	724	796	753	818	856	875	728	792	110.70%	806	98.29%	820	96.63%
SEP	696	767	780	777	833	901	771	788	110.15%	789	99.84%	812	97.09%
OCT	711	838	734	749	875	939	760	800	111.82%	799	100.13%	827	96.74%
NOV	748	749	768	828	788	857	782	787	110.01%	783	100.48%	798	98.62%
DEC	471	573	615	594	654	556	472	561	78.42%	609	92.12%	598	93.75%
Year	617	715	717	740	777	797	652	715		737	97.04%	749	95.50%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CUSTER

Station: W-111

At Road: 4.5 Mi. E of Baker Intch

Location Id: 09-2-003

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: US 12, RP 14.01, 7.5 Mi. E of Miles City (C000002)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	650	153	23.54 %	88	13.54 %	81	12.46 %	78	12.00 %	74	11.38 %	70	10.77 %
2005	640	103	16.09 %	85	13.28 %	81	12.66 %	78	12.19 %	75	11.72 %	70	10.94 %
2006	650	109	16.77 %	86	13.23 %	81	12.46 %	78	12.00 %	74	11.38 %	70	10.77 %
2007	675	122	18.07 %	92	13.63 %	86	12.74 %	84	12.44 %	80	11.85 %	74	10.96 %
2008	646	98	15.17 %	85	13.16 %	78	12.07 %	76	11.76 %	73	11.30 %	69	10.68 %
2009	663	112	16.89 %	87	13.12 %	83	12.52 %	81	12.22 %	77	11.61 %	72	10.86 %
2010	740	138	18.65 %	116	15.68 %	106	14.32 %	101	13.65 %	96	12.97 %	87	11.76 %
2011	692	110	15.90 %	91	13.15 %	87	12.57 %	84	12.14 %	80	11.56 %	75	10.84 %
2012	726	111	15.29 %	91	12.53 %	86	11.85 %	85	11.71 %	82	11.29 %	77	10.61 %
2013	730	107	14.66 %	95	13.01 %	91	12.47 %	89	12.19 %	86	11.78 %	81	11.10 %
2014	765	122	15.95 %	100	13.07 %	95	12.42 %	93	12.16 %	90	11.76 %	85	11.11 %
2015	777	130	16.73 %	101	13.00 %	96	12.36 %	92	11.84 %	89	11.45 %	84	10.81 %
2016	794	119	14.99 %	109	13.73 %	102	12.85 %	98	12.34 %	94	11.84 %	90	11.34 %
2017	717	111	15.48 %	92	12.83 %	86	11.99 %	84	11.72 %	82	11.44 %	77	10.74 %
2018	672	100	14.88 %	91	13.54 %	86	12.80 %	84	12.50 %	80	11.90 %	75	11.16 %
2019	692	99	14.31 %	90	13.01 %	87	12.57 %	85	12.28 %	82	11.85 %	77	11.13 %
2020	643	110	17.11 %	89	13.84 %	84	13.06 %	82	12.75 %	79	12.29 %	75	11.66 %
2021	715	108	15.10 %	97	13.57 %	90	12.59 %	88	12.31 %	85	11.89 %	80	11.19 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021
 County: GOLDEN VALLEY
 Station: W-113
 At Road: 2.5 Mi. W of MT 3
 Ascending Direction: East

Location Id: 19-2-023

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 12, RP 143.49, 13.6 Mi. E of Ryegate (C000014)

Traffic Mix: Pass: 79.39% SU: 3.16% CU: 17.45%

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: GOLDEN VALLEY

Station: W-113

At Road: 2.5 Mi. W of MT 3

Location Id: 19-2-023

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 12, RP 143.49, 13.6 Mi. E of Ryegate (C000014)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,510	268	17.75 %	220	14.57 %	208	13.77 %	198	13.11 %	189	12.52 %	175	11.59 %
2005	1,480	233	15.74 %	204	13.78 %	196	13.24 %	192	12.97 %	185	12.50 %	171	11.55 %
2006	1,500	344	22.93 %	215	14.33 %	203	13.53 %	199	13.27 %	186	12.40 %	175	11.67 %
2007	1,484		%		%		%		%		%		%
2008	1,480		%		%		%		%		%		%
2009	1,472	232	15.76 %	220	14.95 %	214	14.54 %	207	14.06 %	200	13.59 %	180	12.23 %
2010	1,513	234	15.47 %	222	14.67 %	215	14.21 %	209	13.81 %	200	13.22 %	185	12.23 %
2011	1,499	241	16.08 %	221	14.74 %	208	13.88 %	205	13.68 %	199	13.28 %	183	12.21 %
2012	1,380	239	17.32 %	196	14.20 %	190	13.77 %	184	13.33 %	174	12.61 %	160	11.59 %
2013	1,441		%		%		%		%		%		%
2014	1,636	255	15.59 %	228	13.94 %	218	13.33 %	212	12.96 %	209	12.78 %	200	12.22 %
2015	1,687	468	27.74 %	281	16.66 %	264	15.65 %	257	15.23 %	245	14.52 %	231	13.69 %
2016	1,732		%		%		%		%		%		%
2017	1,718		%		%		%		%		%		%
2018	1,699		%		%		%		%		%		%
2019	1,711		%		%		%		%		%		%
2020	1,566		%		%		%		%		%		%
2021	1,679		%		%		%		%		%		%

Notes
 UNDER CONSTRUCTION 2007-2008, & 2013
 SITE DOWN SINCE DEC 2015
 NOT ENOUGH DAYS TO MAKE 2007-2008, 2013,
 2016, & 2017 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: JUDITH BASIN

Station: W-114

At Road: 0.5 Mi. NW of MT 80

Ascending Direction: East

Location Id: 23-2-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87, RP 35.05, 1.5 Mi. W of Stanford (C000057)

Traffic Mix: Pass: 76.07% SU: 6.85% CU: 17.08%

Directional Split: EB 50.43% / WB 49.67%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,515	1,486	1,650	1,576	1,705	1,798	1,635	1,623	71.26%	1,604	101.17%	1,643	98.78%
FEB	1,155	1,375	1,485	1,510	1,673	1,610	1,287	1,441	63.27%	1,511	95.38%	1,531	94.15%
MAR	1,934	1,689	1,662	1,998	2,076	2,408	1,892	1,951	85.67%	1,856	105.10%	1,967	99.21%
APR	1,882	1,879	1,943	2,111	2,195	2,505	2,108	2,088	91.68%	2,032	102.76%	2,127	98.18%
MAY	2,308	2,383	2,174	2,400	2,437	2,796	2,304	2,399	105.34%	2,349	102.15%	2,438	98.40%
JUN	3,173	2,798	2,616	2,892	3,018	3,324	2,774	2,941	129.14%	2,831	103.89%	2,930	100.39%
JUL	2,948	3,073	2,852	3,042	3,179	3,406	2,886	3,054	134.10%	3,037	100.58%	3,110	98.19%
AUG	2,900	2,704	2,595	2,768	2,880	3,222	2,780	2,835	124.48%	2,737	103.59%	2,834	100.04%
SEP	2,553	2,523	2,400	2,543	2,680	3,187	2,651	2,648	116.27%	2,537	104.40%	2,667	99.30%
OCT	2,318	2,264	2,137	2,343	2,524	2,914	2,344	2,405	105.60%	2,317	103.80%	2,436	98.71%
NOV	2,246	2,107	2,031	2,389	2,149	2,495	2,238	2,236	98.18%	2,169	103.09%	2,234	100.08%
DEC	1,528	1,595	1,737	1,812	1,969	1,819	1,503	1,708	75.00%	1,778	96.05%	1,786	95.61%
Year	2,205	2,156	2,107	2,282	2,374	2,624	2,200	2,277		2,230	102.14%	2,309	98.65%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: JUDITH BASIN

Station: W-114

At Road: 0.5 Mi. NW of MT 80

Location Id: 23-2-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87, RP 35.05, 1.5 Mi. W of Stanford (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,120	356	16.79 %	291	13.73 %	273	12.88 %	263	12.41 %	251	11.84 %	238	11.23 %
2005	2,120	364	17.17 %	293	13.82 %	260	12.26 %	251	11.84 %	242	11.42 %	225	10.61 %
2006	2,070	297	14.35 %	261	12.61 %	251	12.13 %	243	11.74 %	233	11.26 %	223	10.77 %
2007	2,082	407	19.55 %	287	13.78 %	260	12.49 %	253	12.15 %	243	11.67 %	230	11.05 %
2008	1,987	367	18.47 %	269	13.54 %	251	12.63 %	246	12.38 %	233	11.73 %	221	11.12 %
2009	2,014	406	20.16 %	280	13.90 %	257	12.76 %	247	12.26 %	238	11.82 %	223	11.07 %
2010	2,082	450	21.61 %	308	14.79 %	272	13.06 %	265	12.73 %	253	12.15 %	239	11.48 %
2011	2,045	473	23.13 %	300	14.67 %	272	13.30 %	262	12.81 %	253	12.37 %	234	11.44 %
2012	2,120		%		%		%		%		%		%
2013	2,210		%		%		%		%		%		%
2014	2,270		%		%		%		%		%		%
2015	2,212	507	22.92 %	325	14.69 %	293	13.25 %	280	12.66 %	269	12.16 %	253	11.44 %
2016	2,299	392	17.05 %	327	14.22 %	297	12.92 %	282	12.27 %	272	11.83 %	260	11.31 %
2017	2,297	389	16.94 %	320	13.93 %	305	13.28 %	295	12.84 %	285	12.41 %	267	11.62 %
2018	2,040		%		%		%		%		%		%
2019	2,250	427	18.98 %	317	14.09 %	298	13.24 %	292	12.98 %	280	12.44 %	265	11.78 %
2020	2,010	285	14.18 %	266	13.23 %	257	12.79 %	249	12.39 %	242	12.04 %	234	11.64 %
2021	2,277	362	15.90 %	318	13.97 %	302	13.26 %	296	13.00 %	287	12.60 %	271	11.90 %

Notes
 UNDER CONSTRUCTION 2012-2014, & 2018
 NOT ENOUGH DAYS TO MAKE 2012-2014, & 2018
 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CHOUTEAU

Station: W-115

At Road: 4.5 Mi. NE of S-564

Ascending Direction: North

Location Id: 08-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 87, RP 31.32, 9.3 Mi. W of Fort Benton (C000010)

Traffic Mix: Pass: 85.15% SU: 6.25% CU: 8.60%

Directional Split: NB 50.13% / SB 49.87%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,443	1,938	1,992	2,165	2,249	2,337	1,855	1,996	88.50%	2,086	95.69%	2,136	93.44%
FEB	1,217	1,909	1,987	1,954	2,181	2,082	1,420	1,820	80.70%	2,008	90.65%	2,023	89.98%
MAR	1,812	2,247	2,339	2,546	2,661	2,815	2,319	2,390	105.97%	2,448	97.62%	2,522	94.78%
APR	1,789	2,241	2,281	2,396	2,589	2,766	2,107	2,309	102.38%	2,377	97.15%	2,455	94.07%
MAY	1,758	2,153	2,223	2,255	2,278	2,470	2,024	2,165	95.99%	2,227	97.21%	2,276	95.13%
JUN	2,119	2,268	2,365	2,321	2,413	2,651	2,409	2,363	104.77%	2,342	100.91%	2,404	98.31%
JUL	1,944	2,307	2,254	2,368	2,463	2,640	2,169	2,306	102.25%	2,348	98.21%	2,406	95.83%
AUG	2,136	2,253	2,288	2,304	2,510	2,705	2,278	2,353	104.33%	2,339	100.61%	2,412	97.55%
SEP	1,983	2,262	2,271	2,299	2,450	2,874	2,243	2,340	103.75%	2,321	100.84%	2,431	96.25%
OCT	2,067	2,358	2,439	2,467	2,723	3,061	2,457	2,510	111.29%	2,497	100.53%	2,610	96.18%
NOV	2,221	2,476	2,517	2,653	2,522	2,841	2,540	2,538	112.53%	2,542	99.84%	2,602	97.55%
DEC	1,519	1,902	2,109	2,129	2,402	2,146	1,618	1,974	87.53%	2,136	92.44%	2,138	92.35%
Year	1,834	2,193	2,255	2,321	2,453	2,616	2,120	2,255		2,306	97.81%	2,368	95.25%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CHOUTEAU

Station: W-115

At Road: 4.5 Mi. NE of S-564

Location Id: 08-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 87, RP 31.32, 9.3 Mi. W of Fort Benton (C000010)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,410		%		%		%		%		%		%
2005	2,380		%		%		%		%		%		%
2006	2,350		%		%		%		%		%		%
2007	2,310		%		%		%		%		%		%
2008	2,220		%		%		%		%		%		%
2009	2,350		%		%		%		%		%		%
2010	2,400		%		%		%		%		%		%
2011	2,440		%		%		%		%		%		%
2012	2,590		%		%		%		%		%		%
2013	2,564	415	16.19 %	302	11.78 %	295	11.51 %	285	11.12 %	276	10.76 %	259	10.10 %
2014	2,628		%		%		%		%		%		%
2015	2,720		%		%		%		%		%		%
2016	2,615	378	14.46 %	318	12.16 %	309	11.82 %	302	11.55 %	292	11.17 %	277	10.59 %
2017	2,556	337	13.18 %	311	12.17 %	298	11.66 %	290	11.35 %	283	11.07 %	269	10.52 %
2018	2,504	422	16.85 %	311	12.42 %	299	11.94 %	291	11.62 %	281	11.22 %	269	10.74 %
2019	2,460	367	14.92 %	304	12.36 %	289	11.75 %	284	11.54 %	277	11.26 %	264	10.73 %
2020	2,224	304	13.67 %	277	12.46 %	270	12.14 %	265	11.92 %	256	11.51 %	243	10.93 %
2021	2,255	395	17.52 %	291	12.90 %	277	12.28 %	264	11.71 %	254	11.26 %	241	10.69 %

Notes
 THIS SITE REPLACED A-44 IN 2013,
 ALL AADTS PRIOR TO 2013 HAVE BEEN
 CARRIED OVER FROM A-44,
 SITE DOWN 2014-2015,
 NOT ENOUGH DAYS TO MAKE 2014-2015 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: HILL

Station: W-116

At Road: At Blaine County Line

Ascending Direction: East

Location Id: 21-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 2, RP 392.34, 10 Mi. E of Havre (C000001)

Traffic Mix: Pass: 87.80% SU: 5.92% CU: 6.28%

Directional Split: EB 50.69% / WB 49.31%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,619	2,300	2,457	2,331	2,499	2,522	2,019	2,248	81.09%	2,397	93.79%	2,422	92.82%
FEB	1,463	2,002	2,242	2,264	2,336	2,576	1,810	2,098	75.68%	2,211	94.89%	2,284	91.86%
MAR	2,090	2,423	2,543	2,764	2,835	3,111	2,435	2,599	93.76%	2,641	98.40%	2,735	95.02%
APR	1,887	2,606	2,721	2,751	2,976	3,277	2,409	2,660	95.96%	2,764	96.25%	2,866	92.81%
MAY	2,251	2,761	2,843	2,967	3,093	3,364	2,600	2,839	102.41%	2,916	97.36%	3,006	94.46%
JUN	2,693	3,277	3,250	3,372	3,455	3,699	2,833	3,224	116.30%	3,339	96.57%	3,411	94.53%
JUL	2,531	3,165	3,269	3,388	3,537	3,768	2,824	3,211	115.83%	3,340	96.14%	3,425	93.74%
AUG	2,630	3,170	3,217	3,295	3,325	3,751	2,848	3,176	114.57%	3,252	97.67%	3,352	94.76%
SEP	2,504	2,991	3,105	3,214	3,351	3,773	2,809	3,106	112.05%	3,165	98.13%	3,287	94.50%
OCT	2,370	2,857	2,957	3,036	3,165	3,657	2,733	2,967	107.03%	3,004	98.78%	3,134	94.66%
NOV	2,310	2,813	2,827	3,157	2,741	3,237	2,648	2,818	101.66%	2,885	97.69%	2,955	95.36%
DEC	1,701	2,233	2,416	2,639	2,763	2,584	1,904	2,319	83.66%	2,513	92.29%	2,527	91.77%
Year	2,171	2,717	2,821	2,932	3,006	3,277	2,489	2,772		2,869	96.63%	2,950	93.96%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: HILL

Station: W-116

At Road: At Blaine County Line

Location Id: 21-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 2, RP 392.34, 10 Mi. E of Havre (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,760	361	13.08 %	329	11.92 %	317	11.49 %	312	11.30 %	301	10.91 %	287	10.40 %
2005	2,750	386	14.04 %	346	12.58 %	327	11.89 %	321	11.67 %	307	11.16 %	292	10.62 %
2006	2,750	373	13.56 %	332	12.07 %	323	11.75 %	312	11.35 %	302	10.98 %	286	10.40 %
2007	2,782	352	12.65 %	316	11.36 %	308	11.07 %	304	10.93 %	294	10.57 %	286	10.28 %
2008	2,683	337	12.56 %	316	11.78 %	306	11.41 %	299	11.14 %	291	10.85 %	276	10.29 %
2009	2,794	350	12.53 %	335	11.99 %	326	11.67 %	317	11.35 %	311	11.13 %	296	10.59 %
2010	2,870	409	14.25 %	361	12.58 %	352	12.26 %	344	11.99 %	334	11.64 %	315	10.98 %
2011	2,830		%		%		%		%		%		%
2012	2,920		%		%		%		%		%		%
2013	2,950		%		%		%		%		%		%
2014	2,838	400	14.09 %	345	12.16 %	332	11.70 %	319	11.24 %	310	10.92 %	295	10.39 %
2015	2,966	385	12.98 %	349	11.77 %	339	11.43 %	335	11.29 %	322	10.86 %	308	10.38 %
2016	2,936	379	12.91 %	352	11.99 %	342	11.65 %	335	11.41 %	324	11.04 %	310	10.56 %
2017	2,883	367	12.73 %	332	11.52 %	326	11.31 %	319	11.06 %	312	10.82 %	296	10.27 %
2018	2,829	430	15.20 %	348	12.30 %	333	11.77 %	324	11.45 %	317	11.21 %	302	10.68 %
2019	2,838	381	13.42 %	354	12.47 %	346	12.19 %	337	11.87 %	325	11.45 %	306	10.78 %
2020	2,470	342	13.85 %	309	12.51 %	295	11.94 %	286	11.58 %	281	11.38 %	265	10.73 %
2021	2,772	489	17.64 %	342	12.34 %	329	11.87 %	320	11.54 %	311	11.22 %	296	10.68 %

Notes
UNDER CONSTRUCTION 2011-2013 NOT ENOUGH DAYS TO MAKE 2011-2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MADISON

Station: W-117

At Road: 0.5 Mi. S of Jefferson River

Ascending Direction: North

Location Id: 29-1-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 41, RP 49.2, 6.3 Mi. N of Twin Bridges (C000029)

Traffic Mix: Pass: 84.40% SU: 4.18% CU: 11.42%

Directional Split: SB 50.50% / NB 49.50%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,492	1,686	1,744	1,763	1,787	1,793	1,610	1,695	78.70%	1,745	97.13%	1,755	96.60%
FEB	1,339	1,567	1,639	1,656	1,774	1,826	1,387	1,597	74.15%	1,659	96.26%	1,692	94.36%
MAR	1,938	1,828	1,816	2,016	2,057	2,180	2,014	1,977	91.80%	1,929	102.48%	1,979	99.88%
APR	1,822	1,957	2,055	2,180	2,192	2,436	2,000	2,091	97.09%	2,096	99.76%	2,164	96.63%
MAY	1,988	2,175	2,148	2,181	2,251	2,427	2,153	2,188	101.59%	2,189	99.97%	2,236	97.84%
JUN	2,543	2,418	2,345	2,414	2,507	2,687	2,527	2,491	115.66%	2,421	102.89%	2,474	100.68%
JUL	2,393	2,459	2,454	2,463	2,588	2,824	2,616	2,542	118.03%	2,491	102.05%	2,558	99.39%
AUG	2,461	2,298	2,347	2,453	2,636	2,762	2,691	2,520	117.01%	2,434	103.55%	2,499	100.83%
SEP	2,321	2,326	2,289	2,278	2,440	2,851	2,507	2,429	112.78%	2,333	104.10%	2,437	99.68%
OCT	2,098	1,958	2,072	2,231	2,415	2,668	2,213	2,235	103.78%	2,169	103.04%	2,269	98.51%
NOV	2,123	2,072	2,174	2,324	2,190	2,285	2,253	2,202	102.24%	2,190	100.55%	2,209	99.68%
DEC	1,556	1,821	1,988	1,913	2,177	1,946	1,744	1,877	87.15%	1,975	95.05%	1,969	95.33%
Year	2,006	2,047	2,089	2,156	2,251	2,390	2,143	2,154		2,136	100.83%	2,187	98.49%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MADISON

Station: W-117

At Road: 0.5 Mi. S of Jefferson River

Location Id: 29-1-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 41, RP 49.2, 6.3 Mi. N of Twin Bridges (C000029)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,680	256	15.24 %	212	12.62 %	203	12.08 %	199	11.85 %	185	11.01 %	175	10.42 %
2005	1,640	245	14.94 %	219	13.35 %	199	12.13 %	193	11.77 %	186	11.34 %	176	10.73 %
2006	1,710	242	14.15 %	213	12.46 %	206	12.05 %	197	11.52 %	186	10.88 %	176	10.29 %
2007	1,750	354	20.23 %	228	13.03 %	212	12.11 %	207	11.83 %	196	11.20 %	185	10.57 %
2008	1,691	232	13.72 %	208	12.30 %	198	11.71 %	190	11.24 %	183	10.82 %	174	10.29 %
2009	1,759	244	13.87 %	219	12.45 %	209	11.88 %	202	11.48 %	198	11.26 %	183	10.40 %
2010	1,755	247	14.07 %	222	12.65 %	216	12.31 %	209	11.91 %	200	11.40 %	186	10.60 %
2011	1,847	266	14.40 %	229	12.40 %	216	11.69 %	209	11.32 %	203	10.99 %	189	10.23 %
2012	1,867	254	13.60 %	226	12.10 %	215	11.52 %	207	11.09 %	202	10.82 %	191	10.23 %
2013	1,913	261	13.64 %	240	12.55 %	226	11.81 %	220	11.50 %	210	10.98 %	198	10.35 %
2014	1,957	270	13.80 %	239	12.21 %	226	11.55 %	221	11.29 %	213	10.88 %	203	10.37 %
2015	1,963	321	16.35 %	243	12.38 %	227	11.56 %	222	11.31 %	214	10.90 %	202	10.29 %
2016	1,949	293	15.03 %	249	12.78 %	231	11.85 %	226	11.60 %	216	11.08 %	205	10.52 %
2017	1,992	342	17.17 %	250	12.55 %	241	12.10 %	233	11.70 %	225	11.30 %	212	10.64 %
2018	1,908	256	13.42 %	234	12.26 %	222	11.64 %	215	11.27 %	206	10.80 %	198	10.38 %
2019	1,991	298	14.97 %	258	12.96 %	239	12.00 %	232	11.65 %	226	11.35 %	214	10.75 %
2020	1,836	272	14.81 %	233	12.69 %	229	12.47 %	219	11.93 %	212	11.55 %	201	10.95 %
2021	2,154	271	12.58 %	262	12.16 %	252	11.70 %	247	11.47 %	240	11.14 %	227	10.54 %

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: SANDERS

Station: W-118

At Road: 0.5 Mi. NW of MT 135

Ascending Direction: East

Location Id: 45-6-001

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 200, RP 84.25, 2 Mi. S of Paradise (C000006)

Traffic Mix: Pass: 85.57% SU: 8.99% CU: 5.44%

Directional Split: EB 50.30% / WB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,807	2,022	2,005	1,981	2,129	2,333	2,047	2,046	66.60%	2,034	100.58%	2,094	97.71%
FEB	1,681	1,957	1,793	1,947	2,153	2,250	1,817	1,942	63.22%	1,963	98.96%	2,020	96.14%
MAR	2,418	2,350	2,322	2,463	2,615	3,021	2,365	2,507	81.61%	2,438	102.85%	2,554	98.15%
APR	2,697	2,724	2,700	2,775	3,012	3,608	2,781	2,899	94.37%	2,803	103.43%	2,964	97.81%
MAY	3,193	3,301	2,872	2,897	3,302	3,927	3,410	3,271	106.48%	3,093	105.75%	3,260	100.34%
JUN	4,039	3,853	3,497	3,602	3,861	4,548	3,795	3,884	126.43%	3,703	104.88%	3,872	100.30%
JUL	4,677	5,041	4,259	4,367	4,786	5,575	4,659	4,765	155.11%	4,613	103.29%	4,806	99.16%
AUG	4,619	4,087	3,770	3,987	4,300	4,868	4,196	4,260	138.67%	4,036	105.55%	4,202	101.37%
SEP	3,933	3,820	3,423	3,327	3,745	4,522	3,977	3,820	124.35%	3,579	106.74%	3,767	101.40%
OCT	2,784	2,849	2,739	2,758	2,984	3,518	2,835	2,923	95.15%	2,833	103.20%	2,970	98.43%
NOV	2,473	2,513	2,315	2,620	2,368	2,813	2,454	2,507	81.61%	2,454	102.16%	2,526	99.26%
DEC	1,916	1,948	2,028	2,279	2,233	2,271	1,605	2,040	66.41%	2,122	96.14%	2,152	94.80%
Year	3,020	3,039	2,810	2,917	3,124	3,605	2,995	3,072		2,972	103.35%	3,099	99.13%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: SANDERS

Station: W-118

At Road: 0.5 Mi. NW of MT 135

Location Id: 45-6-001

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 200, RP 84.25, 2 Mi. S of Paradise (C000006)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,290	417	18.21 %	368	16.07 %	341	14.89 %	328	14.32 %	309	13.49 %	278	12.14 %
2005	2,260	375	16.59 %	346	15.31 %	330	14.60 %	318	14.07 %	301	13.32 %	276	12.21 %
2006	2,260	407	18.01 %	372	16.46 %	345	15.27 %	319	14.12 %	288	12.74 %	270	11.95 %
2007	2,298	497	21.63 %	394	17.15 %	371	16.14 %	343	14.93 %	307	13.36 %	284	12.36 %
2008	2,121	457	21.55 %	354	16.69 %	338	15.94 %	310	14.62 %	288	13.58 %	261	12.31 %
2009	2,181	450	20.63 %	375	17.19 %	352	16.14 %	332	15.22 %	310	14.21 %	275	12.61 %
2010	2,136	415	19.43 %	382	17.88 %	355	16.62 %	338	15.82 %	308	14.42 %	280	13.11 %
2011	2,097	432	20.60 %	384	18.31 %	331	15.78 %	319	15.21 %	300	14.31 %	268	12.78 %
2012	2,087	395	18.93 %	370	17.73 %	345	16.53 %	328	15.72 %	296	14.18 %	270	12.94 %
2013	2,160	397	18.38 %	355	16.44 %	318	14.72 %	308	14.26 %	295	13.66 %	272	12.59 %
2014	2,210		%		%		%		%		%		%
2015	2,270		%		%		%		%		%		%
2016	2,559	474	18.52 %	431	16.84 %	401	15.67 %	389	15.20 %	372	14.54 %	351	13.72 %
2017	2,603	449	17.25 %	410	15.75 %	390	14.98 %	382	14.68 %	366	14.06 %	343	13.18 %
2018	2,662	467	17.54 %	426	16.00 %	407	15.29 %	398	14.95 %	385	14.46 %	357	13.41 %
2019	2,698	535	19.83 %	480	17.79 %	449	16.64 %	426	15.79 %	407	15.09 %	375	13.90 %
2020	2,565	601	23.43 %	453	17.66 %	431	16.80 %	414	16.14 %	394	15.36 %	371	14.46 %
2021	3,071	590	19.21 %	511	16.64 %	500	16.28 %	482	15.70 %	468	15.24 %	423	13.77 %

Notes			
UNDER CONSTRUCTION	2014-2015	NOT	
ENOUGH DAYS TO MAKE	2014-2015	PEAK	
HOURLY REPORT			

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: STILLWATER

Station: W-120

At Road: 8.3 Mi. E of Columbus Intch

Ascending Direction: East

Location Id: 48-2-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 416.28, 8.3 Mi. E of Columbus Intch (C000090)

Traffic Mix: Pass: 74.11% SU: 5.96% CU: 19.93%

Directional Split: EB 50.35% / WB 49.65%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,942	8,787	9,044	9,639	9,482	10,245	9,672	9,401	72.45%	9,238	101.76%	9,439	99.59%
FEB	7,230	8,100	8,381	8,510	9,260	9,403	7,910	8,399	64.73%	8,563	98.09%	8,731	96.20%
MAR	11,800	9,936	10,419	10,938	10,937	13,492	12,657	11,453	88.26%	10,558	108.48%	11,144	102.77%
APR	11,837	10,770	11,385	12,241	12,908	14,132	13,279	12,364	95.28%	11,826	104.55%	12,287	100.63%
MAY	13,900	13,296	12,883	13,344	14,289	15,651	14,641	14,000	107.89%	13,453	104.07%	13,893	100.77%
JUN	16,948	15,151	15,065	16,098	16,867	18,456	17,358	16,563	127.64%	15,795	104.86%	16,327	101.44%
JUL	16,755	16,187	15,622	16,317	17,668	19,196	17,034	16,968	130.76%	16,449	103.16%	16,998	99.82%
AUG	17,295	14,697	14,978	15,714	16,410	17,599	16,700	16,198	124.83%	15,450	104.84%	15,880	102.01%
SEP	14,923	14,272	13,794	14,406	15,031	17,228	15,883	15,076	116.18%	14,376	104.87%	14,946	100.87%
OCT	13,143	11,427	11,752	12,590	13,988	15,494	14,058	13,207	101.78%	12,439	106.17%	13,050	101.20%
NOV	12,381	10,889	11,290	12,629	11,285	13,011	12,729	12,029	92.70%	11,523	104.39%	11,821	101.76%
DEC	9,017	9,279	10,303	10,360	11,149	10,272	10,000	10,054	77.48%	10,273	97.87%	10,273	97.87%
Year	12,848	11,899	12,076	12,732	13,273	14,515	13,493	12,976		12,495	103.85%	12,899	100.60%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: STILLWATER

Station: W-120

At Road: 8.3 Mi. E of Columbus Intch

Location Id: 48-2-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 416.28, 8.3 Mi. E of Columbus Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	9,920	1,220	12.30 %	1,192	12.02 %	1,154	11.63 %	1,121	11.30 %	1,075	10.84 %	1,011	10.19 %
2005	9,810	1,382	14.09 %	1,248	12.72 %	1,178	12.01 %	1,147	11.69 %	1,110	11.31 %	1,057	10.77 %
2006	9,980	1,341	13.44 %	1,186	11.88 %	1,148	11.50 %	1,118	11.20 %	1,088	10.90 %	1,032	10.34 %
2007	10,203	1,345	13.18 %	1,218	11.94 %	1,180	11.57 %	1,152	11.29 %	1,131	11.08 %	1,078	10.57 %
2008	9,618	1,334	13.87 %	1,183	12.30 %	1,120	11.64 %	1,081	11.24 %	1,039	10.80 %	974	10.13 %
2009	9,804	1,282	13.08 %	1,176	12.00 %	1,132	11.55 %	1,116	11.38 %	1,086	11.08 %	1,028	10.49 %
2010	10,189	1,406	13.80 %	1,279	12.55 %	1,246	12.23 %	1,225	12.02 %	1,169	11.47 %	1,107	10.86 %
2011	9,862	1,320	13.38 %	1,249	12.66 %	1,205	12.22 %	1,154	11.70 %	1,111	11.27 %	1,046	10.61 %
2012	10,074	1,350	13.40 %	1,278	12.69 %	1,249	12.40 %	1,226	12.17 %	1,194	11.85 %	1,122	11.14 %
2013	10,528	1,684	16.00 %	1,357	12.89 %	1,295	12.30 %	1,244	11.82 %	1,176	11.17 %	1,106	10.51 %
2014	10,764	1,616	15.01 %	1,339	12.44 %	1,300	12.08 %	1,254	11.65 %	1,206	11.20 %	1,148	10.67 %
2015	10,424	1,514	14.52 %	1,321	12.67 %	1,265	12.14 %	1,239	11.89 %	1,184	11.36 %	1,116	10.71 %
2016	11,699	1,511	12.92 %	1,389	11.87 %	1,351	11.55 %	1,325	11.33 %	1,287	11.00 %	1,216	10.39 %
2017	11,723	1,531	13.06 %	1,463	12.48 %	1,398	11.93 %	1,378	11.75 %	1,348	11.50 %	1,264	10.78 %
2018	11,629	1,551	13.34 %	1,422	12.23 %	1,377	11.84 %	1,354	11.64 %	1,306	11.23 %	1,254	10.78 %
2019	11,902	1,592	13.38 %	1,461	12.28 %	1,429	12.01 %	1,408	11.83 %	1,366	11.48 %	1,295	10.88 %
2020	11,155	1,474	13.21 %	1,413	12.67 %	1,387	12.43 %	1,360	12.19 %	1,320	11.83 %	1,271	11.39 %
2021	12,975	1,802	13.89 %	1,577	12.15 %	1,543	11.89 %	1,517	11.69 %	1,476	11.38 %	1,417	10.92 %

Notes
N/A

* DHV = Design Hour Volume

Note: Values are rounded and percents may not add up.

High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: W-121

At Road: 1 Mi. NW of Clinton Intch

Ascending Direction: East

Location Id: 32-3B-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 117.99, 4 Mi. S of Turah (C000090)

Traffic Mix: Pass: 76.64% SU: 5.83% CU: 17.53%

Directional Split: WB 50.16% / EB 49.98%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	8,751	8,312	8,238	8,133	8,654	9,278	9,365	8,675	67.36%	8,334	104.09%	8,523	101.78%
FEB	7,842	7,807	7,478	7,880	8,589	9,145	7,962	8,099	62.89%	7,939	102.02%	8,180	99.01%
MAR	11,606	9,245	9,643	10,342	10,817	12,423	11,438	10,787	83.76%	10,012	107.74%	10,494	102.79%
APR	12,331	10,696	11,036	11,439	12,254	14,567	12,428	12,106	94.00%	11,356	106.60%	11,998	100.90%
MAY	14,121	13,339	12,211	12,611	13,977	15,942	14,382	13,797	107.13%	13,035	105.85%	13,616	101.33%
JUN	17,388	16,286	15,221	15,813	16,000	18,406	16,537	16,521	128.29%	15,830	104.37%	16,345	101.08%
JUL	18,314	18,162	16,071	16,622	18,050	20,322	17,904	17,920	139.15%	17,226	104.03%	17,845	100.42%
AUG	18,751	15,293	15,183	16,232	17,034	19,058	17,126	16,953	131.64%	15,936	106.39%	16,560	102.37%
SEP	15,569	14,871	13,603	13,919	15,044	17,845	15,800	15,235	118.30%	14,359	106.10%	15,056	101.19%
OCT	13,826	11,649	11,623	11,994	13,262	15,648	14,169	13,167	102.24%	12,132	108.53%	12,835	102.59%
NOV	13,170	10,543	10,460	12,087	10,704	12,660	12,430	11,721	91.01%	10,949	107.06%	11,291	103.81%
DEC	9,152	8,807	9,410	9,983	10,016	10,530	9,005	9,557	74.21%	9,554	100.03%	9,749	98.03%
Year	13,402	12,084	11,681	12,255	12,867	14,652	13,212	12,878		12,222	105.37%	12,708	101.34%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: W-121

At Road: 1 Mi. NW of Clinton Intch

Location Id: 32-3B-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 117.99, 4 Mi. S of Turah (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	10,580	1,517	14.34 %	1,399	13.22 %	1,352	12.78 %	1,308	12.36 %	1,268	11.98 %	1,203	11.37 %
2005	10,460	1,548	14.80 %	1,343	12.84 %	1,305	12.48 %	1,285	12.28 %	1,251	11.96 %	1,206	11.53 %
2006	10,520	1,548	14.71 %	1,334	12.68 %	1,284	12.21 %	1,251	11.89 %	1,223	11.63 %	1,158	11.01 %
2007	10,436	1,538	14.74 %	1,407	13.48 %	1,352	12.96 %	1,312	12.57 %	1,250	11.98 %	1,177	11.28 %
2008	10,027		%		%		%		%		%		%
2009	10,228	1,576	15.41 %	1,399	13.68 %	1,341	13.11 %	1,286	12.57 %	1,210	11.83 %	1,110	10.85 %
2010	10,505	1,494	14.22 %	1,380	13.14 %	1,308	12.45 %	1,251	11.91 %	1,193	11.36 %	1,142	10.87 %
2011	10,331	1,433	13.87 %	1,316	12.74 %	1,253	12.13 %	1,226	11.87 %	1,169	11.32 %	1,106	10.71 %
2012	9,806		%		%		%		%		%		%
2013	10,515	1,879	17.87 %	1,471	13.99 %	1,370	13.03 %	1,329	12.64 %	1,264	12.02 %	1,187	11.29 %
2014	10,702	1,658	15.49 %	1,474	13.77 %	1,417	13.24 %	1,380	12.89 %	1,335	12.47 %	1,253	11.71 %
2015	11,652	1,723	14.79 %	1,583	13.59 %	1,545	13.26 %	1,510	12.96 %	1,470	12.62 %	1,390	11.93 %
2016	11,991	1,750	14.59 %	1,664	13.88 %	1,589	13.25 %	1,552	12.94 %	1,495	12.47 %	1,410	11.76 %
2017	12,117	2,602	21.47 %	1,770	14.61 %	1,705	14.07 %	1,647	13.59 %	1,567	12.93 %	1,479	12.21 %
2018	12,000	1,808	15.07 %	1,682	14.02 %	1,640	13.67 %	1,611	13.43 %	1,548	12.90 %	1,456	12.13 %
2019	11,810	2,013	17.04 %	1,730	14.65 %	1,641	13.90 %	1,608	13.62 %	1,566	13.26 %	1,448	12.26 %
2020	10,935	1,728	15.80 %	1,617	14.79 %	1,552	14.19 %	1,494	13.66 %	1,428	13.06 %	1,339	12.25 %
2021	12,878	2,032	15.78 %	1,837	14.26 %	1,800	13.98 %	1,766	13.71 %	1,681	13.05 %	1,559	12.11 %

Notes
 UNDER CONSTRUCTION 2008, & 2012, NOT ENOUGH DAYS TO MAKE 2008, & 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BEAVERHEAD

Station: W-122

At Road: 0.8 Mi. N of N Dillon Intch

Ascending Direction: North

Location Id: 01-4-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 65.7, 2 Mi. N of Dillon (C000015)

Traffic Mix: Pass: 72.69% SU: 5.50% CU: 21.81%

Directional Split: SB 50.23% / NB 49.77%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,485	2,606	2,620	2,585	2,762	2,739	2,582	2,625	66.81%	2,643	99.31%	2,662	98.60%
FEB	2,379	2,509	2,492	2,620	2,854	2,726	2,229	2,543	64.72%	2,619	97.11%	2,640	96.32%
MAR	3,434	2,913	3,025	3,315	3,382	3,794	3,283	3,306	84.14%	3,159	104.66%	3,286	100.61%
APR	3,620	3,348	3,401	3,637	3,911	4,328	3,438	3,668	93.35%	3,574	102.62%	3,725	98.47%
MAY	3,884	3,954	3,625	3,934	4,181	4,478	3,743	3,970	101.03%	3,924	101.19%	4,034	98.40%
JUN	5,306	4,757	4,481	4,752	5,069	5,345	4,775	4,925	125.34%	4,765	103.36%	4,881	100.91%
JUL	5,457	5,427	5,057	5,171	5,779	6,207	5,296	5,484	139.57%	5,359	102.34%	5,528	99.20%
AUG	5,322	4,700	4,484	4,789	5,199	5,386	4,797	4,953	126.05%	4,793	103.34%	4,912	100.84%
SEP	4,443	4,468	4,122	4,313	4,677	5,189	4,248	4,493	114.35%	4,395	102.23%	4,554	98.66%
OCT	4,128	3,664	3,675	4,052	4,356	4,660	3,754	4,040	102.82%	3,937	102.62%	4,081	98.99%
NOV	4,370	4,028	3,886	4,247	3,615	3,969	3,913	4,003	101.87%	3,944	101.50%	3,949	101.37%
DEC	2,872	3,034	3,240	3,496	3,439	3,089	2,832	3,142	79.96%	3,302	95.15%	3,260	96.39%
Year	3,975	3,784	3,676	3,909	4,102	4,326	3,741	3,929		3,868	101.59%	3,959	99.24%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: BEAVERHEAD

Station: W-122

At Road: 0.8 Mi. N of N Dillon Intch

Location Id: 01-4-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 65.7, 2 Mi. N of Dillon (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,970	562	18.92 %	425	14.31 %	387	13.03 %	363	12.22 %	338	11.38 %	322	10.84 %
2005	3,000	538	17.93 %	435	14.50 %	384	12.80 %	374	12.47 %	354	11.80 %	333	11.10 %
2006	3,070	547	17.82 %	412	13.42 %	385	12.54 %	376	12.25 %	353	11.50 %	336	10.94 %
2007	3,136	590	18.81 %	430	13.71 %	400	12.76 %	384	12.24 %	369	11.77 %	346	11.03 %
2008	2,945	507	17.22 %	425	14.43 %	378	12.84 %	359	12.19 %	341	11.58 %	321	10.90 %
2009	3,109	560	18.01 %	436	14.02 %	420	13.51 %	406	13.06 %	383	12.32 %	356	11.45 %
2010	3,221	475	14.75 %	446	13.85 %	419	13.01 %	410	12.73 %	394	12.23 %	365	11.33 %
2011	3,134	531	16.94 %	421	13.43 %	392	12.51 %	387	12.35 %	363	11.58 %	336	10.72 %
2012	3,165	498	15.73 %	434	13.71 %	402	12.70 %	389	12.29 %	374	11.82 %	350	11.06 %
2013	3,300		%		%		%		%		%		%
2014	3,484		%		%		%		%		%		%
2015	3,422	583	17.04 %	481	14.06 %	453	13.24 %	436	12.74 %	415	12.13 %	388	11.34 %
2016	3,445	601	17.45 %	511	14.83 %	465	13.50 %	444	12.89 %	426	12.37 %	397	11.52 %
2017	3,647	565	15.49 %	521	14.29 %	486	13.33 %	472	12.94 %	452	12.39 %	421	11.54 %
2018	3,651	615	16.84 %	524	14.35 %	490	13.42 %	467	12.79 %	446	12.22 %	416	11.39 %
2019	3,678	673	18.30 %	568	15.44 %	518	14.08 %	494	13.43 %	466	12.67 %	431	11.72 %
2020	3,356	586	17.46 %	498	14.84 %	474	14.12 %	460	13.71 %	446	13.29 %	412	12.28 %
2021	3,929	681	17.33 %	593	15.09 %	569	14.48 %	554	14.10 %	523	13.31 %	485	12.34 %

Notes
 UNDER CONSTRUCTION 2013-2014, NOT ENOUGH DAYS TO MAKE 2013 -2014 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: W-123

At Road: 2 Mi. SE of Jct I-94 Intch

Ascending Direction: East

Location Id: 56-4A-007

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 458.65, 2 Mi. SE of Pinehill Intch (C000090)

Traffic Mix: Pass: 74.52% SU: 6.05% CU: 19.43%

Directional Split: WB 50.37% / EB 49.63%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,671	6,031	6,357	6,775	6,578	7,009	6,882	6,471	73.25%	6,435	100.56%	6,550	98.79%
FEB	5,370	5,493	5,771	5,842	6,229	6,372	5,570	5,806	65.73%	5,834	99.52%	5,941	97.72%
MAR	6,805	6,610	7,001	8,038	8,122	8,910	8,445	7,704	87.21%	7,443	103.51%	7,736	99.58%
APR	7,388	7,441	7,769	8,589	8,929	9,545	8,668	8,332	94.32%	8,182	101.83%	8,455	98.55%
MAY	8,898	8,946	8,986	9,397	9,775	10,791	9,855	9,520	107.77%	9,276	102.63%	9,579	99.38%
JUN	11,067	10,761	10,687	11,248	11,498	12,730	12,327	11,473	129.88%	11,049	103.84%	11,385	100.77%
JUL	11,033	11,218	10,825	11,408	12,345	13,110	12,018	11,707	132.53%	11,449	102.25%	11,781	99.37%
AUG	11,399	10,929	10,391	10,797	11,685	12,308	12,631	11,448	129.59%	10,951	104.54%	11,222	102.01%
SEP	9,222	9,294	9,241	9,712	10,274	11,133	10,201	9,867	111.70%	9,630	102.46%	9,931	99.36%
OCT	8,123	8,121	7,649	8,263	9,482	10,170	9,110	8,702	98.51%	8,379	103.86%	8,737	99.60%
NOV	7,721	7,567	7,724	7,758	6,965	8,643	8,690	7,866	89.04%	7,504	104.83%	7,731	101.74%
DEC	6,031	6,837	7,312	7,311	8,055	7,150	7,071	7,109	80.48%	7,379	96.34%	7,333	96.95%
Year	8,227	8,271	8,309	8,762	9,161	9,823	9,289	8,834		8,626	102.41%	8,865	99.65%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: W-123

At Road: 2 Mi. SE of Jct I-94 Intch

Location Id: 56-4A-007

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 458.65, 2 Mi. SE of Pinehill Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	7,050	961	13.63 %	828	11.74 %	804	11.40 %	787	11.16 %	765	10.85 %	721	10.23 %
2005	7,060	990	14.02 %	883	12.51 %	829	11.74 %	809	11.46 %	778	11.02 %	718	10.17 %
2006	7,250	835	11.52 %	809	11.16 %	780	10.76 %	766	10.57 %	740	10.21 %	701	9.67 %
2007	7,267	1,082	14.89 %	875	12.04 %	835	11.49 %	806	11.09 %	791	10.88 %	747	10.28 %
2008	6,515	755	11.59 %	708	10.87 %	682	10.47 %	670	10.28 %	651	9.99 %	621	9.53 %
2009	7,054	1,069	15.15 %	888	12.59 %	850	12.05 %	833	11.81 %	803	11.38 %	750	10.63 %
2010	6,650	930	13.98 %	793	11.92 %	768	11.55 %	741	11.14 %	717	10.78 %	673	10.12 %
2011	6,880		%		%		%		%		%		%
2012	7,290		%		%		%		%		%		%
2013	7,222	1,102	15.26 %	870	12.05 %	855	11.84 %	833	11.53 %	804	11.13 %	764	10.58 %
2014	7,418	1,052	14.18 %	901	12.15 %	872	11.76 %	854	11.51 %	827	11.15 %	795	10.72 %
2015	8,114	1,286	15.85 %	1,015	12.51 %	974	12.00 %	936	11.54 %	911	11.23 %	853	10.51 %
2016	8,127	1,136	13.98 %	964	11.86 %	942	11.59 %	924	11.37 %	902	11.10 %	857	10.55 %
2017	8,118	1,131	13.93 %	1,006	12.39 %	968	11.92 %	938	11.55 %	917	11.30 %	872	10.74 %
2018	7,947	1,051	13.23 %	957	12.04 %	933	11.74 %	923	11.61 %	899	11.31 %	862	10.85 %
2019	8,121	1,065	13.11 %	953	11.74 %	935	11.51 %	911	11.22 %	885	10.90 %	844	10.39 %
2020	7,580	1,018	13.43 %	950	12.53 %	922	12.16 %	900	11.87 %	873	11.52 %	833	10.99 %
2021	8,840	1,097	12.41 %	1,036	11.72 %	1,008	11.40 %	998	11.29 %	974	11.02 %	937	10.60 %

Notes
 UNDER CONSTRUCTION 2011-2012, NOT ENOUGH DAYS TO MAKE 2011 -2012 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: JEFFERSON

Station: W-124

At Road: 0.7 Mi. W of Cardwell Intch

Ascending Direction: East

Location Id: 22-3-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 255.48, 0.7 Mi. W of Cardwell Intch (C000090)

Traffic Mix: Pass: 75.10% SU: 4.36% CU: 20.54%

Directional Split: EB 50.14% / WB 49.86%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	6,905	6,453	6,627	6,650	6,858	7,294	7,375	6,879	65.70%	6,647	103.49%	6,776	101.51%
FEB	6,836	6,048	6,116	6,183	6,849	7,132	6,311	6,495	62.03%	6,299	103.11%	6,466	100.45%
MAR	9,302	7,220	7,699	8,386	8,681	9,853	9,406	8,649	82.61%	7,997	108.16%	8,368	103.36%
APR	9,409	8,130	8,794	9,150	9,035	11,217	9,986	9,387	89.66%	8,777	106.95%	9,265	101.31%
MAY	10,919	10,707	9,859	10,352	10,897	12,469	11,289	10,926	104.36%	10,454	104.52%	10,857	100.64%
JUN	14,972	12,605	12,357	13,074	13,609	15,312	14,002	13,704	130.89%	12,911	106.14%	13,391	102.33%
JUL	14,894	14,735	13,471	14,019	15,222	16,802	15,165	14,901	142.32%	14,362	103.75%	14,850	100.34%
AUG	15,459	12,986	12,637	13,567	14,248	15,787	14,848	14,218	135.80%	13,360	106.43%	13,845	102.69%
SEP	12,827	12,143	11,168	11,517	12,314	14,897	13,058	12,560	119.96%	11,786	106.57%	12,408	101.23%
OCT	11,123	9,047	9,211	9,706	10,894	12,567	11,306	10,549	100.75%	9,715	108.59%	10,285	102.57%
NOV	10,333	8,442	8,544	9,775	8,684	10,147	9,929	9,407	89.85%	8,861	106.16%	9,118	103.17%
DEC	7,490	7,445	7,958	8,147	8,529	8,480	7,717	7,965	76.07%	8,020	99.32%	8,112	98.19%
Year	10,872	9,663	9,537	10,044	10,485	11,830	10,866	10,470		9,932	105.41%	10,312	101.53%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: JEFFERSON

Station: W-124

At Road: 0.7 Mi. W of Cardwell Intch

Location Id: 22-3-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-90, RP 255.48, 0.7 Mi. W of Cardwell Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	7,220	1,034	14.32 %	960	13.30 %	941	13.03 %	919	12.73 %	894	12.38 %	840	11.63 %
2005	7,240	1,032	14.25 %	942	13.01 %	913	12.61 %	889	12.28 %	867	11.98 %	820	11.33 %
2006	7,410	1,005	13.56 %	969	13.08 %	934	12.60 %	910	12.28 %	877	11.84 %	817	11.03 %
2007	7,625	1,071	14.05 %	979	12.84 %	954	12.51 %	946	12.41 %	919	12.05 %	855	11.21 %
2008	7,005	1,012	14.45 %	928	13.25 %	893	12.75 %	878	12.53 %	856	12.22 %	805	11.49 %
2009	7,300	1,102	15.10 %	1,010	13.84 %	989	13.55 %	969	13.27 %	943	12.92 %	887	12.15 %
2010	7,590		%		%		%		%		%		%
2011	7,850		%		%		%		%		%		%
2012	7,188		%		%		%		%		%		%
2013	7,793	1,202	15.42 %	1,079	13.85 %	1,031	13.23 %	1,019	13.08 %	983	12.61 %	928	11.91 %
2014	8,109	1,220	15.05 %	1,097	13.53 %	1,064	13.12 %	1,049	12.94 %	1,021	12.59 %	966	11.91 %
2015	8,748	1,268	14.49 %	1,165	13.32 %	1,145	13.09 %	1,114	12.73 %	1,082	12.37 %	1,032	11.80 %
2016	9,044	1,277	14.12 %	1,221	13.50 %	1,187	13.12 %	1,153	12.75 %	1,122	12.41 %	1,060	11.72 %
2017	9,004	1,310	14.55 %	1,207	13.41 %	1,175	13.05 %	1,156	12.84 %	1,122	12.46 %	1,044	11.59 %
2018	9,070	1,270	14.00 %	1,204	13.27 %	1,189	13.11 %	1,174	12.94 %	1,144	12.61 %	1,083	11.94 %
2019	9,112	1,442	15.83 %	1,294	14.20 %	1,227	13.47 %	1,190	13.06 %	1,167	12.81 %	1,101	12.08 %
2020	8,716	1,455	16.69 %	1,290	14.80 %	1,237	14.19 %	1,204	13.81 %	1,176	13.49 %	1,120	12.85 %
2021	10,470	1,510	14.42 %	1,426	13.62 %	1,405	13.42 %	1,390	13.28 %	1,353	12.92 %	1,279	12.22 %

Notes
 UNDER CONSTRUCTION 2010-2012, NOT ENOUGH DAYS TO MAKE 2010 -2012 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: W-125

At Road: 3.5 Mi. NE of Augusta Intch

Ascending Direction: North

Location Id: 25-5-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-15, RP 231.84, 5 Mi. N of Wolf Creek Intch (C000015)

Traffic Mix: Pass: 77.03% SU: 5.56% CU: 17.41%

Directional Split: SB 50.34% / NB 49.66%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,891	2,891	2,855	2,810	3,059	3,283	3,244	3,004	73.23%	2,904	103.45%	2,980	100.82%
FEB	2,553	2,678	2,674	2,743	2,936	3,058	2,418	2,722	66.35%	2,758	98.70%	2,818	96.60%
MAR	3,932	3,097	3,084	3,654	3,710	4,283	4,138	3,699	90.17%	3,386	109.24%	3,566	103.74%
APR	4,104	3,426	3,633	3,758	3,859	4,638	4,475	3,984	97.11%	3,669	108.59%	3,863	103.14%
MAY	4,342	4,101	3,844	4,152	4,330	4,695	4,679	4,305	104.94%	4,107	104.83%	4,224	101.91%
JUN	5,834	4,665	4,486	4,779	5,036	6,016	5,613	5,203	126.83%	4,742	109.73%	4,996	104.13%
JUL	4,929	4,859	4,647	4,873	5,114	5,667	5,152	5,034	122.71%	4,873	103.30%	5,032	100.04%
AUG	5,129	4,153	4,218	4,344	4,657	5,398	4,898	4,684	114.18%	4,343	107.85%	4,554	102.85%
SEP	4,408	4,154	3,856	4,070	4,326	5,292	4,918	4,431	108.01%	4,102	108.03%	4,340	102.11%
OCT	4,346	3,633	3,460	3,973	4,299	5,160	4,606	4,210	102.62%	3,841	109.60%	4,105	102.56%
NOV	4,370	4,252	3,885	4,449	4,089	4,544	4,184	4,252	103.65%	4,169	102.00%	4,244	100.19%
DEC	3,708	3,108	3,496	3,700	4,017	3,681	4,204	3,701	90.22%	3,580	103.37%	3,600	102.79%
Year	4,212	3,751	3,678	3,942	4,119	4,643	4,377	4,102		3,873	105.93%	4,027	101.88%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: W-125

At Road: 3.5 Mi. NE of Augusta Intch

Location Id: 25-5-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL INNER INTERSTATE

Located On: I-15, RP 231.84, 5 Mi. N of Wolf Creek Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,700	580	15.68 %	496	13.41 %	466	12.59 %	455	12.30 %	445	12.03 %	421	11.38 %
2005	3,670	566	15.42 %	475	12.94 %	462	12.59 %	453	12.34 %	438	11.93 %	418	11.39 %
2006	3,760	597	15.88 %	476	12.66 %	455	12.10 %	444	11.81 %	432	11.49 %	412	10.96 %
2007	3,850	553	14.36 %	470	12.21 %	461	11.97 %	452	11.74 %	440	11.43 %	420	10.91 %
2008	3,718	617	16.59 %	485	13.04 %	461	12.40 %	447	12.02 %	432	11.62 %	410	11.03 %
2009	3,801	585	15.39 %	507	13.34 %	482	12.68 %	471	12.39 %	451	11.87 %	423	11.13 %
2010	3,879	554	14.28 %	505	13.02 %	482	12.43 %	472	12.17 %	449	11.58 %	427	11.01 %
2011	4,080		%		%		%		%		%		%
2012	4,320		%		%		%		%		%		%
2013	4,490		%		%		%		%		%		%
2014	4,590		%		%		%		%		%		%
2015	4,218	571	13.54 %	538	12.75 %	523	12.40 %	514	12.19 %	498	11.81 %	475	11.26 %
2016	4,262	596	13.98 %	539	12.65 %	519	12.18 %	512	12.01 %	501	11.76 %	477	11.19 %
2017	4,330	633	14.62 %	551	12.73 %	537	12.40 %	528	12.19 %	513	11.85 %	488	11.27 %
2018	4,230	638	15.08 %	554	13.10 %	532	12.58 %	521	12.32 %	504	11.91 %	483	11.42 %
2019	4,209	662	15.73 %	543	12.90 %	521	12.38 %	517	12.28 %	505	12.00 %	481	11.43 %
2020	3,604	504	13.98 %	466	12.93 %	453	12.57 %	442	12.26 %	428	11.88 %	410	11.38 %
2021	4,102	690	16.82 %	547	13.33 %	528	12.87 %	514	12.53 %	494	12.04 %	471	11.48 %

Notes
 UNDER CONSTRUCTION 2011-2014, NOT ENOUGH DAYS TO MAKE 2011 -2014 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: W-126

At Road: 0.8 Mi. SE of US 89

Ascending Direction: East

Location Id: 07-2-021

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 87 RP 0.5, 0.8 Mi. SE of US 89, East Armington (Prepass) (C000057)

Traffic Mix: Pass: 53.38% SU: 13.34% CU: 33.28%

Directional Split: WB 100.00% / %

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	789	770	829	817	888	870	800	822	70.30%	826	99.52%	835	98.47%
FEB	586	711	786	780	850	798	584	727	62.18%	782	93.00%	785	92.61%
MAR	1,041	866	866	1,034	1,067	1,172	929	996	85.18%	958	103.94%	1,001	99.50%
APR	994	948	1,002	1,060	1,129	1,274	1,091	1,070	91.51%	1,035	103.41%	1,083	98.84%
MAY	1,311	1,274	1,155	1,218	1,271	1,307	1,165	1,242	106.22%	1,230	101.02%	1,245	99.76%
JUN	1,689	1,442	1,351	1,414	1,569	1,659	1,398	1,502	128.46%	1,444	104.02%	1,487	101.01%
JUL	1,580	1,529	1,455	1,514	1,634	1,693	1,451	1,550	132.56%	1,533	101.11%	1,565	99.04%
AUG	1,565	1,379	1,345	1,423	1,462	1,563	1,348	1,440	123.16%	1,402	102.69%	1,434	100.39%
SEP	1,420	1,347	1,259	1,327	1,356	1,482	1,342	1,361	116.40%	1,322	102.93%	1,354	100.50%
OCT	1,315	1,233	1,111	1,208	1,281	1,399	1,183	1,247	106.65%	1,208	103.21%	1,246	100.05%
NOV	1,272	1,089	1,095	1,237	1,130	1,299	1,201	1,188	101.60%	1,138	104.42%	1,170	101.54%
DEC	805	832	903	951	1,035	920	760	886	75.78%	930	95.24%	928	95.45%
Year	1,197	1,118	1,096	1,165	1,223	1,286	1,104	1,169		1,151	101.62%	1,178	99.27%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
ONE DIRECTION ONLY (WB)



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: W-126

At Road: 0.8 Mi. SE of US 89

Location Id: 07-2-021

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 87 RP 0.5, 0.8 Mi. SE of US 89, East Armington (Prepass) (C000057)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,105		%		%		%		%		%		%
2005	1,147	232	20.23 %	161	14.04 %	147	12.82 %	142	12.38 %	135	11.77 %	126	10.99 %
2006	1,075	236	21.95 %	171	15.91 %	152	14.14 %	145	13.49 %	134	12.47 %	125	11.63 %
2007	1,097	252	22.97 %	172	15.68 %	150	13.67 %	143	13.04 %	138	12.58 %	127	11.58 %
2008	1,044	229	21.93 %	158	15.13 %	146	13.98 %	140	13.41 %	132	12.64 %	120	11.49 %
2009	1,065	269	25.26 %	160	15.02 %	148	13.90 %	144	13.52 %	136	12.77 %	128	12.02 %
2010	1,096	293	26.73 %	162	14.78 %	156	14.23 %	151	13.78 %	142	12.96 %	131	11.95 %
2011	1,093	331	30.28 %	167	15.28 %	152	13.91 %	146	13.36 %	140	12.81 %	128	11.71 %
2012	1,104	285	25.82 %	162	14.67 %	150	13.59 %	144	13.04 %	136	12.32 %	124	11.23 %
2013	1,000	357	35.70 %	158	15.80 %	145	14.50 %	137	13.70 %	125	12.50 %	113	11.30 %
2014	1,128	342	30.32 %	168	14.89 %	153	13.56 %	145	12.85 %	138	12.23 %	131	11.61 %
2015	1,154	344	29.81 %	169	14.64 %	160	13.86 %	156	13.52 %	146	12.65 %	137	11.87 %
2016	1,195	269	22.51 %	178	14.90 %	163	13.64 %	155	12.97 %	149	12.47 %	141	11.80 %
2017	1,167	237	20.31 %	191	16.37 %	168	14.40 %	161	13.80 %	152	13.02 %	140	12.00 %
2018	1,122	230	20.50 %	173	15.42 %	165	14.71 %	157	13.99 %	149	13.28 %	137	12.21 %
2019	1,182	263	22.25 %	182	15.40 %	169	14.30 %	162	13.71 %	156	13.20 %	146	12.35 %
2020	1,046	187	17.88 %	148	14.15 %	143	13.67 %	137	13.10 %	131	12.52 %	123	11.76 %
2021	1,169	194	16.60 %	173	14.80 %	165	14.11 %	160	13.69 %	151	12.92 %	144	12.32 %

Notes
 ONE DIRECTION ONLY (WB)
 NOT ENOUGH DAYS TO MAKE 2001 - 2004 PEAK
 HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: CASCADE

Station: W-127

At Road: 0.5 Mi. NW of US 89

Ascending Direction: North

Location Id: 07-2-019

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: US 89/87, RP 71.98, West Armington (Prepass) (C000060)

Traffic Mix: Pass: 80.66% SU: 6.87% CU: 12.47%

Directional Split: NB 50.02% / SB 49.98%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,639	2,194	2,182	2,290	2,409	2,673	2,932	2,473	76.50%	2,269	109.00%	2,350	105.25%
FEB	1,989	2,007	2,029	2,126	2,289	2,330	2,194	2,137	66.10%	2,113	101.15%	2,156	99.11%
MAR	3,042	2,221	2,193	2,772	2,782	3,363	3,169	2,791	86.33%	2,492	112.00%	2,666	104.68%
APR	2,478	2,432	2,599	2,771	2,899	3,376	3,024	2,796	86.49%	2,675	104.51%	2,815	99.31%
MAY	3,316	3,338	3,071	3,245	3,380	3,782	3,376	3,357	103.84%	3,259	103.02%	3,363	99.82%
JUN	4,669	4,003	3,793	4,134	4,233	4,813	4,248	4,270	132.08%	4,041	105.67%	4,195	101.78%
JUL	4,397	4,424	3,976	4,180	4,453	4,809	4,347	4,369	135.14%	4,258	102.60%	4,368	100.01%
AUG	4,122	3,543	3,555	3,742	3,919	4,356	3,889	3,875	119.86%	3,690	105.02%	3,823	101.36%
SEP	3,932	3,654	3,436	3,532	3,699	4,431	3,976	3,807	117.76%	3,580	106.33%	3,750	101.51%
OCT	3,353	3,142	2,984	3,213	3,343	4,013	3,446	3,356	103.81%	3,171	105.85%	3,339	100.51%
NOV	3,211	2,915	2,835	3,249	2,967	3,512	3,382	3,152	97.50%	2,992	105.37%	3,096	101.82%
DEC	2,284	2,166	2,369	2,481	2,741	2,581	2,260	2,411	74.58%	2,439	98.84%	2,468	97.71%
Year	3,286	3,003	2,919	3,145	3,260	3,670	3,354	3,233		3,081	104.91%	3,199	101.05%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: CASCADE

Station: W-127

At Road: 0.5 Mi. NW of US 89

Location Id: 07-2-019

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: US 89/87, RP 71.98, West Armington (Prepass) (C000060)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,890	441	15.26 %	401	13.88 %	386	13.36 %	378	13.08 %	358	12.39 %	330	11.42 %
2005	2,760	426	15.43 %	386	13.99 %	373	13.51 %	360	13.04 %	343	12.43 %	321	11.63 %
2006	2,800	416	14.86 %	389	13.89 %	372	13.29 %	364	13.00 %	342	12.21 %	319	11.39 %
2007	2,848	453	15.91 %	394	13.83 %	382	13.41 %	371	13.03 %	351	12.32 %	325	11.41 %
2008	2,702	427	15.80 %	370	13.69 %	356	13.18 %	344	12.73 %	332	12.29 %	310	11.47 %
2009	2,793	468	16.76 %	413	14.79 %	401	14.36 %	386	13.82 %	360	12.89 %	335	11.99 %
2010	2,636	499	18.93 %	400	15.17 %	370	14.04 %	361	13.69 %	343	13.01 %	311	11.80 %
2011	2,600		%		%		%		%		%		%
2012	2,680		%		%		%		%		%		%
2013	2,710		%		%		%		%		%		%
2014	2,780		%		%		%		%		%		%
2015	3,099	620	20.01 %	455	14.68 %	425	13.71 %	414	13.36 %	398	12.84 %	364	11.75 %
2016	3,195	496	15.52 %	458	14.33 %	438	13.71 %	421	13.18 %	404	12.64 %	381	11.92 %
2017	3,200	676	21.13 %	484	15.13 %	458	14.31 %	447	13.97 %	427	13.34 %	396	12.38 %
2018	3,108	532	17.12 %	462	14.86 %	439	14.12 %	425	13.67 %	413	13.29 %	384	12.36 %
2019	3,178	505	15.89 %	468	14.73 %	444	13.97 %	435	13.69 %	421	13.25 %	395	12.43 %
2020	2,985	481	16.11 %	450	15.08 %	431	14.44 %	419	14.04 %	400	13.40 %	371	12.43 %
2021	3,232	494	15.28 %	461	14.26 %	438	13.55 %	424	13.12 %	410	12.69 %	388	12.00 %

Notes
 UNDER CONSTRUCTION 2011-2014, NOT ENOUGH DAYS TO MAKE 2011 -2014 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: JEFFERSON

Station: W-128

At Road: 11.5 Mi. SW of I-15 Intch

Ascending Direction: North

Location Id: 22-4-011

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 69, RP 27.14, 11 Mi. S of Boulder (C000069)

Traffic Mix: Pass: 81.63% SU: 4.24% CU: 14.13%

Directional Split: SB 51.31% / NB 48.69%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	647	673	741	700	686	748	663	693	69.92%	700	99.00%	710	97.66%
FEB	544	619	648	678	697	699	542	631	63.67%	661	95.53%	668	94.43%
MAR	841	685	734	802	808	883	803	793	80.01%	757	104.72%	782	101.35%
APR	876	766	841	980	964	1,085	893	914	92.22%	888	102.96%	927	98.58%
MAY	1,163	1,147	1,071	1,092	1,191	1,279	1,147	1,155	116.54%	1,125	102.64%	1,156	99.91%
JUN	1,734	1,359	1,334	1,432	1,591	1,866	1,626	1,563	157.71%	1,429	109.38%	1,516	103.07%
JUL	1,277	1,264	1,246	1,239	1,332	1,572	1,413	1,334	134.60%	1,270	105.02%	1,331	100.26%
AUG	1,322	1,123	1,104	1,221	1,272	1,388	1,359	1,254	126.53%	1,180	106.27%	1,222	102.65%
SEP	1,101	1,035	1,008	985	1,041	1,209	1,184	1,080	108.97%	1,017	106.17%	1,056	102.31%
OCT	904	823	806	854	977	1,069	989	917	92.53%	865	106.01%	906	101.24%
NOV	864	842	833	858	868	893	876	861	86.87%	850	101.26%	859	100.26%
DEC	585	639	738	748	774	703	703	698	70.43%	725	96.31%	720	96.89%
Year	988	915	925	966	1,017	1,116	1,017	991		956	103.71%	988	100.34%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: JEFFERSON

Station: W-128

At Road: 11.5 Mi. SW of I-15 Intch

Location Id: 22-4-011

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 69, RP 27.14, 11 Mi. S of Boulder (C000069)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	700		%		%		%		%		%		%
2005	760	122	16.05 %	105	13.82 %	101	13.29 %	98	12.89 %	94	12.37 %	87	11.45 %
2006	860	154	17.91 %	133	15.47 %	125	14.53 %	121	14.07 %	115	13.37 %	106	12.33 %
2007	771	148	19.20 %	110	14.27 %	105	13.62 %	98	12.71 %	94	12.19 %	88	11.41 %
2008	751	175	23.30 %	104	13.85 %	96	12.78 %	95	12.65 %	91	12.12 %	86	11.45 %
2009	755	168	22.25 %	114	15.10 %	108	14.30 %	104	13.77 %	99	13.11 %	90	11.92 %
2010	760		%		%		%		%		%		%
2011	770		%		%		%		%		%		%
2012	882	181	20.52 %	160	18.14 %	149	16.89 %	145	16.44 %	132	14.97 %	117	13.27 %
2013	789	154	19.52 %	119	15.08 %	110	13.94 %	106	13.43 %	102	12.93 %	93	11.79 %
2014	823	153	18.59 %	130	15.80 %	119	14.46 %	114	13.85 %	109	13.24 %	102	12.39 %
2015	899	168	18.69 %	135	15.02 %	129	14.35 %	124	13.79 %	119	13.24 %	112	12.46 %
2016	709	149	21.02 %	128	18.05 %	118	16.64 %	109	15.37 %	100	14.10 %	91	12.83 %
2017	798	171	21.43 %	126	15.79 %	114	14.29 %	111	13.91 %	107	13.41 %	99	12.41 %
2018	759	130	17.13 %	117	15.42 %	111	14.62 %	108	14.23 %	103	13.57 %	96	12.65 %
2019	823	148	17.98 %	125	15.19 %	120	14.58 %	118	14.34 %	112	13.61 %	105	12.76 %
2020	1,176	254	21.60 %	226	19.22 %	215	18.28 %	205	17.43 %	195	16.58 %	181	15.39 %
2021	991	215	21.70 %	178	17.96 %	166	16.75 %	161	16.25 %	150	15.14 %	137	13.82 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2004 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2010-2011, NOT ENOUGH DAYS TO MAKE 2004, & 2010-2011 PEAK HOURLY PROFILE

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: SILVER BOW

Station: W-129

At Road: 1 Mi. W of Montana St Intch

Ascending Direction: North

Location Id: 47-1C-001

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-15/I-90, RP 125.45, 3 Mi. E of Rocker (Prepass) (C000015/C00090)

Traffic Mix: Pass: 76.66% SU: 4.23% CU: 19.11%

Directional Split: % / %

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB													
MAR													
APR													
MAY													
JUN													
JUL													
AUG													
SEP													
OCT													
NOV													
DEC													
Year													



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
 SITE DOWN SINCE OCT 2016



Yearly Peak Hourly Volumes

For Year: 2021

County: SILVER BOW

Station: W-129

At Road: 1 Mi. W of Montana St Intch

Location Id: 47-1C-001

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-15/I-90, RP 125.45, 3 Mi. E of Rocker (Prepass) (C000015/C00090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	13,520		%		%		%		%		%		%
2005	12,530		%		%		%		%		%		%
2006	12,780		%		%		%		%		%		%
2007	12,472	1,597	12.80 %	1,457	11.68 %	1,421	11.39 %	1,392	11.16 %	1,368	10.97 %	1,314	10.54 %
2008	11,411	1,469	12.87 %	1,387	12.15 %	1,333	11.68 %	1,304	11.43 %	1,267	11.10 %	1,222	10.71 %
2009	11,916	1,607	13.49 %	1,461	12.26 %	1,417	11.89 %	1,403	11.77 %	1,357	11.39 %	1,287	10.80 %
2010	12,090		%		%		%		%		%		%
2011	12,110		%		%		%		%		%		%
2012	12,185	1,539	12.63 %	1,431	11.74 %	1,409	11.56 %	1,375	11.28 %	1,339	10.99 %	1,273	10.45 %
2013	12,333	1,670	13.54 %	1,497	12.14 %	1,471	11.93 %	1,447	11.73 %	1,404	11.38 %	1,335	10.82 %
2014	12,338	1,757	14.24 %	1,561	12.65 %	1,512	12.25 %	1,484	12.03 %	1,449	11.74 %	1,377	11.16 %
2015	13,593	1,776	13.07 %	1,698	12.49 %	1,627	11.97 %	1,601	11.78 %	1,562	11.49 %	1,489	10.95 %
2016	13,549	1,774	13.09 %	1,559	11.51 %	1,522	11.23 %	1,498	11.06 %	1,463	10.80 %	1,392	10.27 %
2017	13,468		%		%		%		%		%		%
2018	13,630		%		%		%		%		%		%
2019	13,507		%		%		%		%		%		%
2020	12,480		%		%		%		%		%		%
2021	13,628		%		%		%		%		%		%

Notes
 SITE DOWN SINCE OCT 2016,
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006
 ARE BASED ON SHORT TERM COUNTS,
 UNDER CONSTRUCTION 2010-2011,
 NOT ENOUGH DAYS TO MAKE 2006, 2010-2011, &
 2017-2018 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: GLACIER

Station: W-130

At Road: 2 Mi. NW of US 89

Ascending Direction: East

Location Id: 18-4-005

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 2, RP 222.07, 1.5 Mi. E of Browning (C000001)

Traffic Mix: Pass: % SU: % CU: %

Directional Split: EB 50.09% / WB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,161	3,055	3,024	3,118	3,287	3,323	2,593	2,937	76.39%	3,121	94.10%	3,161	92.90%
FEB	1,852	2,659	2,793	3,035	2,962	3,120	2,173	2,655	69.06%	2,862	92.76%	2,914	91.12%
MAR	3,081	3,311	3,387	3,748	3,786	3,956	2,999	3,466	90.15%	3,558	97.41%	3,638	95.28%
APR	2,724	3,485	3,712	3,778	3,711	4,353	3,316	3,582	93.17%	3,672	97.56%	3,808	94.07%
MAY	3,220	3,896	3,778	4,135	3,757	4,300	3,413	3,784	98.42%	3,892	97.24%	3,973	95.24%
JUN	4,661	5,051	4,923	5,055	5,038	5,567	4,298	4,941	128.52%	5,017	98.49%	5,127	96.38%
JUL	5,103	5,852	5,464	5,624	5,786	6,459	5,104	5,626	146.33%	5,682	99.02%	5,837	96.39%
AUG	4,440	4,971	4,769	5,110	5,154	5,525	4,410	4,911	127.74%	5,001	98.20%	5,106	96.18%
SEP	3,783	4,472	4,457	4,507	4,766	5,453	4,105	4,505	117.18%	4,551	99.00%	4,731	95.22%
OCT	3,062	3,759	3,996	3,948	3,993	4,454	3,218	3,775	98.19%	3,924	96.20%	4,030	93.67%
NOV	2,444	3,277	3,236	3,544	3,175	3,657	2,823	3,164	82.30%	3,308	95.65%	3,378	93.67%
DEC	1,887	2,915	3,007	3,233	3,258	3,256	1,976	2,790	72.57%	3,103	89.91%	3,134	89.03%
Year	3,202	3,892	3,879	4,070	4,056	4,452	3,369	3,845		3,974	96.74%	4,070	94.47%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
TRAFFIC MIX UNAVAILABLE FOR SITE



Yearly Peak Hourly Volumes

For Year: 2021

County: GLACIER

Station: W-130

At Road: 2 Mi. NW of US 89

Location Id: 18-4-005

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 2, RP 222.07, 1.5 Mi. E of Browning (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,360		%		%		%		%		%		%
2005	2,420		%		%		%		%		%		%
2006	3,280	521	15.88 %	449	13.69 %	424	12.93 %	409	12.47 %	392	11.95 %	365	11.13 %
2007	3,219	527	16.37 %	434	13.48 %	419	13.02 %	412	12.80 %	400	12.43 %	374	11.62 %
2008	2,987	451	15.10 %	411	13.76 %	402	13.46 %	389	13.02 %	361	12.09 %	341	11.42 %
2009	3,186	536	16.82 %	466	14.63 %	451	14.16 %	442	13.87 %	424	13.31 %	400	12.55 %
2010	3,427	543	15.84 %	507	14.79 %	482	14.06 %	470	13.71 %	451	13.16 %	425	12.40 %
2011	3,434	587	17.09 %	495	14.41 %	477	13.89 %	460	13.40 %	435	12.67 %	412	12.00 %
2012	3,426	562	16.40 %	508	14.83 %	487	14.21 %	468	13.66 %	445	12.99 %	411	12.00 %
2013	3,506	539	15.37 %	499	14.23 %	484	13.80 %	473	13.49 %	454	12.95 %	429	12.24 %
2014	3,372	563	16.70 %	509	15.09 %	485	14.38 %	475	14.09 %	453	13.43 %	421	12.49 %
2015	3,409	755	22.15 %	488	14.32 %	468	13.73 %	455	13.35 %	441	12.94 %	405	11.88 %
2016	3,709	612	16.50 %	534	14.40 %	514	13.86 %	497	13.40 %	481	12.97 %	450	12.13 %
2017	3,778	587	15.54 %	542	14.35 %	515	13.63 %	498	13.18 %	484	12.81 %	459	12.15 %
2018	3,106	498	16.03 %	440	14.17 %	410	13.20 %	395	12.72 %	381	12.27 %	357	11.49 %
2019	3,590	569	15.85 %	535	14.90 %	519	14.46 %	506	14.09 %	490	13.65 %	463	12.90 %
2020	3,296	496	15.05 %	444	13.47 %	423	12.83 %	413	12.53 %	398	12.08 %	381	11.56 %
2021	3,844	579	15.06 %	523	13.61 %	506	13.16 %	495	12.88 %	476	12.38 %	452	11.76 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2005 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2005 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: WIBAUX

Station: W-131

At Road: 0.5 Mi. SE of E Wibaux Intch

Ascending Direction: East

Location Id: 55-1-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 242.96, 0.5 Mi. SE of Wibaux Intch (C000094)

Traffic Mix: Pass: 64.51% SU: 5.24% CU: 30.25%

Directional Split: EB 52.48% / WB 48.17%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,649	2,280	2,524	2,632	2,597	2,843	2,869	2,627	71.82%	2,508	104.73%	2,575	102.01%
FEB	2,547	2,278	2,347	2,570	2,717	2,797	2,711	2,566	70.16%	2,478	103.55%	2,542	100.95%
MAR	3,388	2,662	3,015	3,314	3,173	3,599	3,714	3,266	89.29%	3,041	107.40%	3,153	103.60%
APR	3,212	2,984	3,116	3,351	3,465	3,791	3,497	3,344	91.43%	3,229	103.56%	3,341	100.08%
MAY	3,564	3,236	3,504	3,703	3,760	4,007	3,598	3,624	99.08%	3,551	102.06%	3,642	99.51%
JUN	5,238	4,462	4,563		5,062	5,577							
JUL	5,328	4,612	4,789	5,018	5,218	5,583	5,565	5,158	141.02%	4,909	105.07%	5,044	102.26%
AUG	5,234	4,635	4,604	5,121	5,237	5,669	5,664	5,165	141.21%	4,899	105.42%	5,053	102.21%
SEP	4,474	4,051	4,003	4,282	4,443	5,008	4,668	4,417	120.76%	4,195	105.30%	4,357	101.37%
OCT	3,657	3,392	3,621	3,956	4,121	4,244	3,917	3,843	105.07%	3,773	101.87%	3,867	99.38%
NOV	3,510	3,068	3,358	3,666	3,250	3,520	3,494	3,408	93.18%	3,336	102.17%	3,372	101.06%
DEC	2,673	2,467	2,776	3,066	3,151	2,858	2,719	2,815	76.96%	2,865	98.25%	2,864	98.30%
Year	3,790	3,344	3,518	3,698	3,850	4,125	3,856	3,658		3,526	103.74%	3,619	101.06%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: WIBAUX

Station: W-131

At Road: 0.5 Mi. SE of E Wibaux Intch

Location Id: 55-1-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-94, RP 242.96, 0.5 Mi. SE of Wibaux Intch (C000094)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,810		%		%		%		%		%		%
2005	2,760		%		%		%		%		%		%
2006	2,900		%		%		%		%		%		%
2007	2,918	429	14.70 %	379	12.99 %	359	12.30 %	347	11.89 %	331	11.34 %	314	10.76 %
2008	2,776	390	14.05 %	340	12.25 %	331	11.92 %	321	11.56 %	311	11.20 %	296	10.66 %
2009	2,806	429	15.29 %	407	14.50 %	365	13.01 %	350	12.47 %	341	12.15 %	321	11.44 %
2010	3,019	435	14.41 %	407	13.48 %	386	12.79 %	377	12.49 %	366	12.12 %	342	11.33 %
2011	3,210	487	15.17 %	406	12.65 %	389	12.12 %	374	11.65 %	366	11.40 %	336	10.47 %
2012	3,408	455	13.35 %	415	12.18 %	397	11.65 %	375	11.00 %	358	10.50 %	342	10.04 %
2013	3,577	489	13.67 %	431	12.05 %	416	11.63 %	403	11.27 %	393	10.99 %	374	10.46 %
2014	3,719	508	13.66 %	452	12.15 %	438	11.78 %	431	11.59 %	418	11.24 %	400	10.76 %
2015	3,737	484	12.95 %	447	11.96 %	438	11.72 %	431	11.53 %	419	11.21 %	399	10.68 %
2016	3,567	540	15.14 %	458	12.84 %	439	12.31 %	432	12.11 %	421	11.80 %	403	11.30 %
2017	3,482		%		%		%		%		%		%
2018	3,440		%		%		%		%		%		%
2019	3,433		%		%		%		%		%		%
2020	3,200	489	15.28 %	440	13.75 %	418	13.06 %	413	12.91 %	395	12.34 %	372	11.63 %
2021	3,742	569	15.21 %	476	12.72 %	468	12.51 %	454	12.13 %	443	11.84 %	420	11.22 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006 ARE BASED ON SHORT TERM COUNTS, SITE DOWN SINCE JULY 2017, NOT ENOUGH DAYS TO MAKE 2006 & 2017-2018 PEAK HOURLY REPORTS

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MISSOULA

Station: W-132

At Road: 1 Mi. SW of MT 83

Ascending Direction: East

Location Id: 32-4-003

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: MT200, RP 30.7, SW of Clearwater Jct (C000024)

Traffic Mix: Pass: 93.87% SU: 1.48% CU: 4.65%

Directional Split: WB 50.39% / EB 49.61%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN		1,441	1,361	1,321									
FEB													
MAR													
APR													
MAY													
JUN	5,570	4,276	3,928	3,953	4,290	5,303	4,783	4,585	124.80%	4,112	111.51%	4,350	105.40%
JUL	5,424	4,995	4,204	4,275	4,761	5,661	5,134	4,921	133.94%	4,559	107.95%	4,779	102.97%
AUG	4,864	3,868	3,714	3,940	4,128	4,675	4,515	4,243	115.49%	3,913	108.45%	4,065	104.38%
SEP	4,126	3,719	3,289	3,320	3,544	4,360	3,964	3,760	102.34%	3,468	108.42%	3,646	103.12%
OCT	3,438	2,900	2,883	2,990	3,156	3,909	3,524	3,256	88.62%	2,982	109.18%	3,168	102.79%
NOV	3,290	2,703	2,527	3,050	2,729	3,404	3,065	2,966	80.73%	2,752	107.77%	2,883	102.89%
DEC	1,772	1,774	2,039	2,210	2,218	2,216	1,687	1,987	54.08%	2,060	96.44%	2,091	95.01%
Year	4,069	3,210	2,993	3,132	3,547	4,218	3,810	3,674		3,407	107.85%	3,569	102.95%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MISSOULA

Station: W-132

At Road: 1 Mi. SW of MT 83

Location Id: 32-4-003

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: MT200, RP 30.7, SW of Clearwater Jct (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,150		%		%		%		%		%		%
2005	3,150		%		%		%		%		%		%
2006	2,500		%		%		%		%		%		%
2007	2,854	529	18.54 %	478	16.75 %	459	16.08 %	440	15.42 %	419	14.68 %	391	13.70 %
2008	2,699	550	20.38 %	482	17.86 %	455	16.86 %	428	15.86 %	414	15.34 %	389	14.41 %
2009	2,809	610	21.72 %	521	18.55 %	503	17.91 %	481	17.12 %	448	15.95 %	417	14.85 %
2010	2,828	584	20.65 %	503	17.79 %	489	17.29 %	473	16.73 %	443	15.66 %	396	14.00 %
2011	2,596	512	19.72 %	465	17.91 %	438	16.87 %	417	16.06 %	397	15.29 %	362	13.94 %
2012	2,753	525	19.07 %	458	16.64 %	441	16.02 %	429	15.58 %	405	14.71 %	375	13.62 %
2013	2,751	561	20.39 %	500	18.18 %	469	17.05 %	456	16.58 %	432	15.70 %	402	14.61 %
2014	2,831	618	21.83 %	499	17.63 %	476	16.81 %	462	16.32 %	434	15.33 %	403	14.24 %
2015	2,912	681	23.39 %	513	17.62 %	495	17.00 %	484	16.62 %	453	15.56 %	416	14.29 %
2016	3,039	576	18.95 %	526	17.31 %	505	16.62 %	496	16.32 %	478	15.73 %	444	14.61 %
2017	2,905	562	19.35 %	531	18.28 %	514	17.69 %	501	17.25 %	472	16.25 %	427	14.70 %
2018	2,913	568	19.50 %	532	18.26 %	511	17.54 %	494	16.96 %	478	16.41 %	440	15.10 %
2019	2,901	593	20.44 %	547	18.86 %	522	17.99 %	509	17.55 %	489	16.86 %	440	15.17 %
2020	2,820	646	22.91 %	570	20.21 %	547	19.40 %	525	18.62 %	500	17.73 %	461	16.35 %
2021	3,524		%		%		%		%		%		%

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2006 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2006 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LAKE

Station: W-133

At Road: 0.5 Mi. E of MT 28

Ascending Direction: North

Location Id: 24-2-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 93, RP 78.61, 1 Mi. N of Elmo (C000005)

Traffic Mix: Pass: 89.48% SU: 5.22% CU: 5.30%

Directional Split: SB 50.37% / NB 49.63%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	3,349	3,514	3,411	3,325	3,685	4,053	4,039	3,624	70.60%	3,484	104.03%	3,598	100.73%
FEB	2,954	3,334	3,130	3,323	3,612	3,930	3,435	3,387	65.98%	3,350	101.11%	3,466	97.73%
MAR	4,482	3,822	3,796	4,051	4,430	5,253	4,847	4,382	85.37%	4,025	108.88%	4,270	102.61%
APR	4,298	4,111	4,096	4,232	4,393	5,364	4,787	4,468	87.04%	4,208	106.18%	4,439	100.65%
MAY	5,186	4,752	4,283	4,359	4,921	6,131	5,713	5,048	98.34%	4,579	110.25%	4,889	103.25%
JUN	7,156	6,477	6,005	6,175	6,382	7,719	6,779	6,670	129.94%	6,260	106.55%	6,552	101.81%
JUL	7,602	8,166	7,206	7,062	7,831	9,063	8,277	7,886	153.63%	7,566	104.23%	7,866	100.26%
AUG	8,220	7,781	6,974	7,765	8,182	9,209	8,092	8,031	156.46%	7,676	104.63%	7,982	100.61%
SEP	5,650	5,488	4,941	4,925	5,218	6,532	6,172	5,560	108.32%	5,143	108.11%	5,421	102.57%
OCT	4,614	4,342	4,355	4,426	4,861	5,603	5,334	4,790	93.32%	4,496	106.54%	4,717	101.54%
NOV	3,983	3,966	3,806	4,283	3,857	4,568	4,207	4,095	79.78%	3,978	102.94%	4,096	99.98%
DEC	3,494	3,329	3,522	3,838	3,870	4,228	3,310	3,655	71.21%	3,640	100.42%	3,757	97.27%
Year	5,082	4,924	4,627	4,814	5,104	5,971	5,416	5,133		4,867	105.47%	5,088	100.89%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LAKE

Station: W-133

At Road: 0.5 Mi. E of MT 28

Location Id: 24-2-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 93, RP 78.61, 1 Mi. N of Elmo (C000005)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,970		%		%		%		%		%		%
2005	4,070		%		%		%		%		%		%
2006	3,940		%		%		%		%		%		%
2007	4,130		%		%		%		%		%		%
2008	4,130		%		%		%		%		%		%
2009	3,954	656	16.59 %	595	15.05 %	575	14.54 %	564	14.26 %	539	13.63 %	495	12.52 %
2010	3,993	662	16.58 %	612	15.33 %	595	14.90 %	576	14.43 %	554	13.87 %	508	12.72 %
2011	3,931	650	16.54 %	601	15.29 %	571	14.53 %	557	14.17 %	543	13.81 %	508	12.92 %
2012	3,964	604	15.24 %	582	14.68 %	564	14.23 %	553	13.95 %	532	13.42 %	500	12.61 %
2013	4,093	650	15.88 %	621	15.17 %	587	14.34 %	574	14.02 %	553	13.51 %	521	12.73 %
2014	4,083	651	15.94 %	593	14.52 %	569	13.94 %	555	13.59 %	538	13.18 %	507	12.42 %
2015	4,341	760	17.51 %	673	15.50 %	630	14.51 %	601	13.84 %	572	13.18 %	539	12.42 %
2016	4,491	709	15.79 %	660	14.70 %	639	14.23 %	622	13.85 %	603	13.43 %	568	12.65 %
2017	4,536	734	16.18 %	680	14.99 %	660	14.55 %	644	14.20 %	626	13.80 %	598	13.18 %
2018	4,559	708	15.53 %	646	14.17 %	636	13.95 %	626	13.73 %	609	13.36 %	581	12.74 %
2019	4,609	787	17.08 %	706	15.32 %	666	14.45 %	662	14.36 %	640	13.89 %	611	13.26 %
2020	4,394	797	18.14 %	681	15.50 %	661	15.04 %	643	14.63 %	627	14.27 %	592	13.47 %
2021	5,133	986	19.21 %	870	16.95 %	815	15.88 %	789	15.37 %	758	14.77 %	711	13.85 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2008 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2008 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: HILL

Station: W-134

At Road: 3.5 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 21-2-014

Functional Class: Major Collector Rural


Traffic Factor Group: RMA_RMC_345

Located On: S-232, RP 39.67, 3.5 Mi. S of Canadian Border/Port of Wild Horse (C000232)

Traffic Mix: Pass: 73.77% SU: 9.84% CU: 16.39%

Directional Split: NB 50.50% / SB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	23	53	54	59	55	37	23	42	68.11%	55	76.02%	52	81.40%
FEB	28	43	53	54	54	40	21	41	66.49%	51	80.39%	49	84.02%
MAR	25	49	54	55	48	45	24	42	68.11%	52	81.55%	50	83.67%
APR	28	68	78	76	73	67	30	59	95.68%	74	80.00%	72	81.49%
MAY	47	79	92	111	92	62	47	74	120.00%	94	79.14%	87	84.86%
JUN	40	81	93	82	79	78	37	69	111.89%	84	82.39%	83	83.54%
JUL	47	67	77	96	86	82	69	74	120.00%	82	90.80%	82	90.69%
AUG	60	93	86	90	87	89	79	83	134.59%	89	93.26%	89	93.26%
SEP	44	74	93	93	87	67	48	71	115.14%	87	81.84%	83	85.75%
OCT	48	83	72	75	83	73	50	68	110.27%	78	86.90%	77	88.08%
NOV	49	80	71	62	59	60	60	62	100.54%	68	91.18%	66	93.37%
DEC	47	61	49	62	59	57	59	55	89.19%	58	95.24%	58	95.49%
Year	41	69	73	76	72	63	46	62		73	85.06%	71	87.33%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: HILL

Station: W-134

At Road: 3.5 Mi. S of Canadian Border

Location Id: 21-2-014

Functional Class: Major Collector Rural

Traffic Factor Group: RMA_RMC_345

Located On: S-232, RP 39.67, 3.5 Mi. S of Canadian Border/Port of Wild Horse (C000232)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2009	123	43	34.96 %	34	27.64 %	31	25.20 %	30	24.39 %	27	21.95 %	24	19.51 %
2010	152	44	28.95 %	36	23.68 %	33	21.71 %	32	21.05 %	31	20.39 %	28	18.42 %
2011	168	47	27.98 %	41	24.40 %	38	22.62 %	36	21.43 %	34	20.24 %	31	18.45 %
2012	158	58	36.71 %	43	27.22 %	39	24.68 %	36	22.78 %	35	22.15 %	31	19.62 %
2013	167	51	30.54 %	47	28.14 %	44	26.35 %	42	25.15 %	39	23.35 %	34	20.36 %
2014	160	104	65.00 %	49	30.63 %	43	26.88 %	39	24.38 %	37	23.13 %	31	19.38 %
2015	134	73	54.48 %	39	29.10 %	36	26.87 %	32	23.88 %	29	21.64 %	26	19.40 %
2016	132	40	30.30 %	37	28.03 %	34	25.76 %	31	23.48 %	29	21.97 %	26	19.70 %
2017	136	39	28.68 %	32	23.53 %	30	22.06 %	29	21.32 %	28	20.59 %	25	18.38 %
2018	123	62	50.41 %	36	29.27 %	32	26.02 %	30	24.39 %	28	22.76 %	24	19.51 %
2019	118	36	30.51 %	31	26.27 %	30	25.42 %	28	23.73 %	26	22.03 %	24	20.34 %
2020	66	22	33.33 %	19	28.79 %	18	27.27 %	16	24.24 %	15	22.73 %	13	19.70 %
2021	61	23	37.70 %	18	29.51 %	16	26.23 %	15	24.59 %	14	22.95 %	13	21.31 %

Notes
 NO SHORT TERM COUNT AADT'S AVAILABLE
 PRIOR TO SITE INSTALLATION 2009

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: PHILLIPS

Station: W-135

At Road: 3 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 36-1-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 191, RP 50.95, 3 Mi. S of Canadian Border/Port of Morgan (C000099)

Traffic Mix: Pass: 78.26% SU: 8.70% CU: 13.04%

Directional Split: NB 52.89% / SB 47.56%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	11	29	22	23	25	23	8	19	80.00%	25	76.77%	24	77.87%
FEB	5	24	26	28	29	27	9	20	84.21%	27	74.77%	27	74.63%
MAR	7	24	33	34	31	32	8	23	96.84%	31	75.41%	31	74.68%
APR	13	28	30	44	30	32	9	26	109.47%	33	78.79%	33	79.27%
MAY	12	31	30	41	33	29	13	26	109.47%	34	77.04%	33	79.27%
JUN	9	30	30	30	25	34	13	23	96.84%	29	80.00%	30	77.18%
JUL	24	31	36	30	27	25	7	25	105.26%	31	80.65%	30	83.89%
AUG	10	25	30	27	29	34	14	23	96.84%	28	82.88%	29	79.31%
SEP	11	30	37	32	36	33	16	27	113.68%	34	80.00%	34	80.36%
OCT	17	35	30	26	25	35	16	25	105.26%	29	86.21%	30	82.78%
NOV	17	33	26	33	22	28	19	25	105.26%	29	87.72%	28	88.03%
DEC	9	33	19	28	23	25	30	23	96.84%	26	89.32%	26	89.84%
Year	12	29	29	31	28	30	14	24		29	80.68%	30	80.51%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: PHILLIPS

Station: W-135

At Road: 3 Mi. S of Canadian Border

Location Id: 36-1-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 191, RP 50.95, 3 Mi. S of Canadian Border/Port of Morgan (C000099)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2009	54	36	66.67 %	18	33.33 %	16	29.63 %	15	27.78 %	14	25.93 %	12	22.22 %
2010	75	28	37.33 %	23	30.67 %	22	29.33 %	20	26.67 %	18	24.00 %	16	21.33 %
2011	74	33	44.59 %	21	28.38 %	19	25.68 %	18	24.32 %	16	21.62 %	14	18.92 %
2012	68	35	51.47 %	24	35.29 %	22	32.35 %	20	29.41 %	18	26.47 %	15	22.06 %
2013	66	34	51.52 %	22	33.33 %	20	30.30 %	18	27.27 %	17	25.76 %	14	21.21 %
2014	58	20	34.48 %	17	29.31 %	15	25.86 %	15	25.86 %	14	24.14 %	12	20.69 %
2015	53	25	47.17 %	16	30.19 %	15	28.30 %	13	24.53 %	12	22.64 %	11	20.75 %
2016	50	20	40.00 %	15	30.00 %	14	28.00 %	13	26.00 %	12	24.00 %	11	22.00 %
2017	48	28	58.33 %	16	33.33 %	14	29.17 %	13	27.08 %	12	25.00 %	11	22.92 %
2018	50	75	150.00 %	19	38.00 %	16	32.00 %	15	30.00 %	13	26.00 %	11	22.00 %
2019	49	35	71.43 %	21	42.86 %	18	36.73 %	15	30.61 %	14	28.57 %	12	24.49 %
2020	30	70	233.33 %	20	66.67 %	13	43.33 %	12	40.00 %	11	36.67 %	9	30.00 %
2021	23	35	152.17 %	13	56.52 %	10	43.48 %	10	43.48 %	9	39.13 %	7	30.43 %

Notes
 NO SHORT TERM COUNT AADT'S AVAILABLE
 PRIOR TO SITE INSTALLATION 2009

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: TOOLE

Station: W-136

At Road: 3 Mi. NW of Sunburst Intch

Ascending Direction: North

Location Id: 51-1-002

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 392.04, 6 Mi. S of Canadian Border/Port of Sweet Grass (C000015)

Traffic Mix: Pass: 38.61% SU: 3.92% CU: 57.47%

Directional Split: SB 50.68% / NB 49.32%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	879	1,281	1,250	1,282	1,313	1,050	936	1,141	82.80%	1,282	89.04%	1,235	92.37%
FEB	841	1,153	1,258	1,298	1,289	1,166	914	1,130	82.00%	1,250	90.44%	1,233	91.66%
MAR	982	1,294	1,401	1,492	1,421	1,338	1,044	1,281	92.96%	1,402	91.37%	1,389	92.21%
APR	1,018	1,389	1,498	1,690	1,526	1,456	1,101	1,382	100.29%	1,526	90.58%	1,512	91.41%
MAY	1,088	1,389	1,496	1,715	1,568	1,463	1,179	1,413	102.54%	1,542	91.63%	1,526	92.58%
JUN	1,108	1,500	1,543	1,573	1,584	1,443	1,190	1,419	102.98%	1,550	91.55%	1,529	92.83%
JUL	1,090	1,432	1,518	1,577	1,565	1,459	1,146	1,397	101.38%	1,523	91.73%	1,510	92.50%
AUG	1,162	1,560	1,576	1,662	1,641	1,512	1,250	1,479	107.33%	1,610	91.88%	1,590	93.01%
SEP	1,131	1,384	1,507	1,591	1,618	1,506	1,157	1,413	102.54%	1,525	92.66%	1,521	92.89%
OCT	1,067	1,416	1,506	1,529	1,497	1,424	1,133	1,366	99.13%	1,487	91.86%	1,474	92.65%
NOV	1,381	1,741	1,734	1,824	1,627	1,604	1,302	1,601	116.18%	1,732	92.46%	1,706	93.85%
DEC	1,307	1,580	1,586	1,681	1,667	1,512	1,266	1,514	109.87%	1,629	92.97%	1,605	94.32%
Year	1,088	1,427	1,489	1,576	1,526	1,411	1,135	1,378		1,505	91.58%	1,486	92.74%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: TOOLE

Station: W-136

At Road: 3 Mi. NW of Sunburst Intch

Location Id: 51-1-002

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 392.04, 6 Mi. S of Canadian Border/Port of Sweet Grass (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,150		%		%		%		%		%		%
2005	2,340		%		%		%		%		%		%
2006	2,400		%		%		%		%		%		%
2007	2,370		%		%		%		%		%		%
2008	2,630		%		%		%		%		%		%
2009	2,240		%		%		%		%		%		%
2010	2,048	312	15.23 %	263	12.84 %	248	12.11 %	238	11.62 %	229	11.18 %	215	10.50 %
2011	2,116	312	14.74 %	255	12.05 %	244	11.53 %	236	11.15 %	227	10.73 %	217	10.26 %
2012	2,190	404	18.45 %	271	12.37 %	261	11.92 %	251	11.46 %	243	11.10 %	231	10.55 %
2013	2,280		%		%		%		%		%		%
2014	2,249		%		%		%		%		%		%
2015	2,007	327	16.29 %	278	13.85 %	256	12.76 %	245	12.21 %	232	11.56 %	216	10.76 %
2016	1,924	290	15.07 %	234	12.16 %	228	11.85 %	221	11.49 %	214	11.12 %	203	10.55 %
2017	1,942	373	19.21 %	260	13.39 %	243	12.51 %	233	12.00 %	223	11.48 %	209	10.76 %
2018	1,909	370	19.38 %	243	12.73 %	228	11.94 %	222	11.63 %	214	11.21 %	202	10.58 %
2019	1,941	283	14.58 %	238	12.26 %	221	11.39 %	217	11.18 %	209	10.77 %	202	10.41 %
2020	1,301	319	24.52 %	278	21.37 %	248	19.06 %	232	17.83 %	205	15.76 %	165	12.68 %
2021	1,378	255	18.51 %	180	13.06 %	167	12.12 %	162	11.76 %	152	11.03 %	142	10.30 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2009 ARE BASED ON SHORT TERM COUNTS, UNDER CONSTRUCTION 2013-2014, NOT ENOUGH DAYS TO MAKE 2009, 2013-2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MINERAL

Station: W-137

At Road: 1 Mi. W of St. Regis Intch

Ascending Direction: East

Location Id: 31-1-003

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 32.24, 1 Mi. W of St. Regis Intch (C000090)

Traffic Mix: Pass: 61.69% SU: 5.53% CU: 32.78%

Directional Split: EB 50.93% / WB 49.18%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,440	4,968	4,822	4,706	5,123	5,530	5,634	5,174	86.08%	4,905	105.49%	5,030	102.87%
FEB	5,047	4,497	4,437	4,961	4,905	5,498	4,923	4,894	81.43%	4,700	104.13%	4,860	100.71%
MAR	7,728	5,933	6,231	6,475	6,893	8,133	7,361	6,964	115.87%	6,383	109.10%	6,733	103.43%
APR		7,259			7,985	9,445							
MAY													
JUN													
JUL													
AUG													
SEP													
OCT	8,565			7,177	8,331	9,243	7,886						
NOV	8,840	6,704	6,292	7,702	6,476	7,559	7,821	7,341	122.14%	6,794	108.06%	6,947	105.68%
DEC	5,784	5,257	5,785	6,096	5,849	6,281	4,705	5,679	94.49%	5,747	98.82%	5,854	97.02%
Year	6,901	5,770	5,513	6,186	6,509	7,384	6,388	6,010		5,706	105.34%	5,885	102.14%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MINERAL

Station: W-137

At Road: 1 Mi. W of St. Regis Intch

Location Id: 31-1-003

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 32.24, 1 Mi. W of St. Regis Intch (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	6,150		%		%		%		%		%		%
2005	6,150		%		%		%		%		%		%
2006	6,300		%		%		%		%		%		%
2007	6,890		%		%		%		%		%		%
2008	6,360		%		%		%		%		%		%
2009	6,560		%		%		%		%		%		%
2010	6,820		%		%		%		%		%		%
2011	6,566	1,293	19.69 %	1,137	17.32 %	1,097	16.71 %	1,016	15.47 %	964	14.68 %	866	13.19 %
2012	5,768		%		%		%		%		%		%
2013	6,600	1,771	26.83 %	1,097	16.62 %	1,039	15.74 %	1,005	15.23 %	965	14.62 %	887	13.44 %
2014	6,798	1,374	20.21 %	1,184	17.42 %	1,141	16.78 %	1,114	16.39 %	1,039	15.28 %	957	14.08 %
2015	7,342	1,383	18.84 %	1,216	16.56 %	1,173	15.98 %	1,154	15.72 %	1,101	15.00 %	1,011	13.77 %
2016	7,524	1,390	18.47 %	1,274	16.93 %	1,223	16.25 %	1,193	15.86 %	1,137	15.11 %	1,041	13.84 %
2017	7,619	1,405	18.44 %	1,248	16.38 %	1,224	16.07 %	1,199	15.74 %	1,156	15.17 %	1,063	13.95 %
2018	7,538	1,363	18.08 %	1,283	17.02 %	1,237	16.41 %	1,207	16.01 %	1,147	15.22 %	1,061	14.08 %
2019	7,226	1,598	22.11 %	1,309	18.12 %	1,233	17.06 %	1,167	16.15 %	1,128	15.61 %	1,027	14.21 %
2020	7,070	1,468	20.76 %	1,282	18.13 %	1,183	16.73 %	1,140	16.12 %	1,113	15.74 %	1,045	14.78 %
2021	6,543		%		%		%		%		%		%

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2010 ARE BASED ON SHORT TERM COUNTS, SITE DOWN PART OF 2012, NOT ENOUGH DAYS TO MAKE 2010 & 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: SHERIDAN

Station: W-138

At Road: 4 Mi. S of Canadian Border

Ascending Direction: North

Location Id: 46-1-029

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 16, RP 11.19, 4 Mi. S of Canadian Border/Port of Raymond (C000034)

Traffic Mix: Pass: 52.66% SU: 3.86% CU: 43.48%

Directional Split: SB 50.71% / NB 49.29%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	107	208	214	196	192	162	99	167	80.45%	203	82.47%	194	85.91%
FEB	97	160	191	201	197	170	103	159	76.60%	187	84.91%	184	86.51%
MAR	99	204	223	223	222	201	110	182	87.68%	218	83.49%	215	84.81%
APR	132	218	230	267	222	235	151	207	99.72%	234	88.37%	234	88.31%
MAY	124	233	238	247	267	232	158	213	102.61%	246	86.50%	243	87.51%
JUN	143	269	267	260	269	242	161	229	110.32%	266	86.01%	261	87.61%
JUL	145	252	283	331	264	248	156	239	115.13%	283	84.60%	276	86.72%
AUG	148	263	289	297	307	252	182	247	118.99%	289	85.47%	282	87.71%
SEP	122	220	257	266	253	241	156	215	103.57%	249	86.35%	247	86.90%
OCT	129	232	245	232	242	224	149	207	99.72%	238	87.07%	235	88.09%
NOV	161	308	278	238	218	215	173	226	108.87%	261	86.76%	251	89.90%
DEC	135	219	249	237	227	199	140	200	96.35%	233	85.84%	226	88.42%
Year	129	232	247	250	240	218	145	208		242	85.71%	237	87.43%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: SHERIDAN

Station: W-138

At Road: 4 Mi. S of Canadian Border

Location Id: 46-1-029

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 16, RP 11.19, 4 Mi. S of Canadian Border/Port of Raymond (C000034)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	620		%		%		%		%		%		%
2005	620		%		%		%		%		%		%
2006	360		%		%		%		%		%		%
2007	470		%		%		%		%		%		%
2008	380		%		%		%		%		%		%
2009	320		%		%		%		%		%		%
2010	330		%		%		%		%		%		%
2011	410		%		%		%		%		%		%
2012	338	59	17.46 %	51	15.09 %	47	13.91 %	45	13.31 %	43	12.72 %	40	11.83 %
2013	308	57	18.51 %	49	15.91 %	45	14.61 %	44	14.29 %	40	12.99 %	37	12.01 %
2014	336	61	18.15 %	51	15.18 %	48	14.29 %	46	13.69 %	44	13.10 %	41	12.20 %
2015	303	49	16.17 %	44	14.52 %	41	13.53 %	40	13.20 %	38	12.54 %	36	11.88 %
2016	292	56	19.18 %	45	15.41 %	43	14.73 %	41	14.04 %	38	13.01 %	35	11.99 %
2017	295	49	16.61 %	43	14.58 %	41	13.90 %	39	13.22 %	38	12.88 %	36	12.20 %
2018	293	47	16.04 %	42	14.33 %	40	13.65 %	39	13.31 %	37	12.63 %	35	11.95 %
2019	292	51	17.47 %	42	14.38 %	41	14.04 %	40	13.70 %	38	13.01 %	35	11.99 %
2020	208	44	21.15 %	38	18.27 %	36	17.31 %	35	16.83 %	33	15.87 %	30	14.42 %
2021	207	75	36.23 %	38	18.36 %	35	16.91 %	33	15.94 %	31	14.98 %	28	13.53 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2011 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2011 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MADISON

Station: W-141

At Road: 10.5 Mi. W of US 191

Ascending Direction: East

Location Id: 16-3-002

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_12

Located On: MT 84, RP 18.48, 18 Mi. E of Norris (C000084)

Traffic Mix: Pass: 91.84% SU: 2.85% CU: 5.31%

Directional Split: EB 50.32% / WB 49.85%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,907	1,882	1,816	1,867	1,878	2,053	2,094	1,927	67.78%	1,861	103.56%	1,899	101.46%
FEB	1,321	1,702	1,651	1,624	1,818	1,672	1,453	1,605	56.45%	1,699	94.48%	1,693	94.78%
MAR	2,778	2,045	2,018	2,290	2,379	2,829	3,001	2,476	87.09%	2,183	113.42%	2,312	107.08%
APR	2,622	2,192	2,399	2,619	2,721	3,186	3,230	2,709	95.28%	2,483	109.11%	2,623	103.26%
MAY	3,338	3,216	2,949	2,937	3,221	3,298	3,254	3,172	111.57%	3,081	102.96%	3,124	101.53%
JUN	4,543	3,896	3,663	3,771	3,881	4,223	4,509	4,069	143.12%	3,803	107.00%	3,887	104.69%
JUL	5,375	3,998	3,744	3,882	4,154	4,605	5,375	4,447	156.41%	3,945	112.74%	4,077	109.09%
AUG	3,987	3,255	3,197	3,382	3,475	3,756	4,079	3,590	126.27%	3,327	107.90%	3,413	105.19%
SEP	3,218	3,071	2,876	2,917	3,047	3,537	3,440	3,157	111.04%	2,978	106.02%	3,090	102.18%
OCT	2,815	2,241	2,209	2,526	2,742	3,143	2,969	2,663	93.66%	2,430	109.61%	2,572	103.53%
NOV	2,703	2,350	2,279	2,506	2,170	2,689	2,785	2,496	87.79%	2,326	107.30%	2,399	104.05%
DEC	1,475	1,807	1,940	1,932	1,993	1,830	1,678	1,807	63.56%	1,918	94.21%	1,900	95.09%
Year	3,007	2,638	2,562	2,688	2,790	3,068	3,156	2,843		2,669	106.51%	2,749	103.42%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: MADISON

Station: W-141

At Road: 10.5 Mi. W of US 191

Location Id: 16-3-002

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_12

Located On: MT 84, RP 18.48, 18 Mi. E of Norris (C000084)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,910		%		%		%		%		%		%
2005	2,120		%		%		%		%		%		%
2006	2,190		%		%		%		%		%		%
2007	2,250		%		%		%		%		%		%
2008	1,940		%		%		%		%		%		%
2009	2,010		%		%		%		%		%		%
2010	2,190		%		%		%		%		%		%
2011	1,620		%		%		%		%		%		%
2012	1,660		%		%		%		%		%		%
2013	1,960	512	26.12 %	407	20.77 %	379	19.34 %	355	18.11 %	331	16.89 %	295	15.05 %
2014	2,052	532	25.93 %	446	21.73 %	421	20.52 %	396	19.30 %	360	17.54 %	309	15.06 %
2015	2,248	518	23.04 %	449	19.97 %	423	18.82 %	403	17.93 %	363	16.15 %	317	14.10 %
2016	2,303	592	25.71 %	471	20.45 %	424	18.41 %	404	17.54 %	370	16.07 %	336	14.59 %
2017	2,313	481	20.80 %	439	18.98 %	416	17.99 %	404	17.47 %	378	16.34 %	340	14.70 %
2018	2,379	528	22.19 %	458	19.25 %	436	18.33 %	422	17.74 %	394	16.56 %	347	14.59 %
2019	2,466	568	23.03 %	494	20.03 %	468	18.98 %	445	18.05 %	413	16.75 %	371	15.04 %
2020	2,733	644	23.56 %	567	20.75 %	559	20.45 %	534	19.54 %	514	18.81 %	462	16.90 %
2021	2,843	662	23.29 %	530	18.64 %	497	17.48 %	483	16.99 %	457	16.07 %	405	14.25 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: BEAVERHEAD

Station: W-142

At Road: 0.5 Mi. N of Lima Intch

Ascending Direction: North

Location Id: 01-8-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 15.53, 0.5 Mi. N of Lima Intch (C000015)

Traffic Mix: Pass: 63.67% SU: 6.31% CU: 30.02%

Directional Split: SB 50.19% / NB 49.81%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,497	2,364	2,329	2,339	2,399	2,497	2,446	2,409	68.74%	2,358	102.17%	2,386	100.98%
FEB	2,360	2,274	2,293	2,415	2,578	2,480	2,102	2,357	67.25%	2,390	98.62%	2,408	97.88%
MAR	3,391	2,713	2,685	3,033	3,144	3,447	3,090	3,071	87.62%	2,894	106.13%	3,004	102.22%
APR	3,466	3,069	3,084	3,348	3,587	3,848	3,144	3,363	95.96%	3,272	102.78%	3,387	99.29%
MAY	3,785	3,680	3,204	3,559	3,823	3,823	3,326	3,599	102.69%	3,567	100.91%	3,618	99.48%
JUN	4,638	4,284	3,869	3,992	4,286	4,677	4,149	4,270	121.83%	4,108	103.95%	4,222	101.15%
JUL	4,854	4,439	4,346	4,423	4,555	4,908	4,668	4,598	131.19%	4,441	103.54%	4,534	101.41%
AUG	4,692	4,107	3,893	4,241	4,304	4,609	4,183	4,289	122.38%	4,136	103.69%	4,231	101.38%
SEP	4,059	3,602	3,380	3,777	4,118	4,274	3,449	3,808	108.65%	3,719	102.39%	3,830	99.42%
OCT	3,910	3,287	3,318	3,675	3,655	3,989	3,339	3,595	102.58%	3,484	103.19%	3,585	100.28%
NOV	3,915	3,540	3,413	3,630	3,418	3,608	3,683	3,600	102.72%	3,500	102.85%	3,522	102.22%
DEC	3,066	3,024	3,287	3,422	3,391	2,982	2,521	3,098	88.39%	3,281	94.42%	3,221	96.18%
Year	3,719	3,365	3,258	3,488	3,605	3,762	3,342	3,505		3,429	102.21%	3,496	100.26%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
NOT ENOUGH VALID DAY'S DATA FOR MONTHLY AVERAGES FEB, MAR, MAY, JUN, JUL



Yearly Peak Hourly Volumes

For Year: 2021

County: BEAVERHEAD

Station: W-142

At Road: 0.5 Mi. N of Lima Intch

Location Id: 01-8-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-15, RP 15.53, 0.5 Mi. N of Lima Intch (C000015)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,700		%		%		%		%		%		%
2005	2,680		%		%		%		%		%		%
2006	2,770		%		%		%		%		%		%
2007	2,870		%		%		%		%		%		%
2008	2,720		%		%		%		%		%		%
2009	2,810		%		%		%		%		%		%
2010	2,900		%		%		%		%		%		%
2011	2,890		%		%		%		%		%		%
2012	3,010		%		%		%		%		%		%
2013	3,055	647	21.18 %	432	14.14 %	408	13.36 %	391	12.80 %	377	12.34 %	357	11.69 %
2014	3,120	609	19.52 %	476	15.26 %	434	13.91 %	419	13.43 %	396	12.69 %	369	11.83 %
2015	3,224	628	19.48 %	486	15.07 %	460	14.27 %	438	13.59 %	413	12.81 %	387	12.00 %
2016	3,319	661	19.92 %	502	15.13 %	472	14.22 %	456	13.74 %	421	12.68 %	386	11.63 %
2017	3,354	555	16.55 %	475	14.16 %	450	13.42 %	443	13.21 %	414	12.34 %	386	11.51 %
2018	3,237	590	18.23 %	403	12.45 %	392	12.11 %	382	11.80 %	372	11.49 %	358	11.06 %
2019	3,317		%		%		%		%		%		%
2020	3,028	555	18.33 %	449	14.83 %	428	14.13 %	418	13.80 %	391	12.91 %	365	12.05 %
2021	3,504	705	20.12 %	543	15.50 %	499	14.24 %	471	13.44 %	449	12.81 %	418	11.93 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2012 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2012 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: MADISON

Station: W-143

At Road: 3 Mi. S of Cameron

Ascending Direction: North

Location Id: 29-4-022

Functional Class: Minor Arterial Rural


Traffic Factor Group: REC_MA

Located On: US 287, RP 35.03, 3 Mi. S of Cameron (C000013)

Traffic Mix: Pass: 80.07% SU: 6.04% CU: 13.89%

Directional Split: NB 50.14% / SB 49.86%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,079	1,008	940	932	971	1,052	1,063	1,006	52.31%	963	104.49%	981	102.59%
FEB	951	1,045	945	939	1,073	995	796	962	50.03%	1,001	96.15%	999	96.26%
MAR	1,313	1,073	1,048	1,158	1,182	1,232	1,325	1,190	61.88%	1,115	106.70%	1,139	104.51%
APR	1,357	1,236	1,272	1,356	1,463	1,560	1,366	1,372	71.35%	1,332	103.02%	1,377	99.61%
MAY	1,949	2,096	1,722	1,821	1,988	2,279	1,919	1,967	102.29%	1,907	103.16%	1,981	99.28%
JUN	3,231	2,952	2,935	3,051	3,092	3,361	3,132	3,107	161.57%	3,008	103.31%	3,078	100.94%
JUL	3,500	3,749	3,385	3,532	3,684	3,878	3,637	3,623	188.40%	3,588	100.99%	3,646	99.38%
AUG	3,222	2,955	2,817	3,004	3,217	3,357	3,094	3,094	160.89%	2,998	103.19%	3,070	100.78%
SEP	2,601	2,640	2,398	2,449	2,537	2,919	2,613	2,593	134.84%	2,506	103.47%	2,589	100.17%
OCT	1,842	1,544	1,502	1,697	1,857	2,123	1,775	1,762	91.63%	1,650	106.79%	1,745	101.00%
NOV	1,609	1,364	1,364	1,585	1,317	1,515	1,511	1,466	76.24%	1,408	104.16%	1,429	102.59%
DEC	804	987	1,029	1,118	982	922	699	934	48.57%	1,029	90.77%	1,008	92.70%
Year	1,955	1,887	1,780	1,887	1,947	2,099	1,911	1,923		1,875	102.55%	1,920	100.15%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
THIS SITE REPLACED A-72 IN 2014



Yearly Peak Hourly Volumes

For Year: 2021

County: MADISON

Station: W-143

At Road: 3 Mi. S of Cameron

Location Id: 29-4-022

Functional Class: Minor Arterial Rural

Traffic Factor Group: REC_MA

Located On: US 287, RP 35.03, 3 Mi. S of Cameron (C000013)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,540		%		%		%		%		%		%
2005	1,780		%		%		%		%		%		%
2006	1,780		%		%		%		%		%		%
2007	2,130		%		%		%		%		%		%
2008	1,570		%		%		%		%		%		%
2009	1,916		%		%		%		%		%		%
2010	1,509	316	20.94 %	273	18.09 %	261	17.30 %	257	17.03 %	248	16.43 %	233	15.44 %
2011	1,329	277	20.84 %	251	18.89 %	243	18.28 %	237	17.83 %	229	17.23 %	216	16.25 %
2012	1,409	267	18.95 %	254	18.03 %	247	17.53 %	242	17.18 %	233	16.54 %	223	15.83 %
2013	1,470	304	20.68 %	269	18.30 %	259	17.62 %	254	17.28 %	246	16.73 %	232	15.78 %
2014	1,484	359	24.19 %	278	18.73 %	260	17.52 %	256	17.25 %	244	16.44 %	232	15.63 %
2015	1,641	401	24.44 %	297	18.10 %	288	17.55 %	281	17.12 %	275	16.76 %	261	15.90 %
2016	1,596	386	24.19 %	298	18.67 %	285	17.86 %	278	17.42 %	267	16.73 %	253	15.85 %
2017	1,631	447	27.41 %	337	20.66 %	319	19.56 %	308	18.88 %	294	18.03 %	276	16.92 %
2018	1,675	345	20.60 %	319	19.04 %	307	18.33 %	300	17.91 %	292	17.43 %	278	16.60 %
2019	1,695	350	20.65 %	323	19.06 %	314	18.53 %	305	17.99 %	296	17.46 %	280	16.52 %
2020	1,805	398	22.05 %	364	20.17 %	351	19.45 %	342	18.95 %	334	18.50 %	316	17.51 %
2021	1,922	427	22.22 %	361	18.78 %	338	17.59 %	332	17.27 %	322	16.75 %	309	16.08 %

Notes
 THIS SITE REPLACED A-72 IN 2014,
 ALL AADTS PRIOR TO 2014 HAVE BEEN
 CARRIED OVER FROM A-72,
 ALL AADTS PRIOR TO INSTALLATION OF A-72 IN
 2009 ARE BASED ON SHORT TERM COUNTS,
 NOT ENOUGH DAYS FOR 2009 PEAK HOURLY
 REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: W-144

At Road: 0.5 Mi. N of Shepard-Acton Rd

Ascending Direction: North

Location Id: 56-2-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 87, RP 19, 29 Mi. S of Roundup (C000016)

Traffic Mix: Pass: 91.72% SU: 4.14% CU: 4.14%

Directional Split: SB 50.07% / NB 49.93%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	2,012	2,807	2,837	2,844	2,757	2,900	2,323	2,639	83.94%	2,811	93.87%	2,829	93.28%
FEB	1,679	2,509	2,506	2,575	2,708	2,700	1,823	2,356	74.94%	2,575	91.51%	2,600	90.63%
MAR	2,411	2,914	2,935	3,183	3,257	3,602	2,742	3,005	95.58%	3,072	97.81%	3,178	94.55%
APR	2,513	2,953	3,081	3,203	3,328	3,675	2,982	3,105	98.76%	3,141	98.85%	3,248	95.60%
MAY	2,698	3,341	3,441	3,568	3,551	3,859	3,009	3,351	106.58%	3,475	96.42%	3,552	94.34%
JUN	3,024	3,588	3,514	3,612	3,723	3,998	3,104	3,508	111.58%	3,609	97.19%	3,687	95.15%
JUL	2,744	3,486	3,467	3,642	3,723	4,012	3,066	3,448	109.67%	3,580	96.33%	3,666	94.05%
AUG	2,875	3,418	3,445	3,468	3,458	3,780	3,047	3,355	106.71%	3,447	97.32%	3,514	95.48%
SEP	2,964	3,401	3,584	3,679	3,694	4,206	3,364	3,555	113.07%	3,590	99.04%	3,713	95.75%
OCT	2,841	3,286	3,164	3,411	3,570	3,964	3,209	3,348	106.49%	3,358	99.71%	3,479	96.23%
NOV	2,897	3,389	3,333	3,535	3,338	3,818	3,286	3,370	107.19%	3,399	99.15%	3,483	96.77%
DEC	2,114	2,603	2,866	2,958	3,132	2,846	2,303	2,688	85.50%	2,890	93.02%	2,881	93.30%
Year	2,564	3,141	3,181	3,307	3,353	3,613	2,855	3,144		3,246	96.87%	3,319	94.72%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: W-144

At Road: 0.5 Mi. N of Shepard-Acton Rd

Location Id: 56-2-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 87, RP 19, 29 Mi. S of Roundup (C000016)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	5,070		%		%		%		%		%		%
2005	4,610		%		%		%		%		%		%
2006	4,600		%		%		%		%		%		%
2007	3,000		%		%		%		%		%		%
2008	2,640		%		%		%		%		%		%
2009	3,510		%		%		%		%		%		%
2010	2,730		%		%		%		%		%		%
2011	2,590		%		%		%		%		%		%
2012	3,220		%		%		%		%		%		%
2013	2,600		%		%		%		%		%		%
2014	2,900	384	13.24 %	337	11.62 %	324	11.17 %	318	10.97 %	309	10.66 %	293	10.10 %
2015	3,041	372	12.23 %	350	11.51 %	337	11.08 %	331	10.88 %	316	10.39 %	302	9.93 %
2016	3,035	378	12.45 %	347	11.43 %	335	11.04 %	322	10.61 %	313	10.31 %	296	9.75 %
2017	3,059	384	12.55 %	347	11.34 %	328	10.72 %	322	10.53 %	313	10.23 %	298	9.74 %
2018	3,092	440	14.23 %	364	11.77 %	346	11.19 %	339	10.96 %	325	10.51 %	311	10.06 %
2019	3,079	382	12.41 %	353	11.46 %	341	11.08 %	332	10.78 %	323	10.49 %	307	9.97 %
2020	2,920	399	13.66 %	349	11.95 %	323	11.06 %	317	10.86 %	308	10.55 %	297	10.17 %
2021	3,143	422	13.43 %	358	11.39 %	345	10.98 %	333	10.59 %	323	10.28 %	310	9.86 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2013 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: RICHLAND

Station: W-145

At Road: NE of Dawson Co Line

Ascending Direction: North

Location Id: 42-4-001

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: MT 16, RP 21.3, 10.5 Mi. S of Savage, Glendive N (C000020)

Traffic Mix: Pass: 76.97% SU: 7.68% CU: 15.35%

Directional Split: SB 50.11% / NB 49.89%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,343	1,598	1,647	1,676	1,645	1,593	1,289	1,541	79.90%	1,642	93.88%	1,632	94.44%
FEB	1,141	1,550	1,552	1,584	1,679	1,799	1,157	1,494	77.46%	1,591	93.89%	1,633	91.50%
MAR	1,654	1,701	1,744	1,884	1,940	2,075	1,621	1,802	93.43%	1,817	99.16%	1,869	96.43%
APR	1,583	1,844	1,827	1,896	2,038	2,151	1,649	1,854	96.12%	1,901	97.51%	1,951	95.02%
MAY	1,834	2,087	2,085	2,074	2,306	2,539	1,885	2,115	109.66%	2,138	98.92%	2,218	95.35%
JUN	2,113	2,282	2,313	2,365	2,423	2,595	2,094	2,312	119.87%	2,346	98.56%	2,396	96.51%
JUL	1,805	2,218	2,270	2,196	2,373	2,441	1,738	2,148	111.37%	2,264	94.87%	2,300	93.41%
AUG	1,960	2,152	2,116	2,229	2,268	2,389	1,809	2,131	110.49%	2,191	97.25%	2,231	95.53%
SEP	1,664	2,003	2,061	2,105	2,177	2,345	1,870	2,031	105.30%	2,087	97.34%	2,138	94.99%
OCT	1,700	2,080	1,984	1,955	2,166	2,333	1,789	2,000	103.69%	2,046	97.74%	2,104	95.08%
NOV	1,866	2,070	2,153	2,220	1,938	2,082	1,707	2,004	103.90%	2,095	95.64%	2,093	95.77%
DEC	1,437	1,774	1,955	1,872	1,934	1,744	1,280	1,713	88.81%	1,884	90.94%	1,856	92.31%
Year	1,675	1,947	1,976	2,005	2,074	2,174	1,657	1,929		2,000	96.43%	2,035	94.78%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: RICHLAND

Station: W-145

At Road: NE of Dawson Co Line

Location Id: 42-4-001

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: MT 16, RP 21.3, 10.5 Mi. S of Savage, Glendive N (C000020)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,430		%		%		%		%		%		%
2005	1,430		%		%		%		%		%		%
2006	1,430		%		%		%		%		%		%
2007	1,340		%		%		%		%		%		%
2008	1,780		%		%		%		%		%		%
2009	1,520		%		%		%		%		%		%
2010	2,040		%		%		%		%		%		%
2011	2,360		%		%		%		%		%		%
2012	2,850		%		%		%		%		%		%
2013	3,350		%		%		%		%		%		%
2014	3,214	374	11.64 %	318	9.89 %	305	9.49 %	296	9.21 %	289	8.99 %	279	8.68 %
2015	2,873	304	10.58 %	283	9.85 %	279	9.71 %	273	9.50 %	266	9.26 %	258	8.98 %
2016	2,288	296	12.94 %	246	10.75 %	241	10.53 %	233	10.18 %	225	9.83 %	214	9.35 %
2017	2,244	272	12.12 %	239	10.65 %	230	10.25 %	225	10.03 %	218	9.71 %	209	9.31 %
2018	2,228	288	12.93 %	247	11.09 %	233	10.46 %	230	10.32 %	224	10.05 %	213	9.56 %
2019	2,301	264	11.47 %	250	10.86 %	241	10.47 %	236	10.26 %	230	10.00 %	221	9.60 %
2020	1,843	219	11.88 %	199	10.80 %	193	10.47 %	190	10.31 %	183	9.93 %	177	9.60 %
2021	1,928	300	15.56 %	217	11.26 %	209	10.84 %	204	10.58 %	198	10.27 %	188	9.75 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2013 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2013 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: Mineral

Station: W-146

At Road: 0.25 Mi. W of Saltese Intch

Ascending Direction: East

Location Id: 31-1-001

Functional Class: Principal Arterial - Interstate Rural


Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 10.27, 10 Mi. W of Haugan (C000090)

Traffic Mix: Pass: 70.29% SU: 4.29% CU: 25.42%

Directional Split: EB 50.66% / WB 49.24%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	5,462	4,849	4,613	4,593	4,997	5,407	5,575	5,070	60.09%	4,763	106.45%	4,892	103.64%
FEB	4,471	4,390	4,507	4,793	4,772	5,467	4,353	4,678	55.44%	4,616	101.35%	4,786	97.75%
MAR	7,694	6,017	6,236	6,345	6,822	8,048	7,303	6,923	82.05%	6,355	108.94%	6,694	103.43%
APR	8,264	6,975	6,782	6,995	7,813	9,192	7,820	7,691	91.15%	7,141	107.70%	7,551	101.85%
MAY	9,800	9,125	7,547	7,743	8,792	9,850	9,227	8,868	105.10%	8,302	106.82%	8,611	102.98%
JUN	13,011	10,826	9,789	10,341	11,304	13,043	11,505	11,402	135.13%	10,565	107.92%	11,061	103.09%
JUL	13,739	12,457	11,342	11,619	13,287	15,003	13,576	13,002	154.09%	12,176	106.78%	12,742	102.04%
AUG	14,413	11,731	10,504	11,041	12,190	13,559	12,941	12,339	146.23%	11,367	108.56%	11,805	104.52%
SEP	10,985	10,447	8,903	9,004	10,051	12,054	10,323	10,252	121.50%	9,601	106.78%	10,092	101.59%
OCT	9,432	7,685	7,169	7,351	8,328	9,900	8,389	8,321	98.62%	7,633	109.01%	8,087	102.90%
NOV	8,686	6,536	6,088	7,462	6,341	7,401	7,649	7,165	84.92%	6,607	108.45%	6,766	105.90%
DEC	5,710	5,109	5,675	5,911	5,700	6,126	4,573	5,543	65.69%	5,599	99.00%	5,704	97.17%
Year	9,306	8,012	7,430	7,767	8,366	9,588	8,603	8,438		7,894	106.89%	8,232	102.49%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: Mineral

Station: W-146

At Road: 0.25 Mi. W of Saltese Intch

Location Id: 31-1-001

Functional Class: Principal Arterial - Interstate Rural

Traffic Factor Group: RURAL OUTER INTERSTATE

Located On: I-90, RP 10.27, 10 Mi. W of Haugan (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	6,400		%		%		%		%		%		%
2005	6,400		%		%		%		%		%		%
2006	6,500		%		%		%		%		%		%
2007	6,700		%		%		%		%		%		%
2008	6,100		%		%		%		%		%		%
2009	6,300		%		%		%		%		%		%
2010	6,910		%		%		%		%		%		%
2011	6,400		%		%		%		%		%		%
2012	6,600		%		%		%		%		%		%
2013	6,860		%		%		%		%		%		%
2014	6,850		%		%		%		%		%		%
2015	7,247	1,420	19.59 %	1,229	16.96 %	1,185	16.35 %	1,153	15.91 %	1,092	15.07 %	1,019	14.06 %
2016	7,431	1,409	18.96 %	1,272	17.12 %	1,230	16.55 %	1,181	15.89 %	1,131	15.22 %	1,039	13.98 %
2017	7,489	1,423	19.00 %	1,294	17.28 %	1,238	16.53 %	1,215	16.22 %	1,173	15.66 %	1,077	14.38 %
2018	7,431	1,390	18.71 %	1,308	17.60 %	1,254	16.88 %	1,229	16.54 %	1,162	15.64 %	1,083	14.57 %
2019	7,408	1,679	22.66 %	1,360	18.36 %	1,275	17.21 %	1,227	16.56 %	1,174	15.85 %	1,074	14.50 %
2020	6,999	1,472	21.03 %	1,287	18.39 %	1,191	17.02 %	1,161	16.59 %	1,104	15.77 %	1,036	14.80 %
2021	8,437	1,798	21.31 %	1,450	17.19 %	1,392	16.50 %	1,358	16.10 %	1,290	15.29 %	1,199	14.21 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2014 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2014 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LINCOLN

Station: W-147

At Road: E of Troy and Jct of MT-56

Ascending Direction: East

Location Id: 27-3-007

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_1

Located On: US 2, RP 18.48, E of Troy (C000001)

Traffic Mix: Pass: 89.34% SU: 6.88% CU: 3.78%

Directional Split: EB 50.03% / WB 49.97%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,618	2,444	2,439	2,420	2,519	2,411	1,897	2,249	72.62%	2,456	91.59%	2,447	91.92%
FEB	1,577	2,358	2,426	2,541	2,486	2,652	1,918	2,279	73.59%	2,453	92.92%	2,493	91.43%
MAR	1,980	2,642	2,751	2,942	2,951	3,203	2,397	2,694	86.99%	2,822	95.48%	2,898	92.97%
APR	2,248	2,949	3,019	3,051	3,164	3,464	2,629	2,931	94.64%	3,046	96.23%	3,129	93.66%
MAY	2,885	3,410	3,384	3,596	3,703	4,051	3,269	3,470	112.04%	3,523	98.49%	3,629	95.62%
JUN	3,352	3,909	3,839	3,866	4,023	4,376	3,418	3,825	123.51%	3,909	97.84%	4,003	95.56%
JUL	3,981	4,460	4,451	4,388	4,518	4,913	4,135	4,406	142.27%	4,454	98.92%	4,546	96.92%
AUG	3,462	4,009	4,002	4,043	4,250	4,632	3,575	3,996	129.03%	4,076	98.04%	4,187	95.43%
SEP	2,863	3,440	3,580	3,655	3,841	4,284	3,310	3,567	115.18%	3,629	98.29%	3,760	94.87%
OCT	2,180	3,091	3,131	3,069	3,201	3,489	2,630	2,969	95.87%	3,123	95.07%	3,196	92.89%
NOV	1,853	2,901	2,864	2,940	2,594	2,857	2,143	2,592	83.69%	2,825	91.76%	2,831	91.55%
DEC	1,521	2,371	2,417	2,507	2,553	2,480	1,461	2,186	70.58%	2,462	88.79%	2,466	88.66%
Year	2,460	3,165	3,192	3,252	3,317	3,568	2,732	3,097		3,231	95.84%	3,299	93.89%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: LINCOLN

Station: W-147

At Road: E of Troy and Jct of MT-56

Location Id: 27-3-007

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_1

Located On: US 2, RP 18.48, E of Troy (C000001)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	3,090		%		%		%		%		%		%
2005	3,090		%		%		%		%		%		%
2006	2,730		%		%		%		%		%		%
2007	2,870		%		%		%		%		%		%
2008	2,590		%		%		%		%		%		%
2009	2,760		%		%		%		%		%		%
2010	2,520		%		%		%		%		%		%
2011	2,430		%		%		%		%		%		%
2012	2,530		%		%		%		%		%		%
2013	2,580		%		%		%		%		%		%
2014	2,720		%		%		%		%		%		%
2015	2,650		%		%		%		%		%		%
2016	3,025		%		%		%		%		%		%
2017	2,688	427	15.89 %	389	14.47 %	375	13.95 %	362	13.47 %	353	13.13 %	337	12.54 %
2018	2,728	564	20.67 %	404	14.81 %	381	13.97 %	374	13.71 %	361	13.23 %	341	12.50 %
2019	2,718	437	16.08 %	398	14.64 %	380	13.98 %	368	13.54 %	359	13.21 %	341	12.55 %
2020	2,671	456	17.07 %	406	15.20 %	391	14.64 %	379	14.19 %	368	13.78 %	346	12.95 %
2021	3,096	517	16.70 %	433	13.99 %	419	13.53 %	411	13.28 %	396	12.79 %	379	12.24 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, NOT ENOUGH DAYS TO MAKE 2016 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: RICHLAND

Station: W-148

At Road: 12.5 Mi. W of MT 16

Ascending Direction: East

Location Id: 42-4-007

Functional Class: Minor Arterial Rural


Traffic Factor Group: RMA_RMC_345

Located On: MT 200, RP 58.6, 12.5 Mi. W of MT 16 (C000051)

Traffic Mix: Pass: 84.72% SU: 7.72% CU: 7.56%

Directional Split: WB 50.30% / EB 49.70%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	359	570	655	633	586	584	448	547	87.86%	611	89.53%	606	90.32%
FEB	344	560	576	590	592	593	424	525	84.33%	580	90.60%	582	90.18%
MAR	382	577	598	687	646	674	444	572	91.88%	627	91.23%	636	89.88%
APR	413	584	637	699	690	682	526	603	96.85%	653	92.41%	658	91.59%
MAY	435	614	714	684	747	699	519	629	101.03%	690	91.19%	692	90.95%
JUN	503	779	722	772	723	686	537	674	108.26%	749	89.99%	736	91.53%
JUL	619	649	712	721	760	704	536	670	107.62%	711	94.30%	709	94.47%
AUG	491	717	749	711	704	706	534	658	105.69%	720	91.36%	717	91.72%
SEP	481	652	758	750	759	804	510	673	108.10%	730	92.22%	745	90.38%
OCT	551	764	781	768	802	785	608	722	115.97%	779	92.71%	780	92.56%
NOV	510	653	696	721	656	735	591	651	104.56%	682	95.52%	692	94.05%
DEC	331	564	642	645	662	580	413	547	87.86%	628	87.07%	619	88.43%
Year	452	640	687	698	694	686	508	623		680	91.58%	681	91.42%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: RICHLAND

Station: W-148

At Road: 12.5 Mi. W of MT 16

Location Id: 42-4-007

Functional Class: Minor Arterial Rural

Traffic Factor Group: RMA_RMC_345

Located On: MT 200, RP 58.6, 12.5 Mi. W of MT 16 (C000051)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	1,140		%		%		%		%		%		%
2005	1,140		%		%		%		%		%		%
2006	990		%		%		%		%		%		%
2007	770		%		%		%		%		%		%
2008	730		%		%		%		%		%		%
2009	820		%		%		%		%		%		%
2010	820		%		%		%		%		%		%
2011	890		%		%		%		%		%		%
2012	890		%		%		%		%		%		%
2013	1,510		%		%		%		%		%		%
2014	1,030		%		%		%		%		%		%
2015	680		%		%		%		%		%		%
2016	656		%		%		%		%		%		%
2017	638		%		%		%		%		%		%
2018	617	284	46.03 %	93	15.07 %	83	13.45 %	79	12.80 %	76	12.32 %	70	11.35 %
2019	635	130	20.47 %	92	14.49 %	88	13.86 %	83	13.07 %	78	12.28 %	70	11.02 %
2020	574	106	18.47 %	80	13.94 %	75	13.07 %	72	12.54 %	69	12.02 %	66	11.50 %
2021	622	169	27.17 %	97	15.59 %	89	14.31 %	82	13.18 %	76	12.22 %	72	11.58 %

Notes
 ALL AADT'S PRIOR TO SITE INSTALLATION 2016 ARE BASED ON SHORT TERM COUNTS, SITE DOWN PERIODICALLY DURING 2017, NOT ENOUGH DAYS TO MAKE 2016 & 2017 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: LEWIS AND CLARK

Station: W-149

At Road: 5.5 Mi. E of Lincoln

Ascending Direction: East

Location Id: 25-4-002

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_3

Located On: MT 200, RP 77, 5.5 Mi. E of Lincoln (C000024)

Traffic Mix: Pass: 87.27% SU: 6.00% CU: 6.73%

Directional Split: EB 50.54% / WB 49.66%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	1,430	1,212	992	1,049	1,147	1,418	1,364	1,229	59.93%	1,100	111.73%	1,164	105.62%
FEB	1,062	1,101	862	924	1,017	1,130	920	1,001	48.81%	976	102.56%	1,007	99.42%
MAR	1,965	1,320	1,112	1,386	1,442	1,977	1,815	1,573	76.70%	1,315	119.62%	1,447	108.68%
APR	2,102	1,542	1,420	1,466	1,693	2,363	2,052	1,805	88.01%	1,530	117.95%	1,697	106.38%
MAY	2,617	2,316	1,707	1,793	2,016	2,688	2,554	2,240	109.22%	1,958	114.40%	2,104	106.46%
JUN	3,680	2,662	2,172	2,285	2,614	3,421	2,869	2,814	137.21%	2,433	115.65%	2,631	106.96%
JUL	3,599	3,276	2,382	2,483	2,884	3,699	3,377	3,099	151.11%	2,756	112.44%	2,945	105.24%
AUG	3,508	2,499	2,064	2,238	2,368	3,186	2,997	2,694	131.36%	2,292	117.53%	2,471	109.02%
SEP	3,160	2,582	1,953	1,991	2,245	3,161	2,990	2,582	125.90%	2,193	117.75%	2,386	108.20%
OCT	2,724	1,949	1,669	1,819	2,057	2,796	2,523	2,218	108.15%	1,874	118.39%	2,058	107.77%
NOV	2,663	1,827	1,524	1,948	1,808	2,438	2,340	2,078	101.32%	1,777	116.96%	1,909	108.85%
DEC	1,367	1,151	1,139	1,263	1,420	1,420	1,183	1,277	62.27%	1,243	102.71%	1,279	99.87%
Year	2,490	1,953	1,583	1,720	1,893	2,475	2,249	2,051		1,787	114.75%	1,925	106.55%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
THIS SITE REPLACES A-70



Yearly Peak Hourly Volumes

For Year: 2021

County: LEWIS AND CLARK

Station: W-149

At Road: 5.5 Mi. E of Lincoln

Location Id: 25-4-002

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_3

Located On: MT 200, RP 77, 5.5 Mi. E of Lincoln (C000024)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,270	494	21.76 %	384	16.92 %	354	15.59 %	342	15.07 %	328	14.45 %	301	13.26 %
2005	2,190	502	22.92 %	364	16.62 %	350	15.98 %	341	15.57 %	319	14.57 %	297	13.56 %
2006	2,150	506	23.53 %	357	16.60 %	336	15.63 %	328	15.26 %	313	14.56 %	291	13.53 %
2007	2,179	406	18.63 %	361	16.57 %	351	16.11 %	335	15.37 %	312	14.32 %	294	13.49 %
2008	2,037	457	22.43 %	382	18.75 %	326	16.00 %	318	15.61 %	305	14.97 %	283	13.89 %
2009	2,132	520	24.39 %	413	19.37 %	370	17.35 %	354	16.60 %	337	15.81 %	312	14.63 %
2010	2,186	480	21.96 %	412	18.85 %	374	17.11 %	363	16.61 %	342	15.65 %	313	14.32 %
2011	2,139	571	26.69 %	384	17.95 %	366	17.11 %	351	16.41 %	336	15.71 %	306	14.31 %
2012	2,130	414	19.44 %	387	18.17 %	376	17.65 %	359	16.85 %	331	15.54 %	302	14.18 %
2013	2,130	481	22.58 %	383	17.98 %	358	16.81 %	347	16.29 %	332	15.59 %	306	14.37 %
2014	2,017	468	23.20 %	360	17.85 %	330	16.36 %	319	15.82 %	305	15.12 %	279	13.83 %
2015	2,160	572	26.48 %	400	18.52 %	379	17.55 %	362	16.76 %	342	15.83 %	318	14.72 %
2016	2,242	550	24.53 %	403	17.98 %	377	16.82 %	369	16.46 %	355	15.83 %	327	14.59 %
2017	1,936	434	22.42 %	370	19.11 %	352	18.18 %	337	17.41 %	324	16.74 %	297	15.34 %
2018	1,949	502	25.76 %	403	20.68 %	381	19.55 %	374	19.19 %	353	18.11 %	315	16.16 %
2019	1,924	466	24.22 %	417	21.67 %	389	20.22 %	368	19.13 %	348	18.09 %	316	16.42 %
2020	1,814	531	29.27 %	420	23.15 %	383	21.11 %	360	19.85 %	333	18.36 %	305	16.81 %
2021	2,051	506	24.67 %	425	20.72 %	396	19.31 %	389	18.97 %	368	17.94 %	336	16.38 %

Notes
 THIS SITE REPLACES A-70 JANUARY 2017,
 AADTS PRIOR TO 2017 HAVE BEEN CARRIED
 OVER FROM A-70

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: YELLOWSTONE

Station: W-203

At Road: Mossmain (W-139+W-140=W-203)

Ascending Direction: East

Location Id: 56-4-031

Functional Class: Principal Arterial - Interstate Urban


Traffic Factor Group: UI

Located On: I-90, RP 439.94 & 437.94, Mossmain WB & EB (W-139 & W-140) (C000090)

Traffic Mix: Pass: 86.52% SU: 3.72% CU: 9.76%

Directional Split: EB 49.99% / WB 49.91%

	Average Daily Number of Vehicles							Avg. Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN	18,505	22,796		24,036	25,229	25,156	21,992						
FEB	16,554	22,435	23,237	24,071	24,647	24,351	19,713	22,143	75.84%	23,598	93.84%	23,748	93.24%
MAR	23,180	26,201	27,259	28,730	29,176	31,754	27,787	27,726	94.96%	27,842	99.59%	28,624	96.86%
APR	23,053	27,422	29,246	30,411	30,869	32,860	29,058	28,988	99.28%	29,487	98.31%	30,162	96.11%
MAY	25,566	29,544	30,413	30,960	32,243	33,696	29,010	30,203	103.44%	30,790	98.09%	31,371	96.28%
JUN	29,629	33,432	33,460	34,882	35,357	37,125	32,378	33,751	115.59%	34,283	98.45%	34,851	96.84%
JUL	30,454	33,716	34,265	34,849	36,605	38,436	32,492	34,402	117.82%	34,859	98.69%	35,574	96.70%
AUG	28,781	32,125	32,524	33,182	34,393	36,308	31,646	32,708	112.02%	33,056	98.95%	33,706	97.04%
SEP	25,921	29,642	31,496	32,201	32,680	35,319	30,536	31,113	106.56%	31,505	98.76%	32,268	96.42%
OCT	23,761	27,539	27,945	29,430	30,996	33,155	28,076	28,699	98.29%	28,978	99.04%	29,813	96.26%
NOV	22,059	27,191	27,894	29,022	25,904	28,861	25,840	26,681	91.38%	27,503	97.01%	27,774	96.06%
DEC	18,495	24,400	26,617	26,857	28,362	25,675	23,013	24,774	84.85%	26,559	93.28%	26,382	93.90%
Year	23,830	28,037	29,487	29,886	30,538	31,891	27,628	29,199		29,860	97.79%	30,389	96.09%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: YELLOWSTONE

Station: W-203

At Road: Mossmain (W-139+W-140=W-203)

Location Id: 56-4-031

Functional Class: Principal Arterial - Interstate Urban

Traffic Factor Group: UI

Located On: I-90, RP 439.94 & 437.94, Mossmain WB & EB (W-139 & W-140) (C000090)

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	23,640		%		%		%		%		%		%
2005	23,395	2,706	11.57 %	2,531	10.82 %	2,448	10.46 %	2,402	10.27 %	2,364	10.10 %	2,272	9.71 %
2006	23,440		%		%		%		%		%		%
2007	24,670		%		%		%		%		%		%
2008	23,054	2,608	11.31 %	2,487	10.79 %	2,434	10.56 %	2,399	10.41 %	2,340	10.15 %	2,287	9.92 %
2009	24,536	2,674	10.90 %	2,560	10.43 %	2,478	10.10 %	2,433	9.92 %	2,394	9.76 %	2,298	9.37 %
2010	24,059	2,910	12.10 %	2,641	10.98 %	2,580	10.72 %	2,554	10.62 %	2,507	10.42 %	2,383	9.90 %
2011	23,650	2,735	11.56 %	2,552	10.79 %	2,486	10.51 %	2,449	10.36 %	2,387	10.09 %	2,295	9.70 %
2012	25,367	2,858	11.27 %	2,740	10.80 %	2,661	10.49 %	2,629	10.36 %	2,587	10.20 %	2,491	9.82 %
2013	26,179	3,170	12.11 %	2,933	11.20 %	2,824	10.79 %	2,771	10.58 %	2,700	10.31 %	2,600	9.93 %
2014	26,010	3,400	13.07 %	2,869	11.03 %	2,797	10.75 %	2,758	10.60 %	2,702	10.39 %	2,586	9.94 %
2015	27,755	3,245	11.69 %	3,070	11.06 %	3,004	10.82 %	2,953	10.64 %	2,890	10.41 %	2,763	9.95 %
2016	28,033	3,382	12.06 %	3,025	10.79 %	2,933	10.46 %	2,895	10.33 %	2,839	10.13 %	2,753	9.82 %
2017	28,049	3,138	11.19 %	2,980	10.62 %	2,941	10.49 %	2,921	10.41 %	2,867	10.22 %	2,759	9.84 %
2018	27,928	3,254	11.65 %	3,098	11.09 %	2,972	10.64 %	2,901	10.39 %	2,850	10.20 %	2,737	9.80 %
2019	27,830	3,218	11.56 %	2,965	10.65 %	2,885	10.37 %	2,851	10.24 %	2,808	10.09 %	2,728	9.80 %
2020	26,045	3,038	11.66 %	2,892	11.10 %	2,824	10.84 %	2,787	10.70 %	2,715	10.42 %	2,620	10.06 %
2021	28,693	3,148	10.97 %	2,994	10.43 %	2,933	10.22 %	2,894	10.09 %	2,848	9.93 %	2,759	9.62 %

Notes
 UNDER CONSTRUCTION 2004, 2006-2007 NOT ENOUGH DAYS TO MAKE 2004 & 2006-2007 PEAK HOURLY REPORT

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.



Yearly CCS Profile

For Year: 2021

County: POWDER RIVER

Station: W-204

At Road: at Powder River Bridge

Ascending Direction: North

Location Id: 38-2-004

Functional Class: Principal Arterial - Other Rural


Traffic Factor Group: RPA_45

Located On: US 212

Traffic Mix: Pass: 59.72% SU: 8.33% CU: 31.95%

Directional Split: EB 52.53% / WB 47.47%

	Average Daily Number of Vehicles							Avg. Day Day (Mon-Sun)	Avg. Day as % of Year Avg.	Avg. Weekday (Mon-Thu)	Avg. Day as % of Avg. Weekday (Mon-Thu)	Avg. Weekday (Mon-Fri)	Avg. Day as % of Avg. Weekday (Mon-Fri)
	Sun	Mon	Tue	Wed	Thu	Fri	Sat						
JAN													
FEB	950		1,417		1,240		1,065						
MAR													
APR													
MAY													
JUN	3,389		3,187	3,364	3,352		3,284						
JUL		3,146	2,987	3,071	3,400	3,406	3,326						
AUG	2,464	2,396	2,333	2,735	2,541	2,268	1,926	2,379	102.03%	2,501	95.11%	2,455	96.92%
SEP	2,442	2,319	2,387	2,569	2,562	2,587	2,430	2,470	105.94%	2,459	100.44%	2,485	99.40%
OCT	2,422	2,428	2,579	2,797	2,722	2,780	2,590	2,616	112.20%	2,632	99.41%	2,661	98.30%
NOV	2,284	2,012	2,367	2,538	2,275	2,423	2,411	2,329	99.89%	2,298	101.35%	2,323	100.26%
DEC	1,666	1,746	1,974	2,038	2,131	1,697	1,804	1,864	79.95%	1,972	94.51%	1,917	97.23%
Year	2,231	2,341	2,404	2,730	2,528	2,527	2,355	2,332		2,372	98.28%	2,368	98.46%



NOTE: VALUES ARE ROUNDED; TOTALS AND PERCENTS MAY NOT ADD UP.

Notes
N/A



Yearly Peak Hourly Volumes

For Year: 2021

County: POWDER RIVER

Station: W-204

At Road: at Powder River Bridge

Location Id: 38-2-004

Functional Class: Principal Arterial - Other Rural

Traffic Factor Group: RPA_45

Located On: US 212

YEAR	AADT	Highest Hour		10Th		20Th		DHV 30Th*		50Th		100Th	
		Volume	%	Volume	%	Volume	%	Volume	%	Volume	%	Volume	%
2004	2,350		%		%		%		%		%		%
2005	2,350		%		%		%		%		%		%
2006	2,620		%		%		%		%		%		%
2007	2,180		%		%		%		%		%		%
2008	1,820		%		%		%		%		%		%
2009	2,120		%		%		%		%		%		%
2010	2,330		%		%		%		%		%		%
2011	2,080		%		%		%		%		%		%
2012	2,600		%		%		%		%		%		%
2013	3,270		%		%		%		%		%		%
2014	2,330		%		%		%		%		%		%
2015	2,770		%		%		%		%		%		%
2016	2,914		%		%		%		%		%		%
2017	2,891		%		%		%		%		%		%
2018	3,160		%		%		%		%		%		%
2019	3,183		%		%		%		%		%		%
2020	2,912		%		%		%		%		%		%
2021	2,413		%		%		%		%		%		%

Notes
N/A

* DHV = Design Hour Volume
 Note: Values are rounded and percents may not add up.
 High Hour statistics are not included for years with less than 250 days of valid data.

Alternative accessible formats of this document will be provided on request. Persons who need an alternative format should contact the Office of Civil Rights, Department of Transportation, 2701 Prospect Avenue, PO Box 201001, Helena, MT 59620. Telephone 406-444-5416 or Montana Relay Service at 711.

This document was printed at state expense. Information on the cost of the publication may be obtained by contacting the Department of Administration.