# MONTANA DEPARTMENT OF TRANSPORTATION STREAM MITIGATION MONITORING REPORT

Sweathouse Creek Ravalli County, Montana

Year Project Completed: 2011

Monitoring Report #2: Submitted December, 2014



Prepared for:



Prepared by:



# **MONTANA DEPARTMENT OF TRANSPORTATION**

# STREAM MITIGATION MONITORING REPORT #2:

# **YEAR 2014**

Sweathouse Creek Ravalli County, Montana

MDT Project Number: NH 7-1(114)59 Control Number: CN 201 5004

USACE Permit Number: NOW-1997-90821 SPA Number: MDT-R2-15-2010

# Prepared for:

MONTANA DEPARTMENT OF TRANSPORTATION 2701 Prospect Ave Helena, MT 59620-1001

Prepared by:

P.O. Box 1133 Bozeman, MT 59771

December 2014

CCI Project No: MDT\_.007

# **TABLE OF CONTENTS**

1.0	Introduction	1
2.0	Site Location	2
3.0	Monitoring Methods2	2
3.1 3.2 3.3 3.4 3.5	Bank Erosion Inventory	2 2 2
4.0	Results	1
4.1 4.2 4.3 4.4	Erosion Inventory	3 3
5.0	Comparison of Results to Performance Standards	3
5.1 5.2	1 5	
6.0	Management Recommendations10	J
6.1 6.2	, 5	
7.0	Literature Cited1	1
Figure	TABLES AND FIGURES  1. Project location of Sweathouse Creek stream mitigation site	١
	Riparian vegetation belt transect results, Sweathouse Creek in 2013 and     1. Riparian vegetation belt transect results, Sweathouse Creek in 2013 and	
st Table 2	2. Comprehensive list of plant species identified at the Sweathouse Creek tream mitigation site in 2013 and 2014	5
	onstruction9	7

Sweathouse Creek Stream Mitigation Monitoring Monitoring Report #2: 2014

## **APPENDICIES**

Appendix A: Project Site Map

Appendix B: Perpendicular Transect Plots and Longitudinal Profile

Appendix C: Project Site Photos

Appendix D: As-Built Surveys & Planting Schematics

Cover Photo: Newly constructed stream bank on Sweathouse Creek.

#### 1.0 INTRODUCTION

The following report presents the results of the second year of post stream reconstruction monitoring at the U.S. 93 stream crossing at Sweathouse Creek near Victor, Montana. This report includes an evaluation of monitoring results in comparison to project performance standards outlined in the post-construction monitoring plan for the site. Mitigation is to be monitored for five years to evaluate compliance toward meeting performance standards. The project was constructed in 2011; therefore, these results provide documentation of the site's condition three years following the project's completion.

As part of the U.S. Army Corps 404 permit application, the Montana Department of Transportation (MDT) requested authorization for a bridge removal and replacement over Sweathouse Creek, a channel modification on Sweathouse Creek, removal and replacement of six irrigation siphons, and wetland fill at various locations thought the project. The Sweathouse crossing included: replacing the 30 foot wide bridge with a 96-foot wide bridge, filling in a 394-foot section of Sweathouse Creek and constructing a new channel 397 feet long with three root wads on the left bank and four root wads on the right bank. The USACE permit requires 5 years of annual monitoring of streambank stability and riparian vegetation areal coverage.

Mitigation performance standards outlined for the Sweathouse Creek crossing at U.S. 93 include:

#### 1. Riparian vegetation coverage

- a) Minimum of 80% total vegetative coverage by the end of the third growing season
- b) Minimum of 50% areal coverage by woody species by the end of the third growing season.
- **2. Streambank stability** any unstable banks within the relocated channel segment will require corrective actions.

Additional reporting requirements included in the monitoring plan include:

- **3. As-built survey** as built drawings of the relocated channel at a 1:50 scale or smaller and planting schematic with a planted species list and number of plants planted.
- **4. Perpendicular Transects** establishment of 4 transects 75' apart with surveyed cross sections and bank pins installed as permanent reference points.
- **5. Photo points** color photos at each monitoring station showing both banks and upstream and downstream views.

Results of the second year of monitoring in 2014 are presented in Section 4, and are compared to the adopted performance standards in Section 5. Section 6 provides management recommendations for this and future projects to maximize the potential for meeting all performance criteria. Additional site information including perpendicular transect surveys, photo logs, and as-built schematics are included as appendices to this report.

#### 2.0 SITE LOCATION

The project reach includes approximately 330 feet of Sweathouse Creek, extending 30 feet upstream and 200 feet downstream from the U.S. 93 Bridge approximately 0.25 miles north of Victor, Montana. The project site is located in Section 30, Township 8 North, Range 20 West in Ravalli County, Montana (Figure 1).

#### 3.0 MONITORING METHODS

Monitoring field crews visited the project site on July 24, 2014 while survey crews visited the site on July 23, 2014. The following data were collected at the Sweathouse Creek stream mitigation site:

# 3.1. Riparian Vegetation Inventory - Belt Transects

Riparian belt transects established during the first monitoring event in 2013 were resurveyed to document areal percent cover of total vegetation, woody vegetation, and noxious weeds. The belt transect on the right (south) bank runs parallel to the downstream extent of the project reach for 200 feet, while the riparian transect on the left (north) bank is 114 feet long (Figure 2, Appendix A).

#### 3.2. Bank Erosion Inventory

Both stream banks within the project reach were visually inspected to document eroding banks. Each eroding bank within the project reach was photo-documented. Data collected at eroding banks included bank length, photographs and potential causes of bank erosion.

#### 3.3. Perpendicular Transects

Four perpendicular transects (cross sections) were re-surveyed to document whether the channel adjusted vertically or laterally at two riffles and two pools.

#### 3.4. Longitudinal Profile

A longitudinal profile of the channel thalweg was surveyed to document bedform complexity and aquatic habitat conditions present within the monitoring reach.




Figure 1. Project location of Sweathouse Creek stream mitigation site.

#### 3.5. Photo-Documentation

Photos were taken at seven photo points established during the first monitoring event in 2013 to document vegetation establishment and stream bank conditions within the project site. Photos were also taken at each perpendicular cross section in the upstream and downstream direction, as well as toward each stream bank.

#### 4.0 RESULTS

# 4.1. Riparian Vegetation Inventory

The two riparian belt transects included a 200 foot transect along the right (south) side of the channel running from the Highway 93 Bridge to the downstream extent of the project reach; and a 114-foot transect on the left (north) bank. The extents of the riparian transects are illustrated on Figure 2 in Appendix A. Table 1 summarizes the vegetative composition of each riparian transect, including areal percent cover of total vegetation, woody vegetation, and noxious weeds. In 2014, the total percent riparian cover was 97%, and included 88% cover by herbaceous species and 9% by woody species. Noxious weed coverage remained consistent with the 2013 results at 4% total cover.

Table 1. Riparian vegetation belt transect results, Sweathouse Creek in 2013 and 2014.

Belt Transect	Length (ft)	Total % Riparian Cover		% Wood	ly Cover	% Noxious Weed Cover		
		2013	2014	2013	2014	2013	2014	
Right (south bank)	200	97	96	14	10	5	5	
Left (north bank)	114	98	98	7	7	3	3	
Total	334	97	97	11	9	4	4	

Table 2 includes a comprehensive list of plant species observed along the new channel alignment and riparian buffer areas. In 2014, 86 species were observed, representing an increase of 31 species from the previous monitoring event. In 2014, 59% of the species observed were hydrophytic based on the 2014 National Wetland Plant List (NWPL) (Lichvar et al, 2014).

Table 2. Comprehensive list of plant species identified at the Sweathouse Creek stream mitigation site in 2013 and 2014.

Scientific Name	Common Name	WMVC Indicator Status*		
Achillea millefolium	Common Yarrow	FACU		
Agropyron cristatum	Crested Wheatgrass	NL		
Algae, brown	Algae, brown	NL		
Algae, green	Algae, green	NL		
Alnus incana	Speckled Alder	FACW		
Alopecurus aequalis	Short-Awn Meadow-Foxtail	OBL		
Alopecurus pratensis	Field Meadow-Foxtail	FAC		
Alyssum alyssoides	Pale Alyssum	NL		
Betula pumila	Bog Birch	OBL		
Bromus tectorum	Cheatgrass	NL		
Carex aquatilis	Leafy Tussock Sedge	OBL		
Carex sp.	Sedge	NL		
Carex stipata	Stalk-Grain Sedge	OBL		
Carex utriculata	Northwest Territory Sedge	OBL		
Centaurea stoebe	Spotted Knapweed	NL		
Chenopodium album	Lamb's-Quarters	FACU		
Cirsium arvense	Canadian Thistle	FAC		
Cornus alba	Red Osier	FACW		
Dactylis glomerata	Orchard Grass	FACU		
Dasiphora fruticosa	Golden-Hardhack	FAC		
Deschampsia cespitosa	Tufted Hairgrass	NL		
Eleocharis palustris	Common Spike-Rush	OBL		
Elymus cinereus	Great Basin Wildrye	NL		
Elymus repens	Creeping Wild Rye	FAC		
Epilobium ciliatum	Fringed Willowherb	FACW		
Equisetum arvense	Field Horsetail	FAC		
Geum macrophyllum	Large-Leaf Avens	FAC		
Glyceria grandis	American Manna Grass	OBL		
Glyceria striata	Fowl Manna Grass	OBL		
Hordeum jubatum	Fox-Tail Barley	FAC		
Hypericum perforatum	Common St. John's-Wort	FACU		
Juncus balticus	Baltic Rush	FACW		
Juncus compressus	Round-Fruit Rush	OBL		
Juncus effusus	Lamp Rush	FACW		
Juncus ensifolius	Dagger-Leaf Rush	FACW		
Juncus sp.	Rush	NL		
Lemna minor	Common Duckweed	OBL		

\*Based on 2014 NWPL (Lichvar *et al.*, 2014) New species identified in 2014 are **bolded**. Table 2 (continued). Comprehensive list of plant species identified at the Sweathouse Creek stream mitigation site in 2013 and 2014.

Scientific Name	Common Name	WMVC Indicator Status
Lepidium latifolium	Broad-Leaf Pepperwort	FAC
Leucanthemum vulgare	Ox-Eye Daisy	FACU
Leymus cinereus	Great Basin Lyme Grass	FAC
Lupinus sp.	Lupine	NL
Medicago lupulina	Black Medick	FACU
Medicago sativa	Alfalfa	UPL
Melilotus albus	White Sweetclover	NL
Melilotus officinalis	Yellow Sweet-Clover	FACU
Mentha arvensis	American Wild Mint	FACW
Mimulus guttatus	Seep Monkey-Flower	OBL
Myriophyllum sp.	Water-Milfoil	NL
Onopordum acanthium	Scotch Thistle	NL
Pascopyrum smithii	Western-Wheat Grass	FACU
Persicaria amphibia	Water Smartweed	OBL
Persicaria sp.	Smartweed	NL
Phalaris arundinacea	Reed Canary Grass	FACW
Phleum pratense	Common Timothy	FAC
Plantago lanceolata	English Plantain	FACU
Plantago major	Great Plantain	FAC
Poa palustris	Fowl Blue Grass	FAC
Poa pratensis	Kentucky Blue Grass	FAC
Populus angustifolia	Narrow-Leaf Cottonwood	FACW
Populus balsamifera	Balsam Poplar	FAC
Populus tremuloides	Quaking Aspen	FACU
Ranunculus aquatilis	White Water-Crowfoot	OBL
Ranunculus sp.	Buttercup	NL
Rumex acetosa	Garden Sorrel	FAC
Rumex crispus	Curly Dock	FAC
Salix amygdaloides	Peach-Leaf Willow	FACW
Salix babylonica	Chinese Willow	FACW
Salix boothii	Booth's Willow	FACW
Salix drummondiana	Drummond's Willow	FACW
Salix exigua	Narrow-Leaf Willow	FACW
Salix lasiandra	Pacific Willow	FACW
Schoenoplectus acutus	Hard-Stem Club-Rush	OBL
Scirpus microcarpus	Red-Tinge Bulrush	OBL
Scrophularia lanceolata	Lance-Leaf Figwort	FAC

<sup>\*</sup>Based on 2014 NWPL (Lichvar *et al.*, 2014) New species identified in 2014 are **bolded**.

Table 2 (continued). Comprehensive list of plant species identified at the Sweathouse Creek stream mitigation site in 2013 and 2014.

Scientific Name	Common Name	WMVC Indicator Status		
Silene latifolia	Bladder Campion	NL		
Silene vulgaris	Maiden's-tears	NL		
Solanum dulcamara	Climbing Nightshade	FAC		
Solidago canadensis	Canadian Goldenrod	FACU		
Tanacetum vulgare	Common Tansy	FACU		
Taraxacum officinale	Common Dandelion	FACU		
Thlaspi arvense	Field Pennycress	UPL		
Trifolium pratense	Red Clover	FACU		
Trifolium repens	White Clover	FAC		
Typha latifolia	Broad-Leaf Cat-Tail	OBL		
Verbascum thapsus	Great Mullein	FACU		
Veronica americana	American-Brooklime	OBL		

<sup>\*</sup>Based on 2014 NWPL (Lichvar et al., 2014) New species identified in 2014 are **bolded**.

The vegetation inventory along Sweathouse Creek identified six Montana state-listed noxious weeds and one state-regulated species (Table 3). All noxious weeds were observed in trace amounts, with locations shown on Figure 3 in Appendix A.

Table 3. Montana State listed noxious weed and regulated species observed in 2014 at the Sweathouse Creek Stream Mitigation Site.

Category*	Scientific Name	Common Name
Priority 2A	Lepidium latifolium	Broad-Leaf Pepperwort
	Centaurea stoebe	Spotted Knapweed
	Cirsium arvense	Canadian Thistle
Priority 2B	Hypericum perforatum	Common St. John's-Wort
	Leucanthemum vulgare	Ox-Eye Daisy
	Tanacetum vulgare	Common Tansy
Priority 3 State Regulated	Bromus tectorum	Cheatgrass

<sup>\*</sup>Based on the MSU Extension Services' Weed List, 2013

#### 4.2. Erosion Inventory

One eroding stream bank was documented along the right (south) bank between the first and second root wads downstream of the Highway 93 Bridge (Photo 4 in Appendix C). Erosion along this bank appeared due to scour of gravels and cobbles that had been placed beneath the coir logs to construct the bank. Movement of these cobbles has resulted in a 15-foot segment of the bank to undercut, loss of one coir log, and bank calving adjacent to a second coir log. Erosion along this bank is considered moderate due to a relatively short eroding segment and lateral migration rate. The top of the poorly vegetated bank is now exposed to stream flows that will continue to scour against this bank during high flows. Willow cuttings installed along the toe of this bank, as well as the entire length of the right (south) bank have been trimmed, and the herbaceous vegetation planted on the top of the bank has been consistently mowed. Trimming and mowing of all vegetation up to the stream bank was also noted in 2013. Trimming of willow cuttings can have a beneficial effect on establishing roots; however, trimming too much of the stem and leaves may result in reduced vigor and the inability of the cutting to effectively photosynthesize. Many of the cuttings appear to be establishing roots in the bank, which will help to provide long term stability.

#### 4.3. Perpendicular Transect Surveys

Four perpendicular transects within the project were re-surveyed, including two pools and two riffles. Plots for each surveyed transect are included in Appendix B. Repetition of these transects indicate relatively minor adjustments to the bed and banks. Both pools appear to be maintaining deeper water habitat by scouring against woody structures installed on the right bank. Riffles also largely maintained bed elevations and channel dimensions, indicating relatively good sediment and bedload transport. No evidence of erosion was noted at any of the surveyed transects. Perpendicular transects will be re-surveyed during subsequent monitoring events to document bar formation, pool depths, or lateral channel movements.

# 4.4. Longitudinal Profile Surveys

A longitudinal profile of the channel thalweg is also included in Appendix B, Inspection of this profile indicates the presence of one long pool extending from STA 2+30 downstream to STA 3+10. This section of the channel has several root wads installed along the bank to encourage scour and pool development. Both pool transects surveyed lie within this segment of the channel. A second pool is developing on the next meander bend downstream, where the longitudinal profile ends. Continued monitoring of the channel bed elevation will document whether and aggradation or degradation is occurring within the project reach.

#### 5.0 COMPARISON OF RESULTS TO PERFORMANCE STANDARDS

Monitoring of the Sweathouse Creek Stream Mitigation site is intended to document whether the reconstructed segment of the channel is meeting performance standards outlined in the Sweathouse Creek mitigation monitoring plan. The second year of monitoring suggests one of the three performance standards is being met three years post-construction. Total vegetative cover within the riparian zone remains above the

80% minimum standard; although the percent cover attributed to woody vegetation (9%) remained well below the established target of 50%. One relatively short stream bank was identified as eroding, and may require corrective actions. Additional reporting requirements outlined in the monitoring plan including schematics of an as-built topographic survey, repetition of perpendicular transect surveys, and photo documentation of the site are included as appendices in this report.

Table 4. Performance results of Sweathouse Creek 3 years following construction.

Parameter	Success Criteria	Status	Meeting Performance Criteria?	
Dinorion	80% total vegetative coverage after the 3rd year.	Project area has <b>97%</b> vegetative cover.	Yes	
Riparian Coverage	50% coverage of woody vegetation after the 3rd year.	Project area has <b>9%</b> woody cover (10% of south bank and 7% of north bank)	No	
Stream Bank Stability	Unstable banks identified within the project reach will require corrective action	One eroding streambank, with moderate severity, was identified in 2014.	Corrective action may be required at eroding bank	

#### 5.1. Riparian Vegetation Coverage

Total riparian vegetative cover, measured at 97%, exceeds the performance standard of 80% areal coverage. Vegetation is establishing well within the riparian zone (defined as within 25' of the stream banks), particularly along the north stream bank. Herbaceous vegetation along the south stream bank has also established well; although it is being mowed to the edge of the channel by the adjacent landowner.

Woody riparian vegetation, measured at 9% of the total cover, currently does not meet the performance standard of 50% coverage by the end of the third growing season. Many of the willow cuttings installed along the toe of both banks have survived, which is an encouraging sign toward long-term vegetative bank stability. These willows provide a fairly consistent, but very thin band of woody vegetation along the edge of the stream bank; however, little to no additional woody vegetation is establishing within the remainder of the 25-foot wide riparian zone.

Woody vegetation cover on the north (not mowed) bank is 7%, while the cover on the south (mowed) bank is 10%. The higher percent woody cover on the south bank is due to successful establishment of the thin band of willow cuttings along the entire bank, whereas a shorter segment of the north bank exhibits successful willow growth. There has been minimal development of voluntary woody species along the north stream bank. Based on these data, woody plants installed within the riparian buffer zones had relatively poor survival rates. Woody plants that did survive installation remain relatively small and have yet to provide enough cover to meet the performance criteria for this category.

The adjacent landowner to the south of the creek has continued to mow all vegetation up to the edge of the bank; therefore, it is likely any small woody vegetation installed away from the edge of the south bank has been largely eliminated. The ability to meet the woody vegetation cover criteria will largely depend on cooperation of the adjacent

landowner to maintain an intact riparian buffer. MDT biologists installed approximately 150 dogwood, Wood's rose, and willows within the riparian zone in an attempt to establish woody species composition; however, it appears much of this woody vegetation has been removed due to frequent mowing on the south bank, or did not survive on the north bank. Given the relatively low woody species composition on both sides of the channel, supplemental woody vegetation plantings on both banks will be necessary to achieve the target percent cover of 50%.

#### 5.2. Bank Erosion Inventory

One 15-foot section of Sweathouse Creek within the project reach showed signs of active erosion. This moderately eroding bank occurs between two root wads installed to protect the bank from lateral erosion. Coir logs placed to protect the upper bank have collapsed or been washed out, exposing the upper bank to active flows. Vegetation along this bank has been consistently mowed, and woody vegetation planted during the project's construction has only sparsely established along the bank toe. As a result of this bank, corrective actions are necessary to maintain 100% stability within the project reach.

#### **6.0 MANAGEMENT RECOMMENDATIONS**

#### **6.1. Woody Vegetation Establishment**

As noted in Section 5, woody vegetation establishment within the project reach is mainly limited to a thin band of willows establishing from cuttings installed along the toe of the banks. Willow cutting survival rates appear relatively high, which is encouraging for long term bank stability. Survival of additional woody plantings within the riparian zone appears marginal, and may be partially attributed to mowing on the south bank. Installation of additional plantings such as willow, alder, Wood's rose, chokecherry, or water birch is recommended within the riparian zones on both sides of the channel to improve overall percent cover of woody species. If additional cuttings are installed, they should be placed at a minimum depth equivalent to the low water elevation.

Monitoring observations noted the landowner south of the project reach is mowing all of the vegetation down to the stream bank (Photo Point 6.2). In order to maintain long term bank stability downstream of the bridge, it is important to maintain a healthy, unmowed vegetative buffer between the lawn and the stream bank to promote root growth and soil stability between and downstream of the root wads. It is recommended that MDT establish an agreement with the adjacent landowner to maintain a minimum buffer of 25' from the banks to encourage establishment of deep-rooted woody and herbaceous vegetation. In addition to erosion prevention, establishment of a riparian buffer would help protect water quality in Sweathouse Creek by filtering any adjacent herbicide or fertilizer applications.

#### 6.2. Coir Log/fabric Installation

Design details for Sweathouse Creek included a sequence for installing erosion control blankets along both sides of the channel. Inspection of the coir fabric revealed the

contractor adhered to the design sequence and constructed an encapsulated soil lift by backfilling over the leading edge of the fabric, wrapping the fabric around the soil, and securing the back edge of the coir into a key trench. The upstream extent of the coir fabric on the south bank was exposed (Photo Point 2.1), revealing the outer corner of the soil lift. This location may be susceptible to erosion, as it is the upstream extent of the bioengineered bank. It is important to key the upstream end of coir fabric soil lifts back into the streambank to prevent the leading edge of the fabric from unraveling. Additional design details for keying in the upstream extent of the fabric soil lifts are recommended to improve stability in these susceptible areas.

#### 7.0 LITERATURE CITED


Lichvar, R.W., M. Butterwick, N.C. Melvin, and W.N. Kirchner. 2014. *The National Wetland Plant List. 2014 Update of Wetland Ratings*. Phytoneuron 2014-41:1-42.


Montana State University Extension website. Accessed in September 2014 at http://www.msuextension.org/invasiveplantsMangold/noxioussub.html


Sweathouse Creek Stream Mitigation Monitoring Monitoring Report #2: 2014 Appendix A Project Site Maps MDT Stream Mitigation Monitoring Sweathouse Creek Ravalli County, Montana























PROJECT NAME: Sweathouse Creek Stream Mitigation Site

DATE: 2013 and 2014 Monitoring Events



Photo Point 1.1—2013

Description: View of north bank from bridge abutment.

Compass: 45 (Northeast)



Photo Point 1.2 —2013

Description: View of both banks looking downstream from bridge abutment. Compass: 68 (East-Northeast)



Photo Point 2.1—2013

Description: View of un-keyed coir log on south bank
Compass: 90 (East)



Photo Point 1.1—2014
Description: View of north bank from bridge abutment.
Compass: 45 (Northeast)



Photo Point 1.2 —2014

Description: View of both banks looking downstream from bridge abutment. Compass: 68 (East-Northeast)



Photo Point 2.1—2014
Description: View of un-keyed coir log on south bank
Compass: 90 (East)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site

DATE: 2013 and 2014 Monitoring Events



Photo Point 3.1—2013

Description: Looking upstream from downstream end of project reach. Compass: 225 (Southwest)



Photo Point 3.1—2014

Description: Looking upstream from downstream end of project reach. Compass: 225 (Southwest)



Photo Point 3.2—2013

Description: View of downstream extent of project area. Compass: 45 (Northeast)



Photo Point 3.2—2014

Description: View of downstream extent of project area. Compass: 45 (Northeast)



Photo Point 3.3—2013

Description: View of the north bank looking across channel. Compass: 315 (Northwest)



Photo Point 3.3—2014

Description: View of the north bank looking across channel. Compass: 315 (Northwest)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site





Photo Point 4.1—2013

Description: View of both banks looking upstream.

Compass: 45 (Northeast)



Photo Point 4.1—2014
Description: View of both banks looking upstream.
Compass: 45 (Northeast)



Photo Point 4.2—2013

Description: View of north bank and point bar development. Compass: 315 (Northwest)



Photo Point 4.2—2014
Description: View of north bank and point bar development. Compass: 315 (Northwest)



Photo Point 4.3—2013
Description: View of both banks looking downstream.
Compass: 225 (Southwest)



Photo Point 4.3—2014
Description: View of both banks looking downstream.
Compass: 225 (Southwest)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site





Photo Point 5.1—2013

Description: View from north bank looking upstream underneath bridge. Compass: 270 (West)



Photo Point 5.1—2014
Description: View from north bank looking upstream underneath bridge. Compass: 270 (West)



Photo Point 5.2—2013
Description: View of south bank.
Compass: 180 (South)



Photo Point 5.2—2014
Description: View of south bank.
Compass: 180 (South)



Photo Point 5.3—2013
Description: View of vegetation on north bank.
Compass: 90 (East)



Photo Point 5.3—2014
Description: View of vegetation on north bank.
Compass: 90 (East)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site

DATE: 2013 and 2014 Monitoring Events





Photo Point 6.1—2013
Description: View of north bank vegetation.
Compass: 225 (Southwest)



Photo Point 6.1—2014
Description: View of north bank vegetation.
Compass: 225 (Southwest)



Photo Point 6.2—2013
Description: View of south bank looking across channel. Compass: 135 (Southeast)



Photo Point 6.2—2014
Description: View of south bank looking across channel. Compass: 135 (Southeast)



Photo Point 6.3—2013
Description: View looking across channel from north bank. Compass: 90 (East)



Photo Point 6.3—2014
Description: View looking across channel from north bank. Compass: 90 (East)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site





Photo Point 7.1—2013

Description: View of north streambank upstream of bridge. Compass: 68 (East-Northeast)



Photo Point 7.1—2014

Description: View of north streambank upstream of bridge. Compass: 68 (East-Northeast)



Photo Point 7.2—2013
Description: View looking downstream beneath bridge.
Compass: 90 (East)



Photo Point 7.2—2014
Description: View looking downstream beneath bridge.
Compass: 90 (East)



Photo Point 7.3 –2013

Description: View of north bank looking across stream channel. Compass: 0 (North)



Photo Point 7.3 –2014

Description: View of north bank looking across stream channel. Compass: 0 (North)

PROJECT NAME: Sweathouse Creek

July 24, 2014 DATE:





Photo 1-2013

**Description:** Root wads along south streambank. **Compass:** 45 (Northeast)



Photo 2-2013

**Description**: Point bar formation on north side of channel. **Compass**: 250 (West-Southwest)



Photo 3-2013

**Description**: Log structure along south streambank. **Compass**: 110 (East-Southeast)



Photo 1-2014

**Description**: Root wads along south streambank. **Compass**: 45 (Northeast)



Photo 2-2014

Description: Point bar formation on north side of chan-

nel. Compass: 250 (West-Southwest)



Photo 3-2014

**Description**: Log structure along south streambank. **Compass**: 110 (East-Southeast)

PROJECT NAME: Sweathouse Creek Stream Mitigation Site

DATE: 2013 and 2014 Monitoring Events






Photo 4—2013

Description: Willow growth from coir along south streambank. Compass: 90 (East)



Photo 4—2014
Description: Eroding bank along right (south bank).
Compass: 90 (East)



SIRRETOR NOTES  1. HES SIRVEY S BASED ON FORD MIT ALIMANA CATE STANSE WILDER AND SIRVEY S BASED ON SIRVEY S BASED O		C	ONTROL TA	BLE		]						
101   SEPTITO   NOTES	PNT# I				DESCRIPTION							
SURVEYOR NOTES:  1. THE STORM	J8015 8	28172.704	798795.833									
SURVEYOR NOTES  SURVEYOR NOTES  SURVEYOR NOTES  1. THE STRIPPY AS SURVEY AS SUSCED ON SCHAME AND CORPS STRIMES VIGOUS AND CLASS AND CHILD ITS STRING VIGOUS AND CLASS AND CHILD VIGOUS AND C	J7015 8	26995. 289	798418.387	3398.620	MDT AL CAP							
SURVEYOR NOTES:  1. THIS SURVEY IS BASED ON FOUND MDT ALUMINUM CAPS STAMPED VUBO15 AND VUTO15  1. THIS SURVEY IS BASED ON FOUND MDT ALUMINUM CAPS STAMPED VUBO15 AND VUTO15  BUT THEY DO NOT HAVE ESTABLISHED MDT COORDS AND ELEVATIONS. THEREFORE LOCAL CONTROL WAS ESTABLISHED FOR THIS SITE WITH TRIMBLE GPS RTK SURVEY AND THE APPROXIMATE ASSUMED ELEVATION AT MDT ALUM CAP VUBO15.  2. THE COORDINATES SHOWN HEREON ARE BASED ON MONTANA STATE PLANE GRID	L ZZ O TI RL	EGEND  ROOT BA  TREE ST  SPRINKLE  IRON PIN  TRANSEC  RIPTRANS	LL UMP R HEAD W/RED PLAS TIONS G LEFT G RIGHT	TIC CAP			\$\frac{\fir}{\frac{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac{\frac{\frac}\f{\frac{\frac{\frac{\frac}\frac{\frac{\frac{\frac}\f	3385 TAN #113 #116 #116 #113 #116 #116 #113 #1888	3387	386	T4E #106	
SURVEYOR NOTES:  1. THIS SURVEY IS BASED ON FOUND MDT ALUMINUM CAPS STAMPED VUBOIS AND VUTOIS  BUT THEY DO NOT HAVE ESTABLISHED MOT COORDS AND ELEVATIONS. THEREFORE LOCAL CONTROL WAS ESTABLISHED FOR THIS SITE WITH TRIMBLE GPS RTK SURVEY AND THE APPROXIMATE ASSUMED ELEVATION AT MOT ALUM CAP VUBOIS.  2. THE COORDINATES SHOWN HEREON ARE BASED ON MONTANA STATE PLANE GRID								71S #100				
1. THIS SURVEY IS BASED ON FOUND MDT ALUMINUM CAPS STAMPED VU8015 AND VU7015 BUT THEY DO NOT HAVE ESTABLISHED MDT COORDS AND ELEVATIONS. THEREFORE LOCAL CONTROL WAS ESTABLISHED FOR THIS SITE WITH TRIMBLE GPS RTK SURVEY AND THE APPROXIMATE ASSUMED ELEVATION AT MDT ALUM CAP VU8015.  2. THE COORDINATES SHOWN HEREON ARE BASED ON MONTANA STATE PLANE GRID												
1. THIS SURVEY IS BASED ON FOUND MDT ALUMINUM CAPS STAMPED VU8015 AND VU7015 BUT THEY DO NOT HAVE ESTABLISHED MDT COORDS AND ELEVATIONS. THEREFORE LOCAL CONTROL WAS ESTABLISHED FOR THIS SITE WITH TRIMBLE GPS RTK SURVEY AND THE APPROXIMATE ASSUMED ELEVATION AT MDT ALUM CAP VU8015.  2. THE COORDINATES SHOWN HEREON ARE BASED ON MONTANA STATE PLANE GRID	SLIBVE	OR NOTES:					/ A VII7015					
WONT AND DEPART WENT    SWEATHOUSE PLAN.dgn   DESIGNED BY ARNE W			IS BASED ON NOT HAVE E OCAL CONTRO ROXIMATE ASS	FOUND MDT STABLISHED OL WAS ESTAB SUMED ELEVA	ALUMINUM CAPS STAI MDT COORDS AND EL BLISHED FOR THIS SI TION AT MDT ALUM (	MPED VU8015 AND VU701 EVATIONS. TE WITH TRIMBLE GPS F CAP VU8015. STATE PLANE GRID					0 15 30	45 60
OF TRANSPORTATION SWEATHOUSE TOPO	2. T	HE COORDINA	ATES SHOWN F	HENEON ARE	BASED ON MONTANA	ovville verme ovvib						

STAHLY STAND ENDRESHING STAHLY STANDERS OF STAHLY STANDERS OF STAN

