

CURRENT 2024 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW13	03	Runway 13-31	AC	330,000	28.5	6/1/1996	10/8/2024	76	Satisfactory
RW13	04	Runway 13-31	AC	59,987	18.3	8/1/2006	10/8/2024	90	Good
TW	01B	Taxiway	AC	5,392	27.5	6/1/1997	10/8/2024	81	Satisfactory
TW	02	Taxiway	AC	31,000	27.5	6/1/1997	10/8/2024	87	Good
AP	03	Apron	AC	55,310	28.5	6/1/1996	10/8/2024	60	Fair
AP	04	Apron	AC	15,904	28.5	6/1/1996	10/8/2024	62	Fair
AP	05	Apron	AC	75,312	15.3	8/1/2009	10/8/2024	84	Satisfactory

AIRFIELD PAVEMENT WORK HISTORY


- 1. AIP-002-1995, RECONSTRUCT RUNWAY, TAXIWAY, AND APRON; EXPAND APRON; CONSTRUCT ACCESS TAXIWAY;
- 2. EXTEND AND CONSTRUCT RUNWAY TURNAROUNDS.
- AIP-006-2006, EXTEND RUNWAY AND CONSTRUCT TURNAROUND; OVERLAY RUNWAY.
 AIP-008-2009, CONSTRUCT APRON (AP:05), OVERLAY APRON (AP:03,AP:04) [INSPECTED PRIOR TO CONSTRUCTION].
- 4. AIP-000-2009, CONSTRUCT APRON (AP.05), OVERLAY APRON (AP.05,AP.04) [INSPECTED PRIOR TO CONSTRUCTION].

 5. AIP-010-2012, CRACK SEAL, FOG SEAL, AND REMARK RUNWAY (RW13:03,RW13:04), TAXIWAY (TW:01B,TW:02), APRON
- 6. ÀIP 016-2019, CRACK SEAL, FOG SEAL, AND REMARK RUNWAY (RW13:03,RW13:04), TAXIWAY (TW:01B,TW:02), APRON (AP:03, AP:04, AP:05).

MONTANA AVIATION SYSTEM PLAN 2024 PAVEMENT CONDITION INDEXES PREPARED FOR



2024 Pavement Condition Index Map 38S - DEER LODGE-CITY-COUNTY AIRPORT



FORECASTED PAVEMENT CONDITION INDEX


Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW13	03	AC	76	76	75	75	74	74
RW13	04	AC	90	89	87	85	83	82
TW	01B	AC	81	81	79	78	77	76
TW	02	AC	87	87	85	83	81	80
AP	03	AC	60	60	58	57	55	54
AP	04	AC	62	62	61	59	58	57
AP	05	AC	84	84	82	80	78	77

MONTANA AVIATION SYSTEM PLAN 2024 PAVEMENT CONDITION INDEXES PREPARED FOR

Montana Department of Transportation
Division of Aeronautics



2029 Forecasted
Pavement Condition Index Map
38S - DEER LODGE-CITY-COUNTY
AIRPORT



MONTANA AVIATION SYSTEM PLAN 2024 PAVEMENT CONDITION INDEXES PREPARED FOR

Montana Department of Transportation
Division of Aeronautics



5-Year Maintenance and Rehabilitation Map 38S - DEER LODGE-CITY-COUNTY AIRPORT

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	RW13	03	AC	330,000	76	Crack Seal and Seal Coat	Global Treatment
2025	RW13	04	AC	59,987	89	Crack Seal and Seal Coat	Global Treatment
2025	TW	01B	AC	5,392	81	Crack Seal and Seal Coat	Global Treatment
2025	TW	02	AC	31,000	87	Crack Seal and Seal Coat	Global Treatment
2025	AP	03	AC	55,310	60	Mill and Overlay	Major Rehabilitation
2025	AP	04	AC	15,904	62	Mill and Overlay	Major Rehabilitation
2025	AP	05	AC	75,312	84	Crack Seal and Seal Coat	Global Treatment

Runway



RW13-03-35: L&T Cracking



RW13-04-19: Overview



Taxiway



TW-01B-01: L&T Cracking



TW-02-07: Overview



Apron



AP-03-09: L&T Cracking



AP-04-01: Weathering





AP-04-02: Rutting



AP-04-03: L&T Cracking



Re-Inspection Report

MDT SASP 2024

48

57

L & T CR

WEATHERING

M

L

143.00 Ft

5536.00 SqFt

Generated Date 1/7/2025 Page 1 of 7

Generated Date	1/7/2025					rage 1 0
Network: 38S		Name:	Deer Lodge-City	-County Airport		
Branch: AP	Name:	Apron	Use:	APRON	Area:	146,526 SqFt
Section: 03	of 3	From: CONN TAX	KIWAY	To: A-4		Last Const.: 6/1/1996
Surface: AC	Family: _MDT2024 - A	P AC Zone:	DEER	Category: E		Rank: P
Area: 55,31	0 SqFt Length:	317 Ft	Width:	179 Ft		
Slabs:	Slab Length:	Ft Sla	b Width:	Ft	Joint Lengt	h: Ft
Shoulder:	Street Type: ACN	Gr	ade: 0		Lanes:)
Section Comments:						
Work Date: 6/1/1996	Work Type: New	Construction - Initial	C	ode: NU-IN	Is Majo	r M&R: True
Work Date: 7/1/2020	Work Type: Surfa	ce Seal	C	ode: SS-LO	Is Majo	r M&R: False
Work Date: 7/1/2020	Work Type: Crack	Sealing - AC	C	ode: CS-AC	Is Majo	r M&R: False
Last Insp. Date: 10/8/2024	TotalSa	amples: 16	Surveye	ed: 4		
Conditions: PCI: 60						
Inspection Comments:						
Sample Number: 02	Type: R	Area:	5598.00 SqFt	PCI: 67		
Sample Comments:						
48 L & T CR	L	245.00 Ft				
48 L & T CR	M	235.00 Ft				
57 WEATHERING	L	5598.00 SqFt		207 (2		
Sample Number: 03	Type: R	Area:	5728.00 SqFt	PCI: 65		
Sample Comments:						
48 L & T CR	L	315.00 Ft				
48 L & T CR	M	265.00 Ft				
57 WEATHERING	L	5728.00 SqFt				
Sample Number: 07	Type: R	Area:	5728.00 SqFt	PCI: 59		
Sample Comments:						
48 L & T CR	L	485.00 Ft				
48 L & T CR	M	405.00 Ft				
57 WEATHERING	L	5728.00 SqFt				
Sample Number: 09	Type: R	Area:	5536.00 SqFt	PCI: 51		
Sample Comments:						
43 BLOCK CR	L	1107.00 SqFt				
43 BLOCK CR	M	1107.00 SqFt				
48 L & T CR	L	234.00 Ft				
	3.6	4.42.00 =				

	ork: 38S				Name:	Deer Lodge-Cit	y-County Ai	port		
Bran	ch: AP		Name:	Apron		Use:	APRON		Area: 14	6,526 SqFt
Secti	on: 04	of 3		From: A-	3		To:	A-4		Last Const.: 6/1/1996
Surfa	ice: AC	Family: _N	1DT2024 -	AP AC	Zone: D	DEER	Categ	gory: E		Rank: P
Area	: 15,904	4 SqFt	Length:		42 Ft	Width:		112 Ft		
Slabs		Slab Length:	-	Ft	Slab W	idth:	Ft		Joint Length:	Ft
Shou	lder:	Street Type:			Grade:	0			Lanes: 0	
	on Comments:	~ J P								
	A Date: 6/1/1996	Work	Trmas Nav	v Construction	Tuitial		Code: NU-	IN I	Is Major M	P.D. Tana
VV 01 1	A Date. 0/1/1990	WUIK	Type. New	v Construction	- 11111141	`	Jule. NO-	IIN	is major m	CK. Hue
Worl	A Date: 7/1/2020	Work	Type: Crae	ck Sealing - AC			Code: CS-A	AC	Is Major M	&R: False
Worl	A Date: 7/1/2020	Work	Type: Surf	face Seal		(Code: SS-I	,O	Is Major M	&R: False
Last	Insp. Date: 10/8/2024		Total	Samples: 3		Survey	ed: 3			
Cond	litions: PCI: 62									
[nspe	ection Comments:									
	ole Number: 01	Type:	R	Are	.a.	5510.00 SqFt		PCI: 63		
•	ole Comments:	Type.	K	Ait		3310.00 Sq1 t		101. 03		
45	DEPRESSION		L	14.00 S	qFt					
48	L & T CR		L	463.00 F	t					
10	•									
48	L & T CR		M	100.00 F						
48 52	L & T CR RAVELING		L	276.00 S	qFt					
48 52 57	L & T CR RAVELING WEATHERING		L L	276.00 S 5234.00 S	qFt qFt					
48 52 57	L & T CR RAVELING	Туре:	L	276.00 S	qFt qFt	5510.00 SqFt	:	PCI: 62		
48 52 57 Sam j	L & T CR RAVELING WEATHERING	Туре:	L L	276.00 S 5234.00 S	qFt qFt	5510.00 SqFt	:	PCI: 62		
48 52 57 Samj	L & T CR RAVELING WEATHERING ole Number: 02	Туре:	L L	276.00 S 5234.00 S Are	qFt qFt ::	5510.00 SqFt		PCI: 62		
48 52 57 Samj Samj	L & T CR RAVELING WEATHERING ole Number: 02 ole Comments:	Туре:	L L R	276.00 S 5234.00 S	qFt qFt ra: qFt	5510.00 SqFt		PCI: 62		
48 52 57 Samp Samp 45	L & T CR RAVELING WEATHERING ole Number: 02 ole Comments: DEPRESSION	Туре:	L L R	276.00 S 5234.00 S Arc	qFt qFt ra: qFt t	5510.00 SqFt	:	PCI: 62		
48 52 57 Samp 45 48	L & T CR RAVELING WEATHERING ole Number: 02 ole Comments: DEPRESSION L & T CR	Туре:	L L L L	276.00 S 5234.00 S Arc 14.00 S 331.00 F	qFt qFt va: qFt t	5510.00 SqFt		PCI: 62		
48 52 57 Samp Samp 45 48 48	L & T CR RAVELING WEATHERING ole Number: 02 ole Comments: DEPRESSION L & T CR L & T CR	Туре:	L R L L L M	276.00 S 5234.00 S Arc 14.00 S 331.00 F 117.00 F	qFt qFt va: qFt t t t	5510.00 SqFt		PCI: 62		
48 52 57 Samp Samp 45 48 48 52	L & T CR RAVELING WEATHERING ole Number: 02 ole Comments: DEPRESSION L & T CR L & T CR RAVELING	Type:	L R L L M L	276.00 S 5234.00 S Arc 14.00 S 331.00 F 117.00 F 276.00 S	qFt qFt qra: qFt t t qFt qFt	5510.00 SqFt		PCI: 62		
48 52 57 Sam j Sam j 45 48 48 52 53 57	L & T CR RAVELING WEATHERING DIE Number: 02 DIE Comments: DEPRESSION L & T CR L & T CR RAVELING RUTTING	Type:	L L L L M L L	276.00 S 5234.00 S Are 14.00 S 331.00 F 117.00 F 276.00 S 40.00 S	qFt qFt a: qFt t t qFt qFt	5510.00 SqFt 5510.00 SqFt		PCI: 62 PCI: 61		
48 52 57 Samp 45 48 48 52 53 57	L & T CR RAVELING WEATHERING Ole Number: 02 Ole Comments: DEPRESSION L & T CR L & T CR RAVELING RUTTING WEATHERING		L L L L L M L L L	276.00 S 5234.00 S Are 14.00 S 331.00 F 117.00 F 276.00 S 40.00 S 5234.00 S	qFt qFt a: qFt t t qFt qFt					
48 52 57 Samp 45 48 48 52 53 57	L & T CR RAVELING WEATHERING Ole Number: 02 Ole Comments: DEPRESSION L & T CR L & T CR RAVELING RUTTING WEATHERING Ole Number: 03		L L L L L M L L L	276.00 S 5234.00 S Are 14.00 S 331.00 F 117.00 F 276.00 S 40.00 S 5234.00 S	qFt qFt qFt t t qFt qFt qFt qFt					
48 52 57 Samp Samp 45 48 48 52 53 57 Samp	L & T CR RAVELING WEATHERING Ole Number: 02 Ole Comments: DEPRESSION L & T CR L & T CR RAVELING RUTTING WEATHERING Ole Number: 03 Ole Comments:		L L L M L L L R	276.00 S 5234.00 S Arc 14.00 S 331.00 F 117.00 F 276.00 S 40.00 S 5234.00 S	qFt qFt t t qFt qFt qFt qFt qFt					
48 552 57 Samp 45 448 48 552 53 57 Samp 43	L & T CR RAVELING WEATHERING Ole Number: 02 Ole Comments: DEPRESSION L & T CR L & T CR RAVELING RUTTING WEATHERING Ole Number: 03 Ole Comments: BLOCK CR		L L L M L L L L L L L L L L L L L L L L	276.00 S 5234.00 S Arc 14.00 S 331.00 F 117.00 F 276.00 S 40.00 S 5234.00 S	qFt qFt t t qFt qFt qFt qFt qFt qFt t t t					

Network:	38S			Nai	ne: Dee	r Lodge-City	-County Airport			
Branch:	AP		Name:	Apron		Use:	APRON	Area:	146,526 SqFt	
Section:	05	of 3	:	From: A-4			To: NE		Last Const.: 8	3/1/2009
Surface:	AC	Family: _N	1DT2024 - A	AP AC Zoi	ne: DEER		Category: E		Rank: P	
Area:	75	,312 SqFt	Length:	250	Ft	Width:	322 Ft			
Slabs:		Slab Length:	:	Ft	Slab Width:		Ft	Joint I	ength: Ft	
Shoulder:	:	Street Type:	ACN		Grade: 0			Lanes:	0	
Section C	omments:									
Work Da	te: 8/1/2009	Work	Type: New	Construction - Ini	tial	C	ode: NU-IN	Is	Major M&R: True	
Work Da	te: 7/1/2020	Work	Type: Surf	ace Seal		C	ode: SS-LO	Is	Major M&R: False	
Work Da	te: 7/1/2020	Work	Type: Crac	k Sealing - AC		C	ode: CS-AC	Is	Major M&R: False	
Last Insp	. Date: 10/8/20)24	TotalS	amples: 41		Surveye	d: 5			
Condition	ns: PCI: 8	4								
Inspection	n Comments:									
Sample N	umber: 04	Type:	R	Area:	3125	5.00 SqFt	PCI: 8	33		
Sample C	comments:									
48 L	& T CR		L	123.00 Ft						
57 W	EATHERING		L	3125.00 SqFt						
Sample N	umber: 09	Type:	R	Area:	3125	5.00 SqFt	PCI: 8	39		
Sample C	comments:									
	& T CR		L	45.00 Ft						
	EATHERING		L	3125.00 SqFt						
-	umber: 15	Type:	R	Area:	3125	5.00 SqFt	PCI: 8	34		
_	comments:									
	& T CR EATHERING		L L	101.00 Ft 3125.00 SqFt						
	umber: 19	Type:	R	Area:	3124	5.00 SqFt	PCI: 8	21		
-	Comments:	Type.	K	nica.	3123	7.00 Sqr t	101.	,1		
	& T CR EATHERING		L L	143.00 Ft 3125.00 SqFt						
	umber: 23	Type:	R	Area:	3750).00 SqFt	PCI: 8	35		
_	comments:	• •				•				
_	& T CR		L	111.00 Ft						
	EATHERING		L	3750.00 SqFt						

Netwo	rk: 38S				Nam	ne: Deer Lodge-Ci	y-Coun	nty Airport		
Branch	n: RW13		Name:	Runway	13-31	Use	RU	JNWAY	Area: 3	89,987 SqFt
Section	1: 03	of 2		From: 12	2+00			To: 56+00		Last Const.: 6/1/1996
Surfac	e: AC	Family: _N	MDT2024	- RW AC AAC	Zone	e: DEER		Category: E		Rank: P
Area:	330,000) SqFt	Lengtl	h: 4,	400 F1	t Width:		75 Ft		
Slabs:		Slab Length	:	Ft		Slab Width:		Ft	Joint Length:	Ft
Should	ler:	Street Type:	ACR			Grade: 0			Lanes: 0	
Section	Comments:									
Work 1	Date: 6/1/1996	Work	Type: No	ew Construction	- Initi	al	Code:	NU-IN	Is Major I	M&R: True
Work 1	Date: 7/1/2020	Work	Type: Cr	ack Sealing - A	C		Code:	CS-AC	Is Major I	M&R: False
Work 1	Date: 7/1/2020	Work	Type: Su	ırface Seal			Code:	SS-LO	Is Major I	M&R: False
	isp. Date: 10/8/2024		Tota	alSamples: 12	29	Surve	yed: 7	7		
Condit	ions: PCI: 76									
Inspec	tion Comments:									
Sample	e Number: 04	Type:	R	Ar	ea:	4500.00 SqFt		PCI: 7	8	
Sample	e Comments:									
48	L & T CR		L	169.00 F	it .					
48	L & T CR		M	25.00 F						
	WEATHERING		L	4500.00 S						
_	e Number: 15	Type:	R	Ar	ea:	4875.00 SqFt		PCI: 7	9	
Sample	e Comments:									
	L & T CR		L	163.00 F						
	L & T CR WEATHERING		M L	40.00 F 4875.00 S						
	e Number: 25	Type:	R	48/3.00 S		4875.00 SqFt		PCI: 7	Q	
-	e Comments:	турс.	K	Air	ca.	4675.00 Sqft		101. /	o	
48	L & T CR		L	184.00 F	t					
	L & T CR		M	11.00 F						
	WEATHERING	Т	L	4875.00 S		4975 00 C F4		DCI. 7	14	
-	e Number: 35	Type:	R	Ar	ea:	4875.00 SqFt		PCI: 7	4	
-	e Comments:									
	L & T CR		L	276.00 F 30.00 F						
	L & T CR WEATHERING		M L	4875.00 S						
	e Number: 44	Type:	R	Ar		4875.00 SqFt		PCI: 7	1	
-	e Comments:					•				
48	L & T CR		L	250.00 F	it.					
48	L & T CR		M	136.00 F						
	WEATHERING		L	4875.00 S	SqFt					
Sample	e Number: 55	Type:	R	Are	ea:	4875.00 SqFt		PCI: 7-	4	
Sample	e Comments:									
	L & T CR		L	240.00 F						
	L & T CR		M	95.00 F						
	WEATHERING	Т	L	4875.00 S		4075 00 C-T-		DCI. 7	· / /	
_	e Number: 65 e Comments:	Туре:	R	Ar	ea:	4875.00 SqFt		PCI: 7	4	
48	L & T CR		L	261.00 F	it .					
	L & T CR		M	80.00 F						
	WEATHERING		L	4875.00 S						

Netwo	rk: 38S					Nam	e: Deei	Lodge-Cit	y-County	Airport				
Branc	h: RW13			Name:	Runw	ay 13-31		Use:	RUN	WAY	Are	a: 38	39,987 SqFt	
Section	n: 04		of 2		From:	STA. 56	i+00		Te	o: STA	. 70+00		Last Const.:	8/1/2006
Surfac	ee: AC	Family	: _M	IDT2024	- RW AC AA	AC Zone	DEER		C	ategory:	E		Rank: P	
Area:	59	9,987 SqFt		Lengt	h:	1,400 Ft	t	Width:		25 F	t			
Slabs:		Slab I	Length:		Ft		Slab Width:		Ft			Joint Length:	I	⁷ t
Should	ler:	Street	Type:	ACR			Grade: 0					Lanes: 0		
Section	n Comments:													
Work	Date: 8/1/2006		Work '	Гуре: No	ew Constructi	on - Initia	al	(Code: N	IU-IN		Is Major N	1&R: True	
Work	Date: 7/1/2020		Work '	Гуре: St	ırface Seal			(Code: S	SS-LO		Is Major N	1&R: False	
Work	Date: 7/1/2020		Work	Гуре: Сі	rack Sealing -	AC		(Code: C	CS-AC		Is Major M	1&R: False	
Last I	nsp. Date: 10/8/2	2024		Tota	alSamples:	52		Survey	red: 6					
Condi	tions: PCI:	90												
Inspec	tion Comments:													
Sampl	e Number: 04	7	Гуре:	R		Area:	4500	.00 SqFt		PCI:	91			
Sampl	e Comments:													
48	L & T CR			L	8.00									
57	WEATHERING			L	4500.00									
_	e Number: 09	7	Гуре:	R	4	Area:	4500	.00 SqFt		PCI:	90			
Sampl	e Comments:													
48 57	L & T CR WEATHERING			L L	14.00									
	e Number: 14	-	Гуре:	R	4500.00	Sqrt Area:	4500	.00 SqFt		PCI:	94			
_	e Comments:	-	урс.	K	1	11 Ca.	7500	.oo bqi t		1 (1,	27			
_				т	4500.00	CaE4								
57 Samnl	weathering e Number: 19	-	Гуре:	L R	4500.00	SqFt Area:	4500	.00 SqFt		PCI:	80			
_	e Number: 19 e Comments:		ype:	ĸ	1	nica.	4500	.oo syri		ı Cı;	07			
_				т	(5.00	E4								
48 57	L & T CR WEATHERING			L L	65.00 4500.00									
	e Number: 24	7	Гуре:	R		Area:	2875	.00 SqFt		PCI:	85			
Sampl	e Comments:													
48	L & T CR			L	87.00	Ft								
57	WEATHERING			L	2875.00									
_	e Number: 29	7	Гуре:	R	1	Area:	3885	.00 SqFt		PCI:	87			
Sampl	e Comments:													
48	L & T CR			L	87.00									
57	WEATHERING			L	3885.00	SqFt								

							<u> </u>
Network: 38S			Name:	Deer Lodge-City	-County Airport		
Branch: TW		Name: Tax	iway	Use:	TAXIWAY	Area: 36,3	92 SqFt
Section: 01B	of 2	From:	R-3		To: A-3	La	ast Const.: 6/1/1997
Surface: AC	Family: _MI	DT2024 - TW AC	Zone:		Category: D	R	ank: P
Area:	5,392 SqFt	Length:	114 Ft	Width:	47 Ft		
Slabs:	Slab Length:]	Ft Slab V	Vidth:	Ft	Joint Length:	Ft
Shoulder:	Street Type:	ACR	Grade	: 0		Lanes: 0	
Section Comments:							
Work Date: 6/1/1997	Work T	ype: New Constru	ction - Initial	C	ode: NU-IN	Is Major M&I	R: True
Work Date: 7/1/2020	Work T	ype: Crack Sealing	g - AC	C	ode: CS-AC	Is Major M&I	R: False
Work Date: 7/1/2020	Work T	ype: Surface Seal		C	ode: SS-LO	Is Major M&I	R: False
Last Insp. Date: 10/8	/2024	TotalSamples:	1	Surveye	d: 1		
Conditions: PCI:	81						
Inspection Comments:							
Sample Number: 01	Type:	R	Area:	5392.00 SqFt	PCI: 81		
Sample Comments:							
48 L & T CR	I	L 158.0	00 Ft				
48 L & T CR	N	M 3.0	00 Ft				
57 WEATHERING	i I	L 5392.0	00 SqFt				

Network: 38S			Name	e: Deer	· Loage-City-	County Airport				
Branch: TW	N	Name:	Taxiway		Use:	TAXIWAY	Area:	36,	392 SqFt	
Section: 02	of 2	From	: South En	d of Runway		To:		I	Last Const.:	6/1/1997
Surface: AC	Family: _MD	T2024 - TW A	C Zone:	: DEER		Category: 1)	I	Rank: P	
Area: 31,00	00 SqFt	Length:	560 Ft		Width:	35 Ft				
Slabs:	Slab Length:		Ft	Slab Width:		Ft	Jo	int Length:	Ft	
Shoulder:	Street Type:	ACR		Grade: 0			La	nes: 0		
Section Comments:										
Work Date: 6/1/1997	Work Ty	pe: New Cons	truction - Initia	ıl	Co	de: NU-IN		Is Major M&	R: True	
Work Date: 7/1/2020	Work Ty	pe: Surface Se	al		Co	de: SS-LO		Is Major M&	R: False	
Work Date: 7/1/2020	Work Ty	pe: Crack Seal	ing - AC		Co	de: CS-AC		Is Major M&	R: False	
Last Insp. Date: 10/8/2024	4	TotalSample	es: 16		Surveyed	l: 4				
Conditions: PCI: 87										
Inspection Comments:										
Sample Number: 01	Type:	R	Area:	4400	.00 SqFt	PCI:	89			
Sample Comments:										
48 L & T CR	L	2	6.00 Ft							
57 WEATHERING	L	440	00.00 SqFt							
Sample Number: 03	Type:	R	Area:	4400	.00 SqFt	PCI:	82			
-	Туре:	R	Area:	4400	.00 SqFt	PCI:	82			
Sample Comments:	Type:		Area:	4400	.00 SqFt	PCI:	82			
Sample Comments: 48 L & T CR 48 L & T CR		10		4400	.00 SqFt	PCI:	82			
Sample Comments: 48 L & T CR 48 L & T CR	L	10	05.00 Ft	4400	.00 SqFt	PCI;	82			
Sample Comments: 48 L & T CR 48 L & T CR 57 WEATHERING	L M	10	05.00 Ft 0.00 Ft		.00 SqFt	PCI:				
Sample Comments: 48 L & T CR 48 L & T CR 57 WEATHERING Sample Number: 07	L M L	10 1 440	05.00 Ft 0.00 Ft 00.00 SqFt		-					
48 L & T CR	L M L	10 1 440 R	05.00 Ft 0.00 Ft 00.00 SqFt		-					
Sample Comments: 48 L & T CR 48 L & T CR 57 WEATHERING Sample Number: 07 Sample Comments:	L M L Type:	10 1 440 R	05.00 Ft 0.00 Ft 00.00 SqFt Area:		-					
Sample Comments: 48 L & T CR 48 L & T CR 57 WEATHERING Sample Number: 07 Sample Comments: 48 L & T CR	L M L Type:	10 1 440 R	05.00 Ft 0.00 Ft 00.00 SqFt Area:	4900	-		89			

L L

L & T CR

WEATHERING

48 57 50.00 Ft 4900.00 SqFt