

MONTANA AVIATION SYSTEM PLAN 2024 PAVEMENT CONDITION INDEXES PREPARED FOR

Montana Department of Transportation Division of Aeronautics




2024 Pavement Condition Index Map BHK - BAKER MUNICIPAL AIRPORT

CURRENT 2024 PAVEMENT CONDITION INDEX

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW13	01	Runway 13-31	AAC	367,500	12.2	9/1/2012	10/15/2024	75	Satisfactory
RW13	02	Runway 13-31	AC	75,000	12.2	9/1/2012	10/15/2024	79	Satisfactory
TW	01	Taxiway	AAC	33,750	23.3	8/1/2001	10/15/2024	70	Fair
TW	02	Taxiway	AAC	137,200	23.3	8/1/2001	10/15/2024	75	Satisfactory
TW	03	Taxiway	AAC	53,620	23.3	8/1/2001	10/15/2024	81	Satisfactory
TW	04	Taxiway	AC	45,415	27.3	8/1/1997	10/15/2024	58	Fair
TW	05	Taxiway	AC	45,850	12.2	9/1/2012	10/15/2024	80	Satisfactory
TW	06	Taxiway	AC	34,757	4.9	1/1/2020	10/15/2024	90	Good
AP	02A	Apron	AAC	120,000	32.1	9/30/1992	10/15/2024	53	Poor
AP	03A	Apron	AAC	14,700	32.1	9/30/1992	10/15/2024	44	Poor
AP	05	Apron	AC	40,000	27.3	8/1/1997	10/15/2024	58	Fair
AP	06	Apron	PCC	20,097	27.3	7/31/1997	10/15/2024	85	Satisfactory
AP	07	Apron	AC	12,885	23.3	8/1/2001	10/15/2024	83	Satisfactory
AP	09	Apron	AC	23,056	12.2	9/1/2012	10/15/2024	85	Satisfactory
AP	10	Apron	AC	52,900	4.9	1/1/2020	10/15/2024	82	Satisfactory
AP	11	Apron	PCC	24,146	4.9	1/1/2020	10/15/2024	92	Good

AIRFIELD PAVEMENT WORK HISTORY

- 1. 1971, RM = ROAD MIX
- 2. AIP-002-1988, CONSTRUCT PARTIAL PARALLEL TAXIWAY.
- 3. AIP-003-1992, RECONSTRUCT PORTION OF RUNWAY.
- 4. AIP-004-1993, RECONSTRUCT PORTION OF RUNWAY,
- REHABILITATE PARALLEL TAXIWAY, AND WIDEN CONNECTING TAXIWAY.
- 5. AIP-006-1996, RECONSTRUCT PORTION OF APRON, OVERLAY APRON, AND CONSTRUCT TAXIWAY.
- 6. AIP-007-2001, OVERLAY RUNWAY 13/31 AND TAXIWAYS, CONSTRUCT APRON (AP:07).
- 7. AIP-008-2003, CRACK SEAL; CONSTRUCT CONCRETE APRON (AP:08).
- 3. AIP-015-2012, EXTEND RUNWAY 31 (RW13:02) AND TAXIWAY A (TW:05);
- OVERLAY RUNWAY (RW13:01); APRON EXPANSION (AP:09).
- AIP-017-2013, GROOVE RUNWAY 13/31 (RW13:01,RW13:02) AND CRACK SEAL, SURFACE SEAL AND REMARK ALL PAVEMENTS.
- 10. AIP-018-2015, REHABILITATE APRON (AP:05 PATCHED).
- 11. AIP-019-2017, CRACK SEAL, SURFACE SEAL AND REMARK ALL PAVEMENTS.
- 12. AIP-020-2019, RECONSTRUCT AND EXPAND APRON (AP:10, AP:11), CONSTRUCT TAXILANES (TW:06)



MONTANA AVIATION SYSTEM PLAN
2024 PAVEMENT CONDITION INDEXES
PREPARED FOR
Montana Department of Transportation


Division of Aeronautics



2029 Forecasted
Pavement Condition Index Map
BHK - BAKER MUNICIPAL AIRPORT

FORECASTED PAVEMENT CONDITION INDEX

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW13	01	AAC	75	75	74	74	73	73
RW13	02	AC	79	79	78	77	76	76
TW	01	AAC	70	70	69	68	67	66
TW	02	AAC	75	75	74	73	72	71
TW	03	AAC	81	81	79	78	77	75
TW	04	AC	58	58	56	53	51	48
TW	05	AC	80	80	78	77	76	75
TW	06	AC	90	89	87	85	83	82
AP	02A	AAC	53	52	49	45	42	39
AP	03A	AAC	44	43	40	37	34	30
AP	05	AC	58	58	56	55	53	51
AP	06	PCC	85	85	83	81	79	78
AP	07	AC	83	83	81	79	77	76
AP	09	AC	85	85	83	81	79	77
AP	10	AC	82	82	80	78	77	75
AP	11	PCC	92	92	89	87	85	84



MONTANA AVIATION SYSTEM PLAN 2024 PAVEMENT CONDITION INDEXES PREPARED FOR

Montana Department of Transportation
Division of Aeronautics

PREPARED FOR

MON
Department



5-Year Maintenance and Rehabilitation Map BHK - BAKER MUNICIPAL AIRPORT

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	RW13	01	AAC	367,500	75	Crack Seal and Seal Coat	Global Treatment
2025	RW13	02	AC	75,000	79	Crack Seal and Seal Coat	Global Treatment
2025	TW	01	AAC	33,750	70	Mill and Overlay	Major Rehabilitation
2025	TW	02	AAC	137,200	75	Crack Seal and Seal Coat	Global Treatment
2025	TW	03	AAC	53,620	81	Crack Seal and Seal Coat	Global Treatment
2025	TW	04	AC	45,415	58	Mill and Overlay	Major Rehabilitation
2025	TW	05	AC	45,850	80	Crack Seal and Seal Coat	Global Treatment
2025	TW	06	AC	34,757	89	Crack Seal and Seal Coat	Global Treatment
2025	AP	02A	AAC	120,000	52	Full-Depth Reconstruction	Major Rehabilitation
2025	AP	03A	AAC	14,700	43	Full-Depth Reconstruction	Major Rehabilitation
2025	AP	05	AC	40,000	58	Mill and Overlay	Major Rehabilitation
2025	AP	07	AC	12,885	83	Crack Seal and Seal Coat	Global Treatment
2025	AP	09	AC	23,056	85	Crack Seal and Seal Coat	Global Treatment
2025	AP	10	AC	52,900	82	Crack Seal and Seal Coat	Global Treatment

Runway



RW13-01-30: Overview



RW13-01-18: L&T Cracking



Taxiway



TW-04-05: Alligator Cracking



TW-01-07: L&T Cracking



Apron



AP-03A-01: Alligator Cracking



AP-05-08: Weathering





AP-06-03: LTD Cracking



AP-06-03: Joint Spalling



MDT SASP 2024

Generated Date 1/7/2025 Page 1 of 17

Generated Date	1/7	/2025												Page 1 01 17
Network: BHK				Name:	Bak	er Municipa	l Airp	ort						
Branch: AP		Name:	Apron			Use:	AI	PRON	Area:		3	07,784	SqFt	
Section: 02A	of 8		From: MA	AIN APRO	NC			To:				Last	Const.	: 9/30/1992
Surface: AAC	Family: _M	DT2024 -	AP AAC	Zone:	BAKE			Category: E				Ran	k: P	
Area: 120,000	SqFt	Length:	: 4	00 Ft		Width:		300 Ft						
Slabs:	Slab Length:		Ft	Slat	Width:			Ft	J	Joint L	ength:			Ft
Shoulder:	Street Type:	ACN		Gra	ide: 0				I	Lanes:	0			
Section Comments:														
Work Date: 9/30/1992	Work T	ype: Nev	v Construction	- Initial		(Code:	NU-IN		Is N	Aajor I	M&R:	True	
Work Date: 1/1/2020	Work T	ype: Cra	ck Sealing - AC	;		(Code:	CS-AC		Is N	Aajor I	M&R:	False	
Work Date: 1/1/2020	Work T	ype: Sur	face Seal			(Code:	SS-LO		Is N	/Iajor l	M&R:	False	
Last Insp. Date: 10/15/2024		Total	Samples: 16			Survey	ed:	6						
Conditions: PCI: 53														
Inspection Comments:														
Sample Number: 02	Type:	R	Are	a:	5250	0.00 SqFt		PCI: 51						
Sample Comments:	• •					•								
43 BLOCK CR	1	L	2625.00 Se	nFt										
43 BLOCK CR		M	1575.00 Se	-										
57 WEATHERING		L	4725.00 Se											
57 WEATHERING		M	525.00 S	qFt										
Sample Number: 04	Type:	R	Are	a:	5250	0.00 SqFt		PCI: 50						
Sample Comments:														
43 BLOCK CR		Ĺ	4200.00 S											
43 BLOCK CR 57 WEATHERING		M L	1050.00 Se 4725.00 Se											
57 WEATHERING		M	525.00 Se	-										
Sample Number: 11	Type:	R	Are	a:	5250	0.00 SqFt		PCI: 54						
Sample Comments:														
43 BLOCK CR	1	L	5250.00 S	nFt.										
57 WEATHERING		L	4725.00 Se											
57 WEATHERING		M	525.00 S											
Sample Number: 13	Type:	R	Are	a:	5250	0.00 SqFt		PCI: 54						
Sample Comments:														
43 BLOCK CR	I	L	3487.00 S	qFt										
43 BLOCK CR		M	526.00 S	qFt										
57 WEATHERING		L	4462.00 S											
57 WEATHERING Sample Number 14		M	788.00 S		5050) 00 C-E		DCI: 50						
Sample Number: 14	Type:	R	Are	а:	5250	0.00 SqFt		PCI: 56						
Sample Comments:														
43 BLOCK CR		Ĺ	4400.00 S	-										
57 WEATHERING57 WEATHERING		L M	4462.00 Se 788.00 Se	-										
Sample Number: 16	Type:	R	Are		5250	0.00 SqFt		PCI: 54						
Sample Comments:	V 25 - 1					1								
43 BLOCK CR]	L	5250.00 Se	qFt										
57 WEATHERING		L	4462.00 Se	qFt										
57 WEATHERING	1	M	788.00 S	qFt										

N DIM		N.T.	D.1. 14 1			
Network: BHK		Name:	Baker Municipal A	Airport		
Branch: AP	Name:	Apron	Use:	APRON	Area: 30	7,784 SqFt
Section: 03A	of 8	From: WEST ED	GE of APRON	To:		Last Const.: 9/30/199
Surface: AAC	Family: _MDT2024	- AP AAC Zone:	BAKE	Category: B		Rank: P
Area:	14,700 SqFt Length	420 Ft	Width:	35 Ft		
Slabs:	Slab Length:	Ft SI	ab Width:	Ft	Joint Length:	Ft
Shoulder:	Street Type: ACL	G	rade: 0		Lanes: 0	
Section Comments:	• •					
Work Date: 9/30/1992	Work Type: Ne	w Construction - Initial	Co	de: NU-IN	Is Major M	I&R: True
Work Date: 1/1/2020	Work Type: Su	rface Seal	Co	de: SS-LO	Is Major M	I&R: False
Work Date: 1/1/2020	Work Type: Cr	ack Sealing - AC	Co	de: CS-AC	Is Major M	I&R: False
Last Insp. Date: 10/1		ISamples: 1	Surveyed	l: 1		
Conditions: PCI:						
Inspection Comments						
Sample Number: 01	Type: R	Area:	5100.00 SqFt	PCI: 44		
Sample Comments:						
41 ALLIGATOR C	CR L	12.00 SqFt				
	N	10.00 SqFt				
		40.50.00 0 0				
BLEEDING	L	1850.00 SqFt				
BLEEDING BLOCK CR	L M	375.00 SqFt				
BLEEDING BLOCK CR BLOCK CR						
42 BLEEDING 43 BLOCK CR 43 BLOCK CR	M	375.00 SqFt				
42 BLEEDING 43 BLOCK CR 43 BLOCK CR 45 DEPRESSION	M L L	375.00 SqFt 39.00 SqFt				

Network: BHK		Name	: Baker Municipal	Airport	
Branch: AP	Name:	Apron	Use:	APRON	Area: 307,784 SqFt
Section: 05	of 8	From: Apron		To: Hangars	Last Const.: 8/1/1997
Surface: AC	Family: _MDT2024	AP AC Zone:	BAKE	Category: D	Rank: P
Area: 40,000	SqFt Length	: 200 Ft	Width:	200 Ft	
Slabs:	Slab Length:	Ft S	Slab Width:	Ft	Joint Length: Ft
Shoulder:	Street Type: ACN		Grade: 0		Lanes: 0
Section Comments:					
Work Date: 8/1/1997	Work Type: Ne	w Construction - Initia	l C	ode: NU-IN	Is Major M&R: True
Work Date: 1/1/2020	Work Type: Su	rface Seal	C	ode: SS-LO	Is Major M&R: False
Work Date: 1/1/2020	Work Type: Cra	ack Sealing - AC	C	ode: CS-AC	Is Major M&R: False
Last Insp. Date: 10/15/2024	1 Tota	Samples: 8	Surveye	d: 4	
Conditions: PCI: 58					
nspection Comments:					
Sample Number: 01	Type: R	Area:	6100.00 SqFt	PCI: 54	<u> </u>
Sample Comments:	V		1		
18 L & T CR	L	1086.00 Ft			
18 L & T CR	M	180.00 Ft			
WEATHERING	L	4575.00 SqFt			
57 WEATHERING	M	1525.00 SqFt			
Sample Number: 02 Sample Comments:	Type: R	Area:	5500.00 SqFt	PCI: 65	
_		205.00 F:			
48 L&TCR	L	285.00 Ft			
18 L&TCR	M	100.00 Ft			
52 RAVELING 57 WEATHERING	M L	25.00 SqFt 4380.00 SqFt			
57 WEATHERING	M	1095.00 SqFt			
Sample Number: 07	Type: R	Area:	4250.00 SqFt	PCI: 50)
Sample Comments:			1		
11 ALLIGATOR CR	M	27.00 SqFt			
48 L & T CR	L	425.00 Ft			
18 L & T CR	M	150.00 Ft			
57 WEATHERING	L	3188.00 SqFt			
57 WEATHERING	M	1062.00 SqFt			
Sample Number: 08	Type: R	Area:	3725.00 SqFt	PCI: 64	
Sample Comments:					
48 L & T CR	L	314.00 Ft			
48 L & T CR	M	125.00 Ft			
57 WEATHERING	L	2794.00 SqFt			
57 WEATHERING	M	931.00 SqFt			

Network: BHK												
Branch: AP	Na	me: Apr	on		Use:	API	RON	Arc	ea:	307,7	84 SqFt	
Section: 06	of 8	From:	NW Apro	on corner		-	Го: А-2			La	ast Const.:	7/31/1997
Surface: PCC	Family: _MDT2	2024 - All PCC	Zone:	BAKE		(Category:	P		R	ank: P	
Area: 20,0	97 SqFt Lo	ength:	102 Ft		Width:		147 Ft					
Slabs: 67	Slab Length:	15 1	Ft S	Slab Width:		15 1	Ft		Joint Len	gth:	1,750 Ft	
Shoulder:	Street Type: PO	CA	(Grade: 0					Lanes:	0		
Section Comments:												
Work Date: 7/31/1997	Work Type	e: New Construc	ction - Initia	1	(Code:	NU-IN		Is Ma	ajor M&F	R: True	
Work Date: 1/1/2020	Work Type	e: Crack Sealing	g - AC		C	Code:	CS-AC		Is Ma	ajor M&F	R: False	
Work Date: 1/1/2020	Work Type	e: Surface Seal			(Code:	SS-LO		Is Ma	ajor M&F	R: False	
Conditions: PCI: 85)24	TotalSamples:	4		Survey	ed: 3						
Inspection Comments:			4			ed: 3						
Conditions: PCI: 85 Inspection Comments: Sample Number: 02		TotalSamples:	4 Area:	2	Survey	ed: 3	PCI:	91				
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments:	Туре:	R	Area:	2		ed: 3		91				
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL	Type:	R 8.0			1.00 Slabs	ed: 3	PCI:					
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03	Type:	R	Area:			ed: 3						
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments:	Type:	R 8.0	Area:		1.00 Slabs	ed: 3	PCI:					
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING	Type: L Type: M L	R 8.0 R 1.0 7.0	Area: 00 Slabs Area: 00 Slabs 00 Slabs		1.00 Slabs	ed: 3	PCI:					
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING 73 SHRINKAGE CR	Type: L Type: M L N	R 8.0 R 1.0 7.0 1.1	Area: 00 Slabs Area: 00 Slabs 00 Slabs 00 Slabs 00 Slabs		1.00 Slabs	ed: 3	PCI:					
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING 73 SHRINKAGE CR	Type: L Type: M L	R 8.0 R 1.0 7.0 1.1	Area: 00 Slabs Area: 00 Slabs 00 Slabs		1.00 Slabs	ed: 3	PCI:					
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING 73 SHRINKAGE CR 74 JOINT SPALL	Type: L Type: M L N M	R 8.0 R 1.0 7.0 1.1	Area: 00 Slabs Area: 00 Slabs 00 Slabs 00 Slabs 00 Slabs	2	1.00 Slabs	ed: 3	PCI:	68				
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING 73 SHRINKAGE CR	Type: L Type: M L N M	R 8.0 R 1.0 7.0 1.0	Area: O Slabs Area: O Slabs O Slabs O Slabs O Slabs O Slabs	2	1.00 Slabs 0.00 Slabs	ed: 3	PCI:	68				
Conditions: PCI: 85 Inspection Comments: Sample Number: 02 Sample Comments: 74 JOINT SPALL Sample Number: 03 Sample Comments: 63 LINEAR CR 71 FAULTING 73 SHRINKAGE CR 74 JOINT SPALL Sample Number: 04	Type: L Type: M L N M	R 8.0 R 1.0 7.0 1.0 1.0	Area: O Slabs Area: O Slabs O Slabs O Slabs O Slabs O Slabs	2	1.00 Slabs 0.00 Slabs	ed: 3	PCI:	68				

Network: BHK		Name	: Baker Municipal	Airport		
Branch: AP	Name:	Apron	Use:	APRON	Area:	307,784 SqFt
Section: 07	of 8	From: A-6		To: TIEDO	WNS	Last Const.: 8/1/200
Surface: AC F	Family: _MDT2024 -	AP AC Zone:	BAKE	Category: D		Rank: P
Area: 12,885	SqFt Length	: 120 Ft	Width:	86 Ft		
Slabs:	Slab Length:	Ft S	Slab Width:	Ft	Joint I	Length: Ft
Shoulder:	Street Type: ACN	(Grade: 0		Lanes:	0
Section Comments:						
Work Date: 8/1/2001	Work Type: Nev	w Construction - Initial	Co	de: NU-IN	Is	Major M&R: True
Work Date: 1/1/2020	Work Type: Cra	ck Sealing - AC	Co	de: CS-AC	Is	Major M&R: False
Work Date: 1/1/2020	Work Type: Sur	face Seal	Co	de: SS-LO	Is	Major M&R: False
Last Insp. Date: 10/15/2024	Total	Samples: 5	Surveyed	l: 3		
Last Insp. Date: 10/15/2024 Conditions: PCI: 83	Total	Samples: 5	Surveyed	1: 3		
	Total	Samples: 5	Surveyed	1: 3		
Conditions: PCI: 83	Total Type: R	Samples: 5 Area:	Surveyed	PCI: 8	34	
Conditions: PCI: 83 Inspection Comments:					34	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01					34	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING	Type: R L L	Area: 50.00 Ft 4500.00 SqFt			34	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR	Type: R	Area:			34	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING	Type: R L L	Area: 50.00 Ft 4500.00 SqFt				
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING	Type: R L L M	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt	5000.00 SqFt	PCI: 8		
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 57 WEATHERING Sample Number: 03	Type: R L L M	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt	5000.00 SqFt	PCI: 8		
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 58 WEATHERING Sample Number: 03 Sample Comments:	Type: R L L M Type: R	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt Area:	5000.00 SqFt	PCI: 8		
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 58 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR	Type: R L L M Type: R	50.00 Ft 4500.00 SqFt 500.00 SqFt Area:	5000.00 SqFt	PCI: 8		
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR 57 WEATHERING	Type: R L L M Type: R	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt Area: 22.00 Ft 2193.00 SqFt	5000.00 SqFt	PCI: 8	33	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING	Type: R L L M Type: R	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt Area: 22.00 Ft 2193.00 SqFt 387.00 SqFt	5000.00 SqFt 2580.00 SqFt	PCI: 8	33	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 57 WEATHERING 57 WEATHERING 58 WEATHERING 59 WEATHERING 50 WEATHERING 50 WEATHERING 51 WEATHERING	Type: R L L M Type: R	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt Area: 22.00 Ft 2193.00 SqFt 387.00 SqFt	5000.00 SqFt 2580.00 SqFt	PCI: 8	33	
Conditions: PCI: 83 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 57 WEATHERING 57 WEATHERING 57 WEATHERING 58 WEATHERING 59 WEATHERING 50 Sample Comments:	Type: R L L M Type: R L L M Type: R	Area: 50.00 Ft 4500.00 SqFt 500.00 SqFt Area: 22.00 Ft 2193.00 SqFt 387.00 SqFt Area:	5000.00 SqFt 2580.00 SqFt	PCI: 8	33	

Network: BHK		Name:	Baker Municipal	Airport		
Branch: AP	Name:	Apron	Use:	APRON	Area:	307,784 SqFt
Section: 09	of 8	From: A-7		To: T-4		Last Const.: 9/1/2012
Surface: AC Fa	amily: _MDT2024 -	AP AC Zone:	BAKE	Category: D		Rank: P
Area: 23,056 S	SqFt Length:	176 Ft	Width:	131 Ft		
Slabs: S	Slab Length:	Ft Sla	b Width:	Ft	Joint L	ength: Ft
Shoulder: S	Street Type: ACN	Gı	ade: 0		Lanes:	0
Section Comments:						
Work Date: 9/1/2012	Work Type: New	Construction - Initial	C	ode: NU-IN	Is N	Iajor M&R: True
Work Date: 1/1/2020	Work Type: Crac	ck Sealing - AC	C	ode: CS-AC	Is N	Major M&R: False
Work Date: 1/1/2020	Work Type: Surf	ace Seal	C	ode: SS-LO	Is N	Major M&R: False
Last Insp. Date: 10/15/2024	Totals	Samples: 9	Surveye	ed: 3		
Conditions: PCI: 85						
Inspection Comments:	Type: R	Area:	2640.00 SqFt	PCI: 89		
Inspection Comments: Sample Number: 02	Type: R	Area:	2640.00 SqFt	PCI: 89		
Inspection Comments: Sample Number: 02	Type: R	Area: 2376.00 SqFt	2640.00 SqFt	PCI: 89		
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING			2640.00 SqFt	PCI: 89		
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING	L	2376.00 SqFt	2640.00 SqFt 2640.00 SqFt	PCI: 89		
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04	L M	2376.00 SqFt 264.00 SqFt				
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments:	L M	2376.00 SqFt 264.00 SqFt				
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments:	L M Type: R	2376.00 SqFt 264.00 SqFt Area:				
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments: 48 L & T CR 57 WEATHERING	L M Type: R	2376.00 SqFt 264.00 SqFt Area: 73.00 Ft				
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING	L M Type: R	2376.00 SqFt 264.00 SqFt Area: 73.00 Ft 2376.00 SqFt				
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 57 WEATHERING 57 WEATHERING 58 Sample Number: 06	L M Type: R	2376.00 SqFt 264.00 SqFt Area: 73.00 Ft 2376.00 SqFt 264.00 SqFt	2640.00 SqFt	PCI: 81		
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments: 48 L & T CR 57 WEATHERING	L M Type: R	2376.00 SqFt 264.00 SqFt Area: 73.00 Ft 2376.00 SqFt 264.00 SqFt Area:	2640.00 SqFt	PCI: 81		
Inspection Comments: Sample Number: 02 Sample Comments: 57 WEATHERING 57 WEATHERING Sample Number: 04 Sample Comments: 48 L & T CR 57 WEATHERING 57 WEATHERING 57 WEATHERING Sample Number: 06 Sample Comments:	L R L L M Type: R	2376.00 SqFt 264.00 SqFt Area: 73.00 Ft 2376.00 SqFt 264.00 SqFt Area:	2640.00 SqFt	PCI: 81		

Network: BHK		Nan	ne: Baker Municipa	al Airport		
Branch: AP	Nam		Use:		Area: 307,784 SqFt	
Section: 10	of 8	From: AP07		To: TW04	Last Const.: 1/1/	/2020
Surface: AC Fam	ily: _MDT20	24 - AP AC Zon	e:	Category:	Rank: P	
Area: 52,900 SqF	t Ler	agth: 460 F	Yt Width:	115 Ft		
Slabs: Slab	b Length:	Ft	Slab Width:	Ft	Joint Length: Ft	
Shoulder: Stro	eet Type:		Grade: 0		Lanes: 0	
Section Comments:						
Work Date: 1/1/2019	Work Type:	New Construction - AC		Code: NC-AC	Is Major M&R: True	
Work Date: 1/1/2020	Work Type:	New Construction - AC		Code: NC-AC	Is Major M&R: True	
Last Insp. Date: 10/15/2024	Т	otalSamples: 16	Surve	yed: 5		
Conditions: PCI: 82						
Inspection Comments:						
Sample Number: 02	Type: R	Area:	5797.00 SqFt	PCI: 8	22	
Sample Comments:						
48 L & T CR	L	250.00 Ft				
57 WEATHERING	L	5797.00 SqFt	5070 00 G F4	DCI. 0	22	
Sample Number: 05 Sample Comments:	Type: R	Area:	5870.00 SqFt	PCI: 8		
_						
48 L & T CR 57 WEATHERING	L L	228.00 Ft 5870.00 SqFt				
Sample Number: 07	Type: R	-	5918.00 SqFt	PCI: 8	3	
Sample Comments:						
48 L&TCR	L	226.00 Ft				
57 WEATHERING	L D	5918.00 SqFt	5717.00 G.E.	DCII. O	20	
Sample Number: 12	Type: R	Area:	5717.00 SqFt	PCI: 8	0	
Sample Comments:						
48 L & T CR 57 WEATHERING	L L	283.00 Ft 5717.00 SqFt				
	Type: R		5712.00 SqFt	PCI: 8	22	
Sample Number: 15	rvbe: K	Area:	2/12.00 30FL	PUI: A	13	

48 L & T CR 57 WEATHERING L 217.00 Ft L 5712.00 SqFt

Network:	BHK					Namo	e: Bak	er Municip	al Airp	ort					
Branch:	AP			Name:	Apron			Use	: Al	PRON		Area:	:	307,784 SqFt	
Section:	11		of 8	3	From:	AP07				To:	AP10			Last Const.:	1/1/2020
Surface:	PCC	Family	: _1	MDT2024	- All PCC	Zone	:			Categ	ory:			Rank: P	
Area:		24,146 SqFt		Lengtl	h:	397 Ft		Width:			61 Ft				
Slabs:	109	Slab I	ength	:	15 Ft		Slab Width:		15	Ft		Joint	Length:	2,797 F	t
Shoulder:		Street	Type	:			Grade: 0					Lane	s: 0		
Section Co	omments:														
Work Dat	e: 1/1/2019	9	Work	Type: Ne	ew Construction	on - AC			Code:	NC-	AC	Is	s Major	M&R: True	
Work Dat	e: 1/1/2020	O	Work	Type: Ne	ew Construction	on - PCC			Code:	NC-l	PC PC	I	s Major	M&R: True	
Last Insp.	Date: 10	/15/2024		Tota	lSamples:	6		Surve	yed:	3					
Condition	s: PCI:	92													
Inspection	Comment	s:													
Sample No	umber: 0	1 7	Гуре:	R	A	Area:	20	0.00 Slabs]	PCI: 97				
Sample Co	omments:														
74 JO	INT SPALI	٠		L	2.00	Slabs									
Sample No	umber: 0	3 7	Гуре:	R	A	Area:	20	0.00 Slabs]	PCI: 81				
Sample Co	omments:														
63 LIN	NEAR CR			L	8.00	Slabs									
Sample Nu	umber: 0	5 7	Гуре:	R	A	Area:	16	6.00 Slabs]	PCI: 100)			

Sample Comments:

<No Distress>

Network: BHK		Name:	Baker Municipal Ai	irport	
Branch: RW13	Name:	Runway 13-31	_		rea: 442,500 SqFt
Section: 01 Surface: AAC Fam		From: STA 0+00 RV W AC AAC Zone:	BAKE	To: STA 49+00 R Category: D	RWY 12/30 Last Const.: 9/1/2012 Rank: P
		4,900 Ft	Width:	75 Ft	канк. г
Area: 367,500 SqF Slabs: Sla	Ft Length: b Length:		Width:	Ft 73 Ft	Joint Length: Ft
	eet Type: ACM	rı Siab Grae		rı	Lanes: 0
Section Comments:	eet Type. ACM	Grad	ie. 0		Lanes. 0
	W. 1.00 N.			NII DI	
Work Date: 9/30/1992	Work Type: New	Construction - Initial	Cod	e: NU-IN	Is Major M&R: True
Work Date: 8/1/2001	Work Type: Over	lay - AC Thin	Cod	e: OL-AT	Is Major M&R: True
Work Date: 9/1/2012	Work Type: 4 in o	verlay	Cod	e: OL_4	Is Major M&R: True
Work Date: 1/1/2020	Work Type: Surfa	ce Seal - Seal Coat	Cod	e: SS-SC	Is Major M&R: False
Work Date: 1/1/2020	Work Type: Crack	Sealing - AC	Cod	e: CS-AC	Is Major M&R: False
Last Insp. Date: 10/15/2024	TotalS	amples: 75	Surveyed:	7	
Conditions: PCI: 75					
Inspection Comments:					
Sample Number: 05	Type: R	Area:	4875.00 SqFt	PCI: 73	
Sample Comments:					
48 L & T CR	L	94.00 Ft			
48 L & T CR	M	75.00 Ft			
57 WEATHERING	L	4631.00 SqFt			
57 WEATHERING	M P	244.00 SqFt	4975 00 C -F4	DCI. 77	
Sample Number: 18 Sample Comments:	Type: R	Area:	4875.00 SqFt	PCI: 77	
_	ī	244.00 Ft			
48 L & T CR 57 WEATHERING	L L	4631.00 SqFt			
57 WEATHERING	M	244.00 SqFt			
Sample Number: 30	Type: R	Area:	4875.00 SqFt	PCI: 83	
Sample Comments:					
48 L & T CR	L	124.00 Ft			
57 WEATHERING	L	4631.00 SqFt			
57 WEATHERING	M	244.00 SqFt			
Sample Number: 43	Type: R	Area:	4875.00 SqFt	PCI: 70	
Sample Comments:					
48 L & T CR	L	80.00 Ft			
48 L & T CR 57 WEATHERING	M M	20.00 Ft 4875.00 SqFt			
Sample Number: 56	Type: R	Area:	4875.00 SqFt	PCI: 73	
Sample Comments:	туре. К	Aita.	4873.00 Sqrt	101. 73	
48 L & T CR	L	83.00 Ft			
48 L & T CR	M	75.00 Ft			
57 WEATHERING	L	4631.00 SqFt			
57 WEATHERING	M	244.00 SqFt			
Sample Number: 67	Type: R	Area:	4875.00 SqFt	PCI: 73	
Sample Comments:					
48 L & T CR	L	109.00 Ft			
48 L & T CR	M	70.00 Ft			
57 WEATHERING57 WEATHERING	L M	4631.00 SqFt 244.00 SqFt			
			4075 00 C E	DOL 77	
Sample Number: 75 Sample Comments:	Type: R	Area:	4875.00 SqFt	PCI: 77	

48	L & T CR	L 246.00	Ft
57	WEATHERING	L 4631.00	SqFt
57	WEATHERING	M 244.00	SqFt

Networ	·k: BHK						Nan	ne: Baker	Municipal	Airpo	rt				
Branch	: RW13			Na	ame:	Runw	ay 13-31	1	Use:	RU	NWAY	Area	ı:	442,500 SqFt	
Section	: 02		of 2	!		From:	STA 49	0+00 RWY 12/30			To: STA	59+00 RW	VY 12/30	Last Const.	9/1/2012
Surface	e: AC	Famil	y: _N	MDT	2024 -	RW AC AA	C Zon	e: BAKE			Category:	E		Rank: P	
Area:	7	75,000 SqFt		L	ength:		1,000 F	rt V	Vidth:		75 F	t			
Slabs:		Slab	Length	:		Ft		Slab Width:]	Ft		Joint Length	: 1	Ft
Should	er:	Stree	et Type:	. A	мСМ			Grade: 0					Lanes: 0		
Section	Comments:														
Work I	Date: 9/1/2012		Work	Тур	e: New	v Constructi	on - Init	ial	C	ode:	NU-IN		Is Major	M&R: True	
Work I	Date: 1/1/2020		Work	Тур	e: Crac	ck Sealing -	AC		C	ode:	CS-AC		Is Major	M&R: False	
Work I	Date: 1/1/2020		Work	Тур	e: Surf	face Seal - S	eal Coat	t	C	ode:	SS-SC		Is Major	M&R: False	
Last In	sp. Date: 10/15	5/2024			Totals	Samples:	15		Surveye	ed: 5					
Conditi	ions: PCI:	79													
Inspect	ion Comments:														
Sample	Number: 02		Type:		R	1	Area:	4875.0	0 SqFt		PCI:	85			
Sample	Comments:														
48	L & T CR			L		80.00	Ft								
	WEATHERING			L		4631.00									
57	WEATHERING			M		244.00	SqFt								
Sample	Number: 06		Type:		R	1	Area:	4875.0	0 SqFt		PCI:	77			
Sample	Comments:														
48	L & T CR			L		245.00									
	WEATHERING			L		4631.00	_								
	WEATHERING			M		244.00	SqFt								
Sample	Number: 07		Type:		R	1	Area:	4875.0	0 SqFt		PCI:	77			
Sample	Comments:														
48	L & T CR			L		53.00	Ft								
48	L & T CR			M		30.00	Ft								
	WEATHERING			L		4631.00									
	WEATHERING			M		244.00	SqFt								
_	Number: 12		Type:		R	1	Area:	4875.0	0 SqFt		PCI:	78			
Sample	Comments:														
48	L & T CR			L		114.00									
	L & T CR			M		25.00									
	WEATHERING			L		4631.00									
	WEATHERING			M		244.00									
Sample	Number: 15		Type:		R	1	Area:	4875.0	0 SqFt		PCI:	78			
Sample	Comments:														
48	L & T CR			L		112.00	Ft								
48	L & T CR			M		16.00	Ft								
57	WEATHERING			L		4631.00									
57	WEATHERING			M		244.00	SqFt								

Netwo	ork: BHK			Na	me: Bal	er Municipal	Airport				
Branc	ch: TW		Name:	Taxiway		Use:	TAXIWAY	Area	a: 35	0,592 SqFt	
Sectio	on: 01	of 6		From: APRO	N A-1		To: T-2	2 and T-3		Last Const.:	8/1/2001
Surfa	ce: AAC	Family: _M	IDT2024 -	TW AAC Zo	ne: BAKE		Category	: E		Rank: P	
Area:	33,750) SqFt	Length	: 675	Ft	Width:	50	Ft			
Slabs	:	Slab Length:		Ft	Slab Width:		Ft		Joint Length:	F	't
Shoul	der:	Street Type:	ACM		Grade: 0				Lanes: 0		
Sectio	on Comments:										
Work	Date: 9/30/1988	Work 7	Гуре: Ne	w Construction - In	itial	C	ode: NU-IN		Is Major M	&R: True	
Work	Date: 8/1/2001	Work 7	Гуре: Оу	erlay - AC Thin		C	ode: OL-AT		Is Major M	&R: True	
Work	Date: 1/1/2020	Work 7	Гуре: Cra	ck Sealing - AC		C	ode: CS-AC		Is Major M	&R: False	
Work	Date: 1/1/2020	Work 7	Гуре: Su	face Seal		C	ode: SS-LO		Is Major M	&R: False	
Last I	Insp. Date: 10/15/2024	4	Total	Samples: 7		Surveye	ed: 4				
Condi	itions: PCI: 70										
Inspe	ction Comments:										
Samp	le Number: 01	Type:	R	Area:	500	0.00 SqFt	PCI	: 59			
Samp	le Comments:										
48	L & T CR		L	395.00 Ft							
48	L & T CR		M	247.00 Ft							
57	WEATHERING		L	4250.00 SqFt							
57	WEATHERING		M	750.00 SqFt							
_	le Number: 02	Type:	R	Area:	500	0.00 SqFt	PCI	: 73			
Samp	le Comments:										
48	L & T CR		L	184.00 Ft							
48	L & T CR		M	35.00 Ft							
57 57	WEATHERING		L M	4500.00 SqFt 500.00 SqFt							
57	WEATHERING			<u> </u>		0.00 G E	DCI	. 77			
_	le Number: 04 le Comments:	Type:	R	Area:	500	0.00 SqFt	PCI	: 77			
			т	192.00 F4							
48 48	L & T CR L & T CR		L M	182.00 Ft 35.00 Ft							
57	WEATHERING		L	4990.00 SqFt							
57	WEATHERING		M	10.00 SqFt							
	le Number: 07	Type:	R	Area:		7.00 SqFt	PCI	: 72			
_	le Comments:	V F				1					
48	L & T CR		L	173.00 Ft							
48	L & T CR		M	10.00 Ft							
57	WEATHERING		L	3610.00 SqFt							

Netwo	rk: BHK			Name:	Baker Municip	al Airport	
Brancl	h: TW		Name:	Taxiway	Use		Area: 350,592 SqFt
Section	n: 02	of 6		From: PARALL	EL TO RWY 12/30	To:	Last Const.: 8/1/2001
Surfac	e: AAC	Family: _N	1DT2024	- TW AAC Zone:	BAKE	Category: E	Rank: P
Area:	137,200	SqFt	Lengtl	3,920 Ft	Width:	35 Ft	
Slabs:		Slab Length:	_		lab Width:	Ft	Joint Length: Ft
Should	ler:	Street Type:			Grade: 0	1.	Lanes: 0
		Street Type.	ACM		maue. 0		Laites.
	n Comments:						
	Date: 9/30/1992			w Construction - Initial		Code: NU-IN	Is Major M&R: True
	Date: 8/1/2001			rerlay - AC Structural		Code: OL-AS	Is Major M&R: True
	Date: 1/1/2020			ack Sealing - AC		Code: CS-AC	Is Major M&R: False
Work	Date: 1/1/2020	Work '	Type: Su	rface Seal		Code: SS-LO	Is Major M&R: False
Last II	nsp. Date: 10/15/2024		Tota	lSamples: 28	Surve	yed: 6	
Condi	tions: PCI: 75						
Inspec	tion Comments:						
Sampl	e Number: 05	Туре:	R	Area:	4900.00 SqFt	PCI: 76	
_	e Comments:	-			-		
18	L & T CR		L	158.00 Ft			
	L & T CR		M	35.00 Ft			
57	WEATHERING		L	4655.00 SqFt			
57	WEATHERING		M	245.00 SqFt			
Sampl	e Number: 10	Туре:	R	Area:	4900.00 SqFt	PCI: 76	
_	e Comments:				•		
48	L & T CR		L	148.00 Ft			
	L & T CR		M	35.00 Ft			
57	WEATHERING		L	4655.00 SqFt			
57	WEATHERING		M	245.00 SqFt			
Sampl	e Number: 12	Type:	R	Area:	4900.00 SqFt	PCI: 72	
_	e Comments:	• •					
10	I & T CD		т	245 00 Et			
	L & T CR L & T CR		L M	245.00 Ft 35.00 Ft			
5 7	WEATHERING		L	4655.00 SqFt			
57	WEATHERING		M	245.00 SqFt			
Sampl	e Number: 15	Туре:	R	Area:	4900.00 SqFt	PCI: 73	
-	e Comments:				1		
48	L & T CR		L	108.00 Ft			
	L & T CR		M	70.00 Ft			
57	WEATHERING		L	4655.00 SqFt			
57	WEATHERING		M	245.00 SqFt			
Sampl	e Number: 20	Type:	R	Area:	4900.00 SqFt	PCI: 74	
Sampl	e Comments:						
48	L & T CR		L	13.00 Ft			
48	L & T CR		M	105.00 Ft			
57	WEATHERING		L	4655.00 SqFt			
57	WEATHERING		M	245.00 SqFt			
_	e Number: 25	Type:	R	Area:	4900.00 SqFt	PCI: 78	
Sampl	e Comments:						
18	L & T CR		M	70.00 Ft			
	WEATHERING		L	4655.00 SqFt			
57 57	WEATHERING		M	245.00 SqFt			

Netwo	ork: BHK		Name:	Baker Municipal A	irport	
Branc		Name:	Taxiway	Use:	TAXIWAY Are	a: 350,592 SqFt
Section	on: 03	of 6	From: TAXIWAY	T-2	To: RWY 12/30	Last Const.: 8/1/2001
Surfa	ce: AAC Fan	mily: _MDT2024	- TW AAC Zone:	BAKE	Category: E	Rank: P
Area:	53,620 Sq	Ft Lengtl	1,532 Ft	Width:	35 Ft	
Slabs	: Sla	ab Length:	Ft Sla	b Width:	Ft	Joint Length: Ft
Shoul	der: Sti	reet Type: ACM	Gra	ade: 0		Lanes: 0
Sectio	on Comments:					
Work	Date: 9/30/1992	Work Type: Ne	w Construction - Initial	Coo	le: NU-IN	Is Major M&R: True
Work	Date: 8/1/2001	Work Type: Ov	rerlay - AC Thin	Coo	le: OL-AT	Is Major M&R: True
Work	Date: 1/1/2020	Work Type: Cr	ack Sealing - AC	Сос	le: CS-AC	Is Major M&R: False
Work	Date: 1/1/2020	Work Type: Su	rface Seal	Сос	le: SS-LO	Is Major M&R: False
	Insp. Date: 10/15/2024	Tota	lSamples: 13	Surveyed	: 6	
	itions: PCI: 81					
Inspe	ction Comments:					
_	le Number: 01	Type: R	Area:	5000.00 SqFt	PCI: 83	
Samp	le Comments:					
48	L & T CR	L	86.00 Ft			
57 57	WEATHERING WEATHERING	L M	4500.00 SqFt 500.00 SqFt			
	le Number: 02	Type: R	Area:	3220.00 SqFt	PCI: 81	
_	le Comments:	- JP				
48	L & T CR	L	86.00 Ft			
57	WEATHERING	L	2898.00 SqFt			
57	WEATHERING	M	322.00 SqFt			
_	le Number: 03	Type: R	Area:	4060.00 SqFt	PCI: 78	
_	le Comments:					
48	L & T CR	L	78.00 Ft			
52 57	RAVELING WEATHERING	L L	116.00 SqFt 3538.00 SqFt			
57	WEATHERING	M	406.00 SqFt			
Samp	le Number: 06	Type: R	Area:	3220.00 SqFt	PCI: 76	
Samp	le Comments:					
48	L & T CR	L	90.00 Ft			
52	RAVELING	L	93.00 SqFt			
57 57	WEATHERING WEATHERING	L M	2805.00 SqFt 322.00 SqFt			
	le Number: 08	Type: R	Area:	4900.00 SqFt	PCI: 84	
_	le Comments:	VI	3-2-2		•	
48	L & T CR	L	65.00 Ft			
57	WEATHERING	L	4410.00 SqFt			
57	WEATHERING	M	490.00 SqFt			
_	le Number: 12	Type: R	Area:	4900.00 SqFt	PCI: 80	
Samp	le Comments:					
48	L & T CR	L	35.00 Ft			
48	L & T CR	M	10.00 Ft			
57 57	WEATHERING WEATHERING	L M	4410.00 SqFt 490.00 SqFt			

Netwo	ork: BHK			Nan	ne: Bake	r Municipal	Airport			
Branc	h: TW		Name:	Taxiway		Use:	TAXIWAY	Ar	rea: 350,	592 SqFt
Sectio	n: 04	of 6		From: apron			To: han	gars]	Last Const.: 8/1/199
Surfac	ce: AC	Family: _M	1DT2024 -	TW AC Zon	e: BAKE		Category	: D]	Rank: P
Area:	45,4	15 SqFt	Length	: 908 I	řt	Width:	50]	Ft		
Slabs:		Slab Length:		Ft	Slab Width:		Ft		Joint Length:	Ft
Shoul	der:	Street Type:	ACM		Grade: 0				Lanes: 0	
Sectio	n Comments:									
Work	Date: 8/1/1997	Work	Type: Ne	w Construction - Init	ial	C	ode: NU-IN		Is Major M&	₹ R: True
Work	Date: 1/1/2020	Work	Type: Cra	ick Sealing - AC		C	ode: CS-AC		Is Major M&	kR: False
Work	Date: 1/1/2020	Work	Type: Sur	face Seal		C	ode: SS-LO		Is Major M&	αR: False
Last I	nsp. Date: 10/15/20	24	Total	Samples: 11		Surveye	d: 4			
Condi	itions: PCI: 58									
Inspec	ction Comments:									
		Trimos	R	A woo.	4000	00 SqFt	DCI.	: 80		
_	le Number: 01 le Comments:	Type:	K	Area:	4900.	oo sqrt	PCI	80		
18	L & T CR		L	84.00 Ft						
57	WEATHERING		L	3675.00 SqFt						
57	WEATHERING		M	1225.00 SqFt						
Sampl	le Number: 05	Type:	R	Area:	4500.	00 SqFt	PCI:	: 56		
Sampl	le Comments:									
11	ALLIGATOR CR		L	66.00 SqFt						
18	L & T CR		L	457.00 Ft						
18	L & T CR		M	60.00 Ft						
57	WEATHERING		L	4050.00 SqFt						
57	WEATHERING		M	450.00 SqFt						
Sampl	le Number: 07	Type:	R	Area:	4500.	00 SqFt	PCI	45		
Sampl	le Comments:									
41	ALLIGATOR CR		L	180.00 SqFt						
13	BLOCK CR		L	4320.00 SqFt						
57	WEATHERING		L	3375.00 SqFt						
57	WEATHERING		M	1125.00 SqFt						
Sampl	le Number: 09	Type:	R	Area:	4500.	00 SqFt	PCI	: 51		
Sampl	le Comments:									
41	ALLIGATOR CR		L	110.00 SqFt						
48	L & T CR		L	263.00 Ft						
48	L & T CR		M	150.00 Ft						
57	WEATHERING		L	3375.00 SqFt						
57	WEATHERING		M	1125.00 SqFt						

Network: BHK		Name:	Baker Municipal Air	port	
Branch: TW	Name:	Taxiway	Use: T	AXIWAY Ar	ea: 350,592 SqFt
Section: 05	of 6 F	rom: T-3		To: R-2	Last Const.: 9/1/2012
Surface: AC Fa	amily: _MDT2024 - T	W AC Zone:	BAKE	Category: D	Rank: P
Area: 45,850 S	SqFt Length:	1,310 Ft	Width:	35 Ft	
Slabs: S	Slab Length:	Ft Slab	Width:	Ft	Joint Length: Ft
Shoulder: S	Street Type: ACM	Grae	de: 0		Lanes: 0
Section Comments:					
Work Date: 9/1/2012	Work Type: New	Construction - Initial	Code	: NU-IN	Is Major M&R: True
Work Date: 1/1/2020	Work Type: Crack	Sealing - AC	Code	: CS-AC	Is Major M&R: False
Work Date: 1/1/2020	Work Type: Surface	ce Seal	Code	: SS-LO	Is Major M&R: False
Last Insp. Date: 10/15/2024	TotalSa	imples: 9	Surveyed:	5	
Conditions: PCI: 80					
Inspection Comments:					
Sample Number: 01	Type: R	Area:	4900.00 SqFt	PCI: 80	
Sample Comments:					
48 L & T CR	L	172.00 Ft			
57 WEATHERING	L	4655.00 SqFt			
57 WEATHERING	M	245.00 SqFt	4000 00 0 0	7.67	
Sample Number: 02	Type: R	Area:	4900.00 SqFt	PCI: 80	
Sample Comments:					
48 L & T CR	L	170.00 Ft			
57 WEATHERING57 WEATHERING	L M	4655.00 SqFt 245.00 SqFt			
Sample Number: 06	Type: R	Area:	4900.00 SqFt	PCI: 80	
Sample Comments:	Type. K	Alca.	4900.00 Sqr t	101. 60	
•	_	4== 00 =			
48 L & T CR 57 WEATHERING	L L	175.00 Ft 4655.00 SqFt			
57 WEATHERING	M	245.00 SqFt			
Sample Number: 08	Type: R	Area:	4900.00 SqFt	PCI: 80	
Sample Comments:	• •		1		
48 L & T CR	L	168.00 Ft			
57 WEATHERING	L	4655.00 SqFt			
57 WEATHERING	M	245.00 SqFt			
Sample Number: 09	Type: R	Area:	4900.00 SqFt	PCI: 81	
Sample Comments:					
48 L & T CR	L	153.00 Ft			
57 WEATHERING	L	4655.00 SqFt			
57 WEATHERING	M	245.00 SqFt			

		Name:	Baker Municipal	Airport			
Branch: TW	Name	: Taxiway	Use:	TAXIWAY	Area:	350,592 SqFt	
Section: 06	of 6	From: TW04		To: hangar	S	Last Const.:	1/1/2020
Surface: AC	Family: _MDT202	4 - TW AC Zone:		Category:		Rank: P	
Area: 34,75	7 SqFt Leng	9th: 380 Ft	Width:	25 Ft			
Slabs:	Slab Length:	Ft Slat	Width:	Ft	Joint 1	Length: Ft	
Shoulder:	Street Type:	Gra	de: 0		Lanes	s : 0	
Section Comments:							
Work Date: 1/1/2019	Work Type: 1	New Construction - AC	Co	ode: NC-AC	Is	Major M&R: True	
Work Date: 1/1/2020	Work Type: 1	New Construction - AC	Co	ode: NC-AC	Is	Major M&R: True	
Last Insp. Date: 10/15/202	24 To	talSamples: 6	Surveye	d: 3			
Last Insp. Date: 10/15/202 Conditions: PCI: 90	24 To	talSamples: 6	Surveye	d: 3			
_	.24 То	talSamples: 6	Surveye	d: 3			
Conditions: PCI: 90 Inspection Comments:		Area:	Surveyed 5088.00 SqFt	d: 3 PCI: 8	88		
Conditions: PCI: 90					38		
Conditions: PCI: 90 Inspection Comments: Sample Number: 01					88		
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments:	Type: R	Area:			88		
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR	Type: R	Area: 97.00 Ft					
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING	Type: R L L	Area: 97.00 Ft 5088.00 SqFt	5088.00 SqFt	PCI: 8			
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING Sample Number: 03	Type: R L L	Area: 97.00 Ft 5088.00 SqFt	5088.00 SqFt	PCI: 8			
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING Sample Number: 03 Sample Comments:	Type: R L L L R	Area: 97.00 Ft 5088.00 SqFt Area:	5088.00 SqFt	PCI: 8			
Conditions: PCI: 90 Inspection Comments: Sample Number: 01 Sample Comments: 48 L & T CR 57 WEATHERING Sample Number: 03 Sample Comments: 48 L & T CR	Type: R L L Type: R	97.00 Ft 5088.00 SqFt Area: 58.00 Ft	5088.00 SqFt	PCI: 8	39		

WEATHERING

57

L 5627.00 SqFt