



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



CURRENT 2024 PAVEMENT CONDITION INDEX


Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW03	21	Runway 03-21	AAC	33,600	14.2	9/1/2010	9/27/2024	87	Good
RW03	22	Runway 03-21	AAC	171,600	14.2	9/1/2010	9/27/2024	72	Satisfactory
RW08	15	Runway 08-26	AAC	530,000	9.3	8/1/2015	9/27/2024	91	Good
TW	06	Taxiway	AC	11,421	14.2	9/24/2010	9/27/2024	71	Satisfactory
TW	07	Taxiway	AAC	3,434	7.9	1/1/2017	9/27/2024	90	Good
TW	08	Taxiway	AAC	6,755	7.9	1/1/2017	9/27/2024	87	Good
TW	09	Taxiway	AAC	7,000	7.9	1/1/2017	9/27/2024	85	Satisfactory
TW	12	Taxiway	AAC	24,045	7	11/1/2017	9/27/2024	86	Good
TW	13	Taxiway	AAC	17,500	7.9	1/1/2017	9/27/2024	83	Satisfactory
TW	14	Taxiway	AAC	31,500	7.9	1/1/2017	9/27/2024	85	Satisfactory
TW	15	Taxiway	AAC	127,750	7.9	1/1/2017	9/27/2024	80	Satisfactory
AP	13	Apron	AC	32,962	7	11/1/2017	9/27/2024	91	Good
AP	15	Apron	AC	114,750	7	11/1/2017	9/27/2024	87	Good

AIRFIELD PAVEMENT WORK HISTORY

- AIP-001-1985, ENTIRE R/W 7/25 CHIP SEALED P-609 WITH PRIOR HEATER SCARIFIER AND LEVEL UP. CENTER 100' WIDTH; OUTER 25' CHIPPED ONLY.
- AIP-002-1987 QUAD HANGAR TAXIWAYS CONSTRUCTED UNDER AIP-02 NOT SHOWN IN DETAIL.
- AIP-003-1993 RUNWAY 7/25 RECONSTRUCTION AND TAXIWAY CENTER EXTENSION.
- AIP-004-1994, RECONSTRUCT APRON; REHABILITATE RUNWAY 3/21; REHABILITATE TAXIWAYS (T-2,T-3).
- AIP-005-1995, REHABILITATE TAXIWAY (TW:05).
- 1995, APRON (AP:07) CONSTRUCTED.
- AIP-007-2001, CRACK SEAL, FOG SEAL, AND REMARK.
- AIP-009-2005, CRACK SEAL, FOG SEAL, AND REMARK.
- AIP-011-2009, CRACK SEAL, FOG SEAL, AND REMARK.
- AIP-014-2010, MILL AND OVERLAY RUNWAY 3/21 (RW03:22).
- AIP-017-2015, MILL AND OVERLAY RUNWAY 8/26 (RW08:15) AND RUNWAY 3/21 (RW03:15); SEAL COAT RUNWAY 3/21 (RW03:22). [INSPECTED AFTER PROJECT]
- AIP-018-2016, MILL AND OVERLAY APRON (AP:15) AND TAXIWAY (TW:12); RECONSTRUCT APRON (AP:13).
- AIP-019-2017, MILL AND OVERLAY TAXIWAYS (TW:13,TW:14,TW:15).
- AIP-022-2020, CRACK SEAL, FOG SEAL, AND REMARK WITHIN RUNWAY SAFETY AREAS
- AIP-024-2021, CRACK SEAL, SURFACE SEAL, AND REMARK ALL RUNWAYS (RW03:21, RW03:22, RW08:15)



This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.




FORECASTED PAVEMENT CONDITION INDEX

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW03	21	AAC	87	86	84	83	81	80
RW08	15	AAC	91	90	88	86	84	82
RW03	22	AAC	72	72	71	70	69	68
TW	06	AC	71	71	70	69	69	68
TW	07	AAC	90	89	87	85	83	81
TW	08	AAC	87	86	84	82	81	79
TW	09	AAC	85	84	83	81	79	78
TW	12	AAC	86	85	83	82	80	79
TW	13	AAC	83	83	81	79	78	77
TW	14	AAC	85	84	83	81	79	78
TW	15	AAC	80	80	78	77	76	75
AP	13	AC	91	90	88	86	83	81
AP	15	AC	87	86	84	82	80	79

LEGEND

- BRANCH IDENTIFIER
- SECTION IDENTIFIER
- SECTION BOUNDARY
- PCI 86-100 GOOD
- PCI 71-85 SATISFACTORY
- PCI 56-70 FAIR
- PCI 41-55 POOR
- PCI 26-40 VERY POOR
- PCI 11-25 SERIOUS
- PCI 0-10 FAILED

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



LEGEND

— BRANCH IDENTIFIER
 — SECTION IDENTIFIER
 — SECTION BOUNDARY

MAJOR REHABILITATION	GLOBAL TREATMENT
2025 (Orange)	2025 (Orange with cross-hatch)
2026 (Blue)	2026 (Blue with cross-hatch)
2027 (Yellow)	2027 (Yellow with cross-hatch)
2028 (Purple)	2028 (Purple with cross-hatch)
2029 (Red)	2029 (Red with cross-hatch)

5-YEAR PAVEMENT NEEDS BY SECTION

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	TW	07	AAC	3,434	89	Crack Seal and Seal Coat	Global Treatment
2025	TW	08	AAC	6,755	86	Crack Seal and Seal Coat	Global Treatment
2025	TW	09	AAC	7,000	84	Crack Seal and Seal Coat	Global Treatment
2025	TW	12	AAC	24,045	85	Crack Seal and Seal Coat	Global Treatment
2025	TW	13	AAC	17,500	83	Crack Seal and Seal Coat	Global Treatment
2025	TW	14	AAC	31,500	84	Crack Seal and Seal Coat	Global Treatment
2025	TW	15	AAC	127,750	80	Crack Seal and Seal Coat	Global Treatment
2025	AP	13	AC	32,962	90	Crack Seal and Seal Coat	Global Treatment
2025	AP	15	AC	114,750	86	Crack Seal and Seal Coat	Global Treatment
2026	RW03	21	AAC	33,600	84	Crack Seal and Seal Coat	Global Treatment
2026	RW03	22	AAC	171,600	71	Crack Seal and Seal Coat	Global Treatment
2026	RW08	15	AAC	530,000	88	Crack Seal and Seal Coat	Global Treatment
2026	TW	06	AC	11,421	70	Crack Seal and Seal Coat	Global Treatment



Runway



RW03-22-07: Patching



RW08-15-29: Overview

Taxiway



TW-06-02: Depression



TW-13-03: L&T Cracking

Apron



AP-13-05: Weathering



AP-15-12: L&T Cracking

Re-Inspection Report

MDT SASP 2024

Generated Date 1/7/2025

Page 1 of 13

Network: HVR **Name:** Havre City-County Airport

Branch: AP **Name:** Apron **Use:** APRON **Area:** 147,712 SqFt

Section: 13 of 2 **From:** T-2 **To:** FBO **Last Const.:** 11/1/2017

Surface: AC **Family:** _MDT2024 - AP AC **Zone:** **Category:** **Rank:** P

Area: 32,962 SqFt **Length:** 200 Ft **Width:** 147 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 9/30/1987 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

Work Date: 11/1/2017 **Work Type:** New Construction - AC **Code:** NC-AC **Is Major M&R:** True

Last Insp. Date: 9/27/2024 **TotalSamples:** 7 **Surveyed:** 3

Conditions: PCI: 91

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 5000.00 SqFt **PCI:** 90

Sample Comments:

48 L & T CR L 39.00 Ft
57 WEATHERING L 5000.00 SqFt

Sample Number: 03 **Type:** R **Area:** 5000.00 SqFt **PCI:** 94

Sample Comments:

57 WEATHERING L 5000.00 SqFt

Sample Number: 05 **Type:** R **Area:** 5000.00 SqFt **PCI:** 90

Sample Comments:

48 L & T CR L 28.00 Ft
57 WEATHERING L 5000.00 SqFt

Network:	HVR	Name:	Havre City-County Airport						
Branch:	AP	Name:	Apron	Use:	APRON	Area:	147,712 SqFt		
Section:	15	of	2	From:	T-2/T-5	To:	TERMINAL/HANGAR	Last Const.:	11/1/2017
Surface:	AC	Family:	_MDT2024 - AP AC	Zone:		Category:		Rank:	P
Area:	114,750 SqFt	Length:	675 Ft	Width:	170 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	9/30/1987	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Work Date:	11/1/2017	Work Type:	New Construction - AC		Code:	NC-AC	Is Major M&R:	True	
Last Insp. Date:	9/27/2024	TotalSamples:	22	Surveyed:	5				
Conditions:	PCI: 87								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5000.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	84.00	Ft					
48	L & T CR	M	5.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	07	Type:	R	Area:	5000.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	34.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	12	Type:	R	Area:	5000.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L	179.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	17	Type:	R	Area:	5000.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	69.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	22	Type:	R	Area:	5400.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	52.00	Ft					
57	WEATHERING	L	5400.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	RW03	Name:	Runway 03-21	Use:	RUNWAY	Area:	205,200 SqFt		
Section:	21	of	2	From:	STA 0+00 RWY 3-21	To:	STA 8+40 RWY 3-21	Last Const.:	9/1/2010
Surface:	AAC	Family:	_MDT2024 - RW AC AAC	Zone:	HAVR	Category:	E	Rank:	P
Area:	33,600 SqFt	Length:	560 Ft	Width:	60 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	9/30/1994	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	9/1/2010	Work Type:	Cold Mill and Overlay - 3 Inches		Code:	MOL-3	Is Major M&R:	True	
Work Date:	8/1/2021	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Last Insp. Date:	9/27/2024	TotalSamples:	8	Surveyed:	3				
Conditions:	PCI: 87								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4800.00 SqFt	PCI:	85		
Sample Comments:									
52	RAVELING	L	480.00	SqFt					
57	WEATHERING	L	4320.00	SqFt					
Sample Number:	02	Type:	R	Area:	4800.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	27.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	03	Type:	R	Area:	4800.00 SqFt	PCI:	86		
Sample Comments:									
48	L & T CR	L	34.00	Ft					
57	WEATHERING	L	4560.00	SqFt					
57	WEATHERING	M	240.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	RW03	Name:	Runway 03-21	Use:	RUNWAY	Area:	205,200 SqFt		
Section:	22	of 2	From:	STA 8+40 RWY 3-21	To:	STA 37+00 RWY 3-21	Last Const.: 9/1/2010		
Surface:	AAC	Family:	_MDT2024 - RW AC AAC	Zone:	HAVR	Category:	D	Rank:	P
Area:	171,600 SqFt	Length:	2,860 Ft	Width:	60 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	9/30/1994	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	9/1/2010	Work Type:	Cold Mill and Overlay - 3 Inches		Code:	MOL-3	Is Major M&R:	True	
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	8/1/2021	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	9/27/2024	TotalSamples:	35	Surveyed:	7				
Conditions:	PCI:	72							
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	4800.00 SqFt	PCI:	78		
Sample Comments:									
48	L & T CR	L	191.00	Ft					
48	L & T CR	M	15.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	07	Type:	R	Area:	4800.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	293.00	Ft					
50	PATCHING	L	76.00	SqFt					
57	WEATHERING	L	4724.00	SqFt					
Sample Number:	13	Type:	R	Area:	4800.00 SqFt	PCI:	73		
Sample Comments:									
48	L & T CR	L	299.00	Ft					
48	L & T CR	M	15.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	19	Type:	R	Area:	4800.00 SqFt	PCI:	72		
Sample Comments:									
48	L & T CR	L	314.00	Ft					
48	L & T CR	M	30.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	25	Type:	R	Area:	4800.00 SqFt	PCI:	71		
Sample Comments:									
48	L & T CR	L	358.00	Ft					
48	L & T CR	M	30.00	Ft					
57	WEATHERING	L	4800.00	SqFt					
Sample Number:	31	Type:	R	Area:	4800.00 SqFt	PCI:	69		
Sample Comments:									
48	L & T CR	L	272.00	Ft					
48	L & T CR	M	10.00	Ft					
50	PATCHING	L	212.00	SqFt					
57	WEATHERING	L	4588.00	SqFt					
Sample Number:	35	Type:	R	Area:	4800.00 SqFt	PCI:	71		
Sample Comments:									
48	L & T CR	L	346.00	Ft					
48	L & T CR	M	10.00	Ft					
57	WEATHERING	L	4800.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	RW08	Name:	Runway 08-26	Use:	RUNWAY	Area:	530,000 SqFt		
Section:	15	of 1	From:	T-5	To:	T-4	Last Const.: 8/1/2015		
Surface:	AAC	Family:	_MDT2024 - RW AC AAC	Zone:	HAVR	Category:	E	Rank:	P
Area:	530,000 SqFt	Length:	5,300 Ft	Width:	100 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/1/1993	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True		
Work Date:	8/1/2015	Work Type:	Cold Mill and Overlay - 4 Inches	Code:	MOL-4	Is Major M&R:	True		
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC	Code:	CS-AC	Is Major M&R:	False		
Work Date:	8/1/2021	Work Type:	Surface Seal	Code:	SS-LO	Is Major M&R:	False		
Last Insp. Date:	9/27/2024	TotalSamples:	109	Surveyed:	7				
Conditions:	PCI: 91								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5000.00 SqFt	PCI:	92		
Sample Comments:									
48	L & T CR	L	4.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	14	Type:	R	Area:	5000.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	29	Type:	R	Area:	5000.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	44	Type:	R	Area:	5000.00 SqFt	PCI:	88		
Sample Comments:									
48	L & T CR	L	90.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	59	Type:	R	Area:	5000.00 SqFt	PCI:	89		
Sample Comments:									
48	L & T CR	L	49.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	74	Type:	R	Area:	5000.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	38.00	Ft					
57	WEATHERING	L	5000.00	SqFt					
Sample Number:	89	Type:	R	Area:	5000.00 SqFt	PCI:	87		
Sample Comments:									
48	L & T CR	L	105.00	Ft					
57	WEATHERING	L	5000.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	06	of 8	From:	R-12	To:	End	Last Const.:	9/24/2010	
Surface:	AC	Family:	_MDT2024 - TW AC	Zone:	HAVR	Category:	D	Rank:	P
Area:	11,421 SqFt	Length:	141 Ft	Width:	81 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	9/24/2010	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	8/1/2021	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	9/27/2024	TotalSamples:	3	Surveyed:	3				
Conditions:	PCI:	71							
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	3760.00 SqFt	PCI:	74		
Sample Comments:									
48	L & T CR	L	174.00	Ft					
48	L & T CR	M	13.00	Ft					
50	PATCHING	L	17.00	SqFt					
57	WEATHERING	L	3743.00	SqFt					
Sample Number:	02	Type:	R	Area:	3760.00 SqFt	PCI:	68		
Sample Comments:									
45	DEPRESSION	L	59.00	SqFt					
48	L & T CR	L	179.00	Ft					
48	L & T CR	M	35.00	Ft					
50	PATCHING	L	19.00	SqFt					
57	WEATHERING	L	3741.00	SqFt					
Sample Number:	03	Type:	R	Area:	3760.00 SqFt	PCI:	72		
Sample Comments:									
48	L & T CR	L	242.00	Ft					
50	PATCHING	L	121.00	SqFt					
57	WEATHERING	L	3639.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	07	of 8	From:	-	To:	-	Last Const.: 1/1/2017		
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAVR	Category:	D	Rank:	P
Area:	3,434 SqFt	Length:	98 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	9/30/1993	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True		
Work Date:	1/1/2017	Work Type:	Mill and Overlay	Code:	ML-OL	Is Major M&R:	True		
Work Date:	8/1/2021	Work Type:	Surface Seal	Code:	SS-LO	Is Major M&R:	False		
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC	Code:	CS-AC	Is Major M&R:	False		
Last Insp. Date:	9/27/2024	TotalSamples:	1	Surveyed:	1				
Conditions:	PCI: 90								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	3434.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L	21.00	Ft					
57	WEATHERING	L	3434.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport				
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt
Section:	08	of 8	From:	-	To:	-	Last Const.: 1/1/2017
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAVR	Category:	D
Area:	6,755 SqFt	Length:	193 Ft	Width:	35 Ft		
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0
Section Comments:							
Work Date:	8/1/1963	Work Type:	New Construction - Initial	Code:	NU-IN	Is Major M&R:	True
Work Date:	9/30/1994	Work Type:	AC Surface Recycling - Hot	Code:	AR-HO	Is Major M&R:	True
Work Date:	1/1/2017	Work Type:	Mill and Overlay	Code:	ML-OL	Is Major M&R:	True
Work Date:	8/1/2021	Work Type:	Surface Seal	Code:	SS-LO	Is Major M&R:	False
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC	Code:	CS-AC	Is Major M&R:	False
Last Insp. Date:	9/27/2024	TotalSamples:	1	Surveyed:	1		
Conditions:	PCI: 87						
Inspection Comments:							
Sample Number:	01	Type:	R	Area:	6755.00 SqFt	PCI:	87
Sample Comments:							
48	L & T CR	L	141.00 Ft				
57	WEATHERING	L	6755.00 SqFt				

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	09	of 8	From:	09_Apron	To:	09_R-5	Last Const.:	1/1/2017	
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAVR	Category:	D	Rank:	P
Area:	7,000 SqFt	Length:	200 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	8/1/1993	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2017	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Work Date:	8/1/2021	Work Type:	Crack Sealing - AC		Code:	CS-AC	Is Major M&R:	False	
Work Date:	8/1/2021	Work Type:	Surface Seal		Code:	SS-LO	Is Major M&R:	False	
Last Insp. Date:	9/27/2024	TotalSamples:	1	Surveyed:	1				
Conditions:	PCI: 85								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	7000.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	41.00	Ft					
57	WEATHERING	L	6300.00	SqFt					
57	WEATHERING	M	700.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	12	of 8	From:	A-13	To:	RWY 21	Last Const.:	11/1/2017	
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:		Category:		Rank:	P
Area:	24,045 SqFt	Length:	687 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:		Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	11/1/2017	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Last Insp. Date:	9/27/2024	TotalSamples:	7	Surveyed:	4				
Conditions:	PCI: 86								
Inspection Comments:									
Sample Number:	01	Type:	R	Area:	3500.00 SqFt	PCI:	94		
Sample Comments:									
57	WEATHERING	L		3500.00	SqFt				
Sample Number:	03	Type:	R	Area:	3500.00 SqFt	PCI:	79		
Sample Comments:									
48	L & T CR	L		122.00	Ft				
48	L & T CR	M		26.00	Ft				
57	WEATHERING	L		3500.00	SqFt				
Sample Number:	05	Type:	R	Area:	3500.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L		75.00	Ft				
48	L & T CR	M		5.00	Ft				
57	WEATHERING	L		3500.00	SqFt				
Sample Number:	07	Type:	R	Area:	3045.00 SqFt	PCI:	90		
Sample Comments:									
48	L & T CR	L		12.00	Ft				
57	WEATHERING	L		3045.00	SqFt				

Network: HVR **Name:** Havre City-County Airport

Branch: TW **Name:** Taxiway **Use:** TAXIWAY **Area:** 229,405 SqFt

Section: 13 of 8 **From:** T-5 **To:** R-5 **Last Const.:** 1/1/2017

Surface: AAC **Family:** _MDT2024 - TW AAC **Zone:** HAVR **Category:** D **Rank:** P

Area: 17,500 SqFt **Length:** 500 Ft **Width:** 35 Ft

Slabs: **Slab Length:** Ft **Slab Width:** Ft **Joint Length:** Ft

Shoulder: **Street Type:** ACM **Grade:** 0 **Lanes:** 0

Section Comments:

Work Date: 8/1/1963 **Work Type:** New Construction - Initial **Code:** NU-IN **Is Major M&R:** True

Work Date: 9/30/1994 **Work Type:** AC Surface Recycling - Hot **Code:** AR-HO **Is Major M&R:** True

Work Date: 1/1/2017 **Work Type:** Mill and Overlay **Code:** ML-OL **Is Major M&R:** True

Last Insp. Date: 9/27/2024 **TotalSamples:** 3 **Surveyed:** 3

Conditions: PCI: 83

Inspection Comments:

Sample Number: 01 **Type:** R **Area:** 3500.00 SqFt **PCI:** 82

Sample Comments:

48 L & T CR L 152.00 Ft
57 WEATHERING L 3500.00 SqFt

Sample Number: 02 **Type:** R **Area:** 3500.00 SqFt **PCI:** 87

Sample Comments:

48 L & T CR L 82.00 Ft
57 WEATHERING L 3500.00 SqFt

Sample Number: 03 **Type:** R **Area:** 5000.00 SqFt **PCI:** 83

Sample Comments:

48 L & T CR L 92.00 Ft
48 L & T CR M 20.00 Ft
57 WEATHERING L 5000.00 SqFt

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	14	of 8	From:	T-1	To:	RWY 7/25 EAST END	Last Const.:	1/1/2017	
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAVR	Category:	D	Rank:	P
Area:	31,500 SqFt	Length:	900 Ft	Width:	35 Ft				
Slabs:	Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft			
Shoulder:	Street Type:	ACM	Grade:	0	Lanes:	0			
Section Comments:									
Work Date:	9/30/1993	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2017	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	9/27/2024	TotalSamples:	9	Surveyed:	4				
Conditions:	PCI:	85							
Inspection Comments:									
Sample Number:	04	Type:	R	Area:	3500.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	100.00	Ft					
57	WEATHERING	L	3500.00	SqFt					
Sample Number:	06	Type:	R	Area:	3500.00 SqFt	PCI:	86		
Sample Comments:									
48	L & T CR	L	93.00	Ft					
57	WEATHERING	L	3500.00	SqFt					
Sample Number:	07	Type:	R	Area:	3500.00 SqFt	PCI:	83		
Sample Comments:									
48	L & T CR	L	127.00	Ft					
57	WEATHERING	L	3500.00	SqFt					
Sample Number:	08	Type:	R	Area:	5000.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	81.00	Ft					
57	WEATHERING	L	4750.00	SqFt					
57	WEATHERING	M	250.00	SqFt					

Network:	HVR	Name:	Havre City-County Airport						
Branch:	TW	Name:	Taxiway	Use:	TAXIWAY	Area:	229,405 SqFt		
Section:	15	of 8	From:	Apron	To:	R-5	Last Const.:	1/1/2017	
Surface:	AAC	Family:	_MDT2024 - TW AAC	Zone:	HAVR	Category:	D	Rank:	P
Area:	127,750 SqFt	Length:	3,650 Ft	Width:	35 Ft				
Slabs:		Slab Length:	Ft	Slab Width:	Ft	Joint Length:	Ft		
Shoulder:		Street Type:	ACM	Grade:	0	Lanes:	0		
Section Comments:									
Work Date:	8/1/1993	Work Type:	New Construction - Initial		Code:	NU-IN	Is Major M&R:	True	
Work Date:	1/1/2017	Work Type:	Mill and Overlay		Code:	ML-OL	Is Major M&R:	True	
Last Insp. Date:	9/27/2024	TotalSamples:	33	Surveyed:	6				
Conditions:	PCI: 80								
Inspection Comments:									
Sample Number:	02	Type:	R	Area:	5000.00 SqFt	PCI:	78		
Sample Comments:									
48	L & T CR	L	300.00 Ft						
57	WEATHERING	L	5000.00 SqFt						
Sample Number:	05	Type:	R	Area:	5000.00 SqFt	PCI:	78		
Sample Comments:									
48	L & T CR	L	305.00 Ft						
57	WEATHERING	L	5000.00 SqFt						
Sample Number:	13	Type:	R	Area:	5000.00 SqFt	PCI:	84		
Sample Comments:									
48	L & T CR	L	172.00 Ft						
57	WEATHERING	L	5000.00 SqFt						
Sample Number:	16	Type:	R	Area:	5000.00 SqFt	PCI:	85		
Sample Comments:									
48	L & T CR	L	150.00 Ft						
57	WEATHERING	L	5000.00 SqFt						
Sample Number:	22	Type:	R	Area:	5000.00 SqFt	PCI:	77		
Sample Comments:									
48	L & T CR	L	200.00 Ft						
48	L & T CR	M	36.00 Ft						
57	WEATHERING	L	5000.00 SqFt						
Sample Number:	26	Type:	R	Area:	5000.00 SqFt	PCI:	77		
Sample Comments:									
48	L & T CR	L	335.00 Ft						
57	WEATHERING	L	5000.00 SqFt						