


This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



**LEGEND**

BRANCH IDENTIFIER	
RW01:10	SECTION IDENTIFIER
SECTION BOUNDARY	
<span style="display:inline-block; width:15px; height:15px; background-color:darkgreen; border:1px solid black;"></span>	PCI 86-100 GOOD
<span style="display:inline-block; width:15px; height:15px; background-color:lightgreen; border:1px solid black;"></span>	PCI 71-85 SATISFACTORY
<span style="display:inline-block; width:15px; height:15px; background-color:yellow; border:1px solid black;"></span>	PCI 56-70 FAIR
<span style="display:inline-block; width:15px; height:15px; background-color:orange; border:1px solid black;"></span>	PCI 41-55 POOR
<span style="display:inline-block; width:15px; height:15px; background-color:lightcoral; border:1px solid black;"></span>	PCI 26-40 VERY POOR
<span style="display:inline-block; width:15px; height:15px; background-color:firebrick; border:1px solid black;"></span>	PCI 11-25 SERIOUS
<span style="display:inline-block; width:15px; height:15px; background-color:gray; border:1px solid black;"></span>	PCI 0-10 FAILED


**CURRENT 2024 PAVEMENT CONDITION INDEX**

Branch ID	Section ID	Branch Name	Surface Type	Section Area (SF)	Approx. Age at Inspection	Last Major Work Date	Last Inspection Date	Pavement Condition Index	PCI Category
RW05	21	Runway 05-23	AC	375,000	20.4	7/1/2004	9/30/2024	71	Satisfactory
RW11	22	Runway 11-29	AC	222,000	21.3	8/1/2003	9/30/2024	66	Fair
TW	06	Taxiway	AC	115,000	30.1	9/30/1994	9/30/2024	77	Satisfactory
TW	07	Taxiway	AC	25,080	12	11/1/2012	9/30/2024	87	Good
TW	17	Taxiway	AC	71,330	12.2	8/25/2012	9/30/2024	84	Satisfactory
TW	21	Taxiway	AC	89,250	21.4	7/1/2003	9/30/2024	73	Satisfactory
TW	22	Taxiway	AC	64,400	20.3	8/1/2004	9/30/2024	68	Fair
AP	21	Apron	AC	97,273	21.3	8/1/2003	9/30/2024	72	Satisfactory
AP	22	Apron	PCC	22,193	21.3	8/1/2003	9/30/2024	75	Satisfactory

**AIRFIELD PAVEMENT WORK HISTORY**

1. AIP-001-1984, EXPAND APRON.
2. AIP-002-1986, RUNWAY 5-23 OVERLAY; DRAINAGE IMPROVEMENTS.
3. AIP-003-1989, OVERLAY RUNWAY 11-29, TAXIWAY, AND APRON; DRAINAGE IMPROVEMENTS.
4. AIP-004-1994-95 EXTEND RUNWAY 5-23; CONSTRUCT TAXIWAY TW:06; EXPAND APRON.
5. AIP-005-2003/AIP-006-2004, CONSTRUCT APRON (AP:22); CRACK SEAL, FOG SEAL, AND REMARK TW:06; PULVERIZE AND RECONSTRUCT REMAINING PAVEMENTS.
6. AIP-010-2011, CRACK SEAL, FOG SEAL, AND REMARK RUNWAYS (R-21,R-22), TAXIWAYS (TW:21,TW:22), AND APRON (AP:21).
7. AIP-011-2012, CRACK SEAL AND OVERLAY TAXIWAY (TW:06); RECONSTRUCT TAXIWAY (TW:17); CONSTRUCT TAXIWAY (TW:07).
8. AIP-012-2016, CRACK SEAL, SURFACE SEAL, AND REMARK ALL PAVEMENTS.
9. AIP-015-2021, CRACK SEAL, SURFACE SEAL, AND REMARK ALL PAVEMENTS.

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kiley-Horn and Associates, Inc. shall be without liability to Kiley-Horn and Associates, Inc.




**LEGEND**

- BRANCH IDENTIFIER
- SECTION IDENTIFIER
- SECTION BOUNDARY
- PCI 86–100 GOOD
- PCI 71–85 SATISFACTORY
- PCI 56–70 FAIR
- PCI 41–55 POOR
- PCI 26–40 VERY POOR
- PCI 11–25 SERIOUS
- PCI 0–10 FAILED

**FORECASTED PAVEMENT CONDITION INDEX**

Branch ID	Section ID	Surface Type	Current PCI (2024)	2025	2026	2027	2028	2029
RW05	21	AC	71	71	70	69	67	66
RW11	22	AC	66	66	64	62	59	57
TW	06	AC	77	77	76	75	74	73
TW	07	AC	87	86	84	83	81	80
TW	17	AC	84	84	82	80	79	78
TW	21	AC	73	73	72	71	71	70
TW	22	AC	68	68	67	66	65	64
AP	21	AC	72	72	71	70	69	68
AP	22	PCC	75	75	73	72	71	70

This document, together with the concepts and designs presented herein, is intended only for the specific purpose and client for which it was prepared. Reuse of and improper reliance on this document without written authorization and adaptation by Kinney-Horn and Associates, Inc. shall be without liability to Kinney-Horn and Associates, Inc.



**LEGEND**

— BRANCH IDENTIFIER  
**RW01:10** SECTION IDENTIFIER  
 — SECTION BOUNDARY

MAJOR REHABILITATION		GLOBAL TREATMENT
	2025	
	2026	
	2027	
	2028	
	2029	

**5-YEAR PAVEMENT NEEDS BY SECTION**

Year	Branch ID	Section ID	Surface Type	Section Area (SF)	PCI at Treatment	Recommended Treatment	Treatment Category
2025	RW11	22	AC	222,000	66	Mill and Overlay	Major Rehabilitation
2026	RW05	21	AC	375,000	70	Mill and Overlay	Major Rehabilitation
2025	TW	22	AC	64,400	68	Mill and Overlay	Major Rehabilitation
2026	TW	06	AC	115,000	76	Crack Seal and Seal Coat	Global Treatment
2026	TW	07	AC	25,080	84	Crack Seal and Seal Coat	Global Treatment
2026	TW	17	AC	71,330	82	Crack Seal and Seal Coat	Global Treatment
2026	TW	21	AC	89,250	72	Crack Seal and Seal Coat	Global Treatment
2026	AP	21	AC	97,273	71	Crack Seal and Seal Coat	Global Treatment

Runway



*RW05-21-06: Weathering*



*RW11-22-14: L&T Cracking*

Taxiway



*TW-17-06: L&T Cracking*



*TW-21-11: L&T Cracking*

Apron



*AP-21-20: L&T Cracking*



*AP-22-02: Joint Spalling*

# Re-Inspection Report

MDT SASP 2024

Generated Date 1/7/2025

Page 1 of 9

Network: SBX Name: Shelby Airport

Branch: AP Name: Apron Use: APRON Area: 119,466 SqFt

Section: 21 of 2 From: T-22 To: TERMINAL Last Const.: 8/1/2003

Surface: AC Family: \_MDT2024 - AP AC Zone: SHEL Category: D Rank: P

Area: 97,273 SqFt Length: 697 Ft Width: 143 Ft

Slabs: Slab Length: Ft Slab Width: Ft Joint Length: Ft

Shoulder: Street Type: ACN Grade: 0 Lanes: 0

Section Comments:

Work Date: 8/1/2003 Work Type: New Construction - Initial Code: NU-IN Is Major M&R: True

Work Date: 7/1/2021 Work Type: Surface Seal Code: SS-LO Is Major M&R: False

Work Date: 7/1/2021 Work Type: Crack Sealing - AC Code: CS-AC Is Major M&R: False

Last Insp. Date: 9/30/2024 Total Samples: 20 Surveyed: 4

Conditions: PCI: 72

Inspection Comments:

Sample Number: 01 Type: R Area: 5000.00 SqFt PCI: 73

Sample Comments:

45 DEPRESSION L 105.00 SqFt  
48 L & T CR L 126.00 Ft  
57 WEATHERING L 4500.00 SqFt  
57 WEATHERING M 500.00 SqFt

Sample Number: 09 Type: R Area: 5724.00 SqFt PCI: 73

Sample Comments:

48 L & T CR L 343.00 Ft  
57 WEATHERING L 5152.00 SqFt  
57 WEATHERING M 572.00 SqFt

Sample Number: 15 Type: R Area: 4703.00 SqFt PCI: 73

Sample Comments:

45 DEPRESSION L 15.00 SqFt  
48 L & T CR L 249.00 Ft  
57 WEATHERING L 4233.00 SqFt  
57 WEATHERING M 470.00 SqFt

Sample Number: 20 Type: R Area: 4703.00 SqFt PCI: 69

Sample Comments:

48 L & T CR L 258.00 Ft  
56 SWELLING L 104.00 SqFt  
57 WEATHERING L 4233.00 SqFt  
57 WEATHERING M 470.00 SqFt

<b>Network:</b>	SBX	<b>Name:</b>	Shelby Airport				
<b>Branch:</b>	AP	<b>Name:</b>	Apron	<b>Use:</b>	APRON	<b>Area:</b>	119,466 SqFt
<b>Section:</b>	22	of 2	<b>From:</b>	A-21	<b>To:</b>	TERMINAL	<b>Last Const.:</b> 8/1/2003
<b>Surface:</b>	PCC	<b>Family:</b>	_MDT2024 - All PCC	<b>Zone:</b>		<b>Category:</b>	P
<b>Area:</b>	22,193 SqFt	<b>Length:</b>	265 Ft	<b>Width:</b>	105 Ft		
<b>Slabs:</b>	150	<b>Slab Length:</b>	12 Ft	<b>Slab Width:</b>	12 Ft	<b>Joint Length:</b>	4,214 Ft
<b>Shoulder:</b>		<b>Street Type:</b>	PCA	<b>Grade:</b>	0	<b>Lanes:</b>	0
<b>Section Comments:</b>							
<b>Work Date:</b>	8/1/2003	<b>Work Type:</b>	New Construction - Initial	<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	6	<b>Surveyed:</b>	4		
<b>Conditions:</b>	PCI: 75						
<b>Inspection Comments:</b>							
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	27.00 Slabs	<b>PCI:</b>	79
<b>Sample Comments:</b>							
63	LINEAR CR	L	1.00	Slabs			
65	JT SEAL DMG	H	27.00	Slabs			
73	SHRINKAGE CR	N	1.00	Slabs			
74	JOINT SPALL	L	4.00	Slabs			
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	27.00 Slabs	<b>PCI:</b>	69
<b>Sample Comments:</b>							
63	LINEAR CR	L	2.00	Slabs			
63	LINEAR CR	M	1.00	Slabs			
65	JT SEAL DMG	H	27.00	Slabs			
73	SHRINKAGE CR	N	1.00	Slabs			
74	JOINT SPALL	M	2.00	Slabs			
75	CORNER SPALL	L	2.00	Slabs			
<b>Sample Number:</b>	04	<b>Type:</b>	R	<b>Area:</b>	24.00 Slabs	<b>PCI:</b>	73
<b>Sample Comments:</b>							
65	JT SEAL DMG	H	24.00	Slabs			
74	JOINT SPALL	L	4.00	Slabs			
74	JOINT SPALL	M	1.00	Slabs			
74	JOINT SPALL	H	1.00	Slabs			
75	CORNER SPALL	L	1.00	Slabs			
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	24.00 Slabs	<b>PCI:</b>	79
<b>Sample Comments:</b>							
65	JT SEAL DMG	H	24.00	Slabs			
73	SHRINKAGE CR	N	1.00	Slabs			
74	JOINT SPALL	L	2.00	Slabs			
75	CORNER SPALL	L	1.00	Slabs			
75	CORNER SPALL	M	1.00	Slabs			



<b>Network:</b>	SBX	<b>Name:</b>	Shelby Airport							
<b>Branch:</b>	RW05	<b>Name:</b>	Runway 05-23	<b>Use:</b>	RUNWAY	<b>Area:</b>	375,000 SqFt			
<b>Section:</b>	21	of	1	<b>From:</b>	STA 12+00 RW 5-23	<b>To:</b>	STA 62+00 RW 5-23	<b>Last Const.:</b>	7/1/2004	
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - RW AC AAC	<b>Zone:</b>	SHEL	<b>Category:</b>	D	<b>Rank:</b>	P	
<b>Area:</b>	375,000 SqFt	<b>Length:</b>	5,000 Ft	<b>Width:</b>	75 Ft					
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft			
<b>Shoulder:</b>		<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0			
<b>Section Comments:</b>										
<b>Work Date:</b>	7/1/2004	<b>Work Type:</b>	New Construction - Initial			<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal			<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC			<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	77	<b>Surveyed:</b>	7					
<b>Conditions:</b>	PCI: 71									
<b>Inspection Comments:</b>										
<b>Sample Number:</b>	06	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	70			
<b>Sample Comments:</b>										
48	L & T CR	L	384.00	Ft						
48	L & T CR	M	43.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	18	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	74			
<b>Sample Comments:</b>										
48	L & T CR	L	277.00	Ft						
48	L & T CR	M	57.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	30	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	70			
<b>Sample Comments:</b>										
48	L & T CR	L	390.00	Ft						
48	L & T CR	M	9.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	42	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	73			
<b>Sample Comments:</b>										
48	L & T CR	L	309.00	Ft						
48	L & T CR	M	32.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	54	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	67			
<b>Sample Comments:</b>										
48	L & T CR	L	474.00	Ft						
48	L & T CR	M	68.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	66	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	68			
<b>Sample Comments:</b>										
48	L & T CR	L	439.00	Ft						
48	L & T CR	M	31.00	Ft						
57	WEATHERING	L	4875.00	SqFt						
<b>Sample Number:</b>	76	<b>Type:</b>	R	<b>Area:</b>	4875.00 SqFt	<b>PCI:</b>	77			
<b>Sample Comments:</b>										
48	L & T CR	L	195.00	Ft						
48	L & T CR	M	28.00	Ft						
57	WEATHERING	L	4875.00	SqFt						

<b>Network:</b>	SBX	<b>Name:</b>	Shelby Airport				
<b>Branch:</b>	RW11	<b>Name:</b>	Runway 11-29	<b>Use:</b>	RUNWAY	<b>Area:</b>	222,000 SqFt
<b>Section:</b>	22	of 1	<b>From:</b>	STA 12+00 RW 11-29	<b>To:</b>	STA 49+00 RW 11-29	<b>Last Const.:</b> 8/1/2003
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - RW AC AAC	<b>Zone:</b>	SHEL	<b>Category:</b>	D
<b>Area:</b>	222,000 SqFt	<b>Length:</b>	3,700 Ft	<b>Width:</b>	60 Ft	<b>Rank:</b>	P
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft	
<b>Shoulder:</b>	<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0	
<b>Section Comments:</b>							
<b>Work Date:</b>	8/1/2003	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b> True
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b> False
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b> False
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	44	<b>Surveyed:</b>	7		
<b>Conditions:</b>	PCI: 66						
<b>Inspection Comments:</b>							
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	55
<b>Sample Comments:</b>							
41	ALLIGATOR CR	M	30.00	SqFt			
45	DEPRESSION	M	6.00	SqFt			
48	L & T CR	L	339.00	Ft			
48	L & T CR	M	45.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	08	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	63
<b>Sample Comments:</b>							
48	L & T CR	L	624.00	Ft			
48	L & T CR	M	60.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	14	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	67
<b>Sample Comments:</b>							
48	L & T CR	L	464.00	Ft			
48	L & T CR	M	96.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	20	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	72
<b>Sample Comments:</b>							
48	L & T CR	L	322.00	Ft			
48	L & T CR	M	70.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	26	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	70
<b>Sample Comments:</b>							
48	L & T CR	L	372.00	Ft			
48	L & T CR	M	135.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	32	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	66
<b>Sample Comments:</b>							
48	L & T CR	L	504.00	Ft			
48	L & T CR	M	60.00	Ft			
57	WEATHERING	L	2400.00	SqFt			
<b>Sample Number:</b>	38	<b>Type:</b>	R	<b>Area:</b>	4800.00 SqFt	<b>PCI:</b>	69
<b>Sample Comments:</b>							
48	L & T CR	L	420.00	Ft			
48	L & T CR	M	40.00	Ft			
57	WEATHERING	L	2400.00	SqFt			

<b>Network:</b>	SBX		<b>Name:</b>	Shelby Airport					
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	365,060 SqFt		
<b>Section:</b>	06	of 5	<b>From:</b>		<b>To:</b>	Apron A-1	<b>Last Const.:</b>	9/30/1994	
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	SHEL	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	115,000 SqFt	<b>Length:</b>	1,400 Ft	<b>Width:</b>	35 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	9/30/1994	<b>Work Type:</b>	New Construction - Initial	<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True		
<b>Work Date:</b>	9/30/2012	<b>Work Type:</b>	Thin Overlay-AC	<b>Code:</b>	OL-AC	<b>Is Major M&amp;R:</b>	False		
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal	<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False		
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC	<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False		
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	11	<b>Surveyed:</b>	4				
<b>Conditions:</b>	PCI: 77								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	4375.00 SqFt	<b>PCI:</b>	67		
<b>Sample Comments:</b>									
41	ALLIGATOR CR	L	32.00	SqFt					
48	L & T CR	L	114.00	Ft					
48	L & T CR	M	10.00	Ft					
57	WEATHERING	L	4375.00	SqFt					
<b>Sample Number:</b>	03	<b>Type:</b>	R	<b>Area:</b>	4375.00 SqFt	<b>PCI:</b>	79		
<b>Sample Comments:</b>									
48	L & T CR	L	29.00	Ft					
48	L & T CR	M	65.00	Ft					
57	WEATHERING	L	4375.00	SqFt					
<b>Sample Number:</b>	09	<b>Type:</b>	R	<b>Area:</b>	4375.00 SqFt	<b>PCI:</b>	78		
<b>Sample Comments:</b>									
48	L & T CR	L	187.00	Ft					
48	L & T CR	M	5.00	Ft					
57	WEATHERING	L	4375.00	SqFt					
<b>Sample Number:</b>	11	<b>Type:</b>	R	<b>Area:</b>	4375.00 SqFt	<b>PCI:</b>	84		
<b>Sample Comments:</b>									
48	L & T CR	L	10.00	Ft					
48	L & T CR	M	30.00	Ft					
57	WEATHERING	L	4375.00	SqFt					

<b>Network:</b>	SBX		<b>Name:</b>	Shelby Airport					
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	365,060 SqFt		
<b>Section:</b>	07	of 5	<b>From:</b>	T-17	<b>To:</b>	HANGARS	<b>Last Const.:</b>	11/1/2012	
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>		<b>Category:</b>		<b>Rank:</b>	P
<b>Area:</b>	25,080 SqFt	<b>Length:</b>	440 Ft	<b>Width:</b>	57 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>		<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	11/1/2012	<b>Work Type:</b>	New Construction - AC		<b>Code:</b>	NC-AC	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	5	<b>Surveyed:</b>	3				
<b>Conditions:</b>	PCI: 87								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	5016.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	201.00	Ft					
57	WEATHERING	L	5016.00	SqFt					
<b>Sample Number:</b>	03	<b>Type:</b>	R	<b>Area:</b>	5016.00 SqFt	<b>PCI:</b>	87		
<b>Sample Comments:</b>									
45	DEPRESSION	L	8.00	SqFt					
48	L & T CR	L	107.00	Ft					
57	WEATHERING	L	5016.00	SqFt					
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	5016.00 SqFt	<b>PCI:</b>	91		
<b>Sample Comments:</b>									
48	L & T CR	L	14.00	Ft					
57	WEATHERING	L	5016.00	SqFt					

<b>Network:</b>	SBX		<b>Name:</b>	Shelby Airport					
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	365,060 SqFt		
<b>Section:</b>	17	of 5	<b>From:</b>	T-6	<b>To:</b>	Hangars	<b>Last Const.:</b>	8/25/2012	
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	SHEL	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	71,330 SqFt	<b>Length:</b>	2,038 Ft	<b>Width:</b>	35 Ft				
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft			
<b>Shoulder:</b>	<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0			
<b>Section Comments:</b>									
<b>Work Date:</b>	8/25/2012	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	10	<b>Surveyed:</b>	4				
<b>Conditions:</b>	PCI:	84							
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	4674.00 SqFt	<b>PCI:</b>	88		
<b>Sample Comments:</b>									
48	L & T CR	L	94.00	Ft					
57	WEATHERING	L	4674.00	SqFt					
<b>Sample Number:</b>	05	<b>Type:</b>	R	<b>Area:</b>	4674.00 SqFt	<b>PCI:</b>	82		
<b>Sample Comments:</b>									
48	L & T CR	L	105.00	Ft					
48	L & T CR	M	12.00	Ft					
57	WEATHERING	L	4674.00	SqFt					
<b>Sample Number:</b>	06	<b>Type:</b>	R	<b>Area:</b>	5073.00 SqFt	<b>PCI:</b>	79		
<b>Sample Comments:</b>									
48	L & T CR	L	274.00	Ft					
57	WEATHERING	L	5073.00	SqFt					
<b>Sample Number:</b>	09	<b>Type:</b>	R	<b>Area:</b>	5073.00 SqFt	<b>PCI:</b>	88		
<b>Sample Comments:</b>									
48	L & T CR	L	92.00	Ft					
57	WEATHERING	L	5073.00	SqFt					

<b>Network:</b>	SBX		<b>Name:</b>	Shelby Airport			
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	365,060 SqFt
<b>Section:</b>	21	of 5	<b>From:</b>	R-21	<b>To:</b>	R-22	<b>Last Const.:</b> 7/1/2003
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	SHEL	<b>Category:</b>	D
<b>Area:</b>	89,250 SqFt	<b>Length:</b>	2,550 Ft	<b>Width:</b>	35 Ft	<b>Rank:</b>	P
<b>Slabs:</b>	<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft	
<b>Shoulder:</b>	<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0	
<b>Section Comments:</b>							
<b>Work Date:</b>	7/1/2003	<b>Work Type:</b>	New Construction - Initial	<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC	<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal	<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	18	<b>Surveyed:</b>	5		
<b>Conditions:</b>	PCI: 73						
<b>Inspection Comments:</b>							
<b>Sample Number:</b>	02	<b>Type:</b>	R	<b>Area:</b>	5005.00 SqFt	<b>PCI:</b>	72
<b>Sample Comments:</b>							
48	L & T CR	L	332.00 Ft				
48	L & T CR	M	35.00 Ft				
57	WEATHERING	L	5005.00 SqFt				
<b>Sample Number:</b>	08	<b>Type:</b>	R	<b>Area:</b>	4970.00 SqFt	<b>PCI:</b>	70
<b>Sample Comments:</b>							
48	L & T CR	L	376.00 Ft				
48	L & T CR	M	35.00 Ft				
57	WEATHERING	L	4970.00 SqFt				
<b>Sample Number:</b>	11	<b>Type:</b>	R	<b>Area:</b>	4970.00 SqFt	<b>PCI:</b>	66
<b>Sample Comments:</b>							
48	L & T CR	L	511.00 Ft				
48	L & T CR	M	120.00 Ft				
57	WEATHERING	L	4970.00 SqFt				
<b>Sample Number:</b>	15	<b>Type:</b>	R	<b>Area:</b>	4970.00 SqFt	<b>PCI:</b>	73
<b>Sample Comments:</b>							
48	L & T CR	L	300.00 Ft				
48	L & T CR	M	71.00 Ft				
57	WEATHERING	L	4970.00 SqFt				
<b>Sample Number:</b>	18	<b>Type:</b>	R	<b>Area:</b>	4970.00 SqFt	<b>PCI:</b>	82
<b>Sample Comments:</b>							
48	L & T CR	L	203.00 Ft				
57	WEATHERING	L	4970.00 SqFt				

<b>Network:</b>	SBX	<b>Name:</b>	Shelby Airport						
<b>Branch:</b>	TW	<b>Name:</b>	Taxiway	<b>Use:</b>	TAXIWAY	<b>Area:</b>	365,060 SqFt		
<b>Section:</b>	22	of 5	<b>From:</b>	R-22	<b>To:</b>	R-21	<b>Last Const.:</b> 8/1/2004		
<b>Surface:</b>	AC	<b>Family:</b>	_MDT2024 - TW AC	<b>Zone:</b>	SHEL	<b>Category:</b>	D	<b>Rank:</b>	P
<b>Area:</b>	64,400 SqFt	<b>Length:</b>	1,840 Ft	<b>Width:</b>	35 Ft				
<b>Slabs:</b>		<b>Slab Length:</b>	Ft	<b>Slab Width:</b>	Ft	<b>Joint Length:</b>	Ft		
<b>Shoulder:</b>		<b>Street Type:</b>	ACM	<b>Grade:</b>	0	<b>Lanes:</b>	0		
<b>Section Comments:</b>									
<b>Work Date:</b>	8/1/2004	<b>Work Type:</b>	New Construction - Initial		<b>Code:</b>	NU-IN	<b>Is Major M&amp;R:</b>	True	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Surface Seal		<b>Code:</b>	SS-LO	<b>Is Major M&amp;R:</b>	False	
<b>Work Date:</b>	7/1/2021	<b>Work Type:</b>	Crack Sealing - AC		<b>Code:</b>	CS-AC	<b>Is Major M&amp;R:</b>	False	
<b>Last Insp. Date:</b>	9/30/2024	<b>TotalSamples:</b>	13	<b>Surveyed:</b>	4				
<b>Conditions:</b>	PCI: 68								
<b>Inspection Comments:</b>									
<b>Sample Number:</b>	01	<b>Type:</b>	R	<b>Area:</b>	3360.00 SqFt	<b>PCI:</b>	75		
<b>Sample Comments:</b>									
48	L & T CR	L	106.00	Ft					
48	L & T CR	M	5.00	Ft					
57	WEATHERING	L	3024.00	SqFt					
57	WEATHERING	M	336.00	SqFt					
<b>Sample Number:</b>	04	<b>Type:</b>	R	<b>Area:</b>	4725.00 SqFt	<b>PCI:</b>	64		
<b>Sample Comments:</b>									
48	L & T CR	L	215.00	Ft					
48	L & T CR	M	157.00	Ft					
57	WEATHERING	L	4253.00	SqFt					
57	WEATHERING	M	472.00	SqFt					
<b>Sample Number:</b>	07	<b>Type:</b>	R	<b>Area:</b>	4725.00 SqFt	<b>PCI:</b>	67		
<b>Sample Comments:</b>									
48	L & T CR	L	311.00	Ft					
48	L & T CR	M	35.00	Ft					
57	WEATHERING	L	4253.00	SqFt					
57	WEATHERING	M	472.00	SqFt					
<b>Sample Number:</b>	10	<b>Type:</b>	R	<b>Area:</b>	4725.00 SqFt	<b>PCI:</b>	67		
<b>Sample Comments:</b>									
48	L & T CR	L	324.00	Ft					
48	L & T CR	M	31.00	Ft					
57	WEATHERING	L	4253.00	SqFt					
57	WEATHERING	M	472.00	SqFt					