

SURVEY FEATURE LIST

SVYR0003

CLASS BARRIER

SUBCLASS FENCE

SUMMARY CATTLEGUARD (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
7	CATGRD	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	7	4	1	0	CATTLE_EXIST			Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY FENCE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
17	FENCE	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	7	4	0	0	FENCE_EXIST			Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY GATE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
18	GATE	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	7	6	1	0	Existing Gate			Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY SNOW FENCE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
60	SNOWF	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	7	3	1	0	FXSNOW_EXIST			Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUBCLASS RAIL

SUMMARY GUARDRAIL POINT-GRND

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
26	GRRL	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	7	2	0	0	GUARDRAIL_EXIST			Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY JURSEY RAIL POINT-GRND

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
98	JRRL	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	7	2	0	1	Jursey Rail			Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS DRAINAGE

SUBCLASS CULVERT

SUMMARY END OF PIPE/CUL INV (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
11	CULVI	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	1	0			1	IC				15		
POINT	59	1	0			.75			0	2.5			
LINE	38	1	0	0	CULVERT_EXIST			Y					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY TOP OF CULVERT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
51	CULVT	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	39	7	0			1	TC				15		
POINT	59	7	0			.75			0	2.5			
LINE	38	7	0	0				N					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUBCLASS MISC

SUMMARY RIPRAP BOUNDARY

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
48	RIPRAP	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	19	2	1	0				Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUBCLASS WATER

SUMMARY DROP INLET-ROUND (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
105	DROPR	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	33	1	0			1	EDIR				15		
POINT	59	1	0			.75			0	2.5			
LINE	60	1	0	0				N					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY DROP INLET-SQUARE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
13	DROP	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	33	1	0			1	EDI				15		
POINT	59	1	0			.75			0	2.5			
LINE	60	1	0	0				N					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY HEADGATE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
29	HEADG	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	7	0	0	0				Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY STORM DRAIN LINE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
97	STRMDR	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	33	2	0	1	STRM_EXIST			Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS MISC

SUBCLASS DTM

SUMMARY BOUNDARY

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
127	BNDRY	L	BOUNDARY	PHOTO-SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	17	4	1			1	PNT4				15		
	59	4	0			.75			0	2.5			
	15	4	2	4				Y					
	57	4	0			.75			0	-2.5	15	1	0

SUMMARY BREAKLINE-GRADE BREAK

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
25	GB	L	BREAKLINE	PHOTO-SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	17	7	1			1	PNT7				15		
	59	7	0			.75			0	2.5			
	21	7	1	2				Y					
	57	7	0			.75			0	-2.5	15	1	0

SUMMARY DTM ISLAND

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
180	ISLAND	L	ISLAND	PHOTO-SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	17	5	1			1	PNT5				15		
	59	5	0			.75			0	2.5			
	25	5	0	0				Y					
	57	5	0			.75			0	-2.5	15	1	0

SUMMARY DTM OBSCURE AREA

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
122	OBSCURE	L	OBSCURE	PHOTO-SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	17	7	1			1	PNT7				15		
	59	7	0			.75			0	2.5			
	12	7	0	0				Y					
	57	7	0			.75			0	-2.5	15	1	0

SUMMARY GROUND SHOT

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
27	GRND	P	GROUNDSHOT	SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	10	2	1			1	SRVMAS				15		
	59	2	0			.75			0	2.5			
	21	2	0	0				N					
	57	2	0			.75			0	-2.5	15	1	0

SUMMARY MISC DTM POINT (description)

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
163	MISCDP	P	GROUNDSHOT	SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	24	3	0			1	MD				15		
	59	3	0			.75			0	2.5			
	60	3	0	0				N					
	57	3	0			.75			0	-2.5	15	1	0

SUMMARY MISC. DTM LINE (description)

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
162	MISCDL	L	BREAKLINE	SURV

CELL POINT LINE DESCRIPTOR	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
	17	0	1			1	PNT0				15		
	59	0	0			.75			0	2.5			
	21	0	0	1				Y					
	57	0	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS MISC

SUBCLASS MISC

SUMMARY DEFAULT FEATURE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
0	DEFAULT	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	5	3	0			1	DF				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY ELEV TEXT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
256	ELVTXT	P		GROUNDSHOT	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	61	7	1			1	PNT7				15		
POINT	59	7	0			.75			0	2.5			
LINE	60	7	0	0				N					
DESCRIPTOR	58	7	0			.75			0	0	15	1	0

SUMMARY PHOTOGRAPHY POINT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
140	PHOTO	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	47	0	0	0	photo			Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY UNDERGROUND HAZARD SITE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
50	UHS	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	32	3	0	0				Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUBCLASS NON DTM

SUMMARY MISC. NON-DTM LINE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
35	MISCL	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	7	0	1	0				Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY MISC. NON-DTM POINT (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
34	MISCP	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	4	3	0			1	MND				15		
POINT	59	3	0			.75			0	2.5			
LINE	21	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS NATURAL

SUBCLASS LAND

SUMMARY BOTTOM OF BANK

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
3	BOB	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	21	3	0	0				Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY BOTTOM OF SLOPE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
4	BOS	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	21	4	0	0				Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY TOP OF BANK

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
74	TOB	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	21	2	0	0				Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY TOP OF SLOPE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
76	TOS	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	21	6	0	0				Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS NATURAL

SUBCLASS VEGETATION

SUMMARY SHRUB

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
57	SHRUB	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	9	2	0			1	SHRUB				15		
POINT	59	2	0			.75			0	2.5			
LINE	60	2	0	0				N					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY TREE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
81	TREE	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	9	2	0			1	TREE				15		
POINT	59	2	0			.75			0	2.5			
LINE	60	2	0	0				N					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY TREE LINE- BOUNDARY

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
117	TREELN	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	9	2	0	0	TREE_LINE			Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY TREE-ROW

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
137	TREEROW	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	2	1			1	PNT2				15		
POINT	59	2	0			.75			0	2.5			
LINE	9	2	0	1	TREE_ROW			Y					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS NATURAL

SUBCLASS WATER

SUMMARY EDGE OF WATER

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
89	EDGEWAT	L	BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	1	1			1	PNT1				15		
POINT	59	1	0			.75			0	2.5			
LINE	22	1	1	0	WATER_EDGE			Y					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY FLOWLINE-AGAINST FLOW

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
90	FLU	L	BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	22	4	0	0	FLOW_up			Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY FLOWLINE-WITH FLOW

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
21	FL	L	BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	1	1			1	PNT1				15		
POINT	59	1	0			.75			0	2.5			
LINE	22	1	0	0	FLOW_LINE			Y					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY HIGH WATER POINT

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
95	HIWATER	P	NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	37	1	0			1	HW				15		
POINT	59	1	0			.75			0	2.5			
LINE	22	1	2	6				N					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY THALWEG OF STREAM

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
73	THALWEG	L	BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	7	1			1	PNT7				15		
POINT	59	7	0			.75			0	2.5			
LINE	22	7	0	4				Y					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUMMARY WETLAND BOUNDARY (description)

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
103	WETLB	L	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	1	1			1	PNT1				15		
POINT	59	1	0			.75			0	2.5			
LINE	44	1	0	0	Wet Land Boundry			Y					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS ROAD/RR

SUBCLASS ROAD

SUMMARY BITUMINOUS CURB

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
102	BITCURB	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	7	6	0	0				Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY CONCRETE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
9	CONC	L		BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	19	0	0	0				Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY EDGE OF ROAD-GRAVEL

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
94	EOG	L		BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	19	3	0	0				Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY EDGE OF ROAD-PAVEMENT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
15	EOP	L		BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	7	1			1	PNT7				15		
POINT	59	7	0			.75			0	2.5			
LINE	19	7	2	0				Y					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUMMARY EDGE OF ROAD-TRAIL

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
106	EOT	L		BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	19	3	0	5				Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY MAILBOX

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
32	MAIL	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	7	3	0			1	MAIL				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY PTW-CENTERLINE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
100	PTW	L		BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	21	4	0	3				Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0



SURVEY FEATURE LIST

SVYR0003

CLASS ROAD/RR

SUBCLASS ROAD

SUMMARY SHOULDER

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
56	SHLD	L	BREAKLINE	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	21	0	0	0				Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY TOP BACK OF CURB

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
66	CURB	L	BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	19	4	0	0				Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUBCLASS RR

SUMMARY RR CENTERLINE

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
49	RRCL	L	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	7	4	2	0	RAILROAD			Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY RR CROSSING LIGHT

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
108	RRCL	P	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	1			1	RRCR				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY RR SWITCH

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
52	RRSW	P	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	7	3	1			1	RRSWT				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS ROAD/RR

SUBCLASS SIGNS

SUMMARY DUAL CHEVRON SIGN

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
53	CHEV	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	3	0	1			1	SY.SN4				15		
POINT	59	0	0			.75			0	2.5			
LINE	3	0	0	0				N					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY MILE POST (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
39	MILEP	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	3	3	0			1	MILE				15		
POINT	59	3	0			.75			0	2.5			
LINE	3	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY SIGN - MULTI-POST (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
58	SIGNM	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	3	3	0	0	Sign_multi_post			Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY SIGN - SINGLE-POST (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
59	SIGNS	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	1	1			1	PNT1				15		
POINT	59	1	0			.75			0	2.5			
LINE	3	1	0	0	Sign_single_post			Y					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY STREET ID SIGN (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
30	STID	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	3	0	0			1	SIGN2P				15		
POINT	59	0	0			.75			0	2.5			
LINE	3	0	0	0				N					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY TWO FACED SIGN (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
41	2FACE	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	3	3	0			1	TFS				15		
POINT	59	3	0			.75			0	2.5			
LINE	3	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS STRUCTURE

SUBCLASS MISC

SUMMARY BRIDGE CORNER

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
6	BRCOR	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	7	6	1	2				Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY BUILDING CORNER

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
1	BLDG	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	7	6	2	0				Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY CONC ABUT/RET WALL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
92	ABUT	L		BREAKLINE	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	4	1			1	PNT4				15		
POINT	59	4	0			.75			0	2.5			
LINE	19	4	1	7				Y					
DESCRIPTOR	57	4	0			.75			0	-2.5	15	1	0

SUMMARY WALL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
83	WALL	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	5	1			1	PNT5				15		
POINT	59	5	0			.75			0	2.5			
LINE	7	5	1	7				Y					
DESCRIPTOR	57	5	0			.75			0	-2.5	15	1	0

SUBCLASS TANK

SUMMARY STORAGE TANK-ROUND (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
65	TANK	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	7	7	0			1	TANK				15		
POINT	59	7	0			.75			0	2.5			
LINE	60	7	0	0				N					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUMMARY STORAGE TANK-SHAPE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
64	TANKSH	L		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	7	1			1	PNT7				15		
POINT	59	7	0			.75			0	2.5			
LINE	7	7	0	0				Y					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS SURVEY

SUBCLASS CONTROL

SUMMARY BENCHMARK (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
2	BM	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	40	2	0			1	BM				15		
POINT	59	2	0			.75			0	2.5			
LINE	60	2	1	3				N					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY SURVEY MON (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
63	SURV	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	40	3	0			1	SURVMON				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY TRAVERSE POINT (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
80	TRAV	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	40	0	1			1	TRAV				15		
POINT	59	0	0			.75			0	2.5			
LINE	60	0	0	0				N					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUBCLASS MISC

SUMMARY PROJECT MARKER (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
144	PM	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	40	3	0			1	PM				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY STATION MARKER (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
143	SM	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	40	3	0			1	SM				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS SURVEY

SUBCLASS R/W

SUMMARY R/W METAL PIN (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
55	RWPIN	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	41	3	0			1	PT1				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY R/W MON-ALUM (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
62	RWMA	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	41	0	0			1	RWALUM				15		
POINT	59	0	0			.75			0	2.5			
LINE	60	0	0	0				N					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY R/W MON-CONC (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
54	RWMC	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	41	3	0			1	RWCONC				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY R/W REF PIN-METAL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
61	RWREF	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	41	3	0			1	RWREF				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS COMMUNICATION

SUMMARY CABLE TV-UNDERGROUND

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
82	TV	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	13	1			1	PNT13				15		
POINT	59	13	0			.75			0	2.5			
LINE	34	13	0	0	TV_UNDER			Y					
DESCRIPTOR	57	13	0			.75			0	-2.5	15	1	0

SUMMARY FIBER-OPTIC CABLE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
20	FIBER	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	35	6	0	1	Fiber_CABLE			Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY TELEGRAPH POLE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
70	TELG	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	35	6	0			1	TGP				15		
POINT	59	6	0			.75			0	2.5			
LINE	60	6	0	0				N					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY TELEPHONE BOOTH

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
69	TELBTH	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	35	6	0			1	TB				15		
POINT	59	6	0			.75			0	2.5			
LINE	60	6	0	0				N					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY TELEPHONE LINE-OVERHEAD

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
68	TEL	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	6	1			1	PNT6				15		
POINT	59	6	0			.75			0	2.5			
LINE	35	6	0	0	TEL_EXIST_OVER			Y					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUMMARY TELEPHONE LINE-UNDERGROUND

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
67	TELU	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	22	1			1	PNT22				15		
POINT	59	22	0			.75			0	2.5			
LINE	35	22	0	2	TEL_EXIST_UNDER			Y					
DESCRIPTOR	57	22	0			.75			0	-2.5	15	1	0

SUMMARY TELEPHONE PEDESTAL

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
72	TELPED	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	35	6	0			1	TPD				15		
POINT	59	6	0			.75			0	2.5			
LINE	60	6	0	0				N					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS COMMUNICATION

SUMMARY TELEPHONE POLE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
71	TELP	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	35	6	0			1	TP				15		
POINT	59	6	0			.75			0	2.5			
LINE	60	6	1	0				N					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0

SUBCLASS GAS

SUMMARY GAS METER

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
23	GASM	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	31	20	0			1	GM				15		
POINT	59	20	0			.75			0	2.5			
LINE	60	20	0	0				N					
DESCRIPTOR	57	20	0			.75			0	-2.5	15	1	0

SUMMARY GAS VALVE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
24	GASV	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	31	20	0			1	GV				15		
POINT	59	20	0			.75			0	2.5			
LINE	60	20	0	0				N					
DESCRIPTOR	57	20	0			.75			0	-2.5	15	1	0

SUMMARY UNDERGRND GAS LINE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
22	GAS	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	20	1			1	PNT20				15		
POINT	59	20	0			.75			0	2.5			
LINE	31	20	0	0	GAS_EXIST			Y					
DESCRIPTOR	57	20	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS MANHOLE

SUMMARY MANHOLE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
107	MH	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	8	7	0			1	EMH				15		
POINT	59	7	0			.75			0	2.5			
LINE	60	7	0	0				N					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUMMARY MANHOLE-ELECTRIC

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
33	MHELEC	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	EMHE				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	1	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY MANHOLE-SANITARY SEWER

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
36	MHSS	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	33	2	0			1	EMHSS				15		
POINT	59	2	0			.75			0	2.5			
LINE	60	2	1	0				N					
DESCRIPTOR	57	2	0			.75			0	-2.5	15	1	0

SUMMARY MANHOLE-STORM DRAIN

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
38	MHSD	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	33	1	0			1	EMHSD				15		
POINT	59	1	0			.75			0	2.5			
LINE	60	1	0	0				N					
DESCRIPTOR	57	1	0			.75			0	-2.5	15	1	0

SUMMARY MANHOLE-TELEPHONE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
37	MHTEL	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	35	6	0			1	EMHT				15		
POINT	59	6	0			.75			0	2.5			
LINE	60	6	0	0				N					
DESCRIPTOR	57	6	0			.75			0	-2.5	15	1	0



SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS MISC

SUMMARY DRILL HOLE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
10	CORE	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	6	7	0			1	CORE				15		
POINT	59	7	0			.75			0	2.5			
LINE	60	7	0	0				N					
DESCRIPTOR	57	7	0			.75			0	-2.5	15	1	0

SUMMARY GUY WIRE ANCHOR

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
28	GUY	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	ANC				15		
POINT	59	3	0			.75			0	2.5			
LINE	30	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY MISSILE CABLE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
40	MISCAB	L		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	0	1			1	PNT0				15		
POINT	59	0	0			.75			0	2.5			
LINE	7	0	0	1	MISSLE_Cable			Y					
DESCRIPTOR	57	0	0			.75			0	-2.5	15	1	0

SUMMARY TOWER FEATURE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
77	TOWER	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	TT				15		
POINT	59	3	0			.75			0	2.5			
LINE	30	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY VALVE (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
109	VALVE	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	8	3	0			1	VALVE				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS POWER

SUMMARY ELECTRICAL ACCESS (description)

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
14	ELECACC	P	NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	SB				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY LIGHT POLE

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
31	LIGHT	P	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	1			1	LP				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY POWER PEDESTAL

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
45	PWRPED	P	NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	PPD				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY POWER POLE

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
44	PP	P	NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	1			1	PP				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	1	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY POWER-OVERHEAD

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
46	PWRX	L	NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	30	3	1	0	PWR_EXIST_OVER			Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY POWER-UNDERGROUND

ID#	NAME	POINT/LINE	DTM STATUS	USED BY
43	POWER	L	NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	17	3	1			1	PNT3				15		
POINT	59	3	0			.75			0	2.5			
LINE	30	3	0	2	PWR_EXIST_UNDER			Y					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS TRAFFIC

SUMMARY TRAFFIC SIGNAL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
78	TRAF	P		NON	PHOTO-SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	1			1	TL				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SUMMARY TRAFFIC/SIGNAL CONTROL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
79	TRAFBOX	P		NON	SURV

	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
CELL	30	3	0			1	CNTR				15		
POINT	59	3	0			.75			0	2.5			
LINE	60	3	0	0				N					
DESCRIPTOR	57	3	0			.75			0	-2.5	15	1	0

SURVEY FEATURE LIST

SVYR0003

CLASS UTILITY

SUBCLASS WATER

SUMMARY FIRE HYDRANT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
19	FH	P		NON	PHOTO-SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	36	1	2			1	FH				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	60	1	0	0				N					
	57	1	0			.75			0	-2.5	15	1	0

SUMMARY SANITARY SEWER LINE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
96	SANSEW	L		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	17	18	1			1	PNT2				15		
LINE	59	18	0			.75			0	2.5			
DESCRIPTOR	33	18	0	0	SAN_SEW_EXIST			Y					
	57	18	0			.75			0	-2.5	15	1	0

SUMMARY WATER HYDRANT

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
85	WATHYD	P		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	36	1	0			1	WH				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	60	1	0	0				N					
	57	1	0			.75			0	-2.5	15	1	0

SUMMARY WATER METER

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
86	WATM	P		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	36	1	0			1	WM				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	60	1	0	0				N					
	57	1	0			.75			0	-2.5	15	1	0

SUMMARY WATER VALVE

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
87	WATV	P		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	36	1	0			1	WV				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	60	1	0	0				N					
	57	1	0			.75			0	-2.5	15	1	0

SUMMARY WATER-UNDERGROUND

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
84	WATER	L		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	17	1	1			1	PNT1				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	36	1	0	2	WATER_EXISTING			Y					
	57	1	0			.75			0	-2.5	15	1	0

SUMMARY WELL (description)

ID#	NAME	POINT/LINE	DTM	STATUS	USED BY
88	WELL	P		NON	SURV

CELL	LVL	CO	WT	LINE STYLE	LINE CUSTOM	SIZE	CELL NAME	LINE STAT	X-OFFSET	Y-OFFSET	FONT	JUSTIFICATION	ROTATION
POINT	8	1	0			1	WELL				15		
LINE	59	1	0			.75			0	2.5			
DESCRIPTOR	60	1	0	0				N					
	57	1	0			.75			0	-2.5	15	1	0