


CAMP CREEK

Watershed # 3- Lower Clark Fork River Basin
Ravalli County, Montana



LAND OWNERSHIP: PRIVATE

BACKGROUND INFORMATION

The Camp Creek mitigation project was developed to mitigate wetland and stream impacts associated with the Montana Department of Transportation's (MDT) project impacts within the Bitterroot Valley of Watershed # 3 – Lower Clark River Basin. The Camp Creek project is located at the southernmost portion of the Bitterroot Valley near the Lost Trail Divide between Montana and Idaho, and just south of the town of Sula, in Ravalli County. The Camp Creek restoration project was developed on both MDT and privately owned properties. This project involved the development of approximately 42 acres of functional wetland mitigation credits on the MDT property, and approximately 11,155 linear feet of restored stream channel through the entire project site.

WETLAND INHABITANTS


COMMON NAMES	SCIENTIFIC NAMES
AMPHIBIAN	
Columbia Spotted Frog	<i>Rana luteiventris</i>
BIRD	
American Crow	<i>Corvus brachyrhynchos</i>
American Dipper	<i>Cinclus mexicanus</i>
American Goldfinch	<i>Spinus tristis</i>
American Kestrel	<i>Falco sparverius</i>
American Robin	<i>Turdus migratorius</i>
Bald Eagle	<i>Haliaeetus leucocephalus</i>
BARN SWALLOW	<i>Hirundo rustica</i>
Black-billed Magpie	<i>Pica hudsonia</i>
Brewer's Blackbird	<i>Euphagus cyanocephalus</i>
Brown-headed Cowbird	<i>Molothrus ater</i>
Canada Goose	<i>Branta canadensis</i>
Cedar Waxwing	<i>Bombycilla cedrorum</i>
CLARK'S NUTCRACKER	<i>Nucifraga columbiana</i>
Common Merganser	<i>Mergus merganser</i>
Common Nighthawk	<i>Chordeiles minor</i>
Common Raven	<i>Corvus corax</i>
COMMON YELLOWTHROAT	<i>Geothlypis trichas</i>
Dusky Grouse	<i>Dendragapus obscurus</i>
European Starling	<i>Sturnus vulgaris</i>
Grasshopper Sparrow	<i>Ammodramus savannarum</i>
Great Blue Heron	<i>Ardea herodias</i>
Killdeer	<i>Charadrius vociferus</i>
Mallard	<i>Anas platyrhynchos</i>
Mountain Bluebird	<i>Sialia currucoides</i>
NORTHERN FLICKER	<i>Colaptes auratus</i>
Wilson's Snipe	<i>Gallinago delicata</i>
Yellow Warbler	<i>Dendroica petechia</i>
Northern Harrier	<i>Circus cyaneus</i>
Red-tailed Hawk	<i>Buteo jamaicensis</i>
Red-winged Blackbird	<i>Agelaius phoeniceus</i>
Spotted Sandpiper	<i>Actitis macularius</i>

COMMON NAMES	SCIENTIFIC NAMES
BIRD	
STARLING	
TREE SWALLOW	<i>Tachycineta bicolor</i>
UNKOWN FLYCATCHER	
Wilson's Snipe	<i>Gallinago delicata</i>
Yellow Warbler	<i>Dendroica petechia</i>
FISH	
Brook Trout	<i>Salvelinus fontinalis</i>
Brown Trout	<i>Salmo trutta</i>
CutthroatXRainbow Trout	
Westslope Cutthroat Trout	<i>Oncorhynchus clarkii lewisi</i>
MAMMAL	
Badger	<i>Taxidea taxus</i>
Bobcat	<i>Lynx rufus</i>
Coyote	<i>Canis latrans</i>
Deer Mouse	<i>Peromyscus maniculatus</i>
Elk or Wapiti	<i>Cervus canadensis</i>
Meadow Vole	<i>Microtus pennsylvanicus</i>
Moose	<i>Alces americanus</i>
Mule Deer	<i>Odocoileus hemionus</i>
Porcupine	<i>Erethizon dorsatum</i>
Red Fox	<i>Vulpes vulpes</i>
Richardson's Ground Squirrel	<i>Spermophilus richardsonii</i>
White-tailed Deer	<i>Odocoileus virginianus</i>
COMMON GARTERSNAKE	<i>Thamnophis sirtalis</i>

Species first identified in 2010 are listed in **bold** type.
Species identified by MDT in 2010 are listed in **CAPS**.



Brook Trout



Brown Trout

WETLAND VEGETATION

Dominant wetland vegetation

Three wetland community types were observed:

Type 2- Sedge (*Carex spp.*) and Reed canary grass (*Phalaris arundinacea*)

Type 3- Redtop (*Agrostis alba*) and Hairgrass (*Deschampsia spp.*)

Type 6- Cottonwood (*Populus spp.*) and Willow (*Salix spp.*)



Tufted Hairgrass

Camp Creek



Click the icon below for complete monitoring reports for this site (2002 to 2010)

